
#### Number of Alabama youth projected to die prematurely from their smoking: 83,404

### Adult Tobacco Use in Alabama

Current Cigarette Smoking Among Adults Aged 18 and Older, 1999



## Youth Tobacco Use

GRADES 6-8			GRADES 9–12	
Current Cigarette		Current Any	Current Cigarette	Current Any
Smoking		Tobacco Use	Smoking	Tobacco Use
National*	9.2%	12.8%	28.5%	34.8%
AL†	19.1%	26.5%	30.2%	37.6%
Boys†	22.1%	32.0%	32.5%	44.3%
Girls†	15.7%	20.4%	27.8%	30.7%

Current Cigarette Smoking = smoked cigarettes on ≥1 of the 30 days preceding the survey.

Current Any Tobacco Use = current use of cigarettes or smokeless tobacco or pipes or bidis or cigars or kreteks on  $\geq 1$  of the 30 days preceding the survey. \*Source: National Youth Tobacco Survey, 1999.

†Source: Alabama Youth Tobacco Survey, 2000.


## Health Impact and Costs

Average Annual Deaths Related		Average Annual Years of	Medical Costs	
to Smoking, 1990–1994		Potential Life Lost,* 1990–1994	Related to Smoking, 1993	
Overall Men Women Death Rate 353/1 Rank (No. 1 is lowest deat	7,055 4,924 2,131 (00,000 29 th rate)	101,953 years or an average of 14.5 years for each death due to smoking. *Calculated to life expectancy	Ambulatory Hospital Nursing Home† Drug Other <b>Total</b>	\$182,440,000 \$270,290,000 \$159,230,000 \$61,700,000 \$138,370,000 <b>\$812,030,000</b>

Smoking-attributable Medicaid expenditures, Alabama, fiscal year 1993: \$107,304,000

†Preliminary estimates

# Lung Cancer Death Rate\*



\*1997 deaths per 100,000 population, adjusted to the 1970 total U.S. population.

### Scheduled 2001 settlement payment to Alabama: \$111,895,403.67 Tobacco Control Funding, 2001

At 9% of CDC Best Practices recommended lower estimate funding level, Alabama ranks 44th (No. 1 is the highest) for tobacco control funding. Alabama ranks 29th (No. 1 is the lowest death rate) for average annual deaths related to smoking.

Funding Source	FY01 Amount	Funding Cycle
State Appropriation—Settlement (Tobacco Only)	\$1,036,400	10/00-9/01
State Appropriation—Excise Tax Revenue	\$0	
State Appropriation—Other	\$0	
Subtotal: State Appropriation	\$1,036,400	
Federal—CDC Office on Smoking and Health	\$1,340,047	6/00-5/01
Federal—SAMHSA	n/a	
Non-Government Source—American Legacy Foundation	\$0	
Non-Government Source—RWJF/AMA	n/a	
Subtotal: Federal/National Sources	\$1,340,047	
Total	\$2,376,447	
Per Capita Funding	\$0.53	

Alabama appropriated an additional \$5,925,200 to the Department of Education for drug, alcohol, or tobacco education and prevention programs.

# Funding as a Percentage of CDC Best Practices Recommendations

	Recommended for Total Program Annual Cost	Recommended Per Capita Funding Level	PERCENT OF CDC BEST PRACTICES RECOMMENDATIONS
Lower Estimate	\$26,740,000	\$6.19	9%
Upper Estimate	\$71,235,000	\$16.49	3%

### **Excise Tax**

Cigarette tax per pack
Number of packages of cigarettes sold and taxed, per capita, 1999
Federal and state taxes as a percentage of retail price 15.0%   Annual gross tax revenue from cigarettes \$71,844,367
Smokeless tobacco tax: .8 cent/oz.   Snuff .5 cent/oz.