
Number of Montana youth projected to die prematurely from their smoking:

Adult Tobacco Use in Montana

Current Cigarette Smoking Among Adults Aged 18 and Older, 1999



Youth Tobacco Use

GRADES 6–8			GRADES 9–12	
Current C Smok	•	Current Any Tobacco Use	Current Cigarette Smoking	Current Any Tobacco Use
National*	9.2%	12.8%	28.5%	34.8%
MT† Boys† Data are not availab Girls†		a are not available	35.0% 35.4% 34.6%	45.0% 52.3% 37.6%

Current Cigarette Smoking = smoked cigarettes on ≥1 of the 30 days preceding the survey.

Current Any Tobacco Use = current use of cigarettes or smokeless tobacco or pipes or bidis or cigars or kreteks on ≥1 of the 30 days preceding the survey.

Health Impact and Costs


AVERAGE ANNUAL DEATHS RELATED TO SMOKING, 1990–1994		AVERAGE ANNUAL YEARS OF POTENTIAL LIFE LOST,* 1990–1994	MEDICAL COSTS RELATED TO SMOKING, 1993	
Overall Men Women Death Rate Rank	1,434 937 497 348/100,000	18,025 years or an average of 12.6 years for each death due to smoking.	Ambulatory Hospital Nursing Home† Drug Other	\$30,940,000 \$49,640,000 \$42,060,000 \$8,480,000 \$22,310,000
(No. 1 is lowest death rate)		*Calculated to life expectancy	Total	\$153,420,000

Smoking-attributable Medicaid expenditures, Montana, fiscal year 1993: \$28,065,000

†Preliminary estimates

15,045

Lung Cancer Death Rate*



^{*1997} deaths per 100,000 population, adjusted to the 1970 total U.S. population.



^{*}Source: National Youth Tobacco Survey, 1999.

[†]Source: Montana Youth Risk Behavior Survey, 1999.

Scheduled 2001 settlement payment to Montana: \$29,408,876.82

Tobacco Control Funding, 2001

At 47% of the CDC Best Practices recommended lower estimate funding level, Montana ranks 20th (No. 1 is the highest) for tobacco control funding. Montana ranks 23rd (No. 1 is the lowest death rate) for average annual deaths related to smoking.

Funding Source	FY01 Amount	FUNDING CYCLE
State Appropriation—Settlement (Tobacco Only)	\$3,500,000	7/00–6/01
State Appropriation—Excise Tax Revenue	\$0	
State Appropriation—Other	\$0	
Subtotal: State Appropriation	\$3,500,000	
Federal—CDC Office on Smoking and Health	\$875,000	6/00–5/01
Federal—SAMHSA	n/a	
Non-Government Source—American Legacy Foundation	\$0	
Non-Government Source—RWJF/AMA	n/a	
Subtotal: Federal/National Sources	\$875,000	
Total	\$4,375,000	
Per Capita Funding	\$4.85	

Funding as a Percentage of CDC Best Practices Recommendations

	RECOMMENDED FOR TOTAL PROGRAM ANNUAL COST	RECOMMENDED PER CAPITA FUNDING LEVEL	PERCENT OF CDC BEST PRACTICES RECOMMENDATIONS
Lower Estimate	\$9,355,000	\$10.65	47%
Upper Estimate	\$19,679,000	\$22.39	22%

Excise Tax

Cigarette tax per pack
Number of packages of cigarettes sold and taxed, per capita, 1999
Federal and state taxes as a percentage of retail price
Smokeless tobacco tax