


Number of Iowa youth projected to die prematurely from their smoking: 53,602

Adult Tobacco Use in Iowa

Current Cigarette Smoking Among Adults Aged 18 and Older, 1999



Youth Tobacco Use

GRADES 6-8		GRADES 9-12	
Current Cigarette Smoking	Current Any Tobacco Use	Current Cigarette Smoking	Current Any Tobacco Use
National*	9.2%	28.5%	34.8%
IA†	11.8%	32.7%	39.0%
Boys†	11.3%	34.2%	45.6%
Girls†	12.3%	31.1%	31.9%

Current Cigarette Smoking = smoked cigarettes on ≥1 of the 30 days preceding the survey.
 Current Any Tobacco Use = current use of cigarettes or smokeless tobacco or pipes or bidis or cigars or kreteks on ≥1 of the 30 days preceding the survey.
 *Source: National Youth Tobacco Survey, 1999.
 †Source: Iowa Youth Tobacco Survey, 2000.


Health Impact and Costs

AVERAGE ANNUAL DEATHS RELATED TO SMOKING, 1990-1994		AVERAGE ANNUAL YEARS OF POTENTIAL LIFE LOST,* 1990-1994	MEDICAL COSTS RELATED TO SMOKING, 1993	
Overall	4,962	61,275 years or an average of 12.3 years for each death due to smoking. *Calculated to life expectancy	Ambulatory	\$95,600,000
Men	3,416		Hospital	\$143,120,000
Women	1,546		Nursing Home†	\$206,130,000
Death Rate	308/100,000		Drug	\$34,610,000
Rank (No. 1 is lowest death rate)	7		Other	\$64,730,000
			Total	\$544,180,000

Smoking-attributable Medicaid expenditures, Iowa, fiscal year 1993: \$79,384,000

†Preliminary estimates

Lung Cancer Death Rate*



*1997 deaths per 100,000 population, adjusted to the 1970 total U.S. population.

Iowa





Scheduled 2001 settlement payment to Iowa: \$60,212,783.18

Tobacco Control Funding, 2001

At 53% of the CDC Best Practices recommended lower estimate funding level, Iowa ranks 19th (No. 1 is the highest) for tobacco control funding. Iowa ranks 7th (No. 1 is the lowest death rate) for average annual deaths related to smoking.

<i>FUNDING SOURCE</i>	<i>FY01 AMOUNT</i>	<i>FUNDING CYCLE</i>
State Appropriation—Settlement (Tobacco Only)	\$9,345,394	7/00–6/01
State Appropriation—Excise Tax Revenue	\$0	
State Appropriation—Other	\$0	
Subtotal: State Appropriation	\$9,345,394	
Federal—CDC Office on Smoking and Health	\$943,669	6/00–5/01
Federal—SAMHSA	n/a	
Non-Government Source—American Legacy Foundation	\$0	
Non-Government Source—RWJF/AMA	n/a	
Subtotal: Federal/National Sources	\$943,669	
Total	\$10,289,063	
Per Capita Funding	\$3.52	

Funding as a Percentage of CDC Best Practices Recommendations

	<i>RECOMMENDED FOR TOTAL PROGRAM ANNUAL COST</i>	<i>RECOMMENDED PER CAPITA FUNDING LEVEL</i>	<i>PERCENT OF CDC BEST PRACTICES RECOMMENDATIONS</i>
Lower Estimate	\$19,347,000	\$6.78	53%
Upper Estimate	\$48,713,000	\$17.08	21%

Excise Tax

Cigarette tax per pack	36¢
Rank = 24 (No. 1 is highest tax)	
Number of packages of cigarettes sold and taxed, per capita, 1999	91.7
Rank = 31 (No. 1 is lowest cigarette sales)	
Federal and state taxes as a percentage of retail price	21.0%
Annual gross tax revenue from cigarettes	\$94,166,860
Smokeless tobacco tax22% of wholesale sales price