

# TABLE 6

## 4 X 2 CARGO VAN, COMPACT, MIN 5,000 LBS GVWR

The compact cargo van specified, shall be an enclosed all-steel unitized, or on-frame constructed, integral body and cab. The curbside shall be provided with sliding cargo door. Vehicle shall be equipped with a driver and passenger seat, both seats being high-back bucket seat configuration; cab compartment floor covering; all doors, except rear door shall be capable of being opened from both the inside and the outside, having keyed locks; door checks or straps; dome light(s); and engine maintenance necessities serviceable from the outside.

### Item # 30

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>DAIMLERCHRYSLER GRAND CARAVAN</b>	<b>FORD FREESTAR</b>	<b>GM UPLANDER</b>
<b>BODY/CHASSIS</b>				
MFG. MODEL CODE		RSKL13	A54	CU12216
PAYLOAD min. kg. (lbs.)	544 (1200)	1700	1800	1200
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	2268 (5000) / 2721 (6000)	5700	5880	5300
BODY SIZE, OVERALL LENGTH min./max. cm.(in.)	508 (200)	200.5	200.9	204
<b>ENGINE MINIMUMS</b>				
ENGINE TYPE (Cylinder/Liter)	6 / 3.3	6/3.3	6/3.9	6/3.5
HORSEPOWER (min)	180	180	193	200
TORQUE (ft.-lb.)	210	210	240	215
COOLING SYSTEM	HDA	comply	comply	comply
<b>TRANSMISSION</b>				
AUTOMATIC TRANSMISSION	4 - Speed	4 speed	4 speed	4 Speed
<b>DRIVE AXLE</b>				
PRIMARY DRIVE AXLE	Front	front	front	Front
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	2.49	3.54	3.29
<b>ELECTRICAL</b>				
ALTERNATOR min. (Amps)	105	140	145	105
BATTERY min. (CCA)	500	500	750	500
<b>FUEL</b>				
FUEL CAPACITY min. Liters (gals.)	75 (20)	20	26	25
<b>EXTERIOR</b>				
REAR VIEW MIRRORS	Dual sail mount foldaway	comply	comply	comply
<b>DOORS AND WINDOWS</b>				
WINDOWS, ALL SIDES	Req	comply	comply	comply
KEYED DOOR LOCKS		left and right	left only	left only
WINDOWS	In rear liftgate	comply	comply	comply
REAR WINDOW ELECTRIC DEFROSTER	Req	comply	comply	comply
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply	comply
REAR WINDOW WIPER	Intermittent & multi speed w/washer	comply	comply	comply
REAR DOOR TYPE	Lift type	lift gate	liftgate	comply
SIDE DOOR TYPE	Sliding	comply	comply	comply
<b>INTERIOR</b>				
AIR CONDITIONING	Req	comply	comply	comply
POWER STEERING	Req	comply	comply	comply
UPHOLSTERY	Cloth	comply	comply	comply
<b>FLOOR</b>				
FLOOR COVERING	Vinyl	comply	comply	comply
<b>RADIO</b>				
RADIO	AM/FM w/Clock	AM/FM CD W/CLOCK	am/fm w/clock	AM/FM w CD
<b>SEATS</b>				
SEATING CAPACITY min.	2	2	2	2
FIRST ROW SEAT TYPE	2 - Individual	bucket	bucket	bucket
<b>SAFETY</b>				
POWER ANTILOCK BRAKES, FRONT AND REAR	Req	comply	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	Req	comply	comply	comply

## TABLE 6 - CONTINUED

### 4 X 2 CARGO VAN, COMPACT, MIN 5,000 LBS GVWR

#### Item # 30

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>DAIMLERCHRYSLER GRAND CARAVAN</b>	<b>FORD FREESTAR</b>	<b>GM UPLANDER</b>
<b>SAFETY (CONTINUED)</b>				
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req	comply	comply	comply
<b>SUSPENSION</b>				
SUSPENSION/SHOCKS	HDA	comply	comply	comply
<b>TIRES AND WHEELS</b>				
WHEEL DIAMETER	15	16	16	17
TIRES	P215/R/AS	P215/R/AS	P235/R/AS	P225/R/AS
<b>WARRANTY</b>				
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply	comply

## TABLE 6 - CONTINUED

### 4 X 2 CARGO VAN, COMPACT, MIN 5,000 LBS GVWR

#### Item # 30 - OPTIONAL EQUIPMENT

		DAIMLERCHRYSLER GRAND CARAVAN	FORD FREESTAR	GM UPLANDER
<b>ALTERNATIVE FUEL ENGINES</b>				
E85	ETHANOL FLEXIBLE FUEL	Package	N/A	N/A
<b>ENGINE ACCESSORY OPTIONS</b>				
OLS	Oil Life System	N/A	N/A	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone	Stand Alone
<b>DRIVE AXLE</b>				
ATC	TRACTION CONTROL-AUTOMATIC	N/A	Package	Stand Alone
<b>DOORS AND WINDOWS</b>				
DTG	DARK TINTED GLASS	Stand Alone	Package	Standard
OPW	FURNISH OEM OPAQUE GLASS AND/OR PAN	Standard	N/A	N/A
RKE	REMOTE KEYLESS ENTRY	Package	Standard	Package
PWL	POWER WINDOWS & DOOR LOCKS	Package	Standard	Standard
<b>LIGHTS AND LIGHTING</b>				
DRL	DAYTIME RUNNING LIGHTS	Stand Alone	N/A	Standard
<b>INTERIOR</b>				
CRTS	CRUISE CONTROL AND TILT STEERING	Stand Alone	Package	Package
SK	METRIC ODOMETER	Stand Alone	Stand Alone	N/A
RL	REAR LINING, CARGO VAN	Standard	N/A	N/A
<b>RADIO</b>				
RACS	AM/FM RADIO WITH CASSETTE PLAYER	N/A	Package	N/A
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Standard	Package	Standard
<b>SAFETY</b>				
SRO	OEM Reverse Obstacle Sensor	N/A	N/A	Package
SIAB	SIDE IMPACT AIR BAGS	N/A	N/A	Stand Alone
<b>DELIVERY</b>				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone	Stand Alone	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone	Stand Alone
<b>MISCELLANEOUS</b>				
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone	Stand Alone

S=Standard    SA=Stand Alone    PKG=Package (includes, requires or excludes other options)    NA=Not Available

**THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK**

# TABLE 6 - CONTINUED

## 4 X 2 CARGO VAN, COMPACT, MIN 5,000 LBS GVWR

The compact cargo van specified, shall be an enclosed all-steel unitized, or on-frame constructed, integral body and cab. The curbside shall be provided with sliding cargo door. Vehicle shall be equipped with a driver and passenger seat, both seats being high-back bucket seat configuration; cab compartment floor covering; all doors, except rear door shall be capable of being opened from both the inside and the outside, having keyed locks; door checks or straps; dome light(s); and engine maintenance necessities serviceable from the outside.

### Item # 30A

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>GM ASTRO VAN</b>
<b>BODY/CHASSIS</b>		
MFG. MODEL CODE		CM11005
PAYLOAD min. kg. (lbs.)	726 (1600)	1600
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	2268 (5000) / 2721 (6000)	5600
BODY SIZE, OVERALL LENGTH min./max. cm.(in.)	480 (189)	189.8
<b>ENGINE MINIMUMS</b>		
ENGINE TYPE (Cylinder/Liter)	6 / 4.3	6/4.3
HORSEPOWER (min)	190	190
TORQUE (ft.-lb.)	250	250
COOLING SYSTEM	HDA	comply
<b>TRANSMISSION</b>		
AUTOMATIC TRANSMISSION	4 - Speed	4 speed
<b>DRIVE AXLE</b>		
PRIMARY DRIVE AXLE	Rear	rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.42
<b>ELECTRICAL</b>		
ALTERNATOR min. (Amps)	105	105
BATTERY min. (CCA)	600	600
<b>FUEL</b>		
FUEL CAPACITY min. Liters (gals.)	102 (27)	27
<b>EXTERIOR</b>		
REAR VIEW MIRRORS	Dual sail mount foldaway	comply
<b>DOORS AND WINDOWS</b>		
DARK TINTED GLASS	Req	comply
KEYED DOOR LOCKS	Min.	left and right
WINDOWS	Rear door	comply
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply
REAR DOOR TYPE	Dual vertical cargo	dual cargo
SIDE DOOR TYPE	Sliding	comply
<b>LIGHTS AND LIGHTING</b>		
DAYTIME RUNNING LIGHTS	Min.	comply
<b>INTERIOR</b>		
AIR CONDITIONING	Req	comply
POWER STEERING	Req	comply
UPHOLSTERY	Cloth	comply
<b>FLOOR</b>		
FLOOR COVERING	Vinyl	comply
<b>RADIO</b>		
RADIO	AM/FM w/Clock	am/fm stereo
<b>SEATS</b>		
SEATING CAPACITY min.	2	2
FIRST ROW SEAT TYPE	2 - Individual	bucket
<b>SAFETY</b>		
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM, DRIVER AND PASSENGER	Req	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req	comply
<b>SUSPENSION</b>		
SUSPENSION/SHOCKS	HDA	comply

# TABLE 6 - CONTINUED

## 4 X 2 CARGO VAN, COMPACT, MIN 5,000 LBS GVWR

### Item # 30A

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>GM</b>
<b>TIRES AND WHEELS</b>		<b>ASTRO VAN</b>
WHEEL DIAMETER	15	15
TIRES	P215/R/AS	P215/R/AS
<b>WARRANTY</b>		
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply

## TABLE 6 - CONTINUED

### 4 X 2 CARGO VAN, COMPACT, MIN 5,000 LBS GVWR

#### Item # 30A - OPTIONAL EQUIPMENT

<b>ENGINE ACCESSORY OPTIONS</b>		<b>GM ASTRO VAN</b>
EH	ENGINE BLOCK HEATER	Stand Alone
<b>DRIVE AXLE</b>		
D3	SPECIAL TRACTION DIFFERENTIAL	Stand Alone
<b>PAINT</b>		
595F	14260 595 PAINT (FOREST SERVICE)	Stand Alone
<b>DOORS AND WINDOWS</b>		
PWL	POWER WINDOWS & DOOR LOCKS	Stand Alone
<b>INTERIOR</b>		
AH	AUXILIARY HEATER	Stand Alone
CRTS	CRUISE CONTROL AND TILT STEERING	Stand Alone
SK	METRIC ODOMETER	Stand Alone
<b>RADIO</b>		
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Stand Alone
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Stand Alone
<b>DELIVERY</b>		
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone
DDRH	DEALER DELIVERY HAWAII	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone
<b>MISCELLANEOUS</b>		
MIL	DATA PLATES OR DD250	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone

S=Standard      SA=Stand Alone      PKG=Package (includes, requires or excludes other options)      NA=Not Available

**THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK**



# TABLE 6 - CONTINUED

## 4 X 2 CARGO VAN, COMPACT, MIN 5,000 LBS GVWR, SHORT BODY/WB

The compact cargo van specified, shall be an enclosed all-steel unitized, or on-frame constructed, integral body and cab. The curbside shall be provided with sliding cargo door. Vehicle shall be equipped with a driver and passenger seat, both seats being high-back bucket seat configuration; cab compartment floor covering; all doors, except rear door shall be capable of being opened from both the inside and the outside, having keyed locks; door checks or straps; dome light(s); and engine maintenance necessities serviceable from the outside.

### Item # 30B

GSA COMPONENTS	GSA. MIN. REQ.	DAIMLERCHRYSLER
<b>BODY/CHASSIS</b>		<b>CARAVAN CARGO VAN</b>
MFG. MODEL CODE		RSKL12
PAYLOAD min. kg. (lbs.)	771 (1700)	1700
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	2268 (5000) / 2721 (6000)	5550
BODY SIZE, OVERALL LENGTH min./max. cm.(in.)	480 (189)	189
<b>ENGINE MINIMUMS</b>		
ENGINE TYPE (Cylinder/Liter)	6 / 3.3	6/3.3
HORSEPOWER (min)	180	180
TORQUE (ft.-lb.)	210	210
COOLING SYSTEM	HDA	comply
<b>TRANSMISSION</b>		
AUTOMATIC TRANSMISSION	4 - Speed	4 speed
<b>DRIVE AXLE</b>		
PRIMARY DRIVE AXLE	Front	front
DIFFERENTIAL TYPE/RATIO	Fwd / Mfg. std.	fwd
<b>ELECTRICAL</b>		
ALTERNATOR min. (Amps)	140	140
BATTERY min. (CCA)	500	500
<b>FUEL</b>		
FUEL CAPACITY min. Liters (gals.)	76 (20)	20
<b>EXTERIOR</b>		
REAR VIEW MIRRORS	Dual sail mount foldaway	comply
<b>DOORS AND WINDOWS</b>		
DARK TINTED GLASS	Req	comply
WINDOWS, ALL SIDES	Req	comply
KEYED DOOR LOCKS	Min.	left and right
WINDOWS	Rear door	comply (single)
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply
REAR DOOR TYPE	Liftgate	liftgate
SIDE DOOR TYPE	Sliding	comply
<b>LIGHTS AND LIGHTING</b>		
DAYTIME RUNNING LIGHTS	Min.	comply
<b>INTERIOR</b>		
AIR CONDITIONING	Req	comply
POWER STEERING	Req	comply
UPHOLSTERY	Cloth	comply
<b>FLOOR</b>		
FLOOR COVERING	Vinyl	comply
<b>RADIO</b>		
RADIO	AM/FM/CD w/Clock	comply
<b>SEATS</b>		
SEATING CAPACITY min.	2	comply
FIRST ROW SEAT TYPE	2 - Individual	bucket
<b>SAFETY</b>		
POWER ANTILOCK BRAKES, FRONT AND REAR	Req	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	Req	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req	comply

## TABLE 6 - CONTINUED

### 4 X 2 CARGO VAN, COMPACT, MIN 5,000 LBS GVWR, SHORT BODY/WB

#### Item # 30B

GSA COMPONENTS	GSA. MIN. REQ.	DAIMLERCHRYSLER
<b>SUSPENSION</b>		<b>CARAVAN CARGO VAN</b>
SUSPENSION/SHOCKS	HDA	comply
<b>TIRES AND WHEELS</b>		
WHEEL DIAMETER	16	16
TIRES	P215/R/AS	P215/R/AS
<b>WARRANTY</b>		
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply

## TABLE 6 - CONTINUED

### 4 X 2 CARGO VAN, COMPACT, MIN 5,000 LBS GVWR, SHORT BODY/WB

#### Item # 30B - OPTIONAL EQUIPMENT

		DAIMLERCHRYSLER CARAVAN CARGO VAN
<b>ALTERNATIVE FUEL ENGINES</b>		
E85	ETHANOL FLEXIBLE FUEL	Package
<b>ENGINE ACCESSORY OPTIONS</b>		
OLS	Oil Life System	N/A
EH	ENGINE BLOCK HEATER	Stand Alone
<b>DOORS AND WINDOWS</b>		
OPW	FURNISH OEM OPAQUE GLASS AND/OR PAN	Stand Alone
PWL	POWER WINDOWS & DOOR LOCKS	Package
<b>INTERIOR</b>		
CRTS	CRUISE CONTROL AND TILT STEERING	Stand Alone
SK	METRIC ODOMETER	Stand Alone
<b>DELIVERY</b>		
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone
DDRH	DEALER DELIVERY HAWAII	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone
<b>MISCELLANEOUS</b>		
MIL	DATA PLATES OR DD250	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone

S=Standard      SA=Stand Alone      PKG=Package (includes, requires or excludes other options)      NA=Not Available

**THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK**

## TABLE 6 - CONTINUED

### AWD CARGO VAN, COMPACT, 4 X 4, MIN 5,850 LBS GVWR

The compact cargo van specified, shall be an enclosed all-steel unitized, or on-frame constructed, integral body and cab. The curbside shall be provided with sliding cargo door. Vehicle shall be equipped with a driver and passenger seat, both seats being high-back bucket seat configuration; cab compartment floor covering; all doors, except rear door shall be capable of being opened from both the inside and the outside, having keyed locks; door checks or straps; dome light(s); and engine maintenance necessities serviceable from the outside.

#### Item # 35A

GSA COMPONENTS	GSA. MIN. REQ.	GM ASTRO
<b>BODY/CHASSIS</b>		
MFG. MODEL CODE		CL11005
PAYLOAD min. kg. (lbs.)	753 (1660)	1660
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	2268 (5000) / 2721 (6000)	5850
BODY SIZE, OVERALL LENGTH min./max. cm.(in.)	480 (189)	189.8
<b>ENGINE MINIMUMS</b>		
ENGINE TYPE (Cylinder/Liter)	6 / 4.3	6/4.3
HORSEPOWER (min)	190	190
TORQUE (ft.-lb.)	250	250
COOLING SYSTEM	HDA	comply
<b>TRANSMISSION</b>		
AUTOMATIC TRANSMISSION	4 - Speed	4 speed
<b>DRIVE AXLE</b>		
TOWING/MOUNTAIN RATIO	Min.	3.73
PRIMARY DRIVE AXLE	All wheel drive	awd
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.42
<b>ELECTRICAL</b>		
ALTERNATOR min. (Amps)	105	105
BATTERY min. (CCA)	600	600
<b>FUEL</b>		
FUEL CAPACITY min. Liters (gals.)	102 (27)	27
<b>EXTERIOR</b>		
REAR VIEW MIRRORS	Dual sail mount foldaway	comply
SKID PLATE	Req	NA
<b>DOORS AND WINDOWS</b>		
DARK TINTED GLASS	Min.	comply
KEYED DOOR LOCKS	Min.	left and right
WINDOWS	In rear doors	comply
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply
REAR DOOR TYPE	Dual vertical cargo	dual vertical cargo
SIDE DOOR TYPE	Sliding	comply
<b>LIGHTS AND LIGHTING</b>		
DAYTIME RUNNING LIGHTS	Min.	comply
<b>INTERIOR</b>		
AIR CONDITIONING	Req	comply
POWER STEERING	Req	comply
UPHOLSTERY	Cloth	comply
<b>FLOOR</b>		
FLOOR COVERING	Vinyl	comply
<b>RADIO</b>		
RADIO	AM/FM w/Clock	AM/FM w/Clock
<b>SEATS</b>		
SEATING CAPACITY min.	2	2
FIRST ROW SEAT TYPE	2 - Individual	bucket
<b>SAFETY</b>		
POWER ANTILOCK BRAKES, FRONT AND REAR	Req	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	Req	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req	comply

**TABLE 6 - CONTINUED****AWD CARGO VAN, COMPACT, 4 X 4,  
MIN 5,850 LBS GVWR****Item # 35A**

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>GM ASTRO</b>
<b>SUSPENSION</b>		
SUSPENSION/SHOCKS	HDA	comply
<b>TIRES AND WHEELS</b>		
WHEEL DIAMETER	16	16
TIRES	P215/R/AS	P215/R/AS
<b>WARRANTY</b>		
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply

## TABLE 6 - CONTINUED

### AWD CARGO VAN, COMPACT, 4 X 4, MIN 5,850 LBS GVWR

#### Item # 35A - OPTIONAL EQUIPMENT

		GM ASTRO
<b>ENGINE ACCESSORY OPTIONS</b>		
EH	ENGINE BLOCK HEATER	Stand Alone
<b>DRIVE AXLE</b>		
D3	SPECIAL TRACTION DIFFERENTIAL	Stand Alone
<b>PAINT</b>		
595F	14260 595 PAINT (FOREST SERVICE)	Stand Alone
<b>DOORS AND WINDOWS</b>		
WD	SIDE CARGO DOOR WINDOWS	Stand Alone
PWL	POWER WINDOWS & DOOR LOCKS	Stand Alone
<b>INTERIOR</b>		
AH	AUXILIARY HEATER	Stand Alone
CRTS	CRUISE CONTROL AND TILT STEERING	Stand Alone
SK	METRIC ODOMETER	Stand Alone
<b>RADIO</b>		
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Stand Alone
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Stand Alone
<b>DELIVERY</b>		
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone
DDRH	DEALER DELIVERY HAWAII	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone
<b>MISCELLANEOUS</b>		
MIL	DATA PLATES OR DD250	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone

S=Standard    SA=Stand Alone    PKG=Package (includes, requires or excludes other options)    NA=Not Available

**THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK**



# TABLE 7

## 4 X 2 CARGO VAN, FULL SIZE, MIN 6,001 LBS GVWR

The cargo van specified, shall be an enclosed all steel unitized, or on-frame constructed, integral body and cab. The curbside shall be provided with hinged, extra wide cargo door. Rear doors shall be side hinged, double vertical. Rear doors shall have either opening or fixed type windows. Vehicle shall be equipped with a driver and passenger seat, both seats being bucket seat configuration; cab compartment floor covering; all doors shall be capable of being opened from both the inside and the outside, having keyed locks (if available); door checks orstraps; dome light(s); and engine maintenance necessities serviceable from the outside.

### Item # 31

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>FORD E SERIES VAN E150</b>	<b>GM G1300</b>
<b>BODY/CHASSIS</b>			
MFG. MODEL CODE		E14	CG13405
PAYLOAD min. kg. (lbs.)	635 (1400)	1866	1400
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	2722 (6001) / 3583 (7900)	6,700	6200
BODY SIZE, OVERALL LENGTH min./max. cm.(in.)	536 (211) / 564 (222)	211.9	221.5
<b>ENGINE MINIMUMS</b>			
ENGINE TYPE (Cylinder/Liter)	6 / 4.3	8/4.6	6/4.3
HORSEPOWER (min)	200	225	195
TORQUE (ft.-lb.)	250	286	260
COOLING SYSTEM	HDA	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 - Speed	4 speed	4 Speed
<b>DRIVE AXLE</b>			
PRIMARY DRIVE AXLE	Rear	rear	Rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.55	3.42
<b>ELECTRICAL</b>			
ALTERNATOR min. (Amps)	105	130	105
BATTERY min. (CCA)	600	650	600
<b>FUEL</b>			
FUEL CAPACITY min. Liters (gals.)	117 (31)	35	31
<b>EXTERIOR</b>			
REAR VIEW MIRRORS	Dual sail mount foldaway	comply	comply
<b>DOORS AND WINDOWS</b>			
KEYED DOOR LOCKS	Min.	left and right	left and right
WINDOWS	Req. in rear doors	comply	comply
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply
REAR DOOR TYPE	Dual vertical cargo	dual vertical cargo	Dual Vertical Cargo
SIDE DOOR TYPE	Hinged	comply	comply
<b>INTERIOR</b>			
AIR CONDITIONING	Req	comply	comply
POWER STEERING	Req	comply	comply
UPHOLSTERY	Cloth	comply	comply
<b>FLOOR</b>			
FLOOR COVERING	Vinyl	comply	comply
<b>RADIO</b>			
RADIO	AM/FM w/Clock	am/fm stereo w/clock	AM/FM w/Clock
<b>SEATS</b>			
SEATING CAPACITY min.	2	2	2
FIRST ROW SEAT TYPE	2 - Individual	bucket	Bucket
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM, DRIVER AND PASSENGER SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req Req Req	comply comply comply	comply comply comply
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply

## TABLE 7 - CONTINUED

### 4 X 2 CARGO VAN, FULL SIZE, MIN 6,001 LBS GVWR

#### Item # 31

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>FORD E SERIES VAN E150</b>	<b>GM G1300</b>
<b>TIRES AND WHEELS</b>			
WHEEL DIAMETER	16	16	16
TIRES	P235/R/AS	P235/R/AS	P235/R/AS
<b>TOWING</b>			
REAR BUMPER	Step type w/ RH2 provisions	comply	comply
<b>WARRANTY</b>			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

# TABLE 7 - CONTINUED

## 4 X 2 CARGO VAN, FULL SIZE, MIN 6,001 LBS GVWR

### Item # 31- OPTIONAL EQUIPMENT

		FORD E SERIES VAN E150	GM G1300
<b>ENGINES</b>			
E4	UPGRADED ADDITIONAL POWER 8 CYLINDER Eng-Cyl/HP/Torque	Stand Alone 8/5.4,255,350	Stand Alone 8/5.3,285,325
<b>ENGINE ACCESSORY OPTIONS</b>			
OLS	Oil Life System	Package	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone
<b>DRIVE AXLE</b>			
AWD	OEM ALL WHEEL DRIVE	N/A	Package
D3	SPECIAL TRACTION DIFFERENTIAL	Stand Alone	Stand Alone
D7	TOWING/MOUNTAIN RATIO	N/A	Stand Alone
<b>PAINT</b>			
595F	14260 595 PAINT (FOREST SERVICE)	N/A	Stand Alone
<b>DOORS AND WINDOWS</b>			
DTG	DARK TINTED GLASS	Stand Alone	Package
DRG	DELETE REAR WINDOW	Package	Package
LD	LEFT DOOR	N/A	Package
RKE	REMOTE KEYLESS ENTRY	Package	Stand Alone
WD	SIDE CARGO DOOR WINDOWS	Package	Package
SE	SIDE DOORS, SLIDING TYPE, VAN	Stand Alone	Package
WY	WINDOWS, ALL SIDES	Package	Package
PWL	POWER WINDOWS & DOOR LOCKS	Package	Standard
<b>LIGHTS AND LIGHTING</b>			
DRL	DAYTIME RUNNING LIGHTS	Stand Alone	Standard
<b>INTERIOR</b>			
AC2	AUX. REAR AIR CONDITIONING	Stand Alone	Package
AH	AUXILIARY HEATER	Stand Alone	Stand Alone
CRTS	CRUISE CONTROL AND TILT STEERING	Stand Alone	Stand Alone
SK	METRIC ODOMETER	Stand Alone	Stand Alone
RL	REAR LINING, CARGO VAN	Standard	N/A
VU	VINYL UPHOLSTERY, FRONT AND REAR	Stand Alone	Stand Alone
<b>RADIO</b>			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Stand Alone	Stand Alone
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Stand Alone	Stand Alone
<b>SEATING</b>			
S5BH	5 PASSENGER SEATING WITH BULKHEAD	Stand Alone	N/A
<b>RECEIVER HITCH</b>			
RH3	OEM DRAW BAR RECEIVER CLASS III	Stand Alone	Stand Alone
<b>DELIVERY</b>			
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone
<b>MISCELLANEOUS</b>			
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone

S=Standard    SA=Stand Alone    PKG=Package (includes, requires or excludes other options)    NA=Not Available

**THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK**

## TABLE 7 - CONTINUED

### 4 X 2 CARGO VAN, FULL SIZE, MIN 6,001 LBS GVWR

The cargo van specified, shall be an enclosed all steel unitized, or on-frame constructed, integral body and cab. The curbside shall be provided with hinged, extra wide cargo door. Rear doors shall be side hinged, double vertical. Rear doors shall have either opening or fixed type windows. Vehicle shall be equipped with a driver and passenger seat, both seats being bucket seat configuration; cab compartment floor covering; all doors shall be capable of being opened from both the inside and the outside, having keyed locks (if available); door checks or straps; dome light(s); and engine maintenance necessities serviceable from the outside. A full-length headliner with insulation shall be furnished in the vehicle's cab and body whenever available at the OEM level.

#### Item # 31A

GSA COMPONENTS	GSA. MIN. REQ.	FORD ECONOLINE E250	GM G2300
<b>BODY/CHASSIS</b>			
MFG. MODEL CODE		E24	CG13405
PAYLOAD min. kg. (lbs.)	996 (2195)	2,195	2350
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	2722 (6001) / 3583 (7900)	7,200	7200
BODY SIZE, OVERALL LENGTH min./max. cm.(in.)	528 (208) / 556 (219)	211.9	218.8
<b>ENGINE MINIMUMS</b>			
ENGINE TYPE (Cylinder/Liter)	6 / 4.3	8/4.6	6/4.3
HORSEPOWER (min)	200	225	195
TORQUE (ft.-lb.)	250	286	260
COOLING SYSTEM	HDA	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 - Speed	4 speed	4 Speed
<b>DRIVE AXLE</b>			
PRIMARY DRIVE AXLE	Rear	rear	Rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.73	3.73
<b>ELECTRICAL</b>			
ALTERNATOR min. (Amps)	105	130	105
BATTERY min. (CCA)	600	650	600
<b>FUEL</b>			
FUEL CAPACITY min. Liters (gals.)	117 (31)	35	31
<b>EXTERIOR</b>			
REAR VIEW MIRRORS	Dual sail mount foldaway	comply	comply
<b>DOORS AND WINDOWS</b>			
KEYED DOOR LOCKS		left and right	left and right
WINDOWS	Req. in rear doors	comply	comply
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply
REAR DOOR TYPE	Dual vertical cargo	dual vertical cargo	Dual Vertical Cargo
SIDE DOOR TYPE	Hinged	comply	comply
<b>INTERIOR</b>			
AIR CONDITIONING	Req.	comply	comply
POWER STEERING	Req.	comply	comply
UPHOLSTERY	Cloth	cloth	comply
<b>FLOOR</b>			
FLOOR COVERING	Vinyl	comply	comply
FLOOR MATS	Req.	front only	n/a
<b>CEILING</b>			
PADDED INTERIOR HEADLINER	Min	comply	n/a
<b>RADIO</b>			
RADIO	AM/FM w/Clock	am/fm w/clock	AM/FM Clock
<b>SEATS</b>			
SEATING CAPACITY min.	2	2	2
FIRST ROW SEAT TYPE	2 - Individual	bucket	bucket
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM, DRIVER AND PASSENGER SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req Req Req	comply comply comply	comply comply comply

## TABLE 7 - CONTINUED

### 4 X 2 CARGO VAN, FULL SIZE, MIN 6,001 LBS GVWR

#### Item # 31A

GSA COMPONENTS	GSA. MIN. REQ.	FORD ECONOLINE E250	GM G2300
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply
<b>TIRES AND WHEELS</b>			
WHEEL DIAMETER	15	16	16
TIRES	P225/R/AS	LT225/R/AS	P235/R/AS
<b>TOWING</b>			
REAR BUMPER	Step type w/ RH2 provisions	comply	comply
<b>WARRANTY</b>			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

## TABLE 7 - CONTINUED

### 4 X 2 CARGO VAN, FULL SIZE, MIN 6,001 LBS GVWR

#### Item # 31A - OPTIONAL EQUIPMENT

		FORD ECONOLINE E250	GM G2300
<b>ENGINES</b>			
E3	UPGRADED 8 CYLINDER ENGINE Eng-Cyl/HP/Torque	Standard 8/4.6,225,286	Stand Alone 8/5.3,285,325
<b>ENGINE ACCESSORY OPTIONS</b>			
OLS	Oil Life System	N/A	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone
<b>DRIVE AXLE</b>			
AWD	OEM ALL WHEEL DRIVE	N/A	Package
D3	SPECIAL TRACTION DIFFERENTIAL	Stand Alone	Stand Alone
D7	TOWING/MOUNTAIN RATIO	N/A	Stand Alone
<b>EXTERIOR</b>			
RB	RUNNING BOARDS	Stand Alone	N/A
<b>PAINT</b>			
595F	14260 595 PAINT (FOREST SERVICE)	N/A	Stand Alone
<b>DOORS AND WINDOWS</b>			
DTG	DARK TINTED GLASS	Stand Alone	Package
DRG	DELETE REAR WINDOW	Package	Package
LD	LEFT DOOR	N/A	Package
RKE	REMOTE KEYLESS ENTRY	Package	Stand Alone
WD	SIDE CARGO DOOR WINDOWS	Package	Package
SE	SIDE DOORS, SLIDING TYPE, VAN	Stand Alone	Package
WY	WINDOWS, ALL SIDES	Package	Package
PWL	POWER WINDOWS & DOOR LOCKS	Package	Standard
<b>LIGHTS AND LIGHTING</b>			
DRL	DAYTIME RUNNING LIGHTS	Stand Alone	Standard
<b>INTERIOR</b>			
AC2	AUX. REAR AIR CONDITIONING	Stand Alone	Package
AH	AUXILIARY HEATER	Stand Alone	Stand Alone
CRTS	CRUISE CONTROL AND TILT STEERING	Stand Alone	Stand Alone
SK	METRIC ODOMETER	Stand Alone	Stand Alone
RL	REAR LINING, CARGO VAN	Standard	N/A
VU	VINYL UPHOLSTERY, FRONT AND REAR	Stand Alone	Stand Alone
<b>RADIO</b>			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Stand Alone	Stand Alone
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Stand Alone	Stand Alone
<b>SEATING</b>			
S5BH	5 PASSENGER SEATING WITH BULKHEAD	Stand Alone	N/A
<b>RECEIVER HITCH</b>			
RH3	OEM DRAW BAR RECEIVER CLASS III	Stand Alone	Stand Alone
<b>DELIVERY</b>			
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone
<b>MISCELLANEOUS</b>			
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone

S=Standard    SA=Stand Alone    PKG=Package (includes, requires or excludes other options)    NA=Not Available

**THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK**



## TABLE 7 - CONTINUED

### 4 X 2 CARGO VAN, FULL SIZE, MIN 8,000 LBS GVWR

The cargo van specified, shall be an enclosed all steel unitized, or on-frame constructed, integral body and cab. The curbside shall be provided with hinged, extra wide cargo door. Rear doors shall be side hinged, double vertical. Rear doors shall have either opening or fixed type windows. Vehicle shall be equipped with a driver and passenger seat, both seats being bucket seat configuration; cab compartment floor covering; all doors shall be capable of being opened from both the inside and the outside, having keyed locks (if available); door checks or straps; dome light(s); and engine maintenance necessities serviceable from the outside. A full length headliner with insulation shall be furnished in the vehicle's cab and body whenever available at the OEM level.

#### Item # 32

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>FORD ECONOLINE E250</b>	<b>GM G2300</b>
<b>BODY/CHASSIS</b>			
MFG. MODEL CODE		E24	CG23405
PAYLOAD min. kg. (lbs.)	1517 (3345)	3434	3345
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	3629 (8000) / 4173 (9200)	8,600	8600
<b>ENGINE MINIMUMS</b>			
ENGINE TYPE (Cylinder/Liter)	8 / 4.8	8/5.4	8/4.8
HORSEPOWER (min)	255	255	275
TORQUE (ft.-lb.)	285	350	290
COOLING SYSTEM	HDA	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 - Speed	4 speed	4 Speed
<b>DRIVE AXLE</b>			
PRIMARY DRIVE AXLE	Rear	rear	Rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.73	3.73
<b>ELECTRICAL</b>			
ALTERNATOR min. (Amps)	105	130	105
BATTERY min. (CCA)	600	650	600
<b>FUEL</b>			
FUEL CAPACITY min. Liters (gals.)	117 (31)	35	31
<b>EXTERIOR</b>			
REAR VIEW MIRRORS	Dual sail mount foldaway	comply	comply
<b>DOORS AND WINDOWS</b>			
KEYED DOOR LOCKS	Min.	left and right	left and right
WINDOWS	Req. in rear doors	comply	comply
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply
REAR DOOR TYPE	Dual vertical cargo	dual vertical cargo	Dual Vertical Cargo
SIDE DOOR TYPE	Hinged	comply	comply
<b>INTERIOR</b>			
AIR CONDITIONING	Req	comply	comply
POWER STEERING	Req	comply	comply
UPHOLSTERY	Cloth	comply	comply
<b>FLOOR</b>			
FLOOR COVERING	Vinyl	comply	comply
<b>CEILING</b>			
PADDED INTERIOR HEADLINER	Min	comply	n/a
<b>RADIO</b>			
RADIO	AM/FM w/Clock	am/fm w/clock	AM/FM w/Clock
<b>SEATS</b>			
SEATING CAPACITY min.	2	2	2
FIRST ROW SEAT TYPE	2 - Individual	bucket	Bucket
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM, DRIVER AND PASSENGER SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req Req Req	comply comply comply	comply comply comply

## TABLE 7 - CONTINUED

### 4 X 2 CARGO VAN, FULL SIZE, MIN 8,000 LBS GVWR

#### Item # 32

GSA COMPONENTS	GSA. MIN. REQ.	FORD ECONOLINE E250	GM G2300
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply
<b>TIRES AND WHEELS</b>			
WHEEL DIAMETER	16	16	16
TIRES	LT225/R/AS	LT225/R/AS	LT225/R/AS
<b>TOWING</b>			
REAR BUMPER	Step type w/ RH2 provisions	comply	comply
<b>WARRANTY</b>			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

# TABLE 7 - CONTINUED

## 4 X 2 CARGO VAN, FULL SIZE, MIN 8,000 LBS GVWR

### Item # 32 - OPTIONAL EQUIPMENT

		FORD	GM
		ECONOLINE E250	G2300
<b>BODY/CHASSIS</b>			
XL	EXTRA LONG BODY	Stand Alone	Stand Alone
<b>ENGINES</b>			
E5	UPGRADED EXTRA POWER V8/V10 ENGINE Eng-Cyl/HP/Torque	N/A N/A,N/A,N/A	Stand Alone 8/6.0,300,360
<b>ALTERNATIVE FUEL ENGINES</b>			
CNG	DEDICATED COMPRESSED NATURAL GAS	N/A	Package
CNG2	DUAL FUEL (CNG AND GASOLINE)	N/A	Package
<b>ENGINE ACCESSORY OPTIONS</b>			
OLS	Oil Life System	N/A	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone
<b>DRIVE AXLE</b>			
D3	SPECIAL TRACTION DIFFERENTIAL	Stand Alone	Stand Alone
D7	TOWING/MOUNTAIN RATIO	N/A	Stand Alone
<b>EXTERIOR</b>			
RB	RUNNING BOARDS	Stand Alone	N/A
<b>PAINT</b>			
595F	14260 595 PAINT (FOREST SERVICE)	N/A	Stand Alone
<b>DOORS AND WINDOWS</b>			
DTG	DARK TINTED GLASS	Stand Alone	Package
DRG	DELETE REAR WINDOW	Package	Package
LD	LEFT DOOR	N/A	Package
RKE	REMOTE KEYLESS ENTRY	Package	Stand Alone
WD	SIDE CARGO DOOR WINDOWS	Package	Package
SE	SIDE DOORS, SLIDING TYPE, VAN	Stand Alone	Package
WY	WINDOWS, ALL SIDES	Package	Package
PWL	POWER WINDOWS & DOOR LOCKS	Package	Standard
<b>LIGHTS AND LIGHTING</b>			
DRL	DAYTIME RUNNING LIGHTS	Stand Alone	Standard
<b>INTERIOR</b>			
AC2	AUX. REAR AIR CONDITIONING	Stand Alone	Package
AH	AUXILIARY HEATER	Stand Alone	Stand Alone
CRTS	CRUISE CONTROL AND TILT STEERING	Stand Alone	Stand Alone
SK	METRIC ODOMETER	Stand Alone	Stand Alone
RL	REAR LINING, CARGO VAN	Standard	N/A
VU	VINYL UPHOLSTERY, FRONT AND REAR	Stand Alone	N/A
<b>RADIO</b>			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Stand Alone	Stand Alone
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Stand Alone	Stand Alone
<b>SEATING</b>			
S5BH	5 PASSENGER SEATING WITH BULKHEAD	Stand Alone	N/A
<b>RECEIVER HITCH</b>			
RH3	OEM DRAW BAR RECEIVER CLASS III	Stand Alone	Stand Alone
<b>VENDOR INSTALLED BODY OPTIONS</b>			
AWDC	CHASSIS MFG'S APPROVED 4X4 CONVERSION	Package	Stand Alone
<b>DELIVERY</b>			
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone
<b>MISCELLANEOUS</b>			
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone

S=Standard

SA=Stand Alone

PKG=Package (includes, requires or excludes other options)

NA=Not Available

**THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK**

## TABLE 7 - CONTINUED

### 4 X 2 CARGO VAN, FULL SIZE, MIN 8,000 LBS GVWR, DIESEL ONLY

The cargo van specified, shall be an enclosed all steel unitized, or on-frame constructed, integral body and cab. The curbside shall be provided with a sliding cargo door. Rear doors shall be side hinged, double vertical. Rear doors shall have either opening or fixed type windows. Vehicle shall be equipped with a driver and passenger seat, both seats being bucket seat configuration; cab compartment floor covering; all doors shall be capable of being opened from both the inside and the outside, having keyed locks (if available); door checks or straps; dome light(s); and engine maintenance necessities serviceable from the outside. A full length headliner with insulation shall be furnished in the vehicle's cab and body whenever available at the OEM level.

#### Item # 32A

GSA COMPONENTS	GSA. MIN. REQ.	DAIMLERCHRYSLER SPRINTER
<b>BODY/CHASSIS</b>		
MFG. MODEL CODE		VA2L12
PAYLOAD min. kg. (lbs.)	1805 (3979)	1805(3979)
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	3629 (8000) / 4173 (9200)	3878(8550)
<b>ENGINE MINIMUMS</b>		
ENGINE TYPE (Cylinder/Liter)	5/2.7	5/2.7
HORSEPOWER (min)	154	154
TORQUE (ft.-lb.)	243	243
COOLING SYSTEM	HDA	comply
<b>ENGINES</b>		
DIESEL ENGINE	Req	comply
<b>ENGINE ACCESSORY OPTIONS</b>		
ENGINE BLOCK HEATER	Req	comply
<b>TRANSMISSION</b>		
AUTOMATIC TRANSMISSION	4 - Speed	5 SPEED
<b>DRIVE AXLE</b>		
PRIMARY DRIVE AXLE	Rear	REAR
AUTOMATIC VEHICLE STABILITY CONTROL	Std	comply
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.72
<b>ELECTRICAL</b>		
ALTERNATOR min. (Amps)	115	115
BATTERY min. (CCA)	875	875
<b>FUEL</b>		
FUEL CAPACITY min. Liters (gals.)	100 (26)	100(26)
<b>EXTERIOR</b>		
REAR VIEW MIRRORS	Dual sail mount foldaway	comply
<b>DOORS AND WINDOWS</b>		
SIDE DOORS, SLIDING TYPE, VAN	Req	comply
KEYED DOOR LOCKS	Min.	left and right
WINDOWS	Req. in rear doors	comply
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply
REAR DOOR TYPE	Dual vertical cargo	comply
<b>INTERIOR</b>		
AIR CONDITIONING	Req	comply
POWER STEERING	Req	comply
UPHOLSTERY	Cloth	comply
<b>FLOOR</b>		
FLOOR COVERING	Vinyl	comply
<b>RADIO</b>		
AM/FM RADIO WITH CASSETTE PLAYER	Req	comply
<b>SEATS</b>		
SEATING CAPACITY min.	2	2
FIRST ROW SEAT TYPE	2 - Individual	BUCKET
<b>SAFETY</b>		
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM, DRIVER AND PASSENGER SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req Req Req	comply comply comply

## TABLE 7 - CONTINUED

### 4 X 2 CARGO VAN, FULL SIZE, MIN 8,000 LBS GVWR, DIESEL ONLY

#### Item # 32A

GSA COMPONENTS	GSA. MIN. REQ.	DAIMLERCHRYSLER
<b>SUSPENSION</b>		<b>SPRINTER</b>
SUSPENSION/SHOCKS	HDA	comply
<b>TIRES AND WHEELS</b>		
WHEEL DIAMETER	16	16
TIRES	P225/75R16	P225/R/AS
<b>TOWING</b>		
REAR BUMPER	Gray Facia	comply
<b>RECEIVER HITCH</b>		
OEM DRAW BAR RECEIVER CLASS III	Req	comply
<b>WARRANTY</b>		
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply

## TABLE 7 - CONTINUED

### 4 X 2 CARGO VAN, FULL SIZE, MIN 8,000 LBS GVWR, DIESEL ONLY

#### Item # 32A - OPTIONAL EQUIPMENT

<b>BODY/CHASSIS</b>		<b>DAIMLERCHRYSLER SPRINTER</b>
XL	EXTRA LONG BODY	Package
<b>ENGINE ACCESSORY OPTIONS</b>		
TC	OEM Throttle Control	Stand Alone
<b>DRIVE AXLE</b>		
D7	TOWING/MOUNTAIN RATIO	Stand Alone
<b>ELECTRICAL</b>		
A20	ALTERNATOR, 200 AMP	Stand Alone
<b>DOORS AND WINDOWS</b>		
DRG	DELETE REAR WINDOW	Stand Alone
LD	LEFT DOOR	Stand Alone
WD	SIDE CARGO DOOR WINDOWS	Stand Alone
WY	WINDOWS, ALL SIDES	Stand Alone
PWL	POWER WINDOWS & DOOR LOCKS	Package
<b>LIGHTS AND LIGHTING</b>		
DRL	DAYTIME RUNNING LIGHTS	Stand Alone
<b>INTERIOR</b>		
AH	AUXILIARY HEATER	Package
CR	CRUISE CONTROL	Stand Alone
SK	METRIC ODOMETER	Stand Alone
RL	REAR LINING, CARGO VAN	Stand Alone
<b>RADIO</b>		
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Stand Alone
<b>DELIVERY</b>		
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone
<b>MISCELLANEOUS</b>		
MIL	DATA PLATES OR DD250	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone

S=Standard    SA=Stand Alone    PKG=Package (includes, requires or excludes other options)    NA=Not Available

**THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK**



## TABLE 7 - CONTINUED

### 4 X 2 CARGO VAN, FULL SIZE, MIN 9,201 LBS GVWR

The cargo van specified, shall be an enclosed all steel unitized, or on-frame constructed, integral body and cab. The curbside shall be provided with hinged, extra wide cargo door. Rear doors shall be side hinged, double vertical. Rear doors shall have either opening or fixed type windows. Vehicle shall be equipped with a driver and passenger seat, both seats being bucket seat configuration; cab compartment floor covering; all doors shall be capable of being opened from both the inside and the outside, having keyed locks (if available); door checks or straps; dome light(s); and engine maintenance necessities serviceable from the outside. A full-length headliner with insulation shall be furnished in the vehicle's cab and body whenever available at OEM level.

#### Item # 34

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>FORD ECONOLINE E350</b>	<b>GM CG3300</b>
<b>BODY/CHASSIS</b>			
MFG. MODEL CODE		S34	CG33705
PAYLOAD min. kg. (lbs.)	1724 (3800)	3818	3900
GROSS VEHICLE WEIGHT RATING min./max. kg (lbs.)	4174 (9201) / 4535 (10000)	9,400	9600
BODY SIZE, OVERALL LENGTH min./max. cm.(in.)	586 (231) min	231.9	238.8
<b>ENGINE MINIMUMS</b>			
ENGINE TYPE (Cylinder/Liter)	8/5.4	8/5.4	8/4.8
HORSEPOWER (min)	255	255	275
TORQUE (ft.-lb.)	350	350	290
COOLING SYSTEM	HDA	comply	comply
<b>TRANSMISSION</b>			
AUTOMATIC TRANSMISSION	4 - Speed	5 speed	4 Speed
<b>DRIVE AXLE</b>			
PRIMARY DRIVE AXLE	Rear	rear	Rear
DIFFERENTIAL TYPE/RATIO	Regular / Mfg. std.	3.55	3.73
<b>ELECTRICAL</b>			
ALTERNATOR min. (Amps)	105	130	105
BATTERY min. (CCA)	600	650	600
<b>FUEL</b>			
FUEL CAPACITY min. Liters (gals.)	117 (31)	35	31
<b>EXTERIOR</b>			
REAR VIEW MIRRORS	Dual sail mount foldaway	comply	comply
<b>DOORS AND WINDOWS</b>			
KEYED DOOR LOCKS	Min.	left and right	left and right
WINDOWS	Req in rear doors	comply	comply
WIPERS-WINDSHIELD-INTERMITTENT	Intermittent & multi speed w/washer	comply	comply
REAR DOOR TYPE	Dual vertical cargo	dual vertical cargo	Dual Vertical Cargo
SIDE DOOR TYPE	Hinged	comply	comply
POWER WINDOWS & DOOR LOCKS	Req	front and rear	front only
<b>INTERIOR</b>			
CRUISE CONTROL AND TILT STEERING	Req	comply	comply
AIR CONDITIONING	Req	comply	comply
POWER STEERING	Req	comply	comply
UPHOLSTERY	Cloth	comply	comply
<b>FLOOR</b>			
FLOOR COVERING	Vinyl	comply	comply
<b>RADIO</b>			
RADIO	AM/FM w/Clock	am/fm w/clock	AM/FM w/Clock
<b>SEATS</b>			
SEATING CAPACITY min.	2	2	2
FIRST ROW SEAT TYPE	2 - Individual	bucket	Bucket
<b>SAFETY</b>			
POWER ANTILOCK BRAKES, FRONT AND REAR RESTRAINT SYSTEM, DRIVER AND PASSENGER	Req	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	Req	comply	comply

# TABLE 7 - CONTINUED

## 4 X 2 CARGO VAN, FULL SIZE, MIN 9,201 LBS GVWR

### Item # 34

<b>GSA COMPONENTS</b>	<b>GSA. MIN. REQ.</b>	<b>FORD ECONOLINE E350</b>	<b>GM CG3300</b>
<b>SUSPENSION</b>			
SUSPENSION/SHOCKS	HDA	comply	comply
<b>TIRES AND WHEELS</b>			
WHEEL DIAMETER	16	16	16
TIRES	LT245/R/AS	LT245/R/AS	LT245/R/AS
<b>TOWING</b>			
REAR BUMPER	Step type w/ RH2 provisions	comply	comply
<b>WARRANTY</b>			
MFG STANDARD WARRANTY	3 yr/36,000 mile bumper to bumper	comply	comply

# TABLE 7 - CONTINUED

## 4 X 2 CARGO VAN, FULL SIZE, MIN 9,201 LBS GVWR

### Item # 34 - OPTIONAL EQUIPMENT

		FORD ECONOLINE E350	GM CG3300
<b>BODY/CHASSIS</b>			
STD	REGULAR BODY LENGTH Min / Max	Stand Alone	Stand Alone
<b>ENGINES</b>			
E5	UPGRADED EXTRA POWER V8/V10 ENGINE	Stand Alone	Stand Alone
YD	Eng-Cyl/HP/Torque DIESEL ENGINE Eng-Cyl/HP/Torque	10/6.8,305,420 Package 8/6.0,235,440	8/6.0,300,360 Available
<b>ALTERNATIVE FUEL ENGINES</b>			
CNG	DEDICATED COMPRESSED NATURAL GAS	N/A	Package
CNG2	DUAL FUEL (CNG AND GASOLINE)	N/A	Package
<b>ENGINE ACCESSORY OPTIONS</b>			
OLS	Oil Life System	N/A	Standard
EH	ENGINE BLOCK HEATER	Stand Alone	Stand Alone
<b>DRIVE AXLE</b>			
D3	SPECIAL TRACTION DIFFERENTIAL	Stand Alone	Stand Alone
D7	TOWING/MOUNTAIN RATIO	Stand Alone	Stand Alone
<b>EXTERIOR</b>			
RB	RUNNING BOARDS	Stand Alone	N/A
<b>PAINT</b>			
595F	14260 595 PAINT (FOREST SERVICE)	N/A	Stand Alone
<b>DOORS AND WINDOWS</b>			
DTG	DARK TINTED GLASS	Stand Alone	Package
DRG	DELETE REAR WINDOW	Package	Package
LD	LEFT DOOR	N/A	Package
RKE	REMOTE KEYLESS ENTRY	Package	Stand Alone
WD	SIDE CARGO DOOR WINDOWS	Package	Package
SE	SIDE DOORS, SLIDING TYPE, VAN	Stand Alone	Package
WY	WINDOWS, ALL SIDES	Package	Package
<b>LIGHTS AND LIGHTING</b>			
DRL	DAYTIME RUNNING LIGHTS	Stand Alone	Standard
<b>INTERIOR</b>			
AC2	AUX. REAR AIR CONDITIONING	Stand Alone	Package
AH	AUXILIARY HEATER	Stand Alone	Stand Alone
SK	METRIC ODOMETER	Stand Alone	Stand Alone
RL	REAR LINING, CARGO VAN	Standard	Package
VU	VINYL UPHOLSTERY, FRONT AND REAR	Stand Alone	Stand Alone
<b>RADIO</b>			
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Stand Alone	Stand Alone
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Stand Alone	Stand Alone
<b>SEATING</b>			
S5BH	5 PASSENGER SEATING WITH BULKHEAD	Stand Alone	N/A
<b>RECEIVER HITCH</b>			
RH3	OEM DRAW BAR RECEIVER CLASS III	Stand Alone	Stand Alone
<b>VENDOR INSTALLED BODY OPTIONS</b>			
AWDC	CHASSIS MFG'S APPROVED 4X4 CONVERSION	Package	Stand Alone
<b>DELIVERY</b>			
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	Stand Alone	Stand Alone
DDRG	DEALER DELIVERY GUAM	Stand Alone	N/A
DDRH	DEALER DELIVERY HAWAII	Stand Alone	Stand Alone
DDRP	DEALER DELIVERY PUERTO RICO	Stand Alone	Stand Alone
1611	OEM EXPORT DOCUMENT FEE	Stand Alone	Stand Alone
<b>MISCELLANEOUS</b>			
MIL	DATA PLATES OR DD250	Stand Alone	Stand Alone
PSM	PARTS AND SERVICE MANUALS	Stand Alone	Stand Alone
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	Stand Alone	Stand Alone

S=Standard

SA=Stand Alone

PKG=Package (includes, requires or excludes other options)

NA=Not Available

**THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK**