

Appendix 7: Bibliography

The general reference section contains citations that are applicable to this guidance in general. Of particular interest is the reference for the *Federal Register* of December 18, 1995, which itself lists over 200 citations. References listed for each chapter specifically pertain to the information contained in that chapter.

• General References

- Ahmed, F.E. (ed). 1991. *Seafood Safety*. National Academy Press, Washington, D.C. 432 p.
- Molluscan Shellfish Steering Committee, NMFS. 1990. *Model Seafood Surveillance Project*. NOAA/ National Marine Fisheries Service, Office of Trade and Industry Services, Washington, D.C.
- National Advisory Committee on Microbiological Criteria for Foods (NACMCF). 1992. *Hazard Analysis and Critical Control Point System*. Intl. J. Food Microbiol. 16:1-23.
- Pierson, M.D. and D.A. Corlett, Jr., (eds). *HACCP; Principles and Applications*. Van Nostrand Reinhold, New York.
- Natl. Research Council, Committee on Food Protection, Subcomm. on Microbiol. Criter. 1985. *An Evaluation of the Role of Microbiological Criteria for Foods and Food Ingredients*. National Academy Press, Washington, D.C.
- Savage, R.A. 1995. Hazard analysis critical control point: a review. *Food Rev. Int'l*. 11:575-595.
- U.S. Food and Drug Administration. 2000. *National Shellfish Sanitation Program, Guide for the Control of Molluscan Shellfish*. DHHS/PHS/FDA/ Office of Seafood, Washington, D.C.
- U.S. Food and Drug Administration. 1997. *Code of Federal Regulations*. 21 CFR Parts 123 and 1240, Procedures for the Safe and Sanitary Processing and Importing of Fish and Fishery Products. DHHS/ PHS/FDA/Office of Seafood, Washington, D.C. [Originally published in: *Federal Register*, Monday, December 18, 1995, Part II, Department of Health and Human Services, Food and Drug Administration, 21 CFR Parts 123 and 1240, Procedures for the Safe and Sanitary Processing and Importing of Fish and Fishery Products; Final Rule].
- U.S. Food and Drug Administration. 1997. *Food Code*. DHHS/PHS/FDA, Washington, DC.
- U.S. Food and Drug Administration. 1997. *Foodborne Pathogenic Microorganisms and Natural Toxins*. Available at internet site: <http://vm.cfsan.fda.gov/list.html>.
- U.S. Food and Drug Administration. 1989. *Federal Food, Drug, and Cosmetic Act*. HHS Publication No. (FDA) 89-1051. DHHS/PHS/U.S. Food and Drug Administration, Washington, D.C.

• Chapter 4: Pathogens – Receiving

- U.S. Food and Drug Administration. 2000. *National Shellfish Sanitation Program, Guide for the Control of Molluscan Shellfish*. DHHS/PHS/FDA/ Office of Seafood, Washington, D.C.

- **Chapter 5: Parasites**

- Adams, A.M., K.D. Murrell, and J.H. Cross. 1997. Parasites of fish and risks to public health. *Rev. sci. tech. Off. Int. Epiz.* 16(2):652-660.
- Agersborg, H.P.K. 1918. Nematodes in marketable fishes. *Science* 48:493-495.
- American Gastroenterological Association (AGS). 2000. Determination of the incidence of gastrointestinal parasitic infections from the consumption of raw seafood in the U.S. [Report under FDA Contract 223-97-2328 with Life Sciences Research Office, American Society for Nutritional Sciences]. AGN, Bethesda, MD. 9 p.
- Baylis, H.A. 1944. *Capsularia marina* and the *Ascaridae* of marine hosts. *Parasitol.* 36:119-121.
- Berland, B. 1961. Nematodes from some Norwegian marine fishes. *Sarsia* 2:1-50.
- Bier, J.W. 1988. Anisakiasis. In Balows, A., W.J. Hausler, Jr., M. Ohashi, and A. Turano (eds), *Laboratory Diagnosis of Infectious Diseases*, Vol. I. Springer-Verlag, New York.
- Bouree, P., A. Paugam, and J.C. Petithory. 1995. Review - Anisakidosis: Report of 25 cases and review of the literature. *Comp. Immun. Microbiol. Infect. Dis.* 18(2):75-84.
- Daniel, R.J. 1950. A guide to marketable fish. *Proc. Lpool. Biol. Soc.* 57:App1, pp.68.
- Deardorff, T.L. and M.L. Kent. 1989. Prevalence of larval *Anisakis simplex* in pen-reared and wild-caught salmon (*Salmonidae*) from Puget Sound, Washington. *J. Wildl. Dis.* 25:416-419.
- Deardorff, T.L., M.J. Klicks, M.E. Rosenfeld, R.A. Rychlinski, and R.S. Desowitz. 1982. Larval ascaroid nematodes from fishes near the Hawaiian Islands, with comments on pathogenicity experiments. *Pacific Science* 36:187-201.
- Deardorff, T.L. and R.M. Overstreet. 1990. Seafood-transmitted zoonoses in the United States: the fish, the dishes and the worms, p. 211-265. In (Ward, D. and C.R. Hackney, eds.) *Microbiology of Marine Food Products*, Van Nostrand and Reinhold, New York, NY.
- Deardorff, T.L., R.B. Raybourne, and R.S. Desowitz. 1984. Behavior and viability of third-stage larvae of *Terranova* sp. (Type HA) and *Anisakis simplex* (type I) under coolant conditions. *J. Food Protect.* 47(1):49-52.
- Deardorff, T.L. and R. Throm. 1988. Commercial blast-freezing of third-stage *Anisakis simplex* larvae encapsulated in salmon and rockfish. *J. Parasit* 74(4):600-603.
- Eckert, J. 1996. Workshop summary: food safety: meat- and fish-borne zoonoses. *Vet. Parasitol.* 64:143-147.
- Eslami, A. and B. Mokhayer. 1997. Nematode larvae of medical importance found in market fish in Iran. *Pahlavi Medical Journal* 8:345-348.
- Gardner, M.A. 1990. Survival of *Anisakis* in cold-smoked salmon. *Can. Inst. Food Sci. Technol. J.* 23:143-144.
- Hauck, A.K. 1977. Occurrence and survival of the larval nematode *Anisakis* sp. in the flesh of fresh, frozen, brined and smoked Pacific herring, *Clupea harengus pallasi*, *J. Parasitol.* 63:515-519.
- Hauksson, E. 1989. Investigations on the sealworm problem in Icelandic waters: recent findings and future research. In: Moller, H.(ed), *Nematode Problems in North Atlantic Fish*. International Council for the Exploration of the Sea. Copenhagen, C.M./F:6:30-31.
- Jansen, T., K. Andersen, and S. des Clers. 1994. Sealworm (*Pseudoterranova decipiens*) infections in demersal fish from two areas in Norway. *Can. J. Zool.* 72:598-608.

- Karl, H. and M. Leinemann. 1989. Viability of nematode larvae (*Anisakis* sp.) In frozen herrings. *Archiv fur Lebensmittelhygiene* 40(1):14-16.
- Lagoin, Y. 1980. Infection of humans by the nematode *Anisakis simplex* in herrings. *Bull. Acad. Vet. de France* 53:139-146.
- Lile, N. 1989. The parasite fauna of four *Pleuronectidae* flatfish from north Norway and the influence of host zoogeography, phylogeny and ecology on parasite distribution. *Can. Sci. Institute of Biology and Geology (IBG), University of Tromsø*. pp 68.
- Margolis, L. and J.R. Arthur. 1979. Synopsis of the parasites of fishes of Canada. *J. Fish. Res. Board Can.* 19:101-119.
- Martin, O. 1921. Ueber Ascaridenlarven aus dem Fleische von seefischen. *Z. IntekKr.* 22:13-36.
- McClelland, G., R.K. Misra and D.J. Martell. 1990. Larval anisakine nematodes in various fish species from Sable Island Bank and vicinity. pp.83-118. In: *Population biology of sealworm (Pseudoterranova decipiens) in relation to its intermediate and seal hosts*. *Can. Bull. Fish. Aquat. Sci.* Vol. 222.
- Ogawa, K. 1996. Marine parasitology with special reference to Japanese fisheries and mariculture. *Vet. Parasitol.* 64:95-105.
- Polyanskii, Y. 1966. Parasites of the fish of the Barents Sea. *Translations of the Zoological Institute of the Academy of Sciences of the U.S.S.R.* 19:1955. (Israel Prog. for Scient. Translations, Jerusalem).
- Punt, A. 1941. Recherches sur quelques nematodes parasites des poissons de la Mer du Nord. *Mem. Mus. Hist. Nat. Belg.* 98:1-110.
- Sakanari, J.A. and J.H. McKerrow. 1989. Anisakiasis. *Clin. Microbiol Rev.* 2:278-284.
- Templeman, W., H.J. Squires, and A.M. Fleming. 1957. Nematodes in the fillets of cod and other fishes in Newfoundland and neighbouring areas. *J. Fish. Res. Bd. Can.* 14:831-897.
- Verhamme, M.A.M. and C.H.R. Ramboer. 1988. Anisakiasis caused by herring in vinegar: a little known medical problem. *Gut.* 29:843-847.
- Williamson, H.C. 1910. Nematodes in the muscle of the cod (*Gadus callarias*). *Rep. Fish. Bd. Scot.* 28:61-62.
- Williamson, H.C. 1919. The distribution of parasite-infected fish. *Ann. App. Biol.* 6:48-52.
- World Health Organization (WHO). 1995. Control of foodborne trematode infections: Report of a WHO study group. WHO, Geneva. WHO Technical Report Series No. 849, 157 pp.
- Wulker, G. 1929. Der Wirtswechsel der parasitischen Nematoden von Meeresfischen. *Verb. Dtsch. Zool. Ges.* 33:147-157.
- Wulker, G. 1930a. Ueber nematoden aus Nordseetieren I. *Zool. Anz.* 87:293-302.
- Wulker, G. 1930b. Ueber nematoden aus Nordseetieren I. *Zool. Anz.* 88:1-16.
- [Chapter 6: Natural Toxins](#)
- Arakawa, O., T. Noguchi, and Y. Onoue. 1995. Paralytic shellfish toxin profiles of xanthid crabs *Zosimus aeneus* and *Atergatis floridus* collected on reefs of Ishigaki Island. *Fish. Sci.* 61(4):659-662.
- Clifford, M.N., R. Walker, P. Ijomah, J. Wright, C.K. Murray, R. Hardy, E.P. Martlbauer, E. Usleber, and G. Terplan. 1993. Do saxitoxin-like substances have a role in scombrotoxicosis? *Food Addit. Contamin.* 9(6):657-667.
- Hall, S. and G. Strichartz (eds). 1990. *Marine Toxins: Origin Structure, and Molecular Pharmacology*. ACS Symposium Series 418, American Chemical Society, Washington, DC.

- Halstead, B.W. 1967. *Poisonous and Venomous Marine Animals of the World, Vol. 2 - Invertebrates*. U.S. Government Printing Office, Washington, DC.
- Halstead, B.W. 1988. *Poisonous and Venomous Marine Animals of the World (Second Revised Edition)*. The Darwin Press, Inc., Princeton, NJ.
- Hwang, D-F. and Y-H. Tsai. 1999. Toxins in toxic Taiwanese crabs. *Food. Rev.* 15(2):145-162.
- Hwang, D-F., Y-H. Tsai, T-j. Chai, and S-S Jeng. 1996. Occurrence of tetrodotoxin and paralytic shellfish poison in Taiwan crab *Zosimus aeneus*. *Fish. Sci.* 62(3):500-501.
- Kawai, N., Y. Nakayama, S. Matsuoka, and T. Mori. 1985. Lipid composition of various tissues of *Lepidocybium flavobrunneum*. *Yukagaku* 34:25-31.
- Lawrence, J.F., M. Maher, and W. Watson-Wright. 1994. Effect of cooking on the concentration of toxins associated with paralytic shellfish poison in lobster hepatopancreas. *Toxicon* 33(12):1669-1673.
- Ochiai, Y., S. Watabe, K. Hashimoto, H. Narita, Y. Ukishima, and M. Nara. 1984. Biochemical identification of two gempylid fish causative of a food poisoning. *Bull. Japan. Soc. Sci. Fish.* 50:721-725.
- Perez-Zarza, M.C., V. Ruiz-Gutierrez, and L. Bravo. 1993. Lipid composition of two purgative fish: *Ruvettus pretiosus* and *Lepidocybium flavobrunneum*. *Grasas y Aceites* 44:47-52.
- Spark, A.A. and A.A. deWit. 1980. Wax esters in edible fish. Identification of wax esters. Fishing Industry Research Institute (South Africa), Annual Report (no. 34), pp. 45-47.
- Tsai, Y-H., D-F. Hwang, T-J. Chai, and S.S. Jeng. 1995. Occurrence of tetrodotoxin and paralytic shellfish poison in the Taiwanese crab *Lophozozymus pictor*. *Toxicon* 33(12):1669-1673.
- Tsai, Y-H., D-F. Hwang, T-J. Chai, and S.S. Jeng. 1996. Occurrence of paralytic shellfish toxin in Taiwanese crab *Atergatopsis germaini*. *Toxicon* 34(4):467-474.
- Withers, N. 1988. Marine toxins and venoms. In Tu, A.T. (ed), *Handbook of Natural Toxins*, Vol. 3. Marcel Dekker, New York.
- Yasumoto, T. and M. Murata. 1993. Marine toxins. *Chem. Rev.* 93:1897-1909.
- **Chapter 7: Histamine**
- Arnold, S. and D. Brown. 1978. Histamine toxicity from fish products. *Adv. Food Res.* 24: 113-154.
- Baranowski, J.D., A.F. Hilmer, P.A. Brust, M. Chongsiriwatana, and R.J. Premaratne. 1990. Decomposition and histamine content in mahimahi (*Coryphaena hippurus*). *J. Food Prot.* 53(3): 217-222.
- Behling, A.R. and S.L. Taylor. 1982. Bacterial histamine production as a function of temperature and time of incubation. *J. Food Sci.* 47:1311-1317.
- Bjeldanes, L.F., D.E. Schultz, and M.M. Morris. 1978. On the aetiology of scrombroid poisoning: cadaverine potentiation of histamine toxicity in the guinea pig. *Food Cosmet. Toxicol.* 16:157-159.
- Concon, J. (ed). 1988. *Food Toxicology*. Marcel Dekker, Inc., New York. p. 511-605.
- Eitenmiller, R. and S. DeSouza. 1984. Enzymatic mechanisms for amine formation in fish, p. 431-442. In Ragelis, E. (ed), *Seafood Toxins*. American Chemical Society, Washington, D.C.
- Farn, G. and C. Sims. 1987. Chemical indices of decomposition in tuna, p. 175-184. In Kramer, D. and J. Liston (eds), *Seafood Quality Determination (Book #15 of Developments in Seafood Science)*. Elsevier, New York.

- Fletcher, G.C., G. Summers, and P.W.C. van Veghel. 1998. Levels of histamine and histamine-producing bacteria in smoked fish from New Zealand markets. *J. Food Prot.* 61(8):1064-1070.
- Hernández-Herrero, M.M., A.X. Roig-Sagués, J.J. Rodríguez-Jerez and M.T. Mora-Ventura. 1999. Halotolerant and halophilic histamine-forming bacteria isolated during the ripening of salted anchovies (*Engraulis encrasicolus*). *J. Food Prot* 62(5):509-514.
- Hilmer, A.F. and D. H. Yoshinaga. 1984. Histamine Formation in Tuna, p. 443-451. In Ragelis, E (ed), *Seafood Toxins*. American Chemical Society, Washington, D.C.
- Hilmer, A.F., D.H. Yoshinaga, and W. Nip. 1981. Histamine formation and honeycombing during decomposition of skipjack tuna. *Katsuwonus pelamis*, at elevated temperatures. *Marine Fisheries Rev.* 43(10):9-14.
- Inestia, C. 1973. Significance and Detection of Histamine in Food, p. 327-347. In *Microbiological Safety of Food*. Academic Press, New York.
- Lehane, L. and J. Olley. 2000. Review - Histamine fish poisoning revisited. *Int. J. Food Microbiol.* 58: 1-37.
- Silva, C.C.G., J.B. Da Ponte, and M.L.N. Enes Dapkevicius. 1998. Storage temperature effect on histamine formation in big eye tuna and skipjack. *J. Food Sci.* 63(4):644-647.
- Stratton, J. and S. Taylor. 1991. Scombroid poisoning, p. 331-347. In Ward, D. and C. Hackney (eds), *Microbiology of Marine Food Products*. Van Nostrand Reinhold, New York.
- Taylor, S. 1988. Marine toxins of microbial origin. *Food Technol.* 42:94-98.
- Taylor, S. 1985. Histamine poisoning associated with fish, cheese, and other foods, p. 1-47. World Health Organization, VPH/FOS/85.1.
- Taylor, S.L., J.Y. Hui, and D.E. Lyons. 1984. Toxicology of scombroid poisoning, p. 417-430. In Ragelis, E. (ed), *Seafood Toxins*. American Chemical Society, Washington, D.C.
- Taylor, S. and S. Summer. 1987. Detection of histamine, cadaverine, and putrescine, p. 235-246. In Kramer, D. and J. Liston (eds), *Seafood Quality Determination (Book #15 of Developments in Seafood Science)*. Elsevier, New York.
- van Spreckens, K. 1987. Histamine production by psychrophilic flora, p. 309-318. In Kramer, D. and J. Liston (eds), *Seafood Quality Determination (Book #15 of Developments in Seafood Science)*. Elsevier, New York.
- **Chapter 8: Decomposition**
- Arnold, S.H. and D.W. Brown. 1978. Histamine toxicity from fish products. *Adv. Food Res.* 24:113-154
- Bjeldanes, L.F., D.E. Schultz, and M.M. Morris. 1978. On the aetiology of scombroid poisoning: cadaverine potentiation of histamine toxicity in the guinea pig. *Food Cosmet. Toxicol.* 16:157-159.
- Concon, J. 1988. *Food Toxicology*. Part A. Principles and concepts. Marcel Dekker, Inc., New York. p. 626-627.
- Eitenmiller, R. and S. DeSouza. 1984. Enzymatic mechanisms for amine formation in fish, p. 431-442. In Ragelis, E. (ed), *Seafood Toxins*. American Chemical Society, Washington, D.C.
- Farn, G. and C. Sims. 1987. Chemical indices of decomposition in tuna, p. 175-184. In Kramer, D. and J. Liston (eds), *Seafood Quality Determination (Book #15 of Developments in Seafood Science)*. Elsevier, New York.
- Parrot, J. and G. Nicot. 1986. Absorption de l'histamine par l'appareil digestif, p.148-161. In *Handbuch der Experimentellen Pharmakologie*, Vol. 18. Springer-Verlag, New York.

Continued

- Stratton, J. and S. Taylor. 1991. Scombroid poisoning, p. 343. In Ward, D. and C. Hackney (eds), *Microbiology of Marine Food Products*. Van Nostrand Reinhold, New York.
- Taylor, S. 1988. Marine toxins of microbial origin. *Food Technol.* 42:94-98.
- Taylor, S. 1985. Histamine poisoning associated with fish, cheese, and other foods. pp. 1-47. World Health Organization, VPH/FOS/85.1.
- Taylor, S.L., J.Y. Hui, and D.E. Lyons. 1984. Toxicology of scombroid poisoning, p. 417-430. In Ragelis, E. (ed), *Seafood Toxins*. American Chemical Society, Washington, D.C.
- Taylor, S. and S. Summer. 1987. Detection of histamine, cadaverine, and putrescine, p. 235-246. In Kramer, D. and J. Liston (eds), *Seafood Quality Determination* (Book #15 of *Developments in Seafood Science*). Elsevier, New York.
- **Chapter 9: Chemicals**
 - Catfish Farmers of America. 1993. Catfish Quality Assurance (Publication 1873). Cooperative Extension Service, Mississippi State University, Mississippi State, MS.
 - Striped Bass Growers Association. 1996. The Hybrid Striped Bass Industry from Fish Farmer to Consumer. Striped Bass Growers Association, P.O. Box 11280, Columbia, SC.
 - U.S. Trout Farmer's Association. 1994. Trout Producers Quality Assurance Program. USTFA, P.O. Box 220, Charles Town, WV.
 - U.S. Environmental Protection Agency. 1995. Final Water Quality Guidance for the Great Lakes System. In *Federal Register*, Vol. 60, No. 56.
 - U.S. Environmental Protection Agency. 1992. Water Quality Standards; Establishment of Numeric Criteria for Priority Toxic Pollutants; States' Compliance. In *Federal Register*, Vol. 57, No. 246.
 - U.S. Environmental Protection Agency. Tolerances and exemptions from tolerances for pesticide chemicals in or on raw agricultural products. In *Code of Federal Regulations* 40 CFR 180. U.S. Government Printing Office, Washington, D.C.
 - U.S. Food and Drug Administration. 1993. *Guidance Document for Chromium in Shellfish*. DHHS/PHS/FDA/CFSAN/Office of Seafood, Washington, DC.
 - U.S. Food and Drug Administration. 1993. *Guidance Document for Arsenic in Shellfish*. DHHS/PHS/FDA/CFSAN/Office of Seafood, Washington, D.C.
 - U.S. Food and Drug Administration. 1993. *Guidance Document for Lead in Shellfish*. DHHS/PHS/FDA/CFSAN/Office of Seafood, Washington, D.C.
 - U.S. Food and Drug Administration. 1993. *Guidance Document for Nickel in Shellfish*. DHHS/PHS/FDA/CFSAN/Office of Seafood, Washington, D.C.
 - U.S. Food and Drug Administration. 1993. *Guidance Document for Cadmium in Shellfish*. DHHS/PHS/FDA/CFSAN/Office of Seafood, Washington, D.C.
 - U.S. Food and Drug Administration. 1989. Pesticide residues in food and feed enforcement criteria. In *Compliance Policy Guides*, Sect. 575.100. DHHS/PHS/FDA/Center for Food Safety and Applied Nutrition, Washington, D.C.
 - U.S. Food and Drug Administration. Unavoidable contaminants in food for human consumption. In *Code of Federal Regulations* 21 CFR 109.30. U.S. Government Printing Office, Washington, D.C.
- **Chapter 11: Drugs**
 - Catfish Farmers of America. 1993. Catfish Quality Assurance (Publication 1873). Cooperative Extension Service, Mississippi State University, Mississippi State, MS.

- Joint Subcommittee on Aquaculture. 1994. Guide to Drug, Vaccine, and Pesticide Use in Aquaculture (Publication B-5085). Texas Agricultural Extension Service, College Station, TX.
- Striped Bass Growers Association. 1996. The Hybrid Striped Bass Industry from Fish Farmer to Consumer. Striped Bass Growers Associated, P.O. Box 11280, Columbia, SC.
- U.S. Trout Farmer's Association. 1994. Trout Producers Quality Assurance Program. USTFA, P.O. Box 220, Charles Town, WV.
- U.S. Food and Drug Administration. 2000. Extralabel Drug Use in Animals. In *Code of Federal Regulations 21 CFR 530*. U.S. Government Printing Office, Washington, DC.
- U.S. Food and Drug Administration. 2000. Certain other dosage form new animal drugs. In *Code of Federal Regulations 21 CFR 529*. U.S. Government Printing Office, Washington, D.C.
- U.S. Food and Drug Administration. 2000. Tolerances for residues of new animal drugs in food. In *Code of Federal Regulations 21 CFR 556*. U.S. Government Printing Office, Washington, DC.
- **Chapter 12: Pathogens – Growth**
- Ahmed, F.E. (ed.). 1991. *Seafood Safety*. National Academy Press, Washington, D.C.
- Baek, S-Y., S-Y. Lim, D-H. Lee, K-H. Min, and C-M. Kim. 2000. Incidence and characterization of *Listeria monocytogenes* from domestic and imported foods in Korea. *J. Food Prot.* 63:186-189.
- Gecan, J.S., R. Bandler, and W.F. Staruskiewicz. 1994. Fresh and frozen shrimp: A profile of filth, microbiological contamination, and decomposition. *J. Food Prot.* 57:154-158.
- Hood, M.A., G.E. Ness, G.E. Rodrick, and N.J. Blake. 1983. Effects of storage on microbial loads of two commercially important shellfish species, *Crassostrea virginica* and *Mercenaria campechiensis*. *Appl. Environ. Microbiol.* Apr:1221-1228.
- Huss, H.H. 1997. Control of indigenous pathogenic bacteria in seafood. *Food Control.* 8:91-98.
- Huss, H.H., 1993. Assurance of seafood quality. *FAO Fisheries Technical Paper, No. 334*. Rome, FAO. 169p.
- Huss, H.H. (ed.). 1993. Quality and quality changes in fresh fish. *FAO Fisheries Technical Paper, No. 346*. Rome, FAO.
- Huss, H H., A. Reilly, P.K Ben Embarek. 2000. Prevention and control of hazards in seafood. *Food Control.* 11:149-156.
- Jørgensen, L. V., and H. H. Huss. 1998. Prevalence and growth of *Listeria monocytogenes* in naturally contaminated seafood. *Int. J. Food Microbiol.* 42:127-131.
- Morris, G. J., and R.E. Black. 1985. Cholera and other vibrioses in the United States. *New Engl. J. Med.* 12:343-350.
- Nielsen, H.-J.S, and P. Zeuthen. 1984. Growth of pathogenic bacteria in sliced vacuum-packed bologna-type sausage as influenced by temperature and gas permeability of packaging film. *Food Microb.* 1:229-243
- Palumbo, S.A. 1986. Is Refrigeration enough to restrain foodbourne pathogens? *J. Food Prot.* 49: 1003-1009.
- Peixotto, S.S., G. Finne, M.O. Hanna, and C. Vanderzant, 1979. Presence, growth and survival of *Yersinia enterocolitica* in oysters, shrimp and crab. *J. Food Prot.* 42:974-981.

- Philips, F.A. and T. Peeler. 1972. Bacteriological survey of the blue crab industry. *Appl. Microbiol. Dec.*:958-966.
 - Refrigerated Foods and Microbiological Criteria Committee of the National Food Processors Association. 1988. Factors to be considered in establishing good manufacturing practices for the production of refrigerated foods. *Dairy and Food Sanit.* 8:288-291.
 - Rivituso, C.P. and Snyder. 1981. Bacterial growth at foodservice operating temperatures. *J. Food Prot.* 44:770-775.
 - Rosso, L., S. Bajard, J.P. Flandrois, C. Lahellec, J. Fournaud, and P. Veit. 1996. Differential growth of *Listeria monocytogenes* at 4 and 8°C: Consequences for the shelf life of chilled products. 59:944-949.
 - Satoshi, I, A. Nakama, Y. Arai, Y. Kokubo, T. Maruyama, A Saito, T. Yoshida, M. Terao, S. Yamamoto, and S. Kumagai. 2000, Prevalence and contamination levels of *Listeria monocytogenes* in retail foods in Japan. *Int. J. Food Microb.* 59:73-77.
 - Son, N.T., and G.H. Fleet. 1980. Behavior of pathogenic bacteria in the oyster, *Crassostrea commercialis*, during depuration, relaying and storage. *Appl. Environ. Microbiol. Dec.*:994-1002.
 - U.S. Food and Drug Administration. 2000. *Foodborne Pathogenic Microorganisms and Natural Toxins* ("Bad Bug Book"). Available at internet site: <http://www.cfsan.fda.gov/~mow/intro.html>
 - U.S. Food and Drug Administration. 1999. *Food Code*. DHHS/PHS/FDA, Washington, DC. Available at internet site: <http://vm.cfsan.fda.gov/~dms/foodcode.html>
 - Wallace, B. J., J. J. Guzewich, M. Cambridge, S. Altekruse. 1999. Seafood-associated disease outbreaks in New York, 1980-1994. *Amer. J Prev. Med.* 17:48-54.
 - Ward, D.R and C.R. Hackney, (eds). 1991. *Microbiology of Marine Food Products*. Van Nostrand Reinhold, New York.
 - Wentz, B.A, A.P. Duran, A. Swartzentruber, A.H. Schwab, F.D. McClure, D. Archer, and R.B. Read, Jr. 1985. Microbiological quality of crabmeat during processing. *J. Food Prot.* 48:44-49.
 - Wong, H.-C., M.-C. Chen, S.-H. Liu, D.-P. Lin. 1999. Incidence of highly genetically diversified *Vibrio parahaemolyticus* in seafood imported from Asian countries. *Int. J Food Microbiol.* 52:181-188.
- **Chapter 13: *C. botulinum***
- Anon. 1991. Cured, salted, and smoked fish establishments good manufacturing practices. In Model Code, Association of Food and Drug Officials, Retail Food Subcommittee (J. Joseph Corby, chair).
 - Baird-Parker, A.C. and B. Freame. 1967. Combined effect of water activity, pH and temperature on the growth of *Clostridium botulinum* from spore and vegetative cell inocula. *J. Appl. Bact.* 30:420-429.
 - Betts, G.D. and J.E. Getts. 1995. Growth and heat resistance of psychrotrophic *Clostridium botulinum* in relation to 'sous vide' products. *Food Control* 6:57-63.
 - Boyd, J.W. and B.A. Southcott. 1971. Effects of sodium chloride on outgrowth and toxin production of *Clostridium botulinum* type E in cod homogenates. *J. Fish. Res. Bd. Canada* 28:1071-1075.
 - Christiansen, L.N., J. Deffner, E.M. Foster and H. Sugiyama. 1968. Survival and outgrowth of *Clostridium botulinum* type E spores in smoked fish. *Appl. Microbiol.* 133-137.
 - Controlled/modified atmosphere/vacuum packaging of foods. 1989. A.L. Brody, ed., Food and Nutrition Press, Inc. Trunball, CT.

- Daniels, R.W. 1991. Applying HACCP to new-generation refrigerated foods at retail and beyond. *Food Technol.* 45:122, 124.
- Dufresne, I, J.P. Smith, J.N. Liu and I. Tarte. 2000. Effect of films of different oxygen transmission rate on toxin production by *Clostridium botulinum* type E in vacuum packaged cold and hot smoked trout fillets. *J. Food Safety* 20:251-268.
- Eklund, M.W., G.A. Pelroy, R. Paranjpye, M.E. Peterson and F.M. Teeny. 1982. Inhibition of *Clostridium botulinum* types A and E toxin production by liquid smoke and NaCl in hot-process smoke-flavored fish. *J. Food Prot.* 44:935-941.
- Eklund, M.W., R.N. Raranjpye, F.T. Poysky, M.E. Peterson and G.A. Pelroy. Control of nonproteolytic *Clostridium botulinum* types B and E in crab analogs by combinations of heat pasteurization and water phase salt. (submitted *J. Food Prot.*).
- European Chilled Food Federation. 1997. Guidelines for good hygienic practice in the manufacture of chilled foods.
- Farber, J.M. 1991. Microbiological aspects of modified atmosphere packaging technology - a review. *J. Food Prot.* 54:58-70.
- Garren, D.M, M.A Harrison and Y.W. Huang. 1994. *Clostridium botulinum* type E outgrowth and toxin production in vacuum-skin packaged shrimp. *Food Microbiol.* 11:467-472.
- Gould, G.W. 1999. Sous vide foods: conclusions of an ECFF botulinum working party. *Food Control* 10:47-51.
- Graham, A.F., D.R. Mason and M.W. Peck. 1996. Predictive model of the effect of temperature, pH and sodium chloride on growth from spores of non-proteolytic *Clostridium botulinum*. *Int. J. Food Microbiol.* 31:69-85.
- Hauschild, A.H.W. and R. Hilsheimer. 1979. Effect of salt content and pH on toxigenesis by *Clostridium botulinum* in caviar. *J. Food Prot.* 42:245-248.
- Hilderbrand, K.S. 1992. *Fish Smoking Procedures for Forced Convection Smokehouses*, Special Report 887. Oregon State Extension Service, Newport, OR.
- Kautter, D.A, P.K. Lynt, T. Lily and H.M. Solomon. 1981. Evaluation of the botulism hazard from nitrogen-packed sandwiches. *J. Food Prot.* 44:59-61.
- Kornacki, J.L. and D.A. Gabis. 1990. Microorganisms and Refrigeration Temperatures. *Dairy, Food and Environ.San.* 10:192-195.
- Lerke, P. and L. Farber. 1971. Heat pasteurization of crab and shrimp form the Pacific coast of the US: public health aspects. *J. Food Sci.* 36:277-279.
- Lyon, W.J. and C.S. Reddmann. 2000. Bacteria associated with processed crawfish and potential toxin production by *Clostridium botulinum* type E in vacuum-packaged and aerobically packaged crawfish tails. *J. Food Prot.* 63:1687-1696.
- McClure, P.J., M.B. Cole and J.P.P.M. Smelt. 1994. Effects of water activity and pH on growth of *Clostridium botulinum*. *J. Appl. Bact. Symp. Suppl.* 76:105S-114S.
- Natl. Advis. Comm. Microbiol. Criter. Foods. 1992. *Vacuum or Modified Atmosphere Packaging for Refrigerated Raw Fishery Products*. DHHS/PHS/ FDA/State Training Branch, Rockville, MD. 21 p.
- Peck, M.W. 1997. *Clostridium botulinum* and the safety of refrigerated processed foods of extended durability. *Trends in Food Sci. and Tech.* 8:186-192.
- Pelroy, G.A, M.W. Eklund, R.N. Paranjpye, E.M.Suzuki and M.E. Peterson. 1982. Inhibition of *Clostridium botulinum* types A and E toxin formation by sodium nitrite and sodium chloride in hot process (smoked) salmon. *J. Food Prot.* 45:833-841.
- Peterson, M.E., G.A. Pelroy, R.N. Paranjpye, F.T. Poysky, J.S. almond and M.W. Eklund. 1993. Parameters for control of *Listeria monocytogenes* in smoked fishery products: sodium chloride and packaging method. *J. Food Prot.* 56:938-943.

- Reddy, N.R., D.J. Armstrong, E.J. Rhodehamel, and D.A. Kautter. 1992. Shelf-life extension and safety concerns about fresh fishery products packaged under modified atmospheres: a review. *J. Food Safety*. 12:87-118.
- Reddy, N.R., A. Paradis, M.G. Roman, H.M. Solomon, and E.J. Rhodehamel. 1996. Toxin development by *Clostridium botulinum* in modified atmosphere-packaged fresh tilapia fillets during storage. *J. Food Sci.* 61:632-635.
- Reddy, N.R., M.G. Roman, M. Villanueva, H.M. Solomon, D.A. Kautter, and E.J. Rhodehamel. 1996. Shelflife and *Clostridium botulinum* toxin development during storage of modified atmosphere-packaged fresh catfish fillets. *J Food Sci.* 62:878-884.
- Reddy, N.R., H.M. Solomon, H. Yep, M.G. Roman, and E.J. Rhodehamel. 1997. Shelflife and toxin development by *Clostridium botulinum* during storage in modified atmosphere-packaged fresh aquacultured salmon fillets. *J Food Prot.* 60:1055-1063.
- The Refrigerated Foods and Microbiological Criteria Committee of the National Food Processors Association. 1988. Safety considerations for new generation refrigerated foods. *Dairy and Food Sanitation*. 8:5-7.
- Rhodehamel, E.J. 1992. FDA's concerns with sous vide processing. *Food Technol.* 46:73-76.
- Rhodehamel, E.J., H.M. Solomon, T. Lilly, Jr., D.A. Kautter and J.T. Peeler. 1991. Incidence and heat resistance of *Clostridium botulinum* type E spores in menhaden surimi. *J. Food Sci.* 56:1562-1563,1592.
- Schmidt, R.V., R.V. Lechowich and J.F. Folinazzo. 1961. Growth and toxin production by type E *Clostridium botulinum* below 40F. *J. Food Sci.* 26:626-630.
- Segner, W.P, C.F. Schmidt and J.K. Boltz. 1966. Effect of sodium chloride and pH on the outgrowth of spores of type E *Clostridium botulinum* at optimal and suboptimal temperatures. *Appl. Microbiol.* 14:49-54.
- Skinner, G.E. and J.W. Larkin. 1998. Conservative prediction of time to *Clostridium botulinum* toxin formation for use with time-temperature indicators to ensure the safety of foods. *J. Food Prot.* 61:1154-1160.
- Sugiyama, H., and K.S. Rutledge. 1978. Failure of *Clostridium botulinum* to grow in fresh mushrooms packaged in plastic film overwraps with holes. *J. Food Prot.* 41:348-350.
- U.S. Food and Drug Administration. 1996. Import Alert 16-74: Automatic detention of salt-cured uneviscerated fish. DHHS/PHS/FDA/Center for Food Safety and Applied Nutrition, Washington, D.C.
- **Chapter 14: Drying**
- Hilderbrand, K.S. 1992. *Fish Smoking Procedures for Forced Convection Smokehouses*, Special Report 887. Oregon State University, Extension Service, Corvallis, OR.
- Hilderbrand, K.S., Jr. 1996. Personal communication. Oregon State University, Extension Service, Corvallis, Oregon.
- McClure, P.J., M.B. Cole and J.P.P.M. Smelt. 1994. Effects of water activity and pH on growth of *Clostridium botulinum*. *J. Appl. Bact. Symp. Suppl.* 76:105S-114S.
- Tatini, S.R. 1973. Influence of food environments on growth of *Staphylococcus aureus* and production of various enterotoxins. *J. Milk Food Technol.* 36:559-563.
- **Chapter 15: Batter**
- Baird-Parker, A.C. 1971. Factors affecting the production of bacterial food poisoning toxins. *J. Appl. Bact.* 34:181-197.
- Beckers, H.J., F.M. van Leusden, and P.D. Tips. 1985. Growth and enterotoxin production of *Staphylococcus aureus* in shrimp. *J. Hyg., Camb.* 95:685-693.

- Bryan, F.L. 1979. *Staphylococcus aureus* in Food Microbiology: Public Health and Spoilage Aspects. The Avi Publ. Co., Inc. Westport, CT.
 - Buchanan, R.L. 1991. Microbiological criteria for cooked, ready-to-eat shrimp and crabmeat. Food Technol. 45:157-160
 - Dahl Sawyer, C.A. and J.J. Pestka. 1985. Foodservice systems: Presence of injured bacteria in foods during food product flow. Ann. Rev. Microbiol. 39:51-67.
 - Deibel, K.E. 1995. Potential of *Staphylococcus aureus* to produce enterotoxin in fish batter at various temperatures, p. 33. In Medallion Lab (ed), *Proceedings of the IFT Annual Meeting*. Medallion Lab, Minneapolis, MN.
 - Dengremont, E. and J.M. Membre. 1995. Statistical approach for comparison of the growth rates of five strains of *Staphylococcus aureus*. Appl. Environ. Microbiol. 61:4389-4395.
 - Duran, A.P., B.A. Wentz, J.M. Lanier, F.D. McClure, A.H. Schwab, A. Swartzentruber, R.J. Barnard, and R.B. Read. 1983. Microbiological quality of breaded shrimp during processing. J. Food Protect. 46:974-977.
 - Godwin, G.J., R.M. Grodner, and A.F. Novak. 1977. Twenty-four hour methods for bacteriological analyses in frozen raw breaded shrimp. J. Food Sci. 42:750-754.
 - Greenwood, M.H., E.F.C. Coetzee, B.M. Ford, P. Gill, W.L. Hooper, S.C.W. Matthews, S. Patrick, J.V.S. Pether, and R.J.D. Scott. 1985. The bacteriological quality of selected retail, ready-to-eat food products. III. Cooked crustaceans and mollusks. Environ. Health 93:236-239.
 - Hughes, A. and A. Hurst. 1980. The effect of NaCl on the upper temperature limit for growth of and enterotoxin synthesis by *Staphylococcus aureus*. Can. J. Microbiol. 26:507-510.
 - Lotter, L.P. and L. Leistner. 1978. Minimal water activity for enterotoxin A production and growth of *Staphylococcus aureus*. Appl. Environ. Microbiol. 36:377-380.
 - Ostovar, K. and M.J. Bremier. 1975. Effect of thawing on growth of *Staphylococcus aureus* in frozen convenience food items. J. Milk Food Technol. 38:337-339.
 - Potter, L. and L. Leistner. 1978. Minimal water activity for enterotoxin A production and growth of *Staphylococcus aureus*. Appl. Environ. Microbiol. 36:377-380.
 - Raj, H.D. 1970. Public health bacteriology of processed frozen foods. Lab. Practice 19:374-377, 394.
 - Sutherland, J.P., A.J. Bayliss, and T.A. Roberts. 1994. Predictive modelling of growth of *Staphylococcus aureus*: the effects of temperature, pH and sodium chloride. Int. J. Food Microbiol. 21:217-236.
- **Chapter 16: Cooking**
- European Chilled Food Federation. 1997. Guidelines for good hygienic practice in the manufacture of chilled foods.
 - Hilderbrand, K.S., Jr. 1996. Personal communication. Oregon State University, Extension Service, Corvallis, Oregon.
 - Lum, Kenneth C. 1996. Personal communication. National Food Processors Association, Seattle, WA.
 - Mackey, B.M. and N. Bratchell. 1989. The heat resistance of *Listeria monocytogenes*. A review. Letters in Appl. Microbiol. 9:89-94.
 - National Advisory Committee on Microbiological Criteria for Foods. 1990. *Recommendations of the National Advisory Committee on Microbiological Criteria for Foods for Cooked Ready-to-Eat Shrimp and Cooked Ready-to-Eat Crabmeat*. Executive secretariat, Food Safety and Inspection Service, U.S. Dept. Agriculture, Washington, D.C.

- National Advisory Committee on Microbiological Criteria for Foods. 1990. *Recommendations of the National Advisory Committee on Microbiological Criteria for Foods for Refrigerated Foods Containing Cooked, Uncured Meat or Poultry Products that are Packaged for Extended Refrigerated Shelf Life and that are Ready-to-Eat or Prepared with Little or No Additional Heat Treatment*. Executive secretariat, Food Safety and Inspection Service, U.S Dept. Agriculture, Washington, D.C.
- National Advisory Committee on Microbiological Criteria for Foods. 1991. *Listeria monocytogenes: Recommendations of the National Advisory Committee on Microbiological Criteria for Foods for Refrigerated Foods*. Intl. J. Food Microbiol. 14:185-246.
- U.S. Food and Drug Administration. Thermally processed low-acid foods packaged in hermetically sealed containers. In *Code of Federal Regulations 21 CFR 113*. U.S. Government Printing Office, Washington, D.C.
- U.S. Food and Drug Administration and U.S. Department of Agriculture. 2001. Draft assessment of the relative risk to public health from foodborne *Listeria monocytogenes* among selected categories of ready-to-eat foods.
- [Chapter 17: Pasteurization](#)
- Cockey, R.R. and M.C. Tatro. 1974. Survival studies with spores of *Clostridium botulinum* type E in pasteurized meat of the blue crab *Callinectes sapidus*. Appl. Microbiol. 27:629-633.
- Eklund, M.W., R.N. Raranjpye, F.T. Poysky, M.E. Peterson and G.A. Pelroy. Control of nonproteolytic *Clostridium botulinum* types B and E in crab analogs by combinations of heat pasteurization and water phase salt. (submitted J. Food Prot.).
- European Chilled Food Federation. 1997. Guidelines for good hygienic practice in the manufacture of chilled foods.
- Lum, Kenneth C. 1996. Personal communication. National Food Processors Association, Seattle, WA.
- Lynt, R.K., H.M. Solomon, T. Lilly and D.A. Kautter. 1977. Thermal death time of *Clostridium botulinum* type E in meat of the blue crab. J. Food Sci. 42:1022-1025.
- Lynt, R.K., D.A. Kautter and H.M. Solomon. 1982. Differences and similarities among proteolytic and nonproteolytic strains of *Clostridium botulinum* types A, B, E and F: A review. J. Food Prot. 45:466-474.
- Mackey, B.M. and N. Bratchell. 1989. The heat resistance of *Listeria monocytogenes*. A review. Letters in Appl. Microbiol. 9:89-94.
- Peterson, M. E., G.A. Pelroy, F.T. Poysky, R.N. Raranjpye, R.M. Dong, G.M. Pigott, and M.W. Eklund. 1997. Heat-pasteurization process for inactivation of nonproteolytic types of *Clostridium botulinum* in picked dungeness crabmeat. J. Food Prot. 60:928-934.
- Rippen, T., C. Hackney, G. Flick, G. Knobl, and D. Ward. 1993. *Seafood Pasteurization and Minimal Processing Manual*. Virginia Cooperative Extension Publication 600-0061. Virginia Sea Grant Publication VSG 93-09.
- U.S. Food and Drug Administration. Thermally processed low-acid foods packaged in hermetically sealed containers. In *Code of Federal Regulations 21 CFR 113*. U.S. Government Printing Office, Washington, D.C.
- U.S. Food and Drug Administration and U.S. Department of Agriculture. 2001. Draft assessment of the relative risk to public health from foodborne *Listeria monocytogenes* among selected categories of ready-to-eat foods.
- [Chapter 18: Post-pasteurization](#)
- Gavin, A., and L.M. Wedding (eds.) 1995. *Canned Foods – Principles of Thermal Process Control, Acidification, and Container Closure Evaluation*. National Food Processors Institute, Washington, D.C. 231 p.

• Chapter 19: Allergens/Additives

- U.S. Food and Drug Administration. 1990. Food Labeling Regulations Implementing the Nutrition Labeling and Education Act of 1990. In *Federal Register*, Vol. 58, No. 3.
- Nutrition Labeling and Education Act of 1990, Pub. L. 101-535, 104 Stat. 535.
- U.S. Food and Drug Administration. Substances prohibited from use in human food (Cyclamates and its derivatives). In *Code of Federal Regulations* CFR 21 189.135; 100.130. Government Printing Office, Washington, D.C.
- U.S. Food and Drug Administration. Substances prohibited from use in human food (Safrole). In *Code of Federal Regulations* CFR 21 189.180. Government Printing Office, Washington, D.C.
- U.S. Food and Drug Administration. Substances prohibited from use in human food. In *Code of Federal Regulations* CFR 21 74.1304, 74.2303, 81.10, 81.30. Government Printing Office, Washington, D.C.
- U.S. Food and Drug Administration. 1976. Termination of Provisional Listing and Certification of FD&C Red No.4 for Use in Maraschino Cherries and Ingested Drugs. In *Federal Register*, Vol. 41, No. 186 - Thursday, September 23, 1976.
- U.S. Food and Drug Administration, Final rule, CFR Part 101. 1986. Food Labeling: Declaration of Sulfiting agents; In *Federal Register*, 25012, Vol. 51, No. 131, Wednesday, July 9, 1986.
- U.S. Food and Drug Administration. 1992. Statement of Policy: Foods derived from New Plant Varieties. In *Federal Register*, Vol. 57, No. 104, Friday, May 29, 1992.

• Chapter 20: Metal

- Olsen, A.R. 1998. Regulatory action criteria for filth and other extraneous materials. I. Review of hard or sharp foreign objects as physical hazards in food. *Regulatory Toxicology and Pharmacology*. 28:181-189.
- U.S. Food and Drug Administration. 1999. Foods – Adulteration involving hard or sharp foreign objects. In *Compliance Policy Guides Section*, Sect. 555.425. DHHS/PHS/FDA/Center for Food Safety and Applied Nutrition, Washington, D.C.

• Chapter 21: Glass

- Olsen, A.R. 1998. Regulatory action criteria for filth and other extraneous materials. I. Review of hard or sharp foreign objects as physical hazards in food. *Regulatory Toxicology and Pharmacology*. 28:181-189.
- U.S. Food and Drug Administration. 1999. Foods – Adulteration involving hard or sharp foreign objects. In *Compliance Policy Guides Section*, Sect. 555.425. DHHS/PHS/FDA/Center for Food Safety and Applied Nutrition, Washington, D.C.

• Appendix 4: Pathogen Tables

TABLE A-1

- Bergdoll, M.S. 1989. *Staphylococcus aureus*, p. 463-523. In Doyle, M.P. (Ed), *Foodborne Microbial Pathogens*. Marcel Dekker, Inc. New York.
- Beuchat, L.R. 1974. Combined effects of water activity, solute, and temperature on the growth of *Vibrio parahaemolyticus*. *Appl. Microbiol.* 27:1075-1080.
- Buchanan, R.L. and L.K. Bagi. 1997. Effect of water activity and humectant identity on the growth kinetics of *Escherichia coli* O157:H7. *Food Microbiol.* 14: 413-423.

- Buchanan, R.L. and L.A. Klawitter. 1992. The effect of incubation temperature, initial pH, and sodium chloride on the growth kinetics of *Escherichia coli*. *Food Microbiol.* 9:185-196.
- Campanini, M., A. Casolari, and S. Gola. 1977. Bacterial growth and limiting pH. *Industria Conserve* 52:326-331.
- Catsaras, M. And D. Grebot. 1984. Multiplication des *Salmonella* dans la viande hachée. *Bull. Acad. Vet. France.* 57:501-512.
- Colwell, R.R.(ed.). 1984. *Vibrios in the Environment*. John Wiley Interscience, New York.
- Curtis, L.M., M. Patrick, and C. de W. Blackburn. 1995. Survival of *Campylobacter jejuni* in foods and comparison with a predictive model. *Lett. Appl. Microbiol.* 21: 194-197.
- Doyle, M.P. and D.J. Roman. 1989. Growth and survival of *Campylobacter fetus* subsp. *jejuni* as a function of temperature and pH. *J. Food Protect.* 44:596-601.
- Fernandez, P.S., S.M. George, C.C. Stills, and M.W. Peck. 1997. Predictive model of the effect of CO₂, pH, temperature, and NaCl on the growth of *Listeria monocytogenes*. *Intl. J. Food Microbiol.* 37: 37-45.
- Fluer, F.S. and Y.V. Ezechuk. 1970. *Microbiologiya* 39:396-410. (Source: Rhodehammel, E.J. and S.M. Harmon. Chapter 14. *Bacillus cereus*. In FDA Bacteriological Analytical Manual, 8th ed. (1995), AOAC International, McLean, VA).
- Food and Agriculture Organization of the United Nations. 1999. Report of the FAO expert consultation on the trade impact of *Listeria* in Fish Products. FAO Fisheries Report. No. 604. Rome, FAO. 34 pp.
- Fuhs, A. and G.J. Bonde. 1957. The nutritional requirements of *Clostridium perfringens*. *J. Gen. Microbiol.* 16:317-329.
- Fujino, T., G. Sakaguchi, and Y. Takeda (eds). 1973. *International Symposium on Vibrio parahaemolyticus*. Saikon, Tokyo.
- George, S.M., L.C.C. Richardson, and M.W. Peck. 1996. Predictive models of the effect of temperature, pH, and acetic and lactic acids on the growth of *Listeria monocytogenes*. *Intl. J. Food Microbiol.* 31: 73-90.
- Halpin-Dohnalek, M.I. and E.H. Marth. 1989. *Staphylococcus aureus*: Production of extracellular compounds and behavior in foods - a review. *J. Food Protect.* 52:267-282.
- Hauschild, A.H.W. 1989. *Clostridium botulinum*, p. 111-189. In Doyle, M.P. (ed), *Foodborne Bacterial Pathogens*. Marcel Dekker, Inc., New York.
- Holler, C., D. Witthuhn, and B. Janzen-Blunck. 1998. Effect of low temperatures on growth, structure, and metabolism of *Campylobacter coli* SP10. *Appl. Environ. Microbiol.* 64: 581-587.
- Holley, R.A. and M. Proulx. 1986. Use of egg washwater pH to prevent survival of *Salmonella* at moderate temperatures. *Poultry Sci.* 65:922-928.
- Huss, H.H. 1997. Control of indigenous pathogenic bacteria in seafood. *Food Control* 8: 91-98.
- International Commission on Microbiological Specifications for Foods (ICMSF). 1996. *Microorganisms in Foods 5. Characteristics of Microbial Pathogens*. ICMSF, International Union of Biological Societies. Blackie Academic & Professional, London.
- Johnson, K.M., C.L. Nelson, and F.F. Busta. 1983. Influence of temperature on germination and growth of spores of emetic and diarrheal strains of *Bacillus cereus* in a broth medium and in rice. *J. Food Sci.* 48: 286-287.

- Jyhshium, L., S.L. In, J.L. Slonczewski, and J.W. Foster. 1995. Comparative analysis of extreme acid survival in *Salmonella typhimurium*, *Shigella flexneri*, and *Escherichia coli*. J. Bacteriol. 177:4097-4104.
- Kang, C.K., M. Woodburn, A. Pagenkopf, and R. Cheney. 1969. Growth, sporulation, and germination of *Clostridium perfringens* in media of controlled water activity. Appl. Microbiol. 18:798-805.
- Kauppi, K.L., S.R. Tatini, F. Harrell and P. Feng. 1996. Influence of substrate and low temperature on growth and survival of verotoxigenic *Escherichia coli*. Food Microbiol. 13: 397-405.
- Kramer, J.M. and J.M. Gilbert. Chapter 2. *Bacillus cereus* and other *Bacillus* species. In: Foodborne Bacterial Pathogens, M.P. Doyle (ed.), Marcel Dekker, Inc., New York.
- Krieg, N.R. (Ed). 1984. *Bergey's Manual of Systematic Bacteriology, Volume 1*. Williams & Wilkins, Baltimore, MD.
- Miles, D.W., T. Ross, J. Olley, and T.A. McMeekin. 1997. Development and evaluation of a predictive model for the effect of temperature and water activity on the growth rate of *Vibrio parahaemolyticus*. Intl. J. Food Microbiol. 38: 133-142.
- Palumbo, S.A., J.E. Call, F.J. Schultz, and A.C. Williams. 1995. Minimum and maximum temperatures for growth and enterotoxin production by hemorrhagic strains of *Escherichia coli*. J. Food Protect. 58:352-356.
- Pradhan, L., P. Kanekar, and S.H. Godbole. 1985. Microbiology of spoiled mango pickles. Tolerance to salt, acidity, and oil of the microbes isolated from spoiled mango pickles. J. Food Sci. Technol. India 22:339-341.
- Presser, K.A., T. Ross and D.A. Ratkowsky. 1998. Modelling the growth limits (growth/no growth interface) of *Escherichia coli* as a function of temperature, pH, lactic acid concentration, and water activity. Appl. Environ. Microbiol. 64: 1773-1779.
- Prost, E. And H. Riemann. 1967. Food-borne salmonellosis. Ann. Rev. Microbiol. 21:495-528.
- Reed, G.H. 1993. Foodborne illness (Part 2): Salmonellosis. Dairy, Food, Environ. San. 13:706.
- Reed, G.H. 1994. Foodborne illness (Part 3): *Clostridium perfringens* gastroenteritis. Dairy, Food and Environ. San. 14:16-17.
- Reed, G.H. 1994. Foodborne illness (Part 4): *Bacillus cereus* gastroenteritis. Dairy, Food and Environ. San. 14:87.
- Reed, G.H. 1994. Foodborne illness (Part 8): *Escherichia coli* Dairy, Food, Environ. San. 14:329-330.
- Reed, G.H. 1994. Foodborne illness (Part 11): Yersinosis. Dairy, Food, Environ. San. 14:536.
- Roberts, T.A. and C.M. Derrick. 1978. The effect of curing salts on the growth of *Clostridium perfringens (welchii)* in a laboratory medium. J. Food Technol. 13:394-353.
- Rusul, G. and N.H. Yaacob. 1995. Prevalence of *Bacillus cereus* in selected foods an detection of enterotoxin using TECRA-VIA and BCET-RPLA. Intl. J. Food Microbiol. 25: 131-139.
- Sneath, P.H.A. (Ed.). 1986. *Bergey's Manual of Systematic Bacteriology, Volume 2*. Williams & Wilkins, Baltimore, MD.
- Subcommittee on Microbiological Criteria. 1985. *An Evaluation of the Role of Microbiological Criteria for Foods and Food Ingredients*. Committee on Food Protection, Natl. Research Council. National Academy Press, Washington, D.C. 256 p.
- Sutherland, J.P., A.J. Bayliss, and D.S. Braxton. 1995. Predictive modeling of growth of *Escherichia coli O157:H7*: The effects of temperature, pH and sodium chloride. Intl. J. Food Microbiol. 25:29-49.
- Syndicat National des Fabricants de Plats Prepres. 1995. *Aide a la maitrise de l'hygiene alimentaire*. Collection Alesial, Alesial Services, Paris.

Continued

- Tatani, S.R. 1973. Influence of food environments on growth of *Staphylococcus aureus* and production of various enterotoxins. *J. Milk Food Technol.* 36:559.
- Twedt, R.M., P.L. Spaulding, and H.E. Hall. 1969. *Vibrio parahaemolyticus*. *J. Bacteriol.* 98:511-518.
- U.S. Food and Drug Administration and Food Safety Inspection Service. 1992. Preventing foodborne listeriosis. DHHS/FDA and USDA/FSIS. Washington, D.C.
- U.S. Food and Drug Administration. 1997. *Foodborne Pathogenic Microorganisms and Natural Toxins*. Available at internet site: <http://vm.cfsan.fda.gov/list.html>.
- Aryanta, R.W., G.H. Fleet, and K.A. Buckle. 1991. The occurrence and growth of microorganisms during the fermentation of fish sausage. *Int. J. Food Microbiol.* 13:143-156.
- Badhey, H., D.J. Cleri, R.F. D'Amato, J.R. Vernaleo, V. Veinni, J. Tessler, A.A. Wallman, A.J. Mastellone, M. Giuliani, and L. Hochstein. 1986. Two fatal cases of type E adult food-borne botulism with early symptoms and terminal neurologic signs. *J. Can. Microbiol.* 23:616-618.
- Baird-Parker, A.C. 1971. Factors affecting the production of bacterial food poisoning toxins. *J. Appl. Bacteriol.* 34:181-197.
- Baird-Parker, A.C. and B. Freame. 1967. Combined effect of water activity, pH and temperature on the growth of *Clostridium botulinum* from spore and vegetative cell inocula. *J. Appl. Bacteriol.* 30:420-429.
- Baird-Parker, A.C. 1971. Factors affecting the production of bacterial food poisoning toxins. *J. Appl. Bacteriol.* 34:181-197.
- Baird-Parker, A.C. and B. Freame. 1967. Combined effect of water activity, pH and temperature on the growth of *Clostridium botulinum* from spore and vegetative cell inocula. *J. Appl. Bacteriol.* 30:420-429.
- Baker, D.A., C. Genigeorgis, and G. Garcia. 1990. Prevalence of *Clostridium botulinum* in seafood and significance of multiple incubation temperatures for determination of its presence and type in fresh retail fish. *J. Food Protect.* 53:668-673.
- Baker, D.A., C. Genigeorgis, J. Glover, and V. Razavilar. 1990. Growth and toxigenesis of *Clostridium botulinum* type E in fishes packaged under modified atmospheres. *Int. J. Food Microbiol.* 10:269-290.
- Baynes, N.C., J. Comrie, and J.H. Prain. 1983. Detection of bacterial growth by the Malthus conductance meter. *Medi. Lab. Sci.* 40:149-158.
- Beckers, H.J., F.M. van Leusden, and P.D. Tips. 1985. Growth and enterotoxin production of *Staphylococcus aureus* in shrimp. *J. Hyg., Camb.* 95:685-693.
- Beltran, A., C. Pelaez, and A. Moral. 1989. Keeping quality of vacuum-packed smoked sardine fillets: microbiological aspects. *Z. Lebensm Unters Forsch.* 188:232-236.
- Abrahamsson, K., B. Gullmar, and N. Molin. 1966. The effect of temperature on toxin formation and toxin stability of *Clostridium botulinum* type E in different environments. *Can. J. Microbiol.* 12:385-394.
- Adams, M.R. C.L. Little, and M.C. Easter. 1991. Modeling the effect of pH, acidulant, and temperature on the growth of *Yersinia enterocolitica*. *J. Appl. Bacteriol.* 71:65-71.
- Adesiyun, A.A. 1984. Enterotoxigenicity of *Staphylococcus aureus* strains isolated from Nigerian ready-to-eat foods. *J. Food Protect.* 47:438-440.
- Ajmal, M. 1968. Growth and toxin production of *Clostridium botulinum* type E. *J. Appl. Bacteriol.* 31:120-123.
- Ando, Y. 1971. The germination requirements of spores of *Clostridium botulinum* type E. *Japan. J. Microbiol.* 15:515-525.
- Ando, Y. and H. Iida. 1970. Factors affecting the germination of spores of *Clostridium botulinum* type E. *Japan. J. Microbiol.* 14:361-370.

TABLE A-2

- Ben Embarek, P.K. 1994. Presence, detection, and growth of *Listeria monocytogenes* in seafoods: A review. *Int. J. Food Microbiol.* 23:17-34.
- Ben Embarek, P.K. and H.H. Huss. 1993. Heat resistance of *Listeria monocytogenes* in vacuum packaged pasteurized fish fillets. *Int. J. Food Microbiol.* 20:85-95.
- Ben Embarek, P.K. and H.H. Huss. 1992. Growth of *Listeria monocytogenes* in lightly preserved fish products, p. 293-303. In Huss, H.H. et al (eds), *Quality Assurance in the Fish Industry, Proceedings of an International Conference, Copenhagen, Denmark, August 26-30, 1991.* Elsevier Sci. Publ. B.V., Amsterdam.
- Beuchat, L.R. 1974. Combined effects of water activity, solute, and temperature on the growth of *Vibrio parahaemolyticus*. *Appl. Microbiol.* 27:1075-1080.
- Beuchat, L.R. 1973. Interacting effects of pH, temperature, and salt concentration on growth and survival of *Vibrio parahaemolyticus*. *Appl. Microbiol.* 25:844-846.
- Boutin, B.K., J.G. Bradshaw, and W.H. Stroup. 1982. Heat processing of oysters naturally contaminated with *Vibrio cholerae* Serotype O1. *J. Food Prot.* 45:169-171.
- Boyd, J.W. and B.A. Southcott. 1971. Effects of sodium chloride on outgrowth and toxin production of *Clostridium botulinum* Type E in cod homogenates. *J. Fish. Res. Bd. Can.* 28:1071-1075.
- Brocklehurst, T.F. and B.M. Lund. 1990. The influence of pH, temperature and organic acids on the initiation of growth of *Yersinia enterocolitica*. *J. Appl. Bacteriol.* 69:390-397.
- Bryan, F.L. 1979. *Staphylococcus aureus*. In: *Food Microbiology: Public health and Spoilage Aspects.* The Avi Publ. Co., Inc. Westport, CT.
- Buchanan, R.L. 1993. Predictive food microbiology. *Trends Food Sci. Technol.* 4:6-11.
- Buchanan, R.L. and L.A. Klawitter. 1992. The effect of incubation temperature, initial pH, and sodium chloride on the growth kinetics of *Escherichia coli*. *Food Microbiol.* 9:185-196.
- Buchanan, R.L. 1991. Microbiological criteria for cooked, ready-to-eat shrimp and crabmeat. *Food Technol.* 45:157-160
- Buchanan, R.L. 1991. Using spreadsheet software for predictive microbiology applications. *J. Food Safety.* 11:123-134.
- Buchanan, R.L. and M.L. Cygnarowicz. 1990. A mathematical approach toward defining and calculating the duration of the lag phase. *Food Microbiol.* 7:237-240.
- Buchanan, R.L. and J.G. Phillips. 1990. Response surface model for predicting the effects of temperature, pH, sodium chloride content, sodium nitrite concentration and atmosphere on the growth of *Listeria monocytogenes*. *J. Food Prot.* 53:370-376,381.
- Carlin, F., C. Nguyen-the and A. Abreu da Silva. 1995. Factors affecting the growth of *Listeria monocytogenes* on minimally processed fresh endive. *J. Appl. Bacteriol.* 78:636-646.
- Carlson, V.L. and G.H. Snoeyenbos. 1972. Relationship of population kinetics of *Salmonella typhimurium* and cultural methodology. *Am. J. Vet. Res.* 33:177-184.
- Casales, M.R., C.E. Del Valle, and C.L. Soule. 1985. Critical heating point for thermal processing of mussels in cans. *J. Food Sci.* 50:836-837.
- Chitcheater, C.O. and H.D. Graham (eds). 1973. *Microbial Safety of Fishery Products.* Academic Press, New York.
- Christiansen, L.N., J. Deffner, E.M. Foster, and H. Sugiyama. 1968. Survival and outgrowth of *Clostridium botulinum* type E spores in smoked fish. *Appl. Microbiol.* 16:553-557.

- Cole, M.B., M.V. Jones, and C. Holyoak. 1990. The effect of pH, salt concentration and temperature on the survival and growth of *Listeria monocytogenes*. *J. Appl. Bacteriol.* 69:63-72.
- Colwell, R.R.(ed.). 1984. *Vibrios in the Environment*. John Wiley Interscience, New York.
- Connor, D.E., V.N. Scott, D.T. Bernard, and D.A. Kautter. 1989. Potential *Clostridium botulinum* hazards associated with extended shelf-life refrigerated foods; a review. *J. Food Safety.* 10:131-153.
- Cook, D.W. 1994. Effect of time and temperature on multiplication of *Vibrio vulnificus* in postharvest Gulf Coast shellstock oysters. *Appl. Environ. Microbiol.* 60:3483-3484.
- Cook, D.W. and A.D. Ruple. 1992. Cold storage and mild heat treatment as processing aids to reduce the number of *Vibrio vulnificus* in raw oysters. *J. Food Protect.* 55:985-989.
- Cook, D.W. and A.D. Ruple. 1989. Indicator bacteria and *Vibrionaceae* multiplication in post-harvest shellstock oysters. *J. Food Protect.* 52:343-349.
- Cortesi, M.L., T. Sarli, A. Santoro, N. Murru, and T. Pepe. 1997. Distribution and behavior of *Listeria monocytogenes* in three lots of naturally-contaminated vacuum-packed smoked salmon stored at 2 and 10°C. *Intl. J. Food Microbiol.* 37: 209-214.
- Craven, S.E. 1980. Growth and sporulation of *Clostridium perfringens* in foods. *Food Technol.* 34: 80-87.
- Dahl Sawyer, C.A. and J.J. Pestka. 1985. Foodservice systems: Presence of injured bacteria in foods during food product flow. *Ann. Rev. Microbiol.* 39:51-67.
- Datz, M., C. Janetzki-Mittmann, S. Franke, F. Gunzer, H. Schmidt, and H. Karch. 1996. Analysis of the enterohemorrhagic *Escherichia coli* O157 DNA region containing lambdoid phage gene p and shiga-like toxin structural genes. *Appl. Environ. Microbiol.* 62:791-797.
- Dalgaard, P. and L.V. Jorgensen. 1998. Predicted and observed growth of *Listeria monocytogenes* in seafood challenge tests and in naturally contaminated cold-smoked salmon. *Intl. J. Food Microbiol.* 40: 105-115.
- Davies, A.R. and A. Slade. 1995. Fate of *Aeromonas* and *Yersinia* on modified-atmosphere packaged (MAP) cod and trout. *Lett. in Appl. Microbiol.* 21:354-358.
- Dengremont, E. and J.M. Membre. 1995. Statistical approach for comparison of the growth rates of five strains of *Staphylococcus aureus*. *Appl. Environ. Microbiol.* 61:4389-4395.
- DePaola, A., G.M. Capers, and D. Alexander. 1994. Densities of *Vibrio vulnificus* in the intestines of fish from the U.S. Gulf Coast. *Appl. Environ. Microbiol.* 60:984-988.
- Destro, M.T., M.F.F. Leitao, and J.M. Farber. 1996. Use of molecular typing methods to trace the dissemination of *Listeria monocytogenes* in a shrimp processing plant. *Appl. Environ. Microbiol.* 62:705-711.
- Dickerson, R.W. and M.R. Berry, Jr. 1976. Heating curves during commercial cooking of the blue crab. *J. Milk Food Technol.* 39:258-262.
- Dickerson, R.W., Jr. and R.B. Read, Jr. 1973. Cooling rates of foods. *J. Milk Food Technol.* 36:167-171.
- Dickson, J.S., G.R. Siragusa, and J.E. Wray Jr. 1992. Predicting the growth of *Salmonella typhimurium* on beef by using the temperature function integration technique. *Appl. Environ. Microbiol.* 58:3482-3487.
- Deibel, K.E. 1995. Potential of *Staphylococcus aureus* to produce enterotoxin in fish batter at various temperatures, p. 33. In Medallion Lab (ed), Proceedings of the IFT Annual Meeting. Medallion Lab, Minneapolis, MN.

- Diez de Medina, D., G. Flick, R. Whittman, A. Diallo, and R. Croonenberghs. 1995. Growth of *Listeria monocytogenes* in fresh blue crab (*Callinectes sapidus*) meat in the presence of naturally occurring microflora during refrigerated storage, p. 178. In IFT (ed), *Abstracts of IFT Annual Meeting* 1995. Virginia Polytechnic Institute, Blacksburg, VA.
- Dillon, R. and T. Patel. 1993. Effect of cold smoking and storage temperature on *Listeria monocytogenes* in inoculated cod fillets (*Gadus morhus*). *Food Res. Int.* 26:97-101.
- Dillon, R. and T. Patel. 1992. *Listeria* in seafoods: a review. *J. Food Prot.* 55:1009-1015.
- Dillon, R., T. Patel, and S. Ratnam. 1994. Occurrence of *Listeria* in hot and cold smoked seafood products. *Int. J. Food Microbiol.* 22:73-77.
- Doyle, M.P. (ed). 1989. *Foodborne Bacterial Pathogens*. Marcel-Dekker, New York.
- Duran, A.P., B.A. Wentz, J.M. Lanier, F.D. McClure, A.H. Schwab, A. Swartzentruber, R.J. Barnard, and R.B. Read. 1983. Microbiological quality of breaded shrimp during processing. *J. Food Prot.* 46:974-977.
- Elsea, W.R., W.E. Mosher, R.G. Lennon, V. Markellis, and P.F. Hoffman. 1971. An epidemic of food-associated pharyngitis and diarrhea. *Arch. Environ. Health.* 23:48-56.
- El-Shenawy, M.A. and E.H. Marth. 1988. Sodium benzoate inhibits growth of or inactivates *Listeria monocytogenes*. *J. Food Prot.* 51:525-530.
- El-Shenawy, M.A. and E.H. Marth. 1988. Inhibition and inactivation of *Listeria monocytogenes* by sorbic acid. *J. Food Prot.* 51:842-847.
- Eklund, M.W., G.A. Pelroy, R. Paranjpye, M.E. Peterson, and F.M. Teeny. 1982. Inhibition of *Clostridium botulinum* Types A and E toxin production by liquid smoke and NaCl in hot-process smoke-flavored fish. *J. Food Prot.* 45:935-941.
- Eklund, M.W., F.T. Poysky, R.N. Paranjpye, L.C. Lashbrook, M.E. Peterson, and G.A. Pelroy. 1995. Incidence and sources of *Listeria monocytogenes* in cold-smoked fishery products and processing plants. *J. Food Prot.* 58:502-508.
- Eklund, M.W., D.I. Weiler, and F.T. Poysky. 1967. Outgrowth and toxin production of non-proteolytic type B *Clostridium botulinum* at 3.3 to 5.6°C. *J. Bacteriol.* 93:1461-1462.
- Fapohunda, A.O., K.W. McMillen, D.L. Marshall, and W.M. Waites. 1994. Growth of selected cross-contaminating bacterial pathogens on beef and fish at 15° and 35°C. *J. Food Prot.* 57:337-340.
- Farber, J.M. 1991. *Listeria monocytogenes* in fish products. *J. Food Prot.* 54:922-924.
- Farber, J.M. and J.Z. Losos. 1988. *Listeria monocytogenes*: a foodborne pathogen. *Can. Med. Assoc. J.* 138:413-318.
- Fernandes, C.F., G.J. Flick, and T.B. Thomas. 1998. Growth of inoculated psychrotrophic pathogens on refrigerated fillets of aquacultured Rainbow Trout and Channel Catfish. *J. Food Protect.* 61: 313-317.
- Fernandez, P.S., S.M. George, C.C. Stills, and M.W. Peck. 1997. Predictive model of the effect of CO₂, pH, temperature, and NaCl on the growth of *Listeria monocytogenes*. *Intl. J. Food Microbiol.* 37: 37-45.
- Fuchs, R.S. and P.J.A. Reilly. 1992. The incidence and significance of *Listeria monocytogenes* in seafoods, p. 217-229. In Huss, H.H., M. Jakobsen, and J. Liston (eds), *Quality Assurance in the Fish Industry*. Proc. Int. Conf. Aug. 26-30, 1991, Copenhagen. Elsevier Sci. Publ. B.V., Amsterdam.
- Fujino, T., G. Sakaguchi, and Y. Takeda (eds). 1973. *International Symposium on Vibrio parahaemolyticus*. Saikon, Tokyo.

- Garren, D.M., M.A. Harrison, and Y.W. Huang. 1995. Growth and production of toxin of *Clostridium botulinum* type E in rainbow trout under various storage conditions. *J. Food Prot.* 58:863-866.
- Garren, D.M., M.A. Harrison, and Y.W. Huang. 1994. *Clostridium botulinum* type E outgrowth and toxin production in vacuum skin packaged shrimp. *Food Microbiol.* 11:467-472.
- Garthright, W.E. 1991. Refinements in the prediction of microbial growth curves. *Food Microbiol.* 8:239-248.
- George, S.M., B.M. Lund, and T.F. Brocklehurst. 1988. The effect of pH and temperature on initiation of growth of *Listeria monocytogenes*. *Lett. Appl. Microbiol.* 6:153-156.
- George, S.M., L.C.C. Richardson, and M.W. Peck. 1996. Predictive models of the effect of temperature, pH, and acetic and lactic acids on the growth of *Listeria monocytogenes*. *Intl. J. Food Microbiol.* 31: 73-90.
- Gibbs, P.A., A.R. Davies, and R.S. Fletcher. 1994. Incidence and growth of psychrotrophic *Clostridium botulinum* in food. *Food Control.* 5:5-7.
- Gibson, A.M., N. Bratchell, and T.A. Roberts. 1988. Predicting microbial growth: growth responses of salmonellae in a laboratory medium as affected by pH, sodium chloride and storage temperature. *Int. J. Food Microbiol.* 6:155-178.
- Gill, C.O. and L.M. Harris. 1982. Survival and growth of *Campylobacter fetus* subsp. *jejuni* on meat and in cooked foods. *Appl. Environ. Microbiol.* 44:259-263.
- Godwin, G.J., R.M. Grodner, and A.F. Novak. 1977. Twenty-four hour methods for bacteriological analyses in frozen raw breaded shrimp. *J. Food Science.* 42:750-754.
- Gould, G.W. 1999. Sous vide foods: conclusions of an ECFF botulinum working party. *Food Control* 10: 47-51.
- Gourama, H., W.Y. Tsai, and L.B. Bullerman. 1991. Growth and production of enterotoxins A and D by *Staphylococcus aureus* in salad bar ingredients and clam chowder. *J. Food Prot.* 54:844-847.
- Goverde, R.L.J., J.G. Kusters, and J.H.J. Huls in 't Veld. 1994. Growth rate and physiology of *Yersinia enterocolitica*; influence of temperature and presence of the virulence plasmid. *J. Appl. Bacteriol.* 77:96-104.
- Grecz, N. and L.H. Arvay. 1982. Effect of temperature on spore germination and vegetative cell growth of *Clostridium botulinum*. *Appl. Environ. Microbiol.* 43:331-337.
- Greenwood, M.H., E.F.C. Coetzee, B.M. Ford, P. Gill, W.L. Hooper, S.C.W. Matthews, S. Patrick, J.V.S. Pether, and R.J.D. Scott. 1985. The bacteriological quality of selected retail, ready-to-eat food products. III. Cooked crustaceans and mollusks. *Environ. Health.* 93:236-239.
- Griffin, M.R., E. Dalley, M. Fitzpatrick, and S.H. Austin. 1983. *Campylobacter* gastroenteritis associated with raw clams. *J. Med. Soc. N.J.* 80:607-609.
- Groubert, T.N. and J.D. Oliver. 1994. Interaction of *Vibrio vulnificus* and the Eastern oyster, *Crassostrea virginica*. *J. Food Prot.* 57:224-228.
- Guyer, S. and T. Jemmi. 1991. Behavior of *Listeria monocytogenes* during fabrication and storage of experimentally contaminated smoked salmon. *Appl. Environ. Microbiol.* 57:1523-1527.
- Hanninen, M.L., H. Korkeala, and P. Pakkala. 1984. Growth and survival characteristics of *Campylobacter jejuni* in liquid egg. *J. Hyg., Camb.* 92:53-58.
- Hany, O.E., R. Siddiqi, and M.A. Khan. 1993. Growth response of *Listeria monocytogenes* NCTC 7973 in two different media at four incubation temperatures. *Annals Acad. Med. Singapore.* 22:300-302.

- Harrison, M.A., Y-W. Huang, C-H. Chao, and T. Shineman. 1991. Fate of *Listeria monocytogenes* on packaged, refrigerated, and frozen seafood. *J. Food Prot.* 54:524-527.
- Hathcox, A.K., L.R. Beuchat, and M.P. Doyle. 1995. Death of enterohemorrhagic *Escherichia coli* O157:H7 in real mayonnaise and reduced-calorie mayonnaise dressing as influenced by initial population and storage temperature. *Appl. Environ. Microbiol.* 61:4172-4177.
- Helmy, Z.A., A. Abd-El-Bakey, and E.I. Mohamed. 1984. Factors affecting germination and growth of *Bacillus cereus* spores in milk. *Zbl. Mikrobiol.* 139: 135-141.
- Hobbs, G. 1976. *Clostridium botulinum* and its importance in fishery products. *Adv. Food Res.* 22:135-185.
- Hudson, J.A. and S.M. Avery. 1994. Growth of *Listeria monocytogenes*, *Aeromonas hydrophila*, and *Yersinia enterocolitica* on cooked mussel tissue under refrigeration and mild temperature abuse. *J. Food Safety* 14: 41-52.
- Hudson, J.A. and S.J. Mott. 1993. Growth of *Listeria monocytogenes*, *Aeromonas hydrophila*, and *Yersinia enterocolitica* on cold-smoked salmon under refrigeration and mild temperature abuse. *Food Microbiol.* 10:61-68.
- Hughes, A. and A. Hurst. 1980. The effect of NaCl on the upper temperature limit for growth of and enterotoxin synthesis by *Staphylococcus aureus*. *Can. J. Microbiol.* 26:507-510.
- Huss, H.H. 1992. Development and use of the HACCP concept in fish processing. *Int. J. Food Microbiol.* 15:33-44.
- Huss, H.H. 1997. Control of indigenous pathogenic bacteria in seafood. *Food Control* 8: 91-98.
- Ingham, S.C., R.A. Alford, and A.P. McCown. 1990. Comparative growth rates of *Salmonella typhimurium* and *Pseudomonas fragi* on cooked crab meat stored under air and modified atmosphere. *J. Food Prot.* 53:566-567.
- International Commission on Microbiological Specifications for Foods (ICMSF). 1996. *Microorganisms in Foods 5. Characteristics of Microbial Pathogens.* ICMSF, International Union of Biological Societies. Blackie Academic & Professional, London. 520 p.
- Islam, M.S., M.K. Hasan, and S.I. Khan. 1993. Growth and survival of *Shigella flexneri* in common Bangladeshi foods under various conditions of time and temperature. *Appl. Environ. Microbiol.* 59:652-654.
- James, D.G. and J. Olley. 1971. Spoilage of shark. *Aust. Fish.* 30:11-13.
- Jemmi, T. and A. Keusch. 1992. Behavior of *Listeria monocytogenes* during processing and storage of experimentally contaminated hot-smoked trout. *Int. J. Food Microbiol.* 15:339-346.
- Jones, J.E., S.J. Walker, J.P. Sutherland, M.W. Peck, and C.L. Little. 1994. Mathematical modelling of the growth, survival and death of *Yersinia enterocolitica*. *Int. J. Food Microbiol.* 23:433-447.
- Jorgensen, L.V. and H.H. Huss. 1998. Prevalence and growth of *Listeria monocytogenes* in naturally contaminated seafood. *Intl. J. Food Microbiol.* 42: 127-131.
- Juneja, V.K., J.E. Call, B.S. Marmer and A.J. Miller. 1994. The effect of temperature abuse on *Clostridium perfringens* in cooked turkey stored under air and vacuum. *Food Microbiol.* 11: 187-193.
- Juneja, V.K. and B.S. Marmer. 1996. Growth of *Clostridium perfringens* from spore inocula in *sous-vide* products. *Intl. J. Food Microbiol.* 32: 115-123.

- Juneja, V.K., B.S. Marmer, J.G. Phillips and S.A. Palumbo. 1996. Interactive effects of temperature, initial pH, sodium chloride, and sodium pyrophosphate on the growth kinetics of *Clostridium perfringens*. J. Food Protect. 59: 963-968.
- Kaneko, T. and R.R. Colwell. 1973. Ecology of *Vibrio parahaemolyticus* in Chesapeake Bay. J. Bacteriol. 113:24-32.
- Karim, P. and B. Embarek. 1994. Presence, detection, and growth of *Listeria monocytogenes* in sea-foods: a review. Int. J. Food Microbiol. 23:17-34.
- Kaspar, C.W. and M.L. Tamplin. 1993. Effects of temperature and salinity on the survival of *Vibrio vulnificus* in seawater and shellfish. Appl. Environ. Microbiol. 59:2425-2429.
- Koff, R.S. and H.S. Sear. 1967. Internal temperature of steamed clams. New Engl. J. Med. 276:737-739.
- Lachia, R.V., G.J. Silverman, and R. Sharp. 1988. *Guide to the Salvage of Temperature-Abused Food Products in Military Commissaries*. Technical Report on Project No. AAF87-12,II. U.S. Army Natick Research, Development and Engineering Center, Natick, MA. 36 p.
- Leung, C-K., Y-W. Huang, and O.C. Pancorbo. 1992. Bacteria pathogens and indicators in catfish and pond environments. J. Food Prot. 55:424-427.
- Lindberg, C.W. and E. Borch. 1994. Predicting the aerobic growth of *Yersinia enterocolitica* O:3 at different ph-values, temperatures and L-lactate concentrations using conductance measurements. Int. J. Food Microbiol. 22:141-153.
- Little, C.L. and S. Knochel. 1994. Growth and survival of *Yersinia enterocolitica*, *Salmonella*, and *Bacillus cereus* in brie stored at 4, 8, and 20°C. Int. J. Food Microbiol. 24:137-145.
- Lotter, L.P. and L. Leistner. 1978. Minimal water activity for enterotoxin A production and growth of *Staphylococcus aureus*. Appl. Environ. Microbiol. 36:377-380.
- Lu, J.Y., R.D. Pace, and W.D. Plahar. 1991. Storage conditions and microbial quality of smoked dry herring in Ghana. J. Food Prot. 54:557-559.
- Lund, B.M., A.F. Graham, S.M. George, and D. Brown. 1990. The combined effect of incubation temperature, pH, and sorbic acid on the probability of growth of non-proteolytic, type B *Clostridium botulinum*. J. Appl. Bacteriol. 69:481-492.
- Mackey, B.M., T.A. Roberts, J. Mansfield, and G. Farkas. 1980. Growth of *Salmonella* on chilled meat. J. Hyg., Camb. 85:115-124.
- Matches, J.R. 1982. Microbial changes in packages, p. 46-70. In Martin, R. (ed), *Proceedings of the First National Conference on Seafood Packaging and Shipping*. National Fisheries Institute, Seattle, WA.
- Matches, J.R. and J. Liston. 1972. Effect of pH on low temperature growth of *Salmonella*. J. Milk Food Technol. 35:49-52.
- Matches, J.R. and J. Liston. 1968. Low temperature growth of *Salmonella*. J. Food Sci. 33:641-645.
- Matches, J.R., J. Liston, and L.P. Daneault. 1971. Survival of *Vibrio parahaemolyticus* in fish homogenate during storage at low temperature. Appl. Microbiol. 21:951-952.
- Maurelli, A.T., B. Blackmon, and R. Curtiss III. 1984. Temperature-dependent expression of virulence genes in *Shigella* species. Infect. Immun. 43:195-201.
- Molin, G. and I-M. Stenstroem. 1984. Effect of temperature on the microbial flora of herring fillets stored in air of carbon dioxide. J. Appl. Bacteriol. 56:275-282.

- Molin, G., I-M. Stenstroem, A. Ternstroem. 1983. The microbial flora of herring fillets after storage in carbon dioxide, nitrogen, or air at 2 degrees C. *J. Appl. Bacteriol.* 55:49-56.
- Motes, M.L. Jr. 1991. Incidence of *Listeria* spp. in shrimp, oysters, and estuarine waters. *J. Food Prot.* 54:170-173.
- Murphree, R.L. and M.L. Tamplin. 1995. Uptake and retention of *Vibrio cholerae* O1 in the eastern oyster, *Crassostrea virginica*. *Appl. Environ. Microbiol.* 61:3656-3660.
- Murphy, S.K. and J.D. Oliver. 1992. Effects of temperature abuse on survival of *Vibrio vulnificus* in oysters. *Appl. Environ. Microbiol.* 58:2771-2775.
- National Advisory Committee on Microbiological Criteria for Foods. 1992. Microbiological criteria for raw molluscan shellfish. *J. Food Prot.* 55:463-480.
- National Advisory Committee on Microbiological Criteria for Foods. 1992. *Vacuum or Modified Atmosphere Packaging for Refrigerated Raw Fishery Products*. Executive secretariat, Food Safety and Inspection Service, U.S. Dept. Agriculture, Washington, D.C.
- National Advisory Committee on Microbiological Criteria for Foods. 1991. *Listeria monocytogenes: Recommendations of the National Advisory Committee on Microbiological Criteria for Foods*. *Int'l. J. Food Microbiol.* 14:185-246.
- Ostovar, K. and M.J. Bremier. 1975. Effect of thawing on growth of *Staphylococcus aureus* in frozen convenience food items. *J. Milk Food Technol.* 38:337-339.
- Pedrosa-Menabrito, A. and J.M. Regenstein. 1990. Shelf-life extension of fresh fish - a review. Part II - Preservation of fish. *J. Food Qual.* 13:129-146.
- Pedrosa-Menabrito, A. and J.M. Regenstein. 1988. Shelf-life extension of fresh fish - a review. Part I - Spoilage of fish. *J. Food Qual.* 11:117-127.
- Pelroy, G.A., M.W. Eklund, R.N. Paranjpye, E.M. Suzuki, and M.E. Peterson. 1982. Inhibition of *Clostridium botulinum* Types A and E toxin formation by sodium nitrite and sodium chloride in hot-process (smoked) salmon. *J. Food Prot.* 45:833-841.
- Pelroy, G., M. Peterson, R. Paranjpye, J. Almond, and M. Eklund. 1994. Inhibition of *Listeria monocytogenes* in cold-process (smoked) salmon by sodium nitrite and packaging method. *J. Food Prot.* 57:114-119.
- Peters, A.C., L. Thomas, and J.W.T. Wimpenny. 1991. Effects of salt concentration on bacterial growth on plates with gradients of pH and temperature. *FEMS Microbiol. Lett.* 77:309-314.
- Peterson, M.E., G.A. Pelroy, R.N. Paranjpye, F.T. Poysky, J.S. Almond, and M.W. Eklund. 1993. Parameters for control of *Listeria monocytogenes* in smoked fishery products: sodium chloride and packaging method. *J. Food Prot.* 56:938-943.
- Potter, L. and L. Leistner. 1978. Minimal water activity for enterotoxin A production and growth of *Staphylococcus aureus*. *Appl. Environ. Microbiol.* 36:377-380.
- Raj, H.D. 1970. Public health bacteriology of processed frozen foods. *Lab. Practice.* 19:374-377 & 394.
- Ratkowsky, D.A., R.K. Lowry, T.A. McMeekin, A.N. Stokes, and R.E. Chandler. 1983. Model for bacterial culture growth rate throughout the entire biokinetic temperature range. *J. Bacteriol.* 154:1222-1226.
- Ratkowsky, D.A., J. Olley, T.A. McMeekin, and A. Ball. 1982. Relationship between temperature and growth rate of bacterial cultures. *J. Bacteriol.* 149:1-5.
- Rey, C.R., H.W. Walker and P.L. Rohrbaugh. 1975. The influence of temperature on growth, sporulation, and heat resistance of spores of six strains of *Clostridium perfringens*. *J. Milk Food Technol.* 38:461-465.

Continued

- Richards, J.C.S., A.C. Jason, G. Hobbs, D.M. Gibson, and R.H. Christie. 1978. Electronic measurement of bacterial growth. *J. Phys. E.: Sci. Instrum.* 11:560-568.
- Roberts, D. and R.J. Gilbert. 1979. Survival and growth of non-cholera vibrios in various foods. *J. Hyg., Camb.* 82:123-131.
- Roberts, T.A. and A.M. Gibson. 1983. Chemical methods for controlling *Clostridium botulinum* in processed meats. *Food Technol.* 40:163-171,176.
- Roberts, T.A. and G. Hobbs. 1968. Low temperature growth characteristics of clostridia. *J. Appl. Bacteriol.* 31:75-88.
- Romick, T.L., H.P. Fleming, and R.F. McFeeters. 1996. Aerobic and anaerobic metabolism of *Listeria monocytogenes* in defined glucose medium. *Appl. Environ. Microbiol.* 62:304-307.
- Rørvik, L.M. and M. Yndestad. 1991. *Listeria monocytogenes* in foods in Norway. *Int. J. Food Microbiol.* 13:97-104.
- Rørvik, L.M., M. Yndestad, M., and E. Skjerve. 1991. Growth of *Listeria monocytogenes* in vacuum-packed, smoked salmon during storage at 4°C. *Int. J. Food Microbiol.* 14:111-118.
- Rusul, G. and N.H. Yaacob. 1995. Prevalence of *Bacillus cereus* in selected foods and detection of enterotoxin using TECRA-VIA and BCET-RPLA. *Intl. J. Food Microbiol.* 25: 131-139.
- Schiemann, D.A. 1988. Examination of enterotoxin production at low temperature by *Yersinia enterocolitica* in culture media and foods. *J. Food Prot.* 51:571-573.
- Schiemann, D.A. 1980. *Yersinia enterocolitica*: observations on some growth characteristics and response to selective agents. *Can. J. Microbiol.* 26:1232-1240.
- Segner, W.P., C.F. Schmidt, and J.K. Boltz. 1971. Minimal growth temperature, sodium chloride tolerance, pH sensitivity, and toxin production of marine and terrestrial strains of *Clostridium botulinum* type C. *Appl. Microbiol.* 22:1025-1029.
- Shaw, M.K., A.G. Marr, and J.L. Ingraham. 1971. Determination of the minimal temperature for growth of *Escherichia coli*. *J. Bacteriol.* 105:683-684.
- Skinner, G.E. and J.W. Larkin. 1998. Conservative prediction of time to *Clostridium botulinum* toxin formation for use with time-temperature indicators to ensure the safety of foods. *J. Food Protect.* 61: 1154-1160.
- Smith, M.G. 1985. The generation time, lag time, and minimum temperature of growth of coliform organisms on meat, and the implications for codes of practice in abattoirs. *J. Hyg., Camb.* 94:289-300.
- Smith, G.R. and A. Turner. 1989. The production of *Clostridium botulinum* toxin in mammalian, avian, and piscine carrion. *Epidemiol. Infect.* 102:467-471.
- Sokari, T. 1991. Distribution of enterotoxigenic *Staphylococcus aureus* in ready-to-eat foods in eastern Nigeria. *Int. J. Food Microbiol.* 12:275-279.
- Subcomm. on Microbiol. Criter. 1985. *An Evaluation of the Role of Microbiological Criteria for Foods and Food Ingredients*. Committee on Food Protection, Natl. Research Council. National Academy Press, Washington, D.C. 256 p.
- Sutherland, A.D. 1993. Toxin production by *Bacillus cereus* in dairy products. *J. Dairy Res.* 60: 569-574.
- Sutherland, J.P., A. Aherne, and A.L. Beaumont. 1996. Preparation and validation of a growth model for *Bacillus cereus*: the effects of temperature, pH, sodium chloride and carbon dioxide. *Intl. J. Food Microbiol.* 30: 359-372.

- Sutherland, J.P. and A.J. Bayliss. 1994. Predictive modelling of growth of *Yersinia enterocolitica*: the effects of temperature, pH, and sodium chloride. *Int. J. Food Microbiol.* 21:197-215.
- Sutherland, J.P., A.J. Bayliss, and T.A. Roberts. 1994. Predictive modelling of growth of *Staphylococcus aureus*: the effects of temperature, pH and sodium chloride. *Int. J. Food Microbiol.* 21:217-236.
- Swartzentruber, A., A.H. Schwab, A.P. Duran, B.A. Wents, and R.B. Read, Jr. 1980. Microbiological quality of frozen shrimp and lobster tail in the retail market. *Appl. Environ. Microbiol.* 40:765-769.
- Syndicat National des Fabricants de Plats Préparés. 1995. *Aide à la maîtrise de l'hygiène alimentaire*. Collection Alesial, Alesial Services, Paris.
- Telzak, E.E., E.P. Bell, D.A. Kautter, L. Crowell, L.D. Budnick, D.L. Morse, and S. Schultz. 1990. International outbreak of type E botulism due to unviscerated fish. *J. Infect. Dis.* 161:340-342.
- Thayer, D.W., W.S. Muller, R.L. Buchanan, and J.G. Phillips. 1987. Effect of NaCl, pH, temperature, and atmosphere on growth of *Salmonella typhimurium* in glucose-mineral salts medium. *Appl. Environ. Microbiol.* 53:1311-1315.
- Thomas, L.V., J.W.T. Wimpenny, and A.C. Peters. 1992. Testing multiple variables on the growth of a mixed inoculum of *Salmonella* strains using gradient plates. *Int. J. Food Microbiol.* 15:165-175.
- Thomas, L.V., J.W.T. Wimpenny, and A.C. Peters. 1991. An investigation of the effects of four variables in the growth *Salmonella typhimurium* using two types of gradient gel plates. *Int. J. Food Microbiol.* 14:261-275.
- Tilton, R.C. and R.W. Ryan. 1987. Clinical and ecological characteristics of *Vibrio vulnificus* in the northeastern United States. *Diagn. Microbiol. Infect. Dis.* 6:109-117.
- U.S. Food and Drug Administration. 2000. *National Shellfish Sanitation Program, Guide for the Control of Molluscan Shellfish*, Part I, Sanitation of Shellfish Growing Areas. DHHS/FDA/CFSAN, Office of Seafood, Washington, DC.
- U.S. Food and Drug Administration. 1997. *Foodborne Pathogenic Microorganisms and Natural Toxins*. Available at internet site: <http://vm.cfsan.fda.gov/list.html>.
- Walker, S.J., P. Archer, and J.G. Banks. 1990. Growth of *Listeria monocytogenes* at refrigeration temperatures. *J. Appl. Bacteriol.* 68:157-162.
- Wang, C. and L.A. Shelef. 1992. Behavior of *Listeria monocytogenes* and the spoilage microflora in fresh cod fish treated with lysozyme and EDTA. *Food Microbiol.* 9:207-213.
- Ward, D.R. and C.R. Hackney (eds). 1991. *Microbiology of Marine Food Products*. Van Nostrand Reinhold, New York.
- Watkins, W. and S. McCarthy (eds). 1995. *Proceedings of the 1994 Vibrio vulnificus Workshop*, Second Printing. DHHS/FDA/CFSAN, Office of Seafood, Washington, D.C.
- Weagant, S.D., P.N. Sado, K.G. Colburn, J.D. Torkelson, F.A. Stanley, M.H. Krane, S.E. Shields, and C.F. Thayer. 1988. The incidence of *Listeria* species in frozen seafood products. *J. Food Prot.* 51:655-657.
- Weber, J.T., R.G. Hibbs Jr., A. Darwish, B. Mishu, A.L. Corwin, M. Rakha, C.L. Hatheway, S. el Sharkawy, S.A. el- Rahim, M.F. al-Hamd, et al. 1993. A massive outbreak of type E botulism associated with traditional salted fish in Cairo. *J. Infect. Dis.* 167:451-454.
- Weichert, D. and J.D. Oliver. 1992. Low temperature induced non-culturability and killing of *Vibrio vulnificus*. *FEMS Microbiol. Lett.* 79:205-210.

- West, P.A. 1989. The human pathogenic vibrios - a public health update with environmental perspectives. *Epidem. Infect.* 103:1-34.
- Whiting, R.C. and K.A. Naftulin. 1992. Effect of headspace oxygen concentration on growth and toxin production by proteolytic strains of *Clostridium botulinum*. *J. Food Prot.* 55:23-17. tilapia fillets during storage. *J Food Sci.* 61:632-635.
- Wright, A.C., R.T. Hill, J.A. Johnson, M.C. Roghman, R.R. Colwell, and J.G. Morris, Jr. 1996. Distribution of *Vibrio vulnificus* in the Chesapeake Bay. *Appl. Environ. Microbiol.* 62:717-724.
- Zaika, L.L., E. Moulden, L. Weimer, J.G. Phillips, and R.L. Buchanan. 1994. Model for the combined effects of temperature, initial pH, sodium chloride and sodium nitrite concentrations on anaerobic growth of *Shigella flexneri*. *Int. J. Food Microbiol.* 23:345-358.
- Zaika, L.L., J.G. Phillips, J.S. Fanelli and O.J. Scullen. 1998. Revised model for aerobic growth of *Shigella flexneri* to extend the validity of predictions at temperatures between 10 and 19°C. *Intl. J. Food Microbiol.* 41: 9-19.
- Zwietering, M.H., I. Jongenburger, F.M. Rombouts, and K. van't Riet. 1990. Modeling of the bacterial growth curve. *Appl. Environ. Microbiol.* 56:1875-1881.

TABLE A-3

- European Chilled Food Federation. 1997. Guidelines for good hygienic practice in the manufacture of chilled foods.
- Mackey, B.M. and N. Bratchell. 1989. The heat resistance of *Listeria monocytogenes*. *Lett. Appl. Microbiol.* 9:89-94.

TABLE A-4

- European Chilled Food Federation. 1997. Guidelines for good hygienic practice in the manufacture of chilled foods.
- Mackey, B.M. and N. Bratchell. 1989. The heat resistance of *Listeria monocytogenes*. A review. *Letters in Appl. Microbiol.* 9:89-94.
- Peterson, M. E., G.A. Pelroy, F.T Poysky, R.N. Paranjpye, R.M. Dong, G.M. Pigott, and M.W. Eklund. 1997. Heat-pasteurization process for inactivation of nonproteolytic types of *Clostridium botulinum* in picked dungeness crabmeat. *J. Food Prot.* 60:928-934.
- U.S. Food and Drug Administration and U.S. Department of Agriculture. 2001. Draft assessment of the relative risk to public health from foodborne *Listeria monocytogenes* among selected categories of ready-to-eat foods.