

TABLE OF CONTENTS

| | <i>Page</i> |
|--|-------------|
| Chapter 1 – Purpose of and Need for Action | |
| I. Proposed Action..... | 1-1 |
| II. Purpose of and Need for Proposed Action..... | 1-2 |
| III. Decision Process and Decisions Needed | 1-4 |
| A. Use of EIS/EIR by the Secretary | 1-4 |
| B. Use of EIS/EIR by California | 1-4 |
| C. Steps to Completion of TROA..... | 1-5 |
| IV. Study Area | 1-8 |
| V. Background and History | 1-9 |
| A. History of Reservoir and River Operations | 1-9 |
| B. Water Rights Administration on the Truckee River Today..... | 1-12 |
| C. Current Reservoir and River Operations in the Truckee River Basin | 1-14 |
| VI. Other Authorities | 1-15 |
| VII. Participating Agencies | 1-15 |
| A. Signatory Parties | 1-15 |
| B. Cooperating/Responsible Agencies | 1-17 |
| C. Interested Parties..... | 1-17 |
| VIII. Summary of Issues..... | 1-18 |
| Chapter 2 – Alternatives | |
| I. Development of Alternatives..... | 2-1 |
| A. History of Negotiations..... | 2-1 |
| B. Development Process for the TROA Alternative | 2-2 |
| C. Alternatives Considered..... | 2-4 |
| II. No Action..... | 2-10 |
| A. Overview..... | 2-11 |
| B. Interstate Allocation..... | 2-11 |
| C. Water Operations and Facilities..... | 2-12 |
| 1. Water Categories..... | 2-12 |
| 2. Floriston Rates | 2-12 |
| 3. Reservoir Operations | 2-14 |
| 4. Truckee River Hydroelectric Plants..... | 2-20 |
| 5. Water Exportation from Little Truckee River to Sierra Valley | 2-20 |
| 6. Municipal and Industrial Water Resources..... | 2-21 |
| 7. Administration, Accounting and Scheduling..... | 2-23 |
| III. LWSA | 2-23 |
| A. Overview..... | 2-23 |
| B. Interstate Allocation..... | 2-24 |

Table of Contents - continued

| | <i>Page</i> |
|--|-------------|
| C. Water Operations and Facilities..... | 2-24 |
| 1. Water Categories..... | 2-24 |
| 2. Floriston Rates | 2-24 |
| 3. Reservoir Operations | 2-24 |
| 4. Truckee River Hydroelectric Plants..... | 2-24 |
| 5. Water Exportation from Little Truckee River to Sierra Valley | 2-24 |
| 6. Municipal and Industrial Water Resources..... | 2-25 |
| 7. Administration, Accounting, and Scheduling..... | 2-26 |
| IV. TROA..... | 2-26 |
| A. Overview..... | 2-26 |
| B. Interstate Allocation..... | 2-29 |
| 1. Lake Tahoe Basin | 2-30 |
| 2. Truckee River Basin in California | 2-30 |
| 3. Carson River Basin in California..... | 2-33 |
| C. Water Operations and Facilities..... | 2-33 |
| 1. Water Categories..... | 2-33 |
| 2. Floriston Rates | 2-38 |
| 3. Reservoir Operations | 2-39 |
| 4. Truckee River Hydroelectric Plant Diversion Dams | 2-43 |
| 5. Water Exportation from Little Truckee River to Sierra Valley | 2-44 |
| 6. Municipal and Industrial Water Resources..... | 2-44 |
| 7. Administration, Accounting, and Scheduling..... | 2-46 |
| 8. Additional Elements Unique to TROA..... | 2-46 |
| D. Change Petitions and Water Right Applications | 2-48 |
| V. Alternatives Considered and Rejected | 2-49 |
| A. Basic TROA Alternative..... | 2-50 |
| B. Streamflow Alternative | 2-50 |
| C. Recreational Pools Alternative | 2-51 |
| D. Threatened and Endangered Species Alternative | 2-51 |
| E. California Assured Storage Alternative | 2-51 |
| VI. Identification of the Preferred Alternative (NEPA) and Environmentally Superior Alternative (CEQA) | 2-52 |
| VII. Summary of Effects | 2-52 |

Chapter 3 – Affected Environment and Environmental Consequences

| | |
|---|-----|
| I. Background | 3-1 |
| A. Study Area Setting | 3-1 |
| B. Watercourse of the Truckee River | 3-2 |
| C. Geology | 3-4 |
| D. Climate | 3-5 |
| E. Public Trust Doctrine | 3-5 |

Table of Contents - continued

| | <i>Page</i> |
|--|-------------|
| II. Past Cumulative Effects..... | 3-6 |
| A. Overview..... | 3-6 |
| 1. Early Exploration and Settlement..... | 3-6 |
| 2. Comstock Era..... | 3-6 |
| 3. Lumber Era | 3-7 |
| 4. Railroads | 3-7 |
| 5. Farming and Ranching..... | 3-8 |
| 6. Early Irrigation and Water Projects | 3-8 |
| 7. Later Irrigation and Water Projects..... | 3-10 |
| 8. OCAP and More Recent History | 3-10 |
| B. Past Cumulative Effects on Affected Resources | 3-11 |
| 1. Water Resources | 3-11 |
| 2. Water Quality..... | 3-12 |
| 3. Sedimentation and Erosion | 3-14 |
| 4. Biological Resources | 3-15 |
| 4. Economics and Social Environment | 3-24 |
| 5. Recreation | 3-25 |
| 7. Cultural Resources | 3-27 |
| General Methods and Assumptions..... | 3-28 |
| I. Comparative Evaluation of Alternatives..... | 3-28 |
| II. Use of the Truckee River Operations Model | 3-28 |
| III. Study Assumptions | 3-31 |
| A. Population Level and Water Demands | 3-31 |
| B. Period of Analysis..... | 3-32 |
| C. Water Rights Transfers | 3-32 |
| Water Resources..... | 3-33 |
| I. Affected Environment..... | 3-33 |
| A. Supply | 3-33 |
| 1. Surface Water..... | 3-33 |
| B. Current Demands | 3-38 |
| 1. Consumptive Demands | 3-38 |
| 2. Nonconsumptive Demands | 3-40 |
| C. Current Water Management..... | 3-42 |
| 1. Truckee River General Electric Decree | 3-42 |
| 2. Orr Ditch Decree..... | 3-42 |
| 3. Tahoe-Prosser Exchange Agreement..... | 3-43 |
| 4. Alpine Decree | 3-43 |
| 5. OCAP..... | 3-43 |
| 6. Carson-Truckee Water Conservancy District v. Watt, 1982 | 3-43 |
| 7. Interim Storage Agreement..... | 3-43 |
| 8. Truckee River Water Quality Settlement Agreement | 3-44 |

Table of Contents - continued

| | <i>Page</i> |
|---|--------------|
| D. Current Operations..... | 3-44 |
| 1. Flood Control..... | 3-44 |
| 2. Dam Safety Requirements | 3-45 |
| 3. Minimum and Bypass Flow Requirements..... | 3-45 |
| 4. Floriston Rates | 3-45 |
| 5. Storing Water in Reservoirs..... | 3-46 |
| 6. Truckee River Operations for Pyramid Lake Fishes..... | 3-46 |
| II. Environmental Consequences | 3-48 |
| A. Introduction..... | 3-48 |
| B. Summary of Effects | 3-49 |
| C. Reservoir Storage and Releases | 3-55 |
| 1. Method and Operations Model Input Assumptions | 3-55 |
| 2. Model Results | 3-64 |
| 3. Evaluation of Effects..... | 3-74 |
| D. Flows..... | 3-83 |
| 1. Method of Analysis and Operations Model Input | 3-83 |
| 2. Model Results | 3-83 |
| 3. Evaluation of Effects..... | 3-87 |
| E. Exercise of Water Rights to Meet Demand | 3-90 |
| 1. Method of Analysis..... | 3-90 |
| 2. Model Results | 3-90 |
| 3. Evaluation of Effects..... | 3-92 |
| F. Optional Scenarios | 3-96 |
| 1. Method of Analysis..... | 3-96 |
| 2. Model Results | 3-96 |
| 3. Evaluation of Effects..... | 3-97 |
| G. Certain Credit Waters | 3-104 |
| Groundwater | 3-105 |
| I. Affected Environment..... | 3-106 |
| II. Environmental Consequences | 3-107 |
| A. Introduction..... | 3-107 |
| B. Summary of Effects | 3-108 |
| C. Recharge of the Shallow Aquifer Adjacent to the Truckee River in the Oxbow Reach..... | 3-108 |
| 1. Method of Analysis..... | 3-108 |
| 2. Threshold of Significance | 3-109 |
| 3. Model Results | 3-109 |
| 4. Evaluation of Effects..... | 3-110 |
| 5. Mitigation..... | 3-110 |

Table of Contents - continued

| | <i>Page</i> |
|--|--------------|
| D. Recharge of the Shallow Aquifer in Truckee Meadows..... | 3-110 |
| 1. Method of Analysis..... | 3-110 |
| 2. Threshold of Significance | 3-111 |
| 3. Evaluation of Effects..... | 3-111 |
| 4. Mitigation..... | 3-111 |
| E. Recharge of the Shallow Aquifer near the Truckee Canal | 3-111 |
| 1. Method of Analysis..... | 3-112 |
| 2. Threshold of Significance | 3-112 |
| 3. Model Results and Evaluation of Effects..... | 3-112 |
| 5. Mitigation..... | 3-113 |
| F. Effects of Well Pumping on the Shallow Aquifer | 3-113 |
| 1. Method of Analysis..... | 3-113 |
| 2. Threshold of Significance | 3-113 |
| 3. Model Results | 3-113 |
| 4. Evaluation of Effects..... | 3-114 |
| 5. Mitigation..... | 3-114 |
| Water Quality..... | 3-115 |
| I. Affected Environment..... | 3-115 |
| A. Truckee River Basin: Lake Tahoe to Reno..... | 3-115 |
| B. Truckee River Basin: Reno to Pyramid Lake | 3-116 |
| II. Environmental Consequences | 3-116 |
| A. Introduction..... | 3-116 |
| B. Summary of Effects | 3-117 |
| C. Overview of Methods of Analysis | 3-120 |
| D. Summary of Pertinent Water Quality Standards for California Waters | 3-122 |
| E. Truckee River Flow | 3-124 |
| 1. Method of Analysis..... | 3-124 |
| 2. Threshold of Significance | 3-125 |
| 3. Model Results | 3-125 |
| 4. Evaluation of Effects..... | 3-125 |
| F. Violations of Nevada Water Temperature and Dissolved Oxygen Standards | 3-126 |
| 1. Method of Analysis..... | 3-126 |
| 2. Threshold of Significance | 3-126 |
| 3. Model Results | 3-126 |
| 4. Evaluation of Effects..... | 3-126 |
| G. Total Dissolved Solids and Nutrient Loadings to Pyramid Lake | 3-127 |
| 1. Method of Analysis..... | 3-129 |
| 2. Threshold of Significance | 3-129 |
| 3. Model Results | 3-129 |
| 4. Evaluation of Effects..... | 3-129 |
| 5. Mitigation..... | 3-130 |

Table of Contents - continued

| | <i>Page</i> |
|---|--------------|
| Sedimentation and Erosion | 3-131 |
| I. Affected Environment..... | 3-131 |
| A. Shoreline Erosion at Lake Tahoe..... | 3-131 |
| 1. Wave Action | 3-132 |
| 2. Material Properties of Shoreline | 3-132 |
| 3. Climate | 3-134 |
| 4. Fluctuating Water Elevation | 3-134 |
| B. Stream Channel Erosion and Sediment Transport..... | 3-134 |
| C. Truckee River Delta Formation at Pyramid Lake..... | 3-137 |
| D. Carson River | 3-138 |
| II. Environmental Consequences | 3-138 |
| A. Introduction..... | 3-139 |
| B. Summary of Effects | 3-139 |
| C. Shoreline Erosion at Lake Tahoe..... | 3-140 |
| 1. Method of Analysis..... | 3-140 |
| 2. Threshold of Significance | 3-141 |
| 3. Model Results | 3-141 |
| 4. Evaluation of Effects..... | 3-141 |
| 5. Mitigation..... | 3-143 |
| C. Stream Channel Erosion and Sediment Transport..... | 3-143 |
| 1. Method of Analysis..... | 3-143 |
| 2. Threshold of Significance | 3-143 |
| 3. Model Results | 3-144 |
| 4. Evaluation of Effects..... | 3-144 |
| 5. Mitigation..... | 3-150 |
| D. Truckee River Delta Formation at Pyramid Lake..... | 3-150 |
| Biological Resources | 3-152 |
| Fish in Truckee River and Affected Tributaries..... | 3-153 |
| I. Affected Environment..... | 3-153 |
| II. Environmental Consequences | 3-155 |
| A. Introduction..... | 3-155 |
| B. Frequency that Preferred Flows for Various Life Stages of Brown Trout from October through March Are Achieved or Exceeded Without Exceeding Maximum Flows..... | 3-160 |
| 1. Summary of Effects | 3-160 |
| 2. Method of Analysis..... | 3-160 |
| 3. Threshold of Significance | 3-160 |
| 4. Model Results | 3-162 |
| 5. Evaluation of Effects..... | 3-162 |
| 6. Mitigation and Enhancement | 3-165 |
| C. Frequency that Minimum Flows for Various Life Stages of Brown Trout from October through March Are Sustained..... | 3-165 |
| 1. Summary of Effects | 3-165 |

Table of Contents - continued

| | <i>Page</i> |
|---|--------------|
| 2. Method of Analysis..... | 3-165 |
| 3. Threshold of Significance | 3-165 |
| 4. Model Results | 3-165 |
| 5. Evaluation of Effects..... | 3-167 |
| 6. Mitigation and Enhancement | 3-168 |
| D. Frequency that Preferred Flows for Various Life Stages of Rainbow Trout from April through September Are Achieved or Exceeded Without Exceeding Maximum Flows..... | 3-168 |
| 1. Summary of Effects | 3-168 |
| 2. Method of Analysis..... | 3-168 |
| 3. Threshold of Significance | 3-169 |
| 4. Model Results | 3-169 |
| 5. Evaluation of Effects..... | 3-169 |
| 6. Mitigation and Enhancement | 3-172 |
| E. Frequency that Minimum Flows for Various Life Stages of Rainbow Trout from April through September Are Sustained..... | 3-172 |
| 1. Summary of Effects | 3-172 |
| 2. Method of Analysis..... | 3-173 |
| 3. Threshold of Significance | 3-173 |
| 4. Model Results | 3-173 |
| 5. Evaluation of Effects..... | 3-173 |
| 6. Mitigation and Enhancement | 3-175 |
| F. Frequency of Flushing/Stranding Flows..... | 3-175 |
| 1. Summary of Effects | 3-175 |
| 2. Method of Analysis..... | 3-175 |
| 3. Threshold of Significance | 3-175 |
| 4. Model Results | 3-176 |
| 5. Evaluation of Effects..... | 3-176 |
| 6. Mitigation and Enhancement | 3-177 |
| G. Frequency of Low Flows in Winter Months that Increase the Potential for Anchor Ice Formation | 3-177 |
| 1. Summary of Effects | 3-177 |
| 2. Method of Analysis..... | 3-177 |
| 3. Threshold of Significance | 3-178 |
| 4. Model Results | 3-178 |
| 5. Evaluation of Effects..... | 3-178 |
| 5. Mitigation and Enhancement | 3-179 |
| Fish in Lakes and Reservoirs | 3-180 |
| I. Affected Environment..... | 3-180 |
| II. Environmental Consequences | 3-182 |
| A. Introduction..... | 3-182 |
| B. Summary of Effects | 3-182 |

Table of Contents - continued

| | <i>Page</i> |
|--|--------------|
| C. Fish Survival Based On Minimum Storage Thresholds | 3-183 |
| 1. Method of Analysis..... | 3-183 |
| 2. Threshold of Significance | 3-183 |
| 3. Model Results | 3-183 |
| 4. Evaluation of Effects..... | 3-184 |
| 5. Mitigation and Enhancement | 3-186 |
| D. Spring/Summer Shallow Water Fish Spawning Habitat..... | 3-186 |
| 1. Method of Analysis..... | 3-186 |
| 2. Threshold of Significance | 3-186 |
| 3. Model Results | 3-187 |
| 4. Evaluation of Effects..... | 3-188 |
| 5. Mitigation and Enhancement | 3-190 |
| Waterfowl and Shorebirds | 3-191 |
| I. Affected Environment..... | 3-191 |
| II. Environmental Consequences | 3-192 |
| A. Introduction..... | 3-192 |
| B. Summary of Effects | 3-192 |
| C. Waterfowl and Shorebird Shallow Water Foraging Habitat..... | 3-193 |
| 1. Method of Analysis..... | 3-193 |
| 2. Threshold of Significance | 3-194 |
| 3. Model Results | 3-194 |
| 4. Evaluation of Effects..... | 3-194 |
| 5. Mitigation and Enhancement | 3-195 |
| D. Island Bird Nest Predation and Inundation | 3-196 |
| 1. Method of Analysis..... | 3-196 |
| 2. Threshold of Significance | 3-196 |
| 3. Model Results | 3-197 |
| 4. Evaluation of Effects..... | 3-197 |
| 5. Mitigation and Enhancement | 3-198 |
| Riparian Habitat and Riparian-Associated Wildlife | 3-199 |
| I. Affected Environment..... | 3-199 |
| A. Riparian Habitat | 3-199 |
| 1. Palustrine Emergent Wetlands | 3-200 |
| 2. Montane Freshwater Marshes/Wet Meadows..... | 3-202 |
| 3. Transmontane Freshwater Marsh..... | 3-202 |
| 4. Palustrine Scrub-Shrub Wetlands | 3-203 |
| 5. Palustrine Forested Wetlands..... | 3-204 |
| 6. Other Wetlands | 3-205 |
| B. Riparian-Associated Wildlife..... | 3-205 |
| 1. Birds..... | 3-206 |
| 2. Amphibians and Reptiles | 3-208 |
| 3. Mammals..... | 3-209 |

Table of Contents - continued

| | <i>Page</i> |
|--|--------------|
| II. Environmental Consequences | 3-210 |
| A. Introduction..... | 3-210 |
| B. Summary of Effects | 3-211 |
| C. Relative Amounts of Riparian Habitat..... | 3-211 |
| 1. Method of Analysis..... | 3-211 |
| 2. Threshold of Significance | 3-214 |
| 3. Model Results | 3-215 |
| 4. Evaluation of Effects..... | 3-216 |
| 5. Mitigation and Enhancement | 3-223 |
| Endangered, Threatened, and Other Special Status Species..... | 3-224 |
| Cui-Ui | 3-229 |
| I. Affected Environment..... | 3-229 |
| A. Status and Distribution..... | 3-229 |
| B. Life History | 3-229 |
| C. Management..... | 3-230 |
| 1. Flow Regimes for Stampede Reservoir Storage | 3-230 |
| 2. Recovery Plan | 3-231 |
| 3. Fish Passage | 3-232 |
| II. Environmental Consequences | 3-233 |
| A. Introduction..... | 3-233 |
| B. Summary of Effects | 3-233 |
| 1. Average Annual Inflow to Pyramid Lake | 3-233 |
| 2. Frequency that Flow Regime 1, 2, or 3 Is Achieved in the Lower Truckee River from April through June | 3-234 |
| 3. Relative Amounts of Riparian Habitat Along the Lower Truckee River..... | 3-234 |
| C. Average Annual Inflow to Pyramid Lake | 3-234 |
| 1. Method of Analysis..... | 3-234 |
| 2. Threshold of Significance | 3-235 |
| 3. Model Results | 3-235 |
| 4. Evaluation of Effects..... | 3-235 |
| 5. Mitigation and Enhancement | 3-236 |
| D. Frequency that Flow Regime 1, 2, or 3 Is Achieved in the Lower Truckee River from April through June | 3-236 |
| 1. Method of Analysis..... | 3-236 |
| 2. Threshold of Significance | 3-236 |
| 3. Model Results | 3-236 |
| 4. Evaluation of Effects..... | 3-237 |
| 5. Mitigation and Enhancement | 3-237 |
| E. Relative Amounts of Riparian Habitat along the Lower Truckee River | 3-237 |
| 1. Evaluation of Effects..... | 3-238 |
| 2. Mitigation and Enhancement | 3-238 |

Table of Contents - continued

| | <i>Page</i> |
|--|--------------|
| Lahontan Cutthroat Trout..... | 3-239 |
| I. Affected Environment..... | 3-239 |
| A. Status and Distribution..... | 3-239 |
| 1. Pyramid Lake..... | 3-239 |
| 2. Lake Tahoe..... | 3-240 |
| 3. Independence Lake | 3-240 |
| B. Life History | 3-240 |
| C. Management..... | 3-241 |
| 1. Recovery Plan | 3-241 |
| 2. Hatchery Stocking..... | 3-241 |
| 3. Riparian Vegetation Restoration..... | 3-242 |
| II. Environmental Consequences | 3-243 |
| A. Introduction..... | 3-243 |
| B. Summary of Effects | 3-243 |
| C. Average Annual Inflow to Pyramid Lake | 3-244 |
| D. Relative Amounts of Riparian Vegetation Along the Lower Truckee River | 3-244 |
| 1. Evaluation of Effects..... | 3-244 |
| 2. Mitigation and Enhancement | 3-245 |
| E. Access to Independence Creek for Spawning LCT | 3-245 |
| 1. Method of Analysis..... | 3-245 |
| 2. Threshold of Significance | 3-245 |
| 3. Model Results | 3-245 |
| 4. Evaluation of Effects..... | 3-246 |
| 5. Mitigation and Enhancement | 3-246 |
| Bald Egale | 3-247 |
| I. Affected Environment..... | 3-247 |
| II. Environmental Consequences | 3-248 |
| A. Introduction..... | 3-248 |
| B. Summary of Effects | 3-248 |
| C. Fish Survival | 3-248 |
| 1. Method of Analysis..... | 3-248 |
| 2. Threshold of Significance | 3-248 |
| 3. Model Results | 3-249 |
| 4. Evaluation of Effects..... | 3-249 |
| 5. Mitigation and Enhancement | 3-249 |
| Tahoe Yellow Cress..... | 3-250 |
| I. Affected Environment..... | 3-250 |
| II. Environmental Consequences | 3-251 |
| A. Introduction..... | 3-251 |
| B. Summary of Effects | 3-252 |
| C. Method of Analysis..... | 3-252 |

Table of Contents - continued

| | <i>Page</i> |
|--|--------------|
| D. Threshold of Significance | 3-253 |
| E. Model Results | 3-254 |
| F. Evaluation of Effects..... | 3-254 |
| 1. No Action..... | 3-254 |
| 2. LWSA | 3-254 |
| 3. TROA..... | 3-255 |
| G. Mitigation and Enhancement | 3-256 |
| Island Nesting Water Birds..... | 3-257 |
| I. Affected Environment..... | 3-257 |
| II. Environmental Consequences | 3-259 |
| A. Introduction..... | 3-259 |
| B. Summary of Effects | 3-259 |
| C. American White Pelican Prey Availability..... | 3-259 |
| D. Predator Access to California Gull Nesting Islands in Lahontan Reservoir..... | 3-259 |
| 1. Threshold of Significance | 3-259 |
| 2. Mitigation and Enhancement | 3-260 |
| Osprey | 3-261 |
| I. Affected Environment..... | 3-261 |
| II. Environmental Consequences | 3-261 |
| Habitat for Other Special Status Plants..... | 3-262 |
| I. Affected Environment..... | 3-262 |
| II. Environmental Consequences | 3-263 |
| Habitat for Other Special Status Animal Species | 3-264 |
| I. Affected Environment..... | 3-264 |
| A. Palustrine Emergent Wetlands..... | 3-264 |
| B. Palustrine Scrub-Shrub Wetlands | 3-265 |
| C. Palustrine Forested Wetlands..... | 3-266 |
| D. General Riparian or Aquatic Habitats..... | 3-266 |
| II. Environmental Consequences | 3-268 |
| Recreation | 3-269 |
| I. Affected Environment..... | 3-269 |
| A. Introduction..... | 3-269 |
| B. Recreation Facilities..... | 3-270 |
| 1. Lakes and Reservoirs | 3-271 |
| 2. Rivers and Streams | 3-276 |
| II. Environmental Consequences | 3-287 |
| A. Introduction..... | 3-287 |
| B. Summary of Effects | 3-287 |

Table of Contents - continued

| | <i>Page</i> |
|---|--------------|
| C. Lake- and Reservoir-Based Recreation Visitation..... | 3-289 |
| 1. Method of Analysis..... | 3-289 |
| 2. Threshold of Significance | 3-290 |
| 3. Model Results | 3-291 |
| 4. Evaluation of Effects..... | 3-293 |
| 5. Mitigation..... | 3-300 |
| D. Stream-Based Recreation..... | 3-301 |
| 1. Method of Analysis..... | 3-301 |
| 2. Threshold of Significance | 3-301 |
| 3. Model Results | 3-302 |
| 4. Evaluation of Effects..... | 3-308 |
| 5. Mitigation..... | 3-318 |
| Economic Environment..... | 3-119 |
| I. Affected Environment..... | 3-319 |
| A. Current Economic Environment | 3-319 |
| 1. California | 3-319 |
| 2. Nevada | 3-320 |
| B. Employment and Total Income..... | 3-321 |
| 1. California | 3-321 |
| 2. Nevada | 3-322 |
| C. Agricultural and M&I Water Use | 3-322 |
| II. Environmental Consequences | 3-322 |
| A. Introduction..... | 3-322 |
| B. Summary of Effects | 3-323 |
| 1. Recreation-Related Employment and Income | 3-323 |
| 2. Employment and Income Affected by Changes in Water Use | 3-323 |
| 3. Hydropower Generation and Revenues | 3-325 |
| 4. Groundwater Pumping Costs | 3-325 |
| C. Recreation-Related Employment and Income | 3-325 |
| 1. Method of Analysis..... | 3-325 |
| 2. Threshold of Significance | 3-327 |
| 3. Model Results | 3-327 |
| 4. Evaluation of Effects..... | 3-328 |
| 5. Mitigation..... | 3-330 |
| D. Employment and Income Affected by Changes in Water Use | 3-330 |
| 1. Method of Analysis..... | 3-330 |
| 2. Threshold of Significance | 3-331 |
| 3. Model Results | 3-331 |
| 4. Evaluation of Effects..... | 3-331 |
| 5. Mitigation..... | 3-334 |
| E. Hydropower Generation and Revenues | 3-334 |
| 1. Method of Analysis..... | 3-334 |
| 2. Threshold of Significance | 3-334 |

Table of Contents - continued

| | <i>Page</i> |
|---|--------------|
| 3. Model Results | 3-334 |
| 4. Evaluation of Effects..... | 3-335 |
| 5. Mitigation..... | 3-336 |
| F. Annual Groundwater Costs..... | 3-336 |
| 1. Method of Analysis..... | 3-336 |
| 2. Threshold of Significance..... | 3-336 |
| 3. Model Results | 3-337 |
| 4. Evaluation of Effects..... | 3-337 |
| 5. Mitigation..... | 3-337 |
| Social Environment | 3-338 |
| I. Affected Environment..... | 3-338 |
| A. Overview..... | 3-338 |
| 1. Lake Tahoe Basin | 3-338 |
| 2. Truckee River Basin in California | 3-338 |
| 3. Truckee Meadows..... | 3-339 |
| 4. Agricultural Lands on the Newlands Project | 3-339 |
| 5. Indian Lands..... | 3-340 |
| B. Population | 3-340 |
| C. Urbanization of Truckee Meadows..... | 3-342 |
| D. Air Quality | 3-343 |
| A. Introduction..... | 3-347 |
| B. Summary of Effects | 3-347 |
| C. Population | 3-347 |
| 1. Method of Analysis..... | 3-347 |
| 2. Threshold of Significance | 3-347 |
| 3. Evaluation of Effects..... | 3-348 |
| 4. Mitigation..... | 3-349 |
| D. Urbanization of Truckee Meadows..... | 3-349 |
| 1. Method of Analysis..... | 3-349 |
| 2. Threshold of Significance | 3-350 |
| 3. Evaluation of Effects..... | 3-350 |
| 4. Mitigation..... | 3-351 |
| E. Air Quality | 3-351 |
| 1. Method of Analysis..... | 3-351 |
| 2. Threshold of Significance | 3-351 |
| 3. Evaluation of Effects..... | 3-351 |
| 4. Mitigation..... | 3-352 |
| Cultural Resources | 3-353 |
| I. Affected Environment..... | 3-353 |
| A. Definition of Study Area..... | 3-353 |
| B. Data Sources | 3-354 |

Table of Contents - continued

| | <i>Page</i> |
|---|-------------|
| C. Cultural Resources in the Study Areas | 3-355 |
| 1. Lake Tahoe..... | 3-355 |
| 2. Truckee River: Lake Tahoe to Donner Creek..... | 3-357 |
| 3. Donner Lake..... | 3-357 |
| 4. Donner Creek: Donner Lake to Truckee River..... | 3-358 |
| 5. Truckee River: Donner Creek to State Line | 3-358 |
| 6. Prosser Creek Reservoir..... | 3-359 |
| 7. Prosser Creek: Prosser Creek Reservoir to Truckee River | 3-359 |
| 8. Independence Lake | 3-359 |
| 9. Independence Creek: Independence Lake to Little Truckee River <i>and</i> Little Truckee River: Independence Creek to Stampede Reservoir..... | 3-360 |
| 10. Stampede Reservoir | 3-360 |
| 11. Little Truckee River: Stampede Reservoir to Boca Reservoir..... | 3-360 |
| 12. Boca Reservoir..... | 3-361 |
| 13. Trophy/Mayberry/Oxbow/Spice | 3-361 |
| 14. Lockwood | 3-362 |
| 15. Nixon..... | 3-362 |
| 16. Pyramid Lake | 3-362 |
| 17. Lahontan Reservoir..... | 3-363 |
| II. Environmental Consequences | 3-363 |
| A. Summary of Effects | 3-364 |
| B. Threshold of Significance | 3-365 |
| C. Method of Analysis..... | 3-365 |
| 1. Nature of Impacts on Cultural Resources | 3-366 |
| 2. Approach to Analysis..... | 3-367 |
| D. Model Results and Evaluation of Effects..... | 3-370 |
| 1. Lake Tahoe..... | 3-370 |
| 2. Truckee River: Lake Tahoe to Donner Creek..... | 3-371 |
| 3. Donner Lake..... | 3-372 |
| 4. Donner Creek: Donner Lake to Truckee River..... | 3-373 |
| 5. Truckee River: Donner Creek to State Line | 3-373 |
| 6. Prosser Creek Reservoir..... | 3-373 |
| 7. Prosser Creek: Prosser Creek Reservoir to Truckee River | 3-374 |
| 8. Independence Lake | 3-374 |
| 9. Independence Creek: Independence Lake to Little Truckee River <i>and</i> Little Truckee River: Independence Creek to Stampede Reservoir..... | 3-375 |
| 10. Stampede Reservoir | 3-375 |
| 11. Little Truckee River: Stampede Reservoir to Boca Reservoir..... | 3-377 |
| 12. Boca Reservoir..... | 3-377 |
| 13. Trophy/Mayberry/Oxbow/Spice | 3-378 |
| 14. Lockwood | 3-379 |
| 15. Nixon..... | 3-379 |

Table of Contents - continued

| | <i>Page</i> |
|--|--------------|
| 16. Pyramid Lake | 3-380 |
| 17. Lahontan Reservoir..... | 3-381 |
| III. Mitigation..... | 3-382 |
| Indian Trust Resources | 3-383 |
| I. Affected Environment..... | 3-383 |
| A. Pyramid Lake Indian Reservation..... | 3-383 |
| B. Reno-Sparks Indian Colony | 3-383 |
| C. Fallon Indian Reservation and Colony | 3-384 |
| D. Water Rights | 3-384 |
| 1. Pyramid Tribe | 3-384 |
| 2. Fallon Paiute-Shoshone Tribes | 3-385 |
| 3. Reno-Sparks Indian Colony | 3-385 |
| E. Fish and Wildlife..... | 3-385 |
| 1. Pyramid Tribe | 3-385 |
| 2. Fallon Paiute-Shoshone Tribe..... | 3-386 |
| F. Trust Income | 3-386 |
| II. Environmental Consequences | 3-386 |
| A. Pyramid Tribe | 3-386 |
| B. Reno-Sparks Indian Colony | 3-386 |
| C. Fallon Paiute Shoshone Tribes..... | 3-387 |
| D. Washoe Tribe | 3-387 |
| E. Mitigation..... | 3-387 |
| Newlands Project Operations | 3-388 |
| Minimum By-Pass Flow Requirements for Sierra Pacific's Four Hydroelectric Diversion Dams on the Truckee River..... | 3-392 |
| I. Background..... | 3-392 |
| II. Development of TROA's Bypass Provision..... | 3-393 |
| III. Expected Benefits of TROA Bypass Provision | 3-393 |
| IV. Model Results | 3-393 |
| V. Discussion..... | 3-395 |
| Water Right Change Petitions and Applications..... | 3-396 |
| I. Existing Water Right Licenses and Permits..... | 3-396 |
| A. Prosser Creek-Water Right Application No. 18006- License No. 10180-Water Right Holder, BOR | 3-396 |
| B. Boca Reservoir-Water Right Application No. 5169- License No. 3723-Water Right Holder, Washoe County Water Conservation District | 3-396 |
| C. Stampede Reservoir-Water Right Application No. 15673- Permit No. 11605-Water Right Holder, BOR..... | 3-397 |

Table of Contents - continued

| | <i>Page</i> |
|--|--------------|
| D. Independence Lake-Water Right Application No. 9247- License 4196-Water Right Holder, Sierra Pacific Power Company..... | 3-397 |
| II. Change Petitions and Applications | 3-397 |
| III. Administrative Process | 3-399 |
| IV. Summary of Effects | 3-400 |
| A. General Effects Associated with TROA..... | 3-400 |
| B. General Effects of Change Petitions and Applications..... | 3-400 |
| 1. Prosser Creek Reservoir/Creek | 3-401 |
| 2. Stampede Reservoir/Little Truckee River | 3-401 |
| 3. Boca Reservoir..... | 3-402 |
| 4. Independence Lake/Creek..... | 3-402 |
| Growth-Inducing Impacts..... | 3-404 |
| Environmental Justice..... | 3-405 |
| Unavoidable Adverse Impacts | 3-405 |
| Relationship Between Short-Term uses and Long-Term Productivity..... | 3-406 |
| Irreversible and Irretrievable Commitments of Resources | 3-406 |

CHAPTER 4 – CUMULATIVE EFFECTS

| | |
|--|------|
| I. Definition of Cumulative Effects..... | 4-1 |
| II. Methodology for Analyzing Cumulative Effects..... | 4-3 |
| A. Identify Actions | 4-3 |
| B. Criteria | 4-3 |
| 1. Reasonably Foreseeable (Actions That Are Likely to Happen) | 4-3 |
| 2. Relevance (Actions That Relate to TROA) | 4-4 |
| 3. Magnitude | 4-4 |
| 4. Determination | 4-4 |
| III. Actions Authorized by Public Law 101-618 | 4-4 |
| A. Overview of Implementation Status and Cumulative Effects..... | 4-5 |
| B. Water Management Elements of P.L. 101-618 Actions | 4-7 |
| 1. Section 206(a)(1) Water Rights Acquisition Program (WRAP)..... | 4-7 |
| 2. Section 206(b) Stillwater National Wildlife Refuge..... | 4-8 |
| 3. Section 206(c) Naval Air Station Fallon..... | 4-9 |
| 4. Section 206(e) Transfer Carson Lake and Pasture..... | 4-9 |
| 5. Section 206(f) Lahontan Valley and Pyramid Lake Fish and Wildlife Fund (LVPLFWF) | 4-10 |
| 6. Section 206(g) Transfer Indian Lakes..... | 4-10 |
| 7. Section 209(j) OCAP | 4-10 |

Table of Contents - continued

| | <i>Page</i> |
|---|-------------|
| IV. Water 2025 Initiative | 4-11 |
| V. Effects of Other Water Resource-Related Actions | 4-12 |
| A. Urban Development and Land Use Changes | 4-12 |
| 1. Urban Development Plans | 4-12 |
| 2. Transportation Improvements | 4-13 |
| 3. Ski Resorts | 4-14 |
| B. Water Rights Acquisitions and Transfer..... | 4-14 |
| 1. California Surface Water Rights Applications | 4-14 |
| 2. Assembly Bill 380..... | 4-15 |
| C. M&I Water Demand | 4-15 |
| 1. M&I Water Plans and Projects | 4-15 |
| 2. Groundwater Development Actions for M&I Demands..... | 4-17 |
| D. Ecosystem Restoration..... | 4-18 |
| 1. Tahoe Regional Planning Agency (TRPA)..... | 4-18 |
| 2. Restoring Stream Banks and Riparian and Wetland Habitats | 4-19 |
| 3. Improving Diversion Structures..... | 4-19 |
| E. Flood Control..... | 4-20 |
| F. Water Quality..... | 4-21 |
| 1. Wastewater and Stormwater Discharge Permits..... | 4-21 |
| 2. Other Water Quality Improvement Projects | 4-23 |
| 3. TMDL Program | 4-24 |
| 4. Truckee River Water Quality Settlement Agreement (WQSA) | 4-26 |
| G. Global Climate Change..... | 4-26 |
| VI. Cumulative Effects on Affected Resources | 4-26 |
| A. Water Resources | 4-27 |
| 1. Comparison of Alternatives by Action Category..... | 4-27 |
| 2. Potential Cumulative Effects of TROA | 4-29 |
| B. Groundwater | 4-29 |
| 1. Comparison of Alternatives by Action Category..... | 4-29 |
| 2. Potential Cumulative Effects of TROA | 4-30 |
| C. Water Quality..... | 4-31 |
| 1. Comparison of Alternatives by Action Category..... | 4-31 |
| 2. Potential Cumulative Effects of TROA | 4-31 |
| D. Sedimentation and Erosion | 4-33 |
| 1. Comparison of Alternatives by Action Category..... | 4-33 |
| 2. Potential Cumulative Effects of TROA | 4-34 |
| E. Fish..... | 4-34 |
| 1. Comparison of Alternatives by Action Category..... | 4-34 |
| 2. Potential Cumulative Effects of TROA | 4-34 |
| F. Waterfowl and Shorebirds | 4-35 |
| 1. Comparison of Alternatives by Action Category..... | 4-35 |
| 2. Potential Cumulative Effects of TROA | 4-36 |

Table of Contents - continued

| | <i>Page</i> |
|--|-------------|
| G. Riparian Habitat and Riparian-Associated Wildlife | 4-36 |
| 1. Comparison of Alternatives by Action Category..... | 4-36 |
| 2. Potential Cumulative Effects of TROA | 4-37 |
| H. Special Status Species..... | 4-38 |
| 1. Comparison of Alternatives by Action Category..... | 4-38 |
| 2. Potential Cumulative Effects of TROA | 4-39 |
| I. Cumulative Effects on Recreation by Alternative | 4-39 |
| 1. Comparison of Alternatives by Action Category..... | 4-39 |
| 2. Potential Cumulative Effects | 4-39 |
| J. Cumulative Effects on Economic Environment by Alternative | 4-39 |
| 1. Comparison of Alternatives by Action Category..... | 4-40 |
| 2. Potential Cumulative Effects of TROA | 4-40 |
| K. Cumulative Effects on Social Environment by Alternative..... | 4-41 |
| 1. Comparison of Alternatives by Action Category..... | 4-41 |
| 2. Potential Cumulative Effects of TROA | 4-41 |
| L. Cultural Resources | 4-42 |
| 1. Comparison of Alternatives by Action Category..... | 4-42 |
| 2. Potential Cumulative Effects of TROA | 4-42 |
| M. Indian Trust Resources | 4-43 |
| VII. Conclusion | 4-43 |

CHAPTER 5 – CONSULTATION AND COORDINATION

| | |
|---|------|
| I. Study Participants | 5-1 |
| II. Agency Consultation..... | 5-3 |
| A. Fish and Wildlife Coordination Act Consultation | 5-3 |
| B. Endangered Species Act Consultation | 5-4 |
| C. Cultural Resources Consultation..... | 5-4 |
| D. Indian Trust Resources Consultation | 5-5 |
| III. Input to Decisionmaking Process | 5-5 |
| A. Negotiating Parties..... | 5-6 |
| B. Truckee River Basin Water Group | 5-6 |
| C. Public Involvement | 5-6 |
| 1. Scoping Process | 5-7 |
| 2. Other Public Meetings | 5-8 |
| 3. Public Meetings and Hearings Following Release of February 1998 DEIS/EIR..... | 5-8 |
| 4. Other Public Contact..... | 5-11 |

Table of Contents - continued

Page

DISTRIBUTION LIST

LIST OF PREPARERS

REFERENCES

GLOSSARY

ATTACHMENTS

A – Public Law 101-618

B – Preliminary Settlement Agreement

C – TROA EIS/EIR Planning Assumptions – Letter from Truckee Meadows Water Authority, Dated March 12, 2003

D – Water Use Estimates for the Lake Tahoe and Truckee River Basins – Letter from the Department of Water Resources, Dated June 2, 2003

E – Nevada State Engineer's Groundwater Management Order 1161, Dated May 16, 2000

F – California Guidelines for Truckee River Reservoir Operations to Meet Instream Flow and Recreation Objectives

G – Alternatives

Part 1 – Alternatives Considered and Rejected

Part 2 – TROA Components Considered and Rejected During Negotiations

Part 3 – Computer Analysis of Stream Flow and Recreational Pool Elements Considered for TROA

H – Donner Creek and Lake

APPENDICES

Draft Agreement

SWRCB Change Petitions and Water Appropriations Application Package

Water Resources

Water Quality

Sedimentation and Erosion

Biological Resources

Economics and Recreation

Cultural Resources

Cumulative Effects

Table of Contents – continued

TABLES

| <i>Tables</i> | <i>Page</i> |
|--|-------------|
| 1.1 Environmental authorities..... | 1-16 |
| 2.1 A comparison of water management provisions among the alternatives | 2-4 |
| 2.2 Water categories ¹ and uses under No Action..... | 2-13 |
| 2.3 Prescribed Floriston Rates (cfs) at the Farad gauge are based on Lake Tahoe elevation in a given month..... | 2-13 |
| 2.4 Minimum reservoir releases (cfs) | 2-17 |
| 2.5 Water usage (acre-feet per year) Truckee River and Lake Tahoe basins in California | 2-23 |
| 2.6 Principal elements of TROA that differ from No Action and LWSA | 2-28 |
| 2.7 TROA Credit Water categories, water right ownership, and uses | 2-34 |
| 2.8 Enhanced minimum releases (cfs) from specified reservoirs during normal ¹ and dry ² seasons (these releases include minimum releases shown in table 2.4) | 2-42 |
| 2.9 Water spill order (first to last)..... | 2-43 |
| 2.10 Summary of effects of alternatives on resources | 2-53 |
| 3.1 Historic Truckee River annual runoff (acre-feet per year) | 3-36 |
| 3.2 Historic annual Truckee Canal and Carson River annual discharge (acre-feet)..... | 3-37 |
| 3.3 Current (2002) annual consumptive demands in the Lake Tahoe and Truckee River basins (acre-feet) | 3-39 |
| 3.4 Current (2002) nonconsumptive water demands (cfs) in the Lake Tahoe and Truckee River basins..... | 3-40 |
| 3.5 Hydrologic year types | 3-47 |
| 3.6 Stampede Reservoir storage levels | 3-47 |
| 3.7 Flow regime selection..... | 3-47 |
| 3.8 Pyramid Lake inflow targets (cfs) for flow regime Nos. 1-6..... | 3-48 |
| 3.9a Summary of effects on reservoir storage and releases | 3-50 |
| 3.9b Summary of effects on Truckee River flow | 3-52 |
| 3.10 Summary of effects on exercise of water rights to meet demands | 3-54 |
| 3.11 Modeled annual consumptive demands in study area (acre-feet)..... | 3-57 |
| 3.12 Average annual flow in wet, median, and dry hydrologic conditions at Farad, Vista, and Nixon | 3-84 |
| 3.13 Annual demand in Nevada and annual average and minimum agricultural and M&I supplies (acre-feet)..... | 3-91 |
| 3.14 Summary of effects on groundwater..... | 3-108 |
| 3.15 Average annual stream loss in Oxbow reach of the Truckee River | 3-109 |
| 3.16 Truckee Canal flows and Lahontan Reservoir storage and releases (1,000 acre-feet per year)..... | 3-112 |
| 3.17 Projected groundwater use in Truckee Meadows (acre-feet) | 3-113 |
| 3.18 Truckee River average monthly flows (cfs) for selected months and reaches | 3-119 |

Table of Contents – continued

TABLES

| <i>Tables</i> | | <i>Page</i> |
|---------------|--|-------------|
| 3.19 | Summary of modeled violations of temperature (T) and dissolved oxygen (DO) standards | 3-119 |
| 3.20 | Summary of loadings to Pyramid Lake | 3-120 |
| 3.21 | Summary of effects on sedimentation and erosion | 3-140 |
| 3.22 | End-of-month water surface elevations of Lake Tahoe (msl) | 3-142 |
| 3.23 | Weighted average differences in sediment transport capacity change | 3-145 |
| 3.24 | Water elevation differences at Pyramid Lake in very wet, median, and very dry hydrologic conditions | 3-151 |
| 3.25 | Abundance of native and non-native fish species in the mainstem Truckee River..... | 3-154 |
| 3.26 | Abundance of native and non-native fish species in the tributaries to the upper Truckee River | 3-155 |
| 3.27 | Spawning requirements of selected fish species in the Truckee River basin | 3-156 |
| 3.28 | Flows (in cfs) recommended as maximum, preferred, and minimum by CDFG and NDOW in their respective States..... | 3-158 |
| 3.29 | The ecosystem-based six-flow regime recommendations for the lower Truckee River (TRIT, 2003)..... | 3-159 |
| 3.30 | Summary of effects: frequency that preferred flows for brown trout are achieved or exceeded without exceeding maximum flows (when specified) (+ = significant beneficial effect, - = significant adverse effect) | 3-161 |
| 3.31 | Frequency (percent of months) that preferred flows for brown trout from October through March are achieved or exceeded without exceeding maximum flows (when specified) | 3-163 |
| 3.32 | Summary of effects: frequency that minimum flows for brown trout are sustained (+ = significant beneficial effect, - = significant adverse effect) | 3-166 |
| 3.33 | Frequency (percent of years) that minimum flows for brown trout from October through March are sustained | 3-166 |
| 3.34 | Summary of effects: frequency that preferred flows for rainbow trout are achieved or exceeded without exceeding maximum flows (+ = significant beneficial effect, - = significant adverse effect) | 3-169 |
| 3.35 | Frequency (percent of months) that preferred flows for rainbow trout from April through September are achieved or exceeded without exceeding maximum flows (when specified) | 3-170 |
| 3.36 | Summary of effects: frequency that minimum flows for rainbow trout are sustained (+ = significant beneficial effect, - = significant adverse effect) | 3-172 |
| 3.37 | Frequency (percent of years) that minimum flows for rainbow trout from April through September are sustained | 3-173 |

Table of Contents – continued

TABLES

| <i>Tables</i> | | <i>Page</i> |
|---------------|--|-------------|
| 3.38 | Summary of effects: frequency that flushing/stranding flows occur (+ = significant beneficial effect, - = significant adverse effect)..... | 3-175 |
| 3.39 | Frequency (percent of years) that flushing/stranding flows (i.e., twice preferred flows or greater) occur | 3-176 |
| 3.40 | Summary of effects: frequency of low flows in winter months that increase the potential for anchor ice formation (+ = significant beneficial effect, - = significant adverse effect)..... | 3-178 |
| 3.41 | Frequency (percent of years) of low flows in winter months that increase the potential for anchor ice formation..... | 3-179 |
| 3.42 | Abundance and use of lakes and reservoirs by fish of the Truckee River system | 3-181 |
| 3.43 | Summary of effects: fish in lakes and reservoirs (+ = significant beneficial effect, - = significant adverse effect)..... | 3-182 |
| 3.44 | Frequency (percent of years) that storage in reservoirs falls below the recommended thresholds..... | 3-183 |
| 3.45 | Average total area (acres) of shallow water fish spawning habitat in June in wet, median, and dry hydrologic conditions at Lake Tahoe and Donner and Independence Lakes | 3-187 |
| 3.46 | Average total area (acres) of shallow water fish spawning habitat in June at Pyramid Lake..... | 3-187 |
| 3.47 | Frequency that Lahontan Reservoir falls below 160,000 acre-feet in May and June | 3-187 |
| 3.48 | Number of waterfowl counted during 2003 FWS mid-winter inventories of all major wetlands in Douglas County (Lake Tahoe), Lyon County (Lahontan Reservoir), Churchill County (Lahontan Reservoir) and Washoe County (Lake Tahoe and Pyramid Lake), Nevada | 3-192 |
| 3.49 | Summary of effects: waterfowl and shorebirds (+ = significant beneficial effect, - = significant adverse effect)..... | 3-193 |
| 3.50 | Average total area (acres) of shallow water foraging habitat for waterfowl and shorebirds in wet, median, and dry hydrologic conditions during the period of use at Lake Tahoe and Stampede and Lahontan Reservoirs..... | 3-194 |
| 3.51 | Average total area (acres) of shallow water foraging habitat for waterfowl and shorebirds from September through January at Pyramid Lake | 3-194 |
| 3.52 | Frequency (percent of years) of predator access to nesting islands in Stampede and Lahontan Reservoirs..... | 3-197 |
| 3.53 | Frequency (percent of years) of inundation of island nests at Stampede reservoir..... | 3-197 |

Table of Contents – continued

TABLES

| <i>Tables</i> | <i>Page</i> |
|--|-------------|
| 3.54 Riparian and wetland habitats (in acres) along the mainstem of the Truckee River | 3-201 |
| 3.55 Riparian habitats ¹ along upstream tributaries to the Truckee River | 3-201 |
| 3.56 Summary of effects: riparian habitats along the mainstem of the Truckee River (- = significant adverse effect; + = significant beneficial effect) Summary is based on data in Biological Resources Appendix RIPARIAN tables 1-8; 14-21; and 27-34..... | 3-212 |
| 3.57 Summary of effects: riparian habitats along affected tributaries to the Truckee River (- = significant adverse effect; + = significant beneficial effect) Summary is based on data in Biological Resources Appendix RIPARIAN tables 9-13; 22-26; and 35-39..... | 3-213 |
| 3.58 Federal and State endangered, threatened, and candidate species occurring or having the potential to occur in the study area that could be affected by modifying reservoir operations | 3-225 |
| 3.59 Federal and State special status species occurring or having the potential to occur in the study area that could be affected by modifying operations of Truckee River reservoirs | 3-226 |
| 3.60 Summary of effects: average annual inflow (acre-feet) to Pyramid Lake (+ = significant beneficial effect, - = significant adverse effect)..... | 3-233 |
| 3.61 Summary of effects: frequency that flow regime 1, 2, or 3 is achieved in the lower Truckee River (+ = significant beneficial effect, - = significant adverse effect) | 3-234 |
| 3.62 Summary of effects: relative amounts of riparian habitat along the lower Truckee River (+ = significant beneficial effect, - = significant adverse effect)..... | 3-234 |
| 3.63 Average annual inflow (acre-feet) to Pyramid Lake..... | 3-235 |
| 3.64 Frequency (number of years) that flow regime 1, 2, or 3 is achieved in the lower Truckee River from April through June | 3-236 |
| 3.65 Summary of effects: LCT spawning access to Independence Creek in dry and extremely dry hydrologic conditions (+ = significant beneficial effect, - = significant adverse effect)..... | 3-244 |
| 3.66 Difference in number of years (out of 100) that Independence Lake storage is at or below 7,500 acre feet during the LCT spawning period | 3-245 |
| 3.67 Summary of effects: bald eagle prey base (+ = significant beneficial effect, - = significant adverse effect)..... | 3-248 |
| 3.68 Summary of effects: available and total potential habitat for Tahoe yellow cress during the primary growing season (May through September) (+ = significant beneficial effect, - = significant adverse effect)..... | 3-252 |

Table of Contents – continued

TABLES

| <i>Tables</i> | | <i>Page</i> |
|---------------|--|-------------|
| 3.69 | Amount of shore zone habitat available at lake elevations 6220 to 6229 feet | 3-252 |
| 3.70 | Monthly and average growing season available habitat (acres) and percent of total potential habitat based on Lake Tahoe elevations | 3-255 |
| 3.71 | Recreation activity participation at lakes and reservoirs in the Truckee River basin (percent of population) | 3-270 |
| 3.71a | Repeat visitation at lakes and reservoirs in the Truckee River basin | 3-270 |
| 3.72 | Recreation visitation at Lahontan Reservoir: 1993 - 2002 | 3-276 |
| 3.73 | Desired flows (cfs) for stream-based recreation in the Truckee River basin | 3-286 |
| 3.74 | Summary of effects on water-based recreation..... | 3-288 |
| 3.75 | Seasonal recreation visitation | 3-291 |
| 3.76a | Percent of the recreation season boat ramps are unusable (“high and dry”) | 3-291 |
| 3.76b | Percent of the recreation season boat ramps are usable for large and mid-sized watercraft..... | 3-292 |
| 3.76c | Average surface acres at Lahontan Reservoir from April through October | 3-292 |
| 3.77 | Stationary dock use at Donner Lake Number of draw downs between elevation 5935.5 and 5932.5 feet in June, July, and August | 3-292 |
| 3.78 | Fly fishing - Number of months various flows occur in 7-month recreation season | 3-302 |
| 3.79 | Spin/lure/bait fishing - Number of months various flows occur in 7-month recreation season | 3-304 |
| 3.80 | Rafting - Number of months various flows occur in 7-month recreation season | 3-306 |
| 3.81 | Kayaking - Number of months various flows occur in 7-month recreation season | 3-307 |
| 3.82 | Employment and income in the study area, 1995 | 3-321 |
| 3.83 | Summary of effects on economic environment | 3-324 |
| 3.84 | Recreation visitation and expenditures | 3-329 |
| 3.85 | Employment and income affected by changes in water use | 3-332 |
| 3.86 | Modeled annual hydropower generation and gross power revenue..... | 3-335 |
| 3.87 | Groundwater pumping (acre-feet) and development costs (\$) | 3-337 |
| 3.88 | Study area population, 2000 | 3-341 |
| 3.89 | Study area population and growth rate, 1990-2000 | 3-344 |
| 3.90 | Population of Indian lands | 3-345 |
| 3.91 | Study area population urban change, 1990-2000..... | 3-346 |
| 3.92 | Summary of effects on the social environment..... | 3-348 |

Table of Contents – continued

TABLES

| <i>Tables</i> | | <i>Page</i> |
|---------------|--|-------------|
| 3.93 | Summary of effects on cultural resources at lakes and reservoirs in the study area | 3-365 |
| 3.94 | Summary of effects on cultural resources along river and stream reaches..... | 3-366 |
| 3.95 | Example of river gauge data (cfs)..... | 3-368 |
| 3.96 | Parameters affecting Newlands Project (1,000 acre-feet)..... | 3-389 |
| 3.97 | Average surface acres at Lahontan Reservoir during recreation season..... | 3-390 |
| 3.98 | Percent of modeled average monthly bypass flows that achieve or exceed specific flows at Sierra Pacific's hydroelectric diversion dams under No Action and TROA..... | 3-394 |
| 4.1 | Status of selected actions authorized by P.L. 101-618 | 4-5 |
| 4.2 | Cumulative effects on water resources by action category and alternative | 4-27 |
| 4.3 | Analysis of effects on groundwater by action category and alternative..... | 4-30 |
| 4.4 | Analysis of effects on water quality by action category and alternative..... | 4-32 |
| 4.5 | Analysis of effects on sedimentation and erosion by action category and alternative | 4-33 |
| 4.6 | Analysis of effects on fish by action category and alternative | 4-35 |
| 4.7 | Analysis of effects on waterfowl and shorebirds by action category and alternative | 4-36 |
| 4.8 | Analysis of effects on riparian habitat and riparian-associated wildlife by action category and alternative | 4-37 |
| 4.9 | Analysis of effects on special status species by action category and alternative..... | 4-38 |
| 4.10 | Analysis of effects on recreation by action category and alternative | 4-40 |
| 4.11 | Analysis of effects on the economic environment by alternative and action category | 4-41 |
| 4.12 | Analysis of effects on the social environment by action category and alternative..... | 4-42 |
| 4.13 | Analysis of effects on cultural resources by action category and alternative | 4-43 |
| 5.1 | Summary of comments received on February 1998 draft TROA EIS/EIR | 5-10 |

Table of Contents – continued

FIGURES

| <i>Figures</i> | <i>Page</i> |
|---|------------------|
| 3.1 Map 3.1 - Reaches of the Truckee River | follows page 3-2 |
| 3.2 Annual discharge near Fort Churchill, Nevada, from 1910–2000..... | 3-34 |
| Map 3.2 - Power plants, diversion dams, and USGS gauging stations | 3-41 |
| 3.3 Modeled total water in storage upstream of Farad..... | 3-65 |
| 3.4 Modeled Lake Tahoe storage..... | 3-66 |
| 3.5 Modeled Lake Tahoe releases..... | 3-67 |
| 3.6 Modeled Donner Lake storage..... | 3-67 |
| 3.7 Modeled Donner Lake releases..... | 3-68 |
| 3.8 Modeled Prosser Creek Reservoir storage..... | 3-69 |
| 3.9 Modeled Prosser Creek Reservoir releases..... | 3-70 |
| 3.10 Modeled Independence Lake storage..... | 3-70 |
| 3.11 Modeled Independence Lake releases. | 3-71 |
| 3.12 Modeled Stampede Reservoir storage. | 3-72 |
| 3.13 Modeled Stampede Reservoir releases. | 3-72 |
| 3.14 Modeled Boca Reservoir storage..... | 3-73 |
| 3.15 Modeled Lahontan Reservoir storage. | 3-74 |
| 3.16 Modeled Lahontan Reservoir releases. | 3-75 |
| 3.17 Modeled Truckee River flow at Farad..... | 3-85 |
| 3.18 Modeled Truckee River flow at Vista..... | 3-85 |
| 3.19 Modeled Truckee River flow at Nixon. | 3-86 |
| 3.20 Fernley scenario: Modeled reservoir storage and releases in wet hydrologic conditions..... | 3-98 |
| 3.21 Fernley scenario: Modeled reservoir storage and releases in median hydrologic conditions. | 3-99 |
| 3.22 Fernley scenario: Modeled reservoir storage and releases in dry hydrologic conditions. | 3-100 |
| 3.23 Donner-TMWA scenario: Modeled reservoir storage and releases in wet hydrologic conditions. | 3-101 |
| 3.24 Donner-TMWA scenario: Modeled reservoir storage and releases in median hydrologic conditions. | 3-102 |
| 3.25 Donner-TMWA scenario: Modeled reservoir storage and releases in dry hydrologic conditions..... | 3-103 |
| 3.26 Generalized geology map of Lake Tahoe (Adams, 2003). | 3-133 |
| 3.27 Average annual suspended sediment load normalized by area (McGraw et al., 2002)..... | 3-135 |
| 3.28 Lake elevation and number of Tahoe yellow cress sites occupied by survey year (blue line = lake elevation) (CSLC, 2003). | 3-254 |