

National Immunization Survey

1999 Public-Use Data File

Documentation, Code Book and Frequencies

Centers for Disease Control and Prevention

**National Immunization Program
and
National Center for Health Statistics**

**Prepared by Abt Associates Inc.
November 2001**

1999 National Immunization Survey Public-Use Data File

TABLE OF CONTENTS =====

SECTION	PAGE
INDEX OF VARIABLES	3
1 ID, WEIGHT AND FLAG VARIABLES.	27
2 HOUSEHOLD VACCINATION VARIABLES.	30
3 DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES.	40
4 GEOGRAPHIC VARIABLES	51
5 NUMBER OF PROVIDERS IDENTIFIED AND CONSENT VARIABLES	55
6 NUMBER OF RESPONDING PROVIDER VARIABLES.	56
7 CHARACTERISTICS OF PROVIDER VARIABLES.	57
8 PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES	61
9 PROVIDER-REPORTED AGE AT VACCINATION VARIABLES	84
ALPHABETICAL INDEX OF VARIABLES.	293

1999 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE TYPE	VARIABLE LABEL
SEQNUMC	0001	0006	1	CHAR	UNIQUE CHILD IDENTIFIER
SEQNUMHH	0007	0011	1	CHAR	UNIQUE HOUSEHOLD IDENTIFIER
HY_WGT	0012	0021	1	NUM	MODIFIED-POSTSTRATIFICATION (HH) WEIGHT FOR CHILD
W0	0022	0031	1	NUM	OVERALL VACCINATION HISTORY NONRESPONSE ADJUSTED WEIGHT FOR CHILDREN WITH ADEQUATE PROVIDER DATA
YEAR	0032	0035	1	NUM	YEAR OF INTERVIEW
PDAT	0036	0036	1	NUM	CHILD HAS ADEQUATE PROVIDER DATA
ALL4SHOT	0037	0037	2	NUM	4:3:1:3 UP-TO-DATE (HH REPORT)
C_431	0038	0038	2	NUM	HOUSEHOLD REPORT OF 4:3:1 UP-TO-DATE BY SHOT CARD USE
C_4313	0039	0039	2	NUM	HOUSEHOLD REPORT OF 4:3:1:3 UP-TO-DATE BY SHOT CARD USE
C_DTP	0040	0040	2	NUM	HOUSEHOLD REPORT OF 4+ DTP UP-TO-DATE BY SHOT CARD USE
C_HEP	0041	0041	2	NUM	HOUSEHOLD REPORT OF 3+ HEPATITIS B UP-TO-DATE BY SHOT CARD USE
C_HIB	0042	0042	2	NUM	HOUSEHOLD REPORT OF 3+ HIB UP-TO-DATE BY SHOT CARD USE
C_MMR	0043	0043	2	NUM	HOUSEHOLD REPORT OF 1+ MEASLES-CONTAINING VACCINE UP-TO-DATE BY SHOT CARD USE
C_POL	0044	0044	2	NUM	HOUSEHOLD REPORT OF 3+ POLIO UP-TO-DATE BY SHOT CARD USE
C_VRC	0045	0045	2	NUM	HOUSEHOLD REPORT OF 1+ VARICELLA UP-TO-DATE BY SHOT CARD USE
DTP_SOUR	0046	0046	2	NUM	SHOT CARD USED FOR DTP REPORTING
FUL2_MMR	0047	0047	2	NUM	HOUSEHOLD REPORT OF 1+ MMR AT ANY AGE
FULL_CPO	0048	0048	2	NUM	HOUSEHOLD REPORT OF 1+ VARICELLA AT ANY AGE
FULL_DTP	0049	0049	2	NUM	HOUSEHOLD REPORT OF 4+ DTP
FULL_HEP	0050	0050	2	NUM	HOUSEHOLD REPORT OF 3+ HEPATITIS B
FULL_HIB	0051	0051	2	NUM	HOUSEHOLD REPORT OF 3+ HIB
FULL_POL	0052	0052	2	NUM	HOUSEHOLD REPORT OF 3+ POLIO
HUTD4313	0053	0053	2	NUM	HOUSEHOLD REPORT OF 4:3:1:3 UTD (UP-TO-DATE)
I_HADCPX	0054	0054	2	NUM	DID CHILD EVER HAVE CHICKEN POX?
IAGECPXR	0055	0055	2	NUM	AGE IN MONTHS WHEN CHILD HAD CHICKEN POX (RECODE)
SHOTCARD	0056	0056	2	NUM	SHOT CARD USE FLAG
AGEGRP	0057	0057	3	NUM	AGE CATEGORY OF CHILD (RECODE)
C1R	0058	0059	3	NUM	NUMBER OF PEOPLE LIVING IN THE HOUSEHOLD (RECODE)
C5R	0060	0061	3	NUM	RELATIONSHIP OF RESPONDENT TO CHILD (RECODE)
CEN_REG	0062	0062	3	NUM	CENSUS REGION BASED ON STATE
CHILDNM	0063	0063	3	NUM	NUMBER OF CHILDREN LESS THAN 18 YEARS IN HH (RECODE)

1999 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE TYPE	VARIABLE LABEL
EDUC1	0064	0064	3	NUM	EDUCATION OF MOTHER CATEGORIES
ENTRY	0065	0065	3	NUM	CHILD LIVES IN STATE WITH HEPATITIS B STATE ENTRY LAW FOR DAY CARE/HEAD START (1996-1997 SCHOOL YEAR)
FRSTBRN	0066	0066	3	NUM	FIRST BORN STATUS OF CHILD
INCPORAT	0067	0070	3	NUM	INCOME TO POVERTY RATIO
INCPOV1R	0071	0071	3	NUM	POVERTY STATUS(RECODE)
INCQ298R	0072	0073	3	NUM	FAMILY INCOME CATEGORIES (RECODE)
ICONTWIC	0074	0074	3	NUM	DID CHILD HAVE CONTINUOUS WIC PARTICIPATION FROM BIRTH?
I_CWIC01	0075	0075	3	NUM	CHILD EVER RECEIVED WIC BENEFITS
I_CWIC03	0076	0076	3	NUM	CHILD IS CURRENTLY GETTING WIC BENEFITS
I_CWIC05	0077	0077	3	NUM	SPELL OF MORE THAN 6 MONTHS WITH NO WIC BENEFITS
I_CWIC07	0078	0078	3	NUM	AT LAST WIC CERTIFICATION VISIT DID ANYONE ASK TO CHECK CHILD'S SHOT RECORD OR VACCINE INFORMATION
I_HISP_K	0079	0079	3	NUM	HISPANIC ORIGIN OF CHILD
I_HISP_M	0080	0080	3	NUM	HISPANIC ORIGIN OF MOTHER
I_RACEKR	0081	0081	3	NUM	RACE OF CHILD (RECODE)
I_RACEMR	0082	0082	3	NUM	RACE OF MOTHER (RECODE)
LANGUAGE	0083	0083	3	NUM	LANGUAGE THE INTERVIEW WAS CONDUCTED IN
MARITAL	0084	0084	3	NUM	MARITAL STATUS OF MOTHER CATEGORIES
MOBIL	0085	0085	3	NUM	GEOGRAPHIC MOBILITY STATUS: STATE OF RESIDENCE OF CHILD AT BIRTH VERSUS CURRENT STATE OF RESIDENCE
M_AGEGRP	0086	0086	3	NUM	AGE OF MOTHER CATEGORIES
RACEKIDR	0087	0087	3	NUM	RACE/ETHNICITY OF CHILD (RECODE)
RACEMOMR	0088	0088	3	NUM	RACE/ETHNICITY OF MOTHER (RECODE)
SEX	0089	0089	3	NUM	GENDER OF CHILD
INTRP	0090	0090	3	NUM	INTERRUPTION IN PHONE SERVICE OF 7 DAYS OR MORE
INOPHONR	0091	0091	3	NUM	LENGTH OF INTERRUPTION IN TELEPHONE SERVICE IN DAYS(RECODE)
ITRUEIAP	0092	0093	4	NUM	IAP AREA OF CURRENT RESIDENCE
STATE	0094	0095	4	NUM	STATE OF RESIDENCE (STATE FIPS CODE)
D6R	0096	0096	5	NUM	NUMBER OF VACCINATION PROVIDERS IDENTIFIED BY RESPONDENT (RECODE)
D7	0097	0097	5	NUM	CONSENT TO OBTAIN CHILD'S IMMUNIZATION RECORDS FROM VACCINATION PROVIDERS IDENTIFIED IN QUESTION D6 IN THE INTERVIEW
DISPCODE	0098	0099	6	NUM	NIS PROVIDER RECORD-CHECK DISPOSITION CODE
N_PRVR	0100	0100	6	NUM	NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD (RECODE)
NCARER1	0101	0101	7	NUM	CHILD'S PROVIDERS OFFER COMPREHENSIVE CHILD CARE

1999 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE TYPE	VARIABLE LABEL
NCARER2	0102	0102	7	NUM	CHILD'S PROVIDERS OFFER ACUTE ILLNESS CARE
NCARER3	0103	0103	7	NUM	CHILD'S PROVIDERS OFFER FOLLOW UP VISITS
NCARER4	0104	0104	7	NUM	CHILD'S PROVIDERS OFFER AFTER-HOURS TELEPHONE COVERAGE
NCARER5	0105	0105	7	NUM	CHILD'S PROVIDERS OFFER WIC PROGRAM/SERVICES
NCARER6	0106	0106	7	NUM	CHILD'S PROVIDERS OFFER OTHER SERVICES
PROV_FAC	0107	0107	7	NUM	PROVIDER FACILITY TYPE
REGISTRY	0108	0108	7	NUM	CHILD'S PROVIDERS REPORTED CHILD'S VACCINATIONS TO IMMUNIZATION REGISTRY
VFC_PRO	0109	0109	7	NUM	PARTICIPATION OF CHILD'S PROVIDERS IN VACCINES FOR CHILDREN PROGRAM
HEP_BRTH	0110	0110	8	NUM	HEPATITIS B GIVEN AT BIRTH FLAG
P_UTD431	0111	0111	8	NUM	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1
PUTD4313	0112	0112	8	NUM	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3
PUT43133	0113	0113	8	NUM	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3
P_UTD331	0114	0114	8	NUM	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3:3:1
P_U12VRC	0115	0115	8	NUM	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ VARICELLA AT 12+ MONTHS
P_UTDHEP	0116	0116	8	NUM	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HEPATITIS B
P_UTDHIB	0117	0117	8	NUM	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB
P_UTDMCV	0118	0118	8	NUM	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MCV
P_UTDMMX	0119	0119	8	NUM	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MMR (NOT INCLUDING ANY MEASLES-ONLY SHOTS)
P_UTDPOL	0120	0120	8	NUM	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ POLIO
P_UTDTP3	0121	0121	8	NUM	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ DTP
P_UTDTP4	0122	0122	8	NUM	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ DTP
P_NUHEPX	0123	0123	8	NUM	NUMBER OF HEPATITIS B-ONLY SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.

1999 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE TYPE	VARIABLE LABEL
P_NUHIBN	0124	0124	8	NUM	NUMBER OF HIB (UNMARKED) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUHIBO	0125	0125	8	NUM	NUMBER OF HIB (OTHER) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUHIBP	0126	0126	8	NUM	NUMBER OF PEDVAX HIB SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUHIBX	0127	0127	8	NUM	NUMBER OF HIB-ONLY SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUHPHB	0128	0128	8	NUM	NUMBER OF HEPATITIS B/HIB (COMVAX) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMDAH	0129	0129	8	NUM	NUMBER OF DTAP/HIB (MARKED) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMDHB	0130	0130	8	NUM	NUMBER OF DTP/HIB COMBINATION SHOTS (ALL TYPES), AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMDHM	0131	0131	8	NUM	NUMBER OF DTP/HIB (MARKED) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.

1999 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE TYPE	VARIABLE LABEL
P_NUMDHN	0132	0132	8	NUM	NUMBER OF DTP/HIB (UNMARKED) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMDTA	0133	0133	8	NUM	NUMBER OF DTAP (MARKED) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMDTM	0134	0134	8	NUM	NUMBER OF DT (MARKED) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMDTP	0135	0135	8	NUM	NUMBER OF DTP SHOTS (ALL TYPES INCLUDING DT), AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMHEP	0136	0136	8	NUM	NUMBER OF HEPATITIS B (ALL TYPES) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMHIB	0137	0137	8	NUM	NUMBER OF HIB (ALL TYPES) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMIPV	0138	0138	8	NUM	NUMBER OF IPV (MARKED) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMMMR	0139	0139	8	NUM	NUMBER OF MCV (MEASLES-CONTAINING VACCINE) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.

1999 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE TYPE	VARIABLE LABEL
P_NUMMMX	0140	0140	8	NUM	NUMBER OF TRUE MMR (NOT INCLUDING MEASLES-ONLY SHOTS), AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMOLN	0141	0141	8	NUM	NUMBER OF POLIO (UNMARKED) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMOPV	0142	0142	8	NUM	NUMBER OF OPV (MARKED) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMPOL	0143	0143	8	NUM	NUMBER OF POLIO (ALL TYPES) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMRB	0144	0144	8	NUM	NUMBER OF RUBELLA SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMROT	0145	0145	8	NUM	NUMBER OF ROTAVIRUS SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMTPM	0146	0146	8	NUM	NUMBER OF DTP (MARKED) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMTPN	0147	0147	8	NUM	NUMBER OF DTP (UNMARKED) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.

1999 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE TYPE	VARIABLE LABEL
P_NUMVRC	0148	0148	8	NUM	NUMBER OF VARICELLA (CHICKEN POX) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
VB11	0149	0178	8	CHAR	VERBATIM TEXT FOR 1ST OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.
VB12	0179	0208	8	CHAR	VERBATIM TEXT FOR 1ST OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.
VB13	0209	0238	8	CHAR	VERBATIM TEXT FOR 1ST OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
VB21	0239	0268	8	CHAR	VERBATIM TEXT FOR 2ND OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.
VB22	0269	0298	8	CHAR	VERBATIM TEXT FOR 2ND OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.
VB23	0299	0328	8	CHAR	VERBATIM TEXT FOR 2ND OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
VB31	0329	0358	8	CHAR	VERBATIM TEXT FOR 3RD OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.
VB32	0359	0388	8	CHAR	VERBATIM TEXT FOR 3RD OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.
VB33	0389	0418	8	CHAR	VERBATIM TEXT FOR 3RD OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
VB41	0419	0448	8	CHAR	VERBATIM TEXT FOR 4TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.
VB42	0449	0478	8	CHAR	VERBATIM TEXT FOR 4TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.

1999 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE TYPE	VARIABLE LABEL
VB43	0479	0508	8	CHAR	VERBATIM TEXT FOR 4TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
VB51	0509	0538	8	CHAR	VERBATIM TEXT FOR 5TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.
VB52	0539	0568	8	CHAR	VERBATIM TEXT FOR 5TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.
VB53	0569	0598	8	CHAR	VERBATIM TEXT FOR 5TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
DDTAH1	0599	0602	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTAP/HIB (MARKED) SHOT #1
DDTAH2	0603	0606	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTAP/HIB (MARKED) SHOT #2
DDTAH3	0607	0610	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTAP/HIB (MARKED) SHOT #3
DDTAH4	0611	0614	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTAP/HIB (MARKED) SHOT #4
DDTAH5	0615	0618	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTAP/HIB (MARKED) SHOT #5
DDTAH6	0619	0622	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTAP/HIB (MARKED) SHOT #6
DDTAH7	0623	0626	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTAP/HIB (MARKED) SHOT #7
DDTAH8	0627	0630	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTAP/HIB (MARKED) SHOT #8
DDTAP1	0631	0634	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #1
DDTAP2	0635	0638	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #2
DDTAP3	0639	0642	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #3
DDTAP4	0643	0646	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #4
DDTAP5	0647	0650	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #5
DDTAP6	0651	0654	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #6
DDTAP7	0655	0658	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #7
DDTAP8	0659	0662	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #8
DDTHM1	0663	0666	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB (MARKED) SHOT #1

1999 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE TYPE	VARIABLE LABEL
DDTHM2	0667	0670	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB (MARKED) SHOT #2
DDTHM3	0671	0674	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB (MARKED) SHOT #3
DDTHM4	0675	0678	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB (MARKED) SHOT #4
DDTHM5	0679	0682	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB (MARKED) SHOT #5
DDTHM6	0683	0686	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB (MARKED) SHOT #6
DDTHM7	0687	0690	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB (MARKED) SHOT #7
DDTHM8	0691	0694	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB (MARKED) SHOT #8
DDTHN1	0695	0698	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB (UNMARKED) SHOT #1
DDTHN2	0699	0702	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB (UNMARKED) SHOT #2
DDTHN3	0703	0706	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB (UNMARKED) SHOT #3
DDTHN4	0707	0710	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB (UNMARKED) SHOT #4
DDTHN5	0711	0714	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB (UNMARKED) SHOT #5
DDTHN6	0715	0718	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB (UNMARKED) SHOT #6
DDTHN7	0719	0722	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB (UNMARKED) SHOT #7
DDTHN8	0723	0726	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB (UNMARKED) SHOT #8
DDTM1	0727	0730	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DT (MARKED) SHOT #1
DDTM2	0731	0734	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DT (MARKED) SHOT #2
DDTM3	0735	0738	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DT (MARKED) SHOT #3
DDTM4	0739	0742	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DT (MARKED) SHOT #4
DDTM5	0743	0746	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DT (MARKED) SHOT #5
DDTM6	0747	0750	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DT (MARKED) SHOT #6
DDTM7	0751	0754	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DT (MARKED) SHOT #7
DDTM8	0755	0758	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DT (MARKED) SHOT #8
DDTP1	0759	0762	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #1
DDTP2	0763	0766	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #2

1999 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE TYPE	VARIABLE LABEL
DDTP3	0767	0770	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #3
DDTP4	0771	0774	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #4
DDTP5	0775	0778	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #5
DDTP6	0779	0782	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #6
DDTP7	0783	0786	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #7
DDTP8	0787	0790	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #8
DDTPHB1	0791	0794	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #1
DDTPHB2	0795	0798	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #2
DDTPHB3	0799	0802	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #3
DDTPHB4	0803	0806	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #4
DDTPHB5	0807	0810	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #5
DDTPHB6	0811	0814	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #6
DDTPHB7	0815	0818	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #7
DDTPHB8	0819	0822	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #8
DDTPM1	0823	0826	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTP (MARKED) #1
DDTPM2	0827	0830	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTP (MARKED) #2
DDTPM3	0831	0834	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTP (MARKED) #3
DDTPM4	0835	0838	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTP (MARKED) #4
DDTPM5	0839	0842	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTP (MARKED) #5
DDTPM6	0843	0846	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTP (MARKED) #6
DDTPM7	0847	0850	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTP (MARKED) #7
DDTPM8	0851	0854	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTP (MARKED) #8
DDTPN1	0855	0858	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #1
DDTPN2	0859	0862	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #2
DDTPN3	0863	0866	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #3

1999 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE TYPE	VARIABLE LABEL
DDTPN4	0867	0870	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #4
DDTPN5	0871	0874	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #5
DDTPN6	0875	0878	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #6
DDTPN7	0879	0882	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #7
DDTPN8	0883	0886	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #8
DHEPB1	0887	0890	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #1
DHEPB2	0891	0894	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #2
DHEPB3	0895	0898	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #3
DHEPB4	0899	0902	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #4
DHEPB5	0903	0906	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #5
DHEPB6	0907	0910	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #6
DHEPB7	0911	0914	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #7
DHEPB8	0915	0918	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #8
DHEPX1	0919	0922	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B-ONLY SHOT #1
DHEPX2	0923	0926	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B-ONLY SHOT #2
DHEPX3	0927	0930	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B-ONLY SHOT #3
DHEPX4	0931	0934	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B-ONLY SHOT #4
DHEPX5	0935	0938	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B-ONLY SHOT #5
DHEPX6	0939	0942	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B-ONLY SHOT #6
DHEPX7	0943	0946	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B-ONLY SHOT #7
DHEPX8	0947	0950	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B-ONLY SHOT #8
DHIB1	0951	0954	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #1
DHIB2	0955	0958	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #2
DHIB3	0959	0962	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #3
DHIB4	0963	0966	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #4

1999 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE TYPE	VARIABLE LABEL
DHIB5	0967	0970	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #5
DHIB6	0971	0974	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #6
DHIB7	0975	0978	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #7
DHIB8	0979	0982	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #8
DHIBN1	0983	0986	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED HIB (UNKNOWN TYPE) SHOT #1
DHIBN2	0987	0990	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED HIB (UNKNOWN TYPE) SHOT #2
DHIBN3	0991	0994	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED HIB (UNKNOWN TYPE) SHOT #3
DHIBN4	0995	0998	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED HIB (UNKNOWN TYPE) SHOT #4
DHIBN5	0999	1002	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED HIB (UNKNOWN TYPE) SHOT #5
DHIBN6	1003	1006	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED HIB (UNKNOWN TYPE) SHOT #6
DHIBN7	1007	1010	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED HIB (UNKNOWN TYPE) SHOT #7
DHIBN8	1011	1014	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED HIB (UNKNOWN TYPE) SHOT #8
DHIBO1	1015	1018	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED HIB OTHER SHOT #1
DHIBO2	1019	1022	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED HIB OTHER SHOT #2
DHIBO3	1023	1026	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED HIB OTHER SHOT #3
DHIBO4	1027	1030	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED HIB OTHER SHOT #4
DHIBO5	1031	1034	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED HIB OTHER SHOT #5
DHIBO6	1035	1038	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED HIB OTHER SHOT #6
DHIBO7	1039	1042	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED HIB OTHER SHOT #7
DHIBO8	1043	1046	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED HIB OTHER SHOT #8
DHIBP1	1047	1050	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED PEDVAX HIB SHOT #1
DHIBP2	1051	1054	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED PEDVAX HIB SHOT #2
DHIBP3	1055	1058	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED PEDVAX HIB SHOT #3
DHIBP4	1059	1062	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED PEDVAX HIB SHOT #4
DHIBP5	1063	1066	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED PEDVAX HIB SHOT #5

1999 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE TYPE	VARIABLE LABEL
DHIBP6	1067	1070	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED PEDVAX HIB SHOT #6
DHIBP7	1071	1074	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED PEDVAX HIB SHOT #7
DHIBP8	1075	1078	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED PEDVAX HIB SHOT #8
DHIBX1	1079	1082	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED HIB-ONLY SHOT #1
DHIBX2	1083	1086	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED HIB-ONLY SHOT #2
DHIBX3	1087	1090	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED HIB-ONLY SHOT #3
DHIBX4	1091	1094	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED HIB-ONLY SHOT #4
DHIBX5	1095	1098	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED HIB-ONLY SHOT #5
DHIBX6	1099	1102	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED HIB-ONLY SHOT #6
DHIBX7	1103	1106	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED HIB-ONLY SHOT #7
DHIBX8	1107	1110	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED HIB-ONLY SHOT #8
DHPHB1	1111	1114	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B/HIB (COMVAX) SHOT #1
DHPHB2	1115	1118	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B/HIB (COMVAX) SHOT #2
DHPHB3	1119	1122	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B/HIB (COMVAX) SHOT #3
DHPHB4	1123	1126	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B/HIB (COMVAX) SHOT #4
DHPHB5	1127	1130	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B/HIB (COMVAX) SHOT #5
DHPHB6	1131	1134	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B/HIB (COMVAX) SHOT #6
DHPHB7	1135	1138	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B/HIB (COMVAX) SHOT #7
DHPHB8	1139	1142	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B/HIB (COMVAX) SHOT #8
DIPVM1	1143	1146	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED POLIO/IPV SHOT (MARKED) #1
DIPVM2	1147	1150	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED POLIO/IPV SHOT (MARKED) #2
DIPVM3	1151	1154	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED POLIO/IPV SHOT (MARKED) #3
DIPVM4	1155	1158	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED POLIO/IPV SHOT (MARKED) #4
DIPVM5	1159	1162	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED POLIO/IPV SHOT (MARKED) #5
DIPVM6	1163	1166	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED POLIO/IPV SHOT (MARKED) #6

1999 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE TYPE	VARIABLE LABEL
DIPVM7	1167	1170	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED POLIO/IPV SHOT (MARKED) #7
DIPVM8	1171	1174	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED POLIO/IPV SHOT (MARKED) #8
DMMR1	1175	1178	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #1
DMMR2	1179	1182	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #2
DMMR3	1183	1186	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #3
DMMR4	1187	1190	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #4
DMMRX1	1191	1194	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED MMR SHOT #1
DMMRX2	1195	1198	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED MMR SHOT #2
DMMRX3	1199	1202	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED MMR SHOT #3
DMMRX4	1203	1206	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED MMR SHOT #4
DMP1	1207	1210	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED MUMPS SHOT #1
DMP2	1211	1214	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED MUMPS SHOT #2
DMP3	1215	1218	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED MUMPS SHOT #3
DMP4	1219	1222	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED MUMPS SHOT #4
DMPRB1	1223	1226	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #1
DMPRB2	1227	1230	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #2
DMPRB3	1231	1234	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #3
DMPRB4	1235	1238	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #4
DMS1	1239	1242	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED MEASLES SHOT #1
DMS2	1243	1246	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED MEASLES SHOT #2
DMS3	1247	1250	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED MEASLES SHOT #3
DMS4	1251	1254	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED MEASLES SHOT #4
DMSMP1	1255	1258	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #1
DMSMP2	1259	1262	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #2
DMSMP3	1263	1266	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #3

1999 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE TYPE	VARIABLE LABEL
DMSMP4	1267	1270	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #4
DMSRB1	1271	1274	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/RUBELLA #1
DMSRB2	1275	1278	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/RUBELLA #2
DMSRB3	1279	1282	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/RUBELLA #3
DMSRB4	1283	1286	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/RUBELLA #4
DOPVM1	1287	1290	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED POLIO/OPV SHOT #1
DOPVM2	1291	1294	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED POLIO/OPV SHOT #2
DOPVM3	1295	1298	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED POLIO/OPV SHOT #3
DOPVM4	1299	1302	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED POLIO/OPV SHOT #4
DOPVM5	1303	1306	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED POLIO/OPV SHOT #5
DOPVM6	1307	1310	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED POLIO/OPV SHOT #6
DOPVM7	1311	1314	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED POLIO/OPV SHOT #7
DOPVM8	1315	1318	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED POLIO/OPV SHOT #8
DPOLIO1	1319	1322	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #1
DPOLIO2	1323	1326	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #2
DPOLIO3	1327	1330	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #3
DPOLIO4	1331	1334	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #4
DPOLIO5	1335	1338	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #5
DPOLIO6	1339	1342	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #6
DPOLIO7	1343	1346	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #7
DPOLIO8	1347	1350	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #8
DPOLN1	1351	1354	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #1
DPOLN2	1355	1358	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #2
DPOLN3	1359	1362	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #3
DPOLN4	1363	1366	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #4

1999 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE TYPE	VARIABLE LABEL
DPOLN5	1367	1370	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #5
DPOLN6	1371	1374	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #6
DPOLN7	1375	1378	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #7
DPOLN8	1379	1382	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #8
DRB1	1383	1386	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #1
DRB2	1387	1390	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #2
DRB3	1391	1394	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #3
DRB4	1395	1398	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #4
DRB5	1399	1402	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #5
DRB6	1403	1406	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #6
DRB7	1407	1410	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #7
DRB8	1411	1414	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #8
DROT1	1415	1418	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED ROTAVIRUS SHOT #1
DROT2	1419	1422	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED ROTAVIRUS SHOT #2
DROT3	1423	1426	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED ROTAVIRUS SHOT #3
DROT4	1427	1430	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED ROTAVIRUS SHOT #4
DROT5	1431	1434	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED ROTAVIRUS SHOT #5
DROT6	1435	1438	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED ROTAVIRUS SHOT #6
DROT7	1439	1442	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED ROTAVIRUS SHOT #7
DROT8	1443	1446	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED ROTAVIRUS SHOT #8
DVRC1	1447	1450	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED VARICELLA SHOT #1
DVRC2	1451	1454	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED VARICELLA SHOT #2
DVRC3	1455	1458	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED VARICELLA SHOT #3
DVRC4	1459	1462	9	NUM	AGE IN DAYS OF PROVIDER-REPORTED VARICELLA SHOT #4
DHA1_AGE	1463	1464	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTAP/HIB (MARKED) SHOT #1

1999 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE TYPE	VARIABLE LABEL
DHA2_AGE	1465	1466	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTAP/HIB (MARKED) SHOT #2
DHA3_AGE	1467	1468	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTAP/HIB (MARKED) SHOT #3
DHA4_AGE	1469	1470	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTAP/HIB (MARKED) SHOT #4
DHA5_AGE	1471	1472	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTAP/HIB (MARKED) SHOT #5
DHA6_AGE	1473	1474	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTAP/HIB (MARKED) SHOT #6
DHA7_AGE	1475	1476	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTAP/HIB (MARKED) SHOT #7
DHA8_AGE	1477	1478	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTAP/HIB (MARKED) SHOT #8
DHB1_AGE	1479	1480	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #1
DHB2_AGE	1481	1482	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #2
DHB3_AGE	1483	1484	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #3
DHB4_AGE	1485	1486	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #4
DHB5_AGE	1487	1488	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #5
DHB6_AGE	1489	1490	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #6
DHB7_AGE	1491	1492	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #7
DHB8_AGE	1493	1494	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #8
DHM1_AGE	1495	1496	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (MARKED) SHOT #1
DHM2_AGE	1497	1498	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (MARKED) SHOT #2
DHM3_AGE	1499	1500	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (MARKED) SHOT #3
DHM4_AGE	1501	1502	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (MARKED) SHOT #4
DHM5_AGE	1503	1504	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (MARKED) SHOT #5
DHM6_AGE	1505	1506	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (MARKED) SHOT #6
DHM7_AGE	1507	1508	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (MARKED) SHOT #7
DHM8_AGE	1509	1510	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (MARKED) SHOT #8
DHN1_AGE	1511	1512	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (UNMARKED) SHOT #1
DHN2_AGE	1513	1514	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (UNMARKED) SHOT #2

1999 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE TYPE	VARIABLE LABEL
DHN3_AGE	1515	1516	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (UNMARKED) SHOT #3
DHN4_AGE	1517	1518	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (UNMARKED) SHOT #4
DHN5_AGE	1519	1520	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (UNMARKED) SHOT #5
DHN6_AGE	1521	1522	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (UNMARKED) SHOT #6
DHN7_AGE	1523	1524	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (UNMARKED) SHOT #7
DHN8_AGE	1525	1526	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (UNMARKED) SHOT #8
DPM1_AGE	1527	1528	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTP (MARKED) SHOT #1
DPM2_AGE	1529	1530	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTP (MARKED) SHOT #2
DPM3_AGE	1531	1532	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTP (MARKED) SHOT #3
DPM4_AGE	1533	1534	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTP (MARKED) SHOT #4
DPM5_AGE	1535	1536	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTP (MARKED) SHOT #5
DPM6_AGE	1537	1538	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTP (MARKED) SHOT #6
DPM7_AGE	1539	1540	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTP (MARKED) SHOT #7
DPM8_AGE	1541	1542	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTP (MARKED) SHOT #8
DPN1_AGE	1543	1544	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #1
DPN2_AGE	1545	1546	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #2
DPN3_AGE	1547	1548	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #3
DPN4_AGE	1549	1550	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #4
DPN5_AGE	1551	1552	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #5
DPN6_AGE	1553	1554	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #6
DPN7_AGE	1555	1556	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #7
DPN8_AGE	1557	1558	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #8
DTA1_AGE	1559	1560	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #1
DTA2_AGE	1561	1562	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #2
DTA3_AGE	1563	1564	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #3

1999 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE TYPE	VARIABLE LABEL
DTA4_AGE	1565	1566	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #4
DTA5_AGE	1567	1568	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #5
DTA6_AGE	1569	1570	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #6
DTA7_AGE	1571	1572	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #7
DTA8_AGE	1573	1574	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #8
DTM1_AGE	1575	1576	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DT (MARKED) SHOT #1
DTM2_AGE	1577	1578	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DT (MARKED) SHOT #2
DTM3_AGE	1579	1580	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DT (MARKED) SHOT #3
DTM4_AGE	1581	1582	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DT (MARKED) SHOT #4
DTM5_AGE	1583	1584	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DT (MARKED) SHOT #5
DTM6_AGE	1585	1586	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DT (MARKED) SHOT #6
DTM7_AGE	1587	1588	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DT (MARKED) SHOT #7
DTM8_AGE	1589	1590	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DT (MARKED) SHOT #8
DTP1_AGE	1591	1592	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #1
DTP2_AGE	1593	1594	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #2
DTP3_AGE	1595	1596	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #3
DTP4_AGE	1597	1598	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #4
DTP5_AGE	1599	1600	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #5
DTP6_AGE	1601	1602	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #6
DTP7_AGE	1603	1604	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #7
DTP8_AGE	1605	1606	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #8
HEP1_AGE	1607	1608	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #1
HEP2_AGE	1609	1610	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #2
HEP3_AGE	1611	1612	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #3
HEP4_AGE	1613	1614	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #4

1999 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE TYPE	VARIABLE LABEL
HEP5_AGE	1615	1616	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #5
HEP6_AGE	1617	1618	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #6
HEP7_AGE	1619	1620	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #7
HEP8_AGE	1621	1622	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #8
HHB1_AGE	1623	1624	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B-HIB SHOT #1
HHB2_AGE	1625	1626	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B-HIB SHOT #2
HHB3_AGE	1627	1628	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B-HIB SHOT #3
HHB4_AGE	1629	1630	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B-HIB SHOT #4
HHB5_AGE	1631	1632	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B-HIB SHOT #5
HHB6_AGE	1633	1634	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B-HIB SHOT #6
HHB7_AGE	1635	1636	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B-HIB SHOT #7
HHB8_AGE	1637	1638	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B-HIB SHOT #8
HIB1_AGE	1639	1640	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #1
HIB2_AGE	1641	1642	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #2
HIB3_AGE	1643	1644	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #3
HIB4_AGE	1645	1646	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #4
HIB5_AGE	1647	1648	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #5
HIB6_AGE	1649	1650	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #6
HIB7_AGE	1651	1652	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #7
HIB8_AGE	1653	1654	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #8
HIN1_AGE	1655	1656	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED HIB (UNMARKED) SHOT #1
HIN2_AGE	1657	1658	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED HIB (UNMARKED) SHOT #2
HIN3_AGE	1659	1660	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED HIB (UNMARKED) SHOT #3
HIN4_AGE	1661	1662	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED HIB (UNMARKED) SHOT #4
HIN5_AGE	1663	1664	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED HIB (UNMARKED) SHOT #5

1999 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE TYPE	VARIABLE LABEL
HIN6_AGE	1665	1666	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED HIB (UNMARKED) SHOT #6
HIN7_AGE	1667	1668	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED HIB (UNMARKED) SHOT #7
HIN8_AGE	1669	1670	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED HIB (UNMARKED) SHOT #8
HIO1_AGE	1671	1672	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED HIB OTHER SHOT #1
HIO2_AGE	1673	1674	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED HIB OTHER SHOT #2
HIO3_AGE	1675	1676	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED HIB OTHER SHOT #3
HIO4_AGE	1677	1678	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED HIB OTHER SHOT #4
HIO5_AGE	1679	1680	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED HIB OTHER SHOT #5
HIO6_AGE	1681	1682	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED HIB OTHER SHOT #6
HIO7_AGE	1683	1684	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED HIB OTHER SHOT #7
HIO8_AGE	1685	1686	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED HIB OTHER SHOT #8
HIP1_AGE	1687	1688	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED PEDVAX HIB SHOT #1
HIP2_AGE	1689	1690	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED PEDVAX HIB SHOT #2
HIP3_AGE	1691	1692	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED PEDVAX HIB SHOT #3
HIP4_AGE	1693	1694	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED PEDVAX HIB SHOT #4
HIP5_AGE	1695	1696	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED PEDVAX HIB SHOT #5
HIP6_AGE	1697	1698	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED PEDVAX HIB SHOT #6
HIP7_AGE	1699	1700	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED PEDVAX HIB SHOT #7
HIP8_AGE	1701	1702	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED PEDVAX HIB SHOT #8
IPV1_AGE	1703	1704	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/IPV (MARKED) SHOT #1
IPV2_AGE	1705	1706	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/IPV (MARKED) SHOT #2
IPV3_AGE	1707	1708	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/IPV (MARKED) SHOT #3
IPV4_AGE	1709	1710	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/IPV (MARKED) SHOT #4
IPV5_AGE	1711	1712	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/IPV (MARKED) SHOT #5
IPV6_AGE	1713	1714	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/IPV (MARKED) SHOT #6

1999 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE TYPE	VARIABLE LABEL
IPV7_AGE	1715	1716	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/IPV (MARKED) SHOT #7
IPV8_AGE	1717	1718	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/IPV (MARKED) SHOT #8
MMR1_AGE	1719	1720	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #1
MMR2_AGE	1721	1722	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #2
MMR3_AGE	1723	1724	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #3
MMR4_AGE	1725	1726	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #4
MMX1_AGE	1727	1728	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED MMR SHOT #1
MMX2_AGE	1729	1730	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED MMR SHOT #2
MMX3_AGE	1731	1732	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED MMR SHOT #3
MMX4_AGE	1733	1734	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED MMR SHOT #4
MP1_AGE	1735	1736	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS SHOT #1
MP2_AGE	1737	1738	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS SHOT #2
MP3_AGE	1739	1740	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS SHOT #3
MP4_AGE	1741	1742	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS SHOT #4
MPR1_AGE	1743	1744	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #1
MPR2_AGE	1745	1746	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #2
MPR3_AGE	1747	1748	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #3
MPR4_AGE	1749	1750	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #4
MS1_AGE	1751	1752	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-ONLY SHOT #1
MS2_AGE	1753	1754	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-ONLY SHOT #2
MS3_AGE	1755	1756	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-ONLY SHOT #3
MS4_AGE	1757	1758	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-ONLY SHOT #4
MSM1_AGE	1759	1760	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #1
MSM2_AGE	1761	1762	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #2
MSM3_AGE	1763	1764	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #3

1999 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE TYPE	VARIABLE LABEL
MSM4_AGE	1765	1766	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #4
MSR1_AGE	1767	1768	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/RUBELLA SHOT #1
MSR2_AGE	1769	1770	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/RUBELLA SHOT #2
MSR3_AGE	1771	1772	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/RUBELLA SHOT #3
MSR4_AGE	1773	1774	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/RUBELLA SHOT #4
OPV1_AGE	1775	1776	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/OPV (MARKED) SHOT #1
OPV2_AGE	1777	1778	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/OPV (MARKED) SHOT #2
OPV3_AGE	1779	1780	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/OPV (MARKED) SHOT #3
OPV4_AGE	1781	1782	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/OPV (MARKED) SHOT #4
OPV5_AGE	1783	1784	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/OPV (MARKED) SHOT #5
OPV6_AGE	1785	1786	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/OPV (MARKED) SHOT #6
OPV7_AGE	1787	1788	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/OPV (MARKED) SHOT #7
OPV8_AGE	1789	1790	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/OPV (MARKED) SHOT #8
PLN1_AGE	1791	1792	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #1
PLN2_AGE	1793	1794	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #2
PLN3_AGE	1795	1796	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #3
PLN4_AGE	1797	1798	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #4
PLN5_AGE	1799	1800	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #5
PLN6_AGE	1801	1802	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #6
PLN7_AGE	1803	1804	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #7
PLN8_AGE	1805	1806	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #8
POL1_AGE	1807	1808	9	NUM	AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 1
POL2_AGE	1809	1810	9	NUM	AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 2
POL3_AGE	1811	1812	9	NUM	AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 3
POL4_AGE	1813	1814	9	NUM	AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 4

1999 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE TYPE	VARIABLE LABEL
POL5_AGE	1815	1816	9	NUM	AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 5
POL6_AGE	1817	1818	9	NUM	AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 6
POL7_AGE	1819	1820	9	NUM	AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 7
POL8_AGE	1821	1822	9	NUM	AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 8
RB1_AGE	1823	1824	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #1
RB2_AGE	1825	1826	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #2
RB3_AGE	1827	1828	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #3
RB4_AGE	1829	1830	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #4
RB5_AGE	1831	1832	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #5
RB6_AGE	1833	1834	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #6
RB7_AGE	1835	1836	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #7
RB8_AGE	1837	1838	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #8
ROT1_AGE	1839	1840	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED ROTAVIRUS SHOT #1
ROT2_AGE	1841	1842	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED ROTAVIRUS SHOT #2
ROT3_AGE	1843	1844	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED ROTAVIRUS SHOT #3
ROT4_AGE	1845	1846	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED ROTAVIRUS SHOT #4
ROT5_AGE	1847	1848	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED ROTAVIRUS SHOT #5
ROT6_AGE	1849	1850	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED ROTAVIRUS SHOT #6
ROT7_AGE	1851	1852	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED ROTAVIRUS SHOT #7
ROT8_AGE	1853	1854	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED ROTAVIRUS SHOT #8
VRC1_AGE	1855	1856	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED VARICELLA SHOT #1
VRC2_AGE	1857	1858	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED VARICELLA SHOT #2
VRC3_AGE	1859	1860	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED VARICELLA SHOT #3
VRC4_AGE	1861	1862	9	NUM	AGE IN MONTHS OF PROVIDER-REPORTED VARICELLA SHOT #4

1999 National Immunization Survey Public-Use Data File

SECTION 1. ID, WEIGHT AND FLAG VARIABLES

Section 1
Variable Name SEQNUMC
Label UNIQUE CHILD IDENTIFIER
Response
Categories Frequency of Missing/Non-missing Values

34442 NON-MISSING VALUE

000011 MINIMUM VALUE
335481 MAXIMUM VALUE

Type CHAR
Location 0001 - 0006
Width 6
Sequence Order 1
Notes

Section 1
Variable Name SEQNUMHH
Label UNIQUE HOUSEHOLD IDENTIFIER
Response
Categories Frequency of Missing/Non-missing Values

34442 NON-MISSING VALUE

00001 MINIMUM VALUE
33548 MAXIMUM VALUE

Type CHAR
Location 0007 - 0011
Width 5
Sequence Order 2
Notes EACH HOUSEHOLD CONTAINS ONE OR MORE CHILDREN AGE 19-35 MONTHS.

1999 National Immunization Survey Public-Use Data File

SECTION 1. ID, WEIGHT AND FLAG VARIABLES

```
-----
Section          1
Variable Name    HY_WGT
Label           MODIFIED-POSTSTRATIFICATION (HH) WEIGHT FOR CHILD
Response
Categories      Statistics  Description

                34442  NUMBER OF NON-MISSING
                0      NUMBER OF MISSING

                163.47  AVERAGE/MEAN
                102.16  MEDIAN VALUE
                 2.88   MINIMUM VALUE
                1347.99 MAXIMUM VALUE

Type            NUM
Location        0012 - 0021
Width           10
Sequence Order  3
Notes          FINAL HOUSEHOLD WEIGHT FOR CHILD. USE THIS WEIGHT FOR
                ESTIMATES BASED ON CHILDREN WITH COMPLETED HOUSEHOLD
                INTERVIEWS. THIS VARIABLE IS CALCULATED TO 5 DECIMAL PLACES.
-----
```

```
-----
Section          1
Variable Name    W0
Label           OVERALL VACCINATION HISTORY NONRESPONSE ADJUSTED WEIGHT FOR
                CHILDREN WITH ADEQUATE PROVIDER DATA
Response
Categories      Statistics  Description

                22521  NUMBER OF NON-MISSING
                11921  NUMBER OF MISSING

                249.99  AVERAGE/MEAN
                148.11  MEDIAN VALUE
                 4.38   MINIMUM VALUE
                4378.42 MAXIMUM VALUE

Type            NUM
Location        0022 - 0031
Width           10
Sequence Order  4
Notes          FINAL CHILD WEIGHT TO USE FOR THE CALCULATION OF VACCINATION
                COVERAGE RATES FOR CHILDREN WITH ADEQUATE PROVIDER DATA (PDAT =
                1). THIS VARIABLE IS CALCULATED TO 5 DECIMAL PLACES.
-----
```

1999 National Immunization Survey Public-Use Data File

SECTION 1. ID, WEIGHT AND FLAG VARIABLES

Section 1
Variable Name YEAR
Label YEAR OF INTERVIEW
Response
Categories Freq Value Label
34442 1999
Type NUM
Location 0032 - 0035
Width 4
Sequence Order 5
Notes YEAR OF INTERVIEW IS 1999.

Section 1
Variable Name PDAT
Label CHILD HAS ADEQUATE PROVIDER DATA
Response
Categories Freq Value Label
22521 1 USABLE PROVIDER DATA
11921 2 NO USABLE PROVIDER DATA

Type NUM
Location 0036 - 0036
Width 1
Sequence Order 6
Notes USE PDAT = 1 TO IDENTIFY CHILDREN WITH ADEQUATE PROVIDER DATA.

1999 National Immunization Survey Public-Use Data File

SECTION 2. HOUSEHOLD VACCINATION VARIABLES

```
-----
Section                2
Variable Name          ALL4SHOT
Label                  4:3:1:3 UP-TO-DATE (HH REPORT)
Response
Categories              Freq  Value  Label
                        4616    .  MISSING
                        13852   1  YES
                        12165   2  NO
                        3804    6  DON'T KNOW
                        5        7  REFUSED

Type                   NUM
Location              0037 - 0037
Width                 1
Sequence Order        7
Notes                 4+ DTP, 3+ POLIO, 1+ MCV AND 3+ HIB. REPORTING ERROR EXISTS IN
                        HOUSEHOLD REPORT OF VACCINATIONS RECEIVED.
-----
```

```
-----
Section                2
Variable Name          C_431
Label                  HOUSEHOLD REPORT OF 4:3:1 UP-TO-DATE BY SHOT CARD USE
Response
Categories              Freq  Value  Label
                        11308   1  UTD 431/SC
                        5521    2  NOT UTD 431/ SC
                        5362    3  UTD 431/NSC
                        5662    4  NOT UTD 431/ NSC
                        6589    5  MISSING 431/SC,NSC

Type                   NUM
Location              0038 - 0038
Width                 1
Sequence Order        8
Notes                 4+ DTP, 3+ POLIO AND 1+ MCV. SC = SHOT CARD, NSC = NON-SHOT
                        CARD. REPORTING ERROR EXISTS IN HOUSEHOLD REPORT OF
                        VACCINATIONS RECEIVED.
-----
```

1999 National Immunization Survey Public-Use Data File

SECTION 2. HOUSEHOLD VACCINATION VARIABLES

```
-----
Section                2
Variable Name          C_4313
Label                  HOUSEHOLD REPORT OF 4:3:1:3 UP-TO-DATE BY SHOT CARD USE
Response
Categories              Freq  Value  Label

                        9861     1  UTD 4313/SC
                        6968     2  NOT UTD 4313/ SC
                        3991     3  UTD 4313/NSC
                        5197     4  NOT UTD 4313/ NSC
                        8425     5  MISSING 4313/SC,NSC

Type                   NUM
Location               0039 - 0039
Width                  1
Sequence Order         9
Notes                  4+ DTP, 3+ POLIO, 1+ MCV AND 3+ HIB.  SC = SHOT CARD, NSC =
                        NON-SHOT CARD.  REPORTING ERROR EXISTS IN HOUSEHOLD REPORT OF
                        VACCINATIONS RECEIVED.
-----
```

```
-----
Section                2
Variable Name          C_DTP
Label                  HOUSEHOLD REPORT OF 4+ DTP UP-TO-DATE BY SHOT CARD USE
Response
Categories              Freq  Value  Label

                        12128    1  UTD DTP/SC
                        4701     2  NOT UTD DTP/ SC
                        7631     3  UTD DTP/NSC
                        5719     4  NOT UTD DTP/ NSC
                        4263     5  MISSING DTP/SC,NSC

Type                   NUM
Location               0040 - 0040
Width                  1
Sequence Order         10
Notes                  SC = SHOT CARD, NSC = NON-SHOT CARD.  REPORTING ERROR EXISTS IN
                        HOUSEHOLD REPORT OF VACCINATIONS RECEIVED.
-----
```

1999 National Immunization Survey Public-Use Data File

SECTION 2. HOUSEHOLD VACCINATION VARIABLES

Section 2
Variable Name C_HEP
Label HOUSEHOLD REPORT OF 3+ HEPATITIS B UP-TO-DATE BY SHOT CARD USE
Response
Categories

Freq	Value	Label
14508	1	UTD HEPB/SC
2321	2	NOT UTD HEPB/ SC
7586	3	UTD HEPB/NSC
5414	4	NOT UTD HEPB/ NSC
4613	5	MISSING HEPB/SC,NSC

Type NUM
Location 0041 - 0041
Width 1
Sequence Order 11
Notes SC = SHOT CARD, NSC = NON-SHOT CARD. REPORTING ERROR EXISTS IN HOUSEHOLD REPORT OF VACCINATIONS RECEIVED.

Section 2
Variable Name C_HIB
Label HOUSEHOLD REPORT OF 3+ HIB UP-TO-DATE BY SHOT CARD USE
Response
Categories

Freq	Value	Label
13446	1	UTD HIB/SC
3383	2	NOT UTD HIB/ SC
5995	3	UTD HIB/NSC
5396	4	NOT UTD HIB/ NSC
6222	5	MISSING HIB/SC,NSC

Type NUM
Location 0042 - 0042
Width 1
Sequence Order 12
Notes SC = SHOT CARD, NSC = NON-SHOT CARD. REPORTING ERROR EXISTS IN HOUSEHOLD REPORT OF VACCINATIONS RECEIVED.

1999 National Immunization Survey Public-Use Data File

SECTION 2. HOUSEHOLD VACCINATION VARIABLES

Section 2
Variable Name C_MMR
Label HOUSEHOLD REPORT OF 1+ MEASLES-CONTAINING VACCINE UP-TO-DATE BY SHOT CARD USE
Response
Categories

Freq	Value	Label
15215	1	UTD MMR/SC
1614	2	NOT UTD MMR/ SC
12035	3	UTD MMR/NSC
881	4	NOT UTD MMR/ NSC
4697	5	MISSING MMR/SC,NSC

Type NUM
Location 0043 - 0043
Width 1
Sequence Order 13
Notes SC = SHOT CARD, NSC = NON-SHOT CARD. REPORTING ERROR EXISTS IN HOUSEHOLD REPORT OF VACCINATIONS RECEIVED.

Section 2
Variable Name C_POL
Label HOUSEHOLD REPORT OF 3+ POLIO UP-TO-DATE BY SHOT CARD USE
Response
Categories

Freq	Value	Label
14506	1	UTD POLIO/SC
2323	2	NOT UTD POLIO/ SC
7749	3	UTD POLIO/NSC
5884	4	NOT UTD POLIO/ NSC
3980	5	MISSING POLIO/SC,NSC

Type NUM
Location 0044 - 0044
Width 1
Sequence Order 14
Notes SC = SHOT CARD, NSC = NON-SHOT CARD. REPORTING ERROR EXISTS IN HOUSEHOLD REPORT OF VACCINATIONS RECEIVED.

1999 National Immunization Survey Public-Use Data File

SECTION 2. HOUSEHOLD VACCINATION VARIABLES

Section 2
Variable Name C_VRC
Label HOUSEHOLD REPORT OF 1+ VARICELLA UP-TO-DATE BY SHOT CARD USE
Response
Categories

Freq	Value	Label
9544	1	UTD VRC/SC
7285	2	NOT UTD VRC/ SC
9256	3	UTD VRC/NSC
5330	4	NOT UTD VRC/ NSC
3027	5	MISSING VRC/SC,NSC

Type NUM
Location 0045 - 0045
Width 1
Sequence Order 15
Notes SC = SHOT CARD, NSC = NON-SHOT CARD. REPORTING ERROR EXISTS IN HOUSEHOLD REPORT OF VACCINATIONS RECEIVED.

Section 2
Variable Name DTP_SOUR
Label SHOT CARD USED FOR DTP REPORTING
Response
Categories

Freq	Value	Label
16829	1	SHOT RECORDS
473	2	BOTH SHOT RECORDS AND RESPONDENT RECALL
16267	3	RESPONDENT RECALL ONLY
873	6	DON'T KNOW

Type NUM
Location 0046 - 0046
Width 1
Sequence Order 16
Notes A VALUE OF 1 IDENTIFIES CHILDREN WITH VACCINATION REPORT FOR DTP BASED ONLY ON A SHOT CARD. A VALUE OF 2 IDENTIFIES CHILDREN WITH A REPORT FOR DTP BASED ON SHOT CARD AND RECALL (HISTORY).

1999 National Immunization Survey Public-Use Data File

SECTION 2. HOUSEHOLD VACCINATION VARIABLES

Section 2
Variable Name FUL2_MMR
Label HOUSEHOLD REPORT OF 1+ MMR AT ANY AGE
Response
Categories

	Freq	Value	Label
	1165	.	MISSING
	26336	1	YES
	3409	2	NO
	3523	6	DON'T KNOW
	9	7	REFUSED

Type NUM
Location 0047 - 0047
Width 1
Sequence Order 17
Notes REPORTING ERROR EXISTS IN HOUSEHOLD REPORT OF VACCINATIONS RECEIVED.

Section 2
Variable Name FULL_CPO
Label HOUSEHOLD REPORT OF 1+ VARICELLA AT ANY AGE
Response
Categories

	Freq	Value	Label
	1742	.	MISSING
	18800	1	YES
	12615	2	NO
	1284	6	DON'T KNOW
	1	7	REFUSED

Type NUM
Location 0048 - 0048
Width 1
Sequence Order 18
Notes REPORTING ERROR EXISTS IN HOUSEHOLD REPORT OF VACCINATIONS RECEIVED.

1999 National Immunization Survey Public-Use Data File

SECTION 2. HOUSEHOLD VACCINATION VARIABLES

Section 2
Variable Name FULL_DTP
Label HOUSEHOLD REPORT OF 4+ DTP
Response
Categories

Freq	Value	Label
714	.	MISSING
19759	1	YES
10420	2	NO
3543	6	DON'T KNOW
6	7	REFUSED

Type NUM
Location 0049 - 0049
Width 1
Sequence Order 19
Notes 4+ DTP. REPORTING ERROR EXISTS IN HOUSEHOLD REPORT OF VACCINATIONS RECEIVED.

Section 2
Variable Name FULL_HEP
Label HOUSEHOLD REPORT OF 3+ HEPATITIS B
Response
Categories

Freq	Value	Label
2049	.	MISSING
22094	1	YES
7735	2	NO
2559	6	DON'T KNOW
5	7	REFUSED

Type NUM
Location 0050 - 0050
Width 1
Sequence Order 20
Notes 3+ HEPATITIS B. REPORTING ERROR EXISTS IN HOUSEHOLD REPORT OF VACCINATIONS RECEIVED.

1999 National Immunization Survey Public-Use Data File

SECTION 2. HOUSEHOLD VACCINATION VARIABLES

```
-----
Section                2
Variable Name          FULL_HIB
Label                  HOUSEHOLD REPORT OF 3+ HIB
Response
Categories              Freq  Value  Label
                        -----
                        3616    .  MISSING
                        19441   1  YES
                        8779    2  NO
                        2604    6  DON'T KNOW
                        2        7  REFUSED

Type                   NUM
Location               0051 - 0051
Width                  1
Sequence Order        21
Notes                  3+ HIB.  REPORTING ERROR EXISTS IN HOUSEHOLD REPORT
                        OF VACCINATIONS RECEIVED.
-----
```

```
-----
Section                2
Variable Name          FULL_POL
Label                  HOUSEHOLD REPORT OF 3+ POLIO
Response
Categories              Freq  Value  Label
                        -----
                        814     .  MISSING
                        22255   1  YES
                        8207    2  NO
                        3161    6  DON'T KNOW
                        5        7  REFUSED

Type                   NUM
Location               0052 - 0052
Width                  1
Sequence Order        22
Notes                  3+ POLIO.  REPORTING ERROR EXISTS IN HOUSEHOLD
                        REPORT OF VACCINATIONS RECEIVED.
-----
```

1999 National Immunization Survey Public-Use Data File

SECTION 2. HOUSEHOLD VACCINATION VARIABLES

```
-----
Section                2
Variable Name         HUTD4313
Label                HOUSEHOLD REPORT OF 4:3:1:3 UTD (UP-TO-DATE)
Response
Categories           Freq  Value  Label

                   13852    1   4:3:1:3 UTD
                   12165    2   NOT 4:3:1:3 UTD
                   8425     3   MISSING

Type                 NUM
Location            0053  - 0053
Width               1
Sequence Order      23
Notes              4+ DTP, 3+ POLIO, 1+ MCV, AND 3+ HIB.  REPORTING
                  ERROR EXISTS IN HOUSEHOLD REPORT OF VACCINATIONS RECEIVED.
-----
```

```
-----
Section                2
Variable Name         I_HADCPX
Label                DID CHILD EVER HAVE CHICKEN POX?
Response
Categories           Freq  Value  Label

                   3526     1   YES
                   30916    2   NO

Type                 NUM
Location            0054  - 0054
Width               1
Sequence Order      24
Notes              IMPUTED VARIABLE.  CONSTRUCTED FROM QUESTIONS A5_D AND B6_D.
-----
```

```
-----
Section                2
Variable Name         IAGECPXR
Label                AGE IN MONTHS WHEN CHILD HAD CHICKEN POX (RECODE)
Response
Categories           Freq  Value  Label

                   30916    .   MISSING
                   633     1   0 TO 6 MONTHS
                   1174    2   7 TO 12 MONTHS
                   886     3   13 TO 18 MONTHS
                   544     4   19 TO 24 MONTHS
                   221     5   25 TO 30 MONTHS
                   68      6   31 MONTHS OR OLDER

Type                 NUM
Location            0055  - 0055
Width               1
Sequence Order      25
Notes              IMPUTED VARIABLE.  CONSTRUCTED FROM QUESTIONS A5_E, A5_F, B6_E
                  AND B6_F.
-----
```

```
-----
Section                2
Variable Name         IAGECPXR
Label                AGE IN MONTHS WHEN CHILD HAD CHICKEN POX (RECODE)
Response
Categories           Freq  Value  Label

                   30916    .   MISSING
                   633     1   0 TO 6 MONTHS
                   1174    2   7 TO 12 MONTHS
                   886     3   13 TO 18 MONTHS
                   544     4   19 TO 24 MONTHS
                   221     5   25 TO 30 MONTHS
                   68      6   31 MONTHS OR OLDER

Type                 NUM
Location            0055  - 0055
Width               1
Sequence Order      25
Notes              IMPUTED VARIABLE.  CONSTRUCTED FROM QUESTIONS A5_E, A5_F, B6_E
                  AND B6_F.
-----
```

1999 National Immunization Survey Public-Use Data File

SECTION 2. HOUSEHOLD VACCINATION VARIABLES

Section	2
Variable Name	SHOTCARD
Label	SHOT CARD USE FLAG
Response	
Categories	Freq Value Label
	16829 1 SHOT CARD
	17613 2 NON SHOT CARD
Type	NUM
Location	0056 - 0056
Width	1
Sequence Order	26
Notes	DTP_SOUR=1 USED TO IDENTIFY SHOTCARD CHILDREN.

1999 National Immunization Survey Public-Use Data File

SECTION 3. DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Section 3
Variable Name AGEGRP
Label AGE CATEGORY OF CHILD (RECODE)
Response
Categories

	Freq	Value	Label
	10277	1	19 - 23 MONTHS
	12115	2	24 - 29 MONTHS
	12010	3	30 - 35 MONTHS

Type NUM
Location 0057 - 0057
Width 1
Sequence Order 27
Notes

Section 3
Variable Name CLR
Label NUMBER OF PEOPLE LIVING IN THE HOUSEHOLD (RECODE)
Response
Categories

	Freq	Value	Label
	73	.	MISSING
	1164	2	2
	8491	3	3
	12261	4	4
	6915	5	5
	3056	6	6
	1324	7	7
	1123	8	8+
	6	96	DON'T KNOW
	29	97	REFUSED

Type NUM
Location 0058 - 0059
Width 2
Sequence Order 28
Notes

1999 National Immunization Survey Public-Use Data File

SECTION 3. DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

```
-----
Section          3
Variable Name    C5R
Label           RELATIONSHIP OF RESPONDENT TO CHILD (RECODE)
Response
Categories      Freq  Value  Label
                -----
                105    .    MISSING
                29501  1    MOTHER (STEP, FOSTER, ADOPTIVE) OR FEMALE
                3685   2    FATHER (STEP, FOSTER, ADOPTIVE) OR MALE
                3686           GUARDIAN
                751    3    GRANDPARENT
                395    4    OTHER FAMILY MEMBER/FRIEND
                 3     96   DON'T KNOW
                 2     97   REFUSED
```

```
Type           NUM
Location       0060 - 0061
Width         2
Sequence Order 29
Notes
```

```
-----
Section          3
Variable Name    CEN_REG
Label           CENSUS REGION BASED ON STATE
Response
Categories      Freq  Value  Label
                -----
                5624   1    NORTHEAST
                7758   2    MIDWEST
                12922  3    SOUTH
                8138   4    WEST
```

```
Type           NUM
Location       0062 - 0062
Width         1
Sequence Order 30
Notes
```

1999 National Immunization Survey Public-Use Data File

SECTION 3. DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

```
-----
Section          3
Variable Name    CHILDNM
Label           NUMBER OF CHILDREN LESS THAN 18 YEARS IN HH (RECODE)
Response
Categories       Freq  Value  Label

                9978      1  1 CHILD
                20210     2  2-3 CHILDREN
                4254      3  4+ CHILDREN
```

```
Type           NUM
Location        0063  - 0063
Width           1
Sequence Order  31
Notes
```

```
-----
Section          3
Variable Name    EDUC1
Label           EDUCATION OF MOTHER CATEGORIES
Response
Categories       Freq  Value  Label

                4724      1  <12 YEARS
                10571     2  12 YEARS
                7710      3  >12, NON COLLEGE GRADUATE
                11437     4  COLLEGE GRADUATE
```

```
Type           NUM
Location        0064  - 0064
Width           1
Sequence Order  32
Notes          IMPUTED VARIABLE.
```

```
-----
Section          3
Variable Name    ENTRY
Label           CHILD LIVES IN STATE WITH HEPATITIS B STATE ENTRY LAW FOR DAY
                CARE/HEAD START (1996-1997 SCHOOL YEAR)
Response
Categories       Freq  Value  Label

                14601     1  YES
                19841     2  NO
```

```
Type           NUM
Location        0065  - 0065
Width           1
Sequence Order  33
Notes          OBTAINED FROM STATE IMMUNIZATION REQUIREMENTS, 1996-97.
                DEPARTMENT OF HEALTH AND HUMAN SERVICES, PUBLIC HEALTH
                SERVICES, CENTERS FOR DISEASE CONTROL AND PREVENTION. PAGE 19.
```

1999 National Immunization Survey Public-Use Data File

SECTION 3. DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

```
-----
Section          3
Variable Name    FRSTBRN
Label           FIRST BORN STATUS OF CHILD
Response
Categories              Freq  Value  Label
                        20289   1    NO
                        14153   2    YES
```

```
Type           NUM
Location        0066  - 0066
Width           1
Sequence Order  34
Notes          IMPUTED VARIABLE.
```

```
-----
Section          3
Variable Name    INCPORAT
Label           INCOME TO POVERTY RATIO
Response
Categories      Statistics  Description
                        29743  NUMBER OF NON-MISSING
                        4699  NUMBER OF MISSING
                        1.99  AVERAGE/MEAN
                        2.12  MEDIAN VALUE
                        0.50  MINIMUM VALUE
                        3.00  MAXIMUM VALUE
```

```
Type           NUM
Location        0067  - 0070
Width           4
Sequence Order  35
Notes          DETERMINED FROM FAMILY INCOME, NUMBER OF PERSONS IN THE
                HOUSEHOLD, NUMBER OF CHILDREN IN THE HOUSEHOLD, AND THE 1998
                CENSUS POVERTY THRESHOLDS. IF ANY OF THE FIRST THREE VARIABLES
                ARE MISSING THEN INPORAT WILL BE MISSING. CALCULATED TO 2
                DECIMAL
```

1999 National Immunization Survey Public-Use Data File

SECTION 3. DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

```

-----
Section          3
Variable Name    INCPOV1R
Label           POVERTY STATUS(RECODE)
Response
Categories              Freq  Value  Label

                22859      1  >= 1.0 (ABOVE)
                6895      2  < 1.0 (BELOW)
                4688      3  UNKNOWN

Type            NUM
Location        0071  - 0071
Width           1
Sequence Order  36
Notes           BASED ON 1998 CENSUS POVERTY THRESHOLDS.  THERE ARE 11 CHILDREN
                WHO HAVE A NONMISSING INCPOV1R VALUE BUT HAVE A MISSING VALUE ON
                INCPORAT.
-----

```

```

-----
Section          3
Variable Name    INCQ298R
Label           FAMILY INCOME CATEGORIES (RECODE)
Response
Categories              Freq  Value  Label

                436      .  MISSING
                2027     3      0 - $ 7,500
                1734     4      $ 7,501 - $10,000
                 856     5      $10,001 - $12,500
                1383     6      $12,501 - $15,000
                 801     7      $15,001 - $17,500
                1894     8      $17,501 - $20,000
                2160     9      $20,001 - $25,000
                2458    10      $25,001 - $30,000
                1631    11      $30,001 - $35,000
                2050    12      $35,001 - $40,000
                1238    13      $40,001 - $45,000
                1893    14      $45,001 - $50,000
                9630    15      $50,001 +
                2921    96      DON'T KNOW
                1330    97      REFUSED

Type            NUM
Location        0072  - 0073
Width           2
Sequence Order  37
Notes           FAMILY INCOME IN 1998.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 3. DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

```

-----
Section          3
Variable Name    ICONTWIC
Label           DID CHILD HAVE CONTINUOUS WIC PARTICIPATION FROM BIRTH?
Response
Categories              Freq  Value  Label

                    17238    .  MISSING
                    11843    1  NO
                    5361    2  YES

Type            NUM
Location        0074  - 0074
Width           1
Sequence Order  38
Notes          IMPUTED VARIABLE.  CONSTRUCTED FROM WIC PARTICIPATION QUESTIONS
                IN SECTION C OF QUESTIONNAIRE.
    
```

```

-----
Section          3
Variable Name    I_CWIC01
Label           CHILD EVER RECEIVED WIC BENEFITS
Response
Categories              Freq  Value  Label

                    17204    1  YES
                    16847    2  NO
                     391    8  DON'T KNOW ABOUT THE PROGRAM

Type            NUM
Location        0075  - 0075
Width           1
Sequence Order  39
Notes          IMPUTED VARIABLE.
    
```

```

-----
Section          3
Variable Name    I_CWIC03
Label           CHILD IS CURRENTLY GETTING WIC BENEFITS
Response
Categories              Freq  Value  Label

                    17238    .  MISSING
                    8625    1  YES
                    8579    2  NO

Type            NUM
Location        0076  - 0076
Width           1
Sequence Order  40
Notes          IMPUTED VARIABLE.  QUESTION CWIC03 ASKED IF QUESTION CWIC01
                EQUALS YES.
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 3. DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

```
-----
Section          3
Variable Name    I_CWIC05
Label           SPELL OF MORE THAN 6 MONTHS WITH NO WIC BENEFITS
Response
Categories              Freq  Value  Label

                   17238    .  MISSING
                   1962     1   YES
                   15242    2   NO

Type             NUM
Location         0077  - 0077
Width            1
Sequence Order   41
Notes           IMPUTED VARIABLE.  QUESTION CWIC05 ASKED IF QUESTION CWIC03
                EQUALS YES OR NO.
-----
```

```
-----
Section          3
Variable Name    I_CWIC07
Label           AT LAST WIC CERTIFICATION VISIT DID ANYONE ASK TO CHECK CHILD'S
                SHOT RECORD OR VACCINE INFORMATION
Response
Categories              Freq  Value  Label

                   17238    .  MISSING
                   11456    1   YES
                   5748     2   NO

Type             NUM
Location         0078  - 0078
Width            1
Sequence Order   42
Notes           IMPUTED VARIABLE.  QUESTION CWIC07 ASKED IF QUESTION CWIC01
                EQUALS YES.
-----
```

```
-----
Section          3
Variable Name    I_HISP_K
Label           HISPANIC ORIGIN OF CHILD
Response
Categories              Freq  Value  Label

                   6234     1  HISPANIC
                   28208    2  NOT HISPANIC

Type             NUM
Location         0079  - 0079
Width            1
Sequence Order   43
Notes           IMPUTED VARIABLE.
-----
```

1999 National Immunization Survey Public-Use Data File

SECTION 3. DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

```
-----
Section          3
Variable Name    I_HISP_M
Label           HISPANIC ORIGIN OF MOTHER
Response
Categories
                Freq  Value  Label
                5515   1     HISPANIC
                28927  2     NOT HISPANIC
```

```
Type           NUM
Location       0080 - 0080
Width         1
Sequence Order 44
Notes         IMPUTED VARIABLE.
```

```
-----
Section          3
Variable Name    I_RACEKR
Label           RACE OF CHILD (RECODE)
Response
Categories
                Freq  Value  Label
                24706  1     WHITE
                7052   2     BLACK
                2684   3     ALL OTHER(AMERICAN INDIAN+ASIAN+OTHER)
```

```
Type           NUM
Location       0081 - 0081
Width         1
Sequence Order 45
Notes         IMPUTED VARIABLE. ONLY CONTAINS RACE.
```

```
-----
Section          3
Variable Name    I_RACEMR
Label           RACE OF MOTHER (RECODE)
Response
Categories
                Freq  Value  Label
                25179  1     WHITE
                6715   2     BLACK
                2548   3     ALL OTHER(AMERICAN INDIAN+ASIAN+OTHER)
```

```
Type           NUM
Location       0082 - 0082
Width         1
Sequence Order 46
Notes         IMPUTED VARIABLE. ONLY CONTAINS RACE.
```

1999 National Immunization Survey Public-Use Data File

SECTION 3. DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

```

-----
Section          3
Variable Name    LANGUAGE
Label           LANGUAGE THE INTERVIEW WAS CONDUCTED IN
Response
Categories              Freq  Value  Label
                        31111      1  ENGLISH
                        2618      2  SPANISH
                        713      3  OTHER LANGUAGE

Type            NUM
Location        0083  - 0083
Width           1
Sequence Order  47
Notes          INTERVIEWS CONDUCTED IN OTHER LANGUAGES WERE ADMINISTERED USING
                THE AT&T LANGUAGE LINE.  THIS VARIABLE WAS CONSTRUCTED FROM
                CATI PRODUCTION FILE FLAGS.  WHILE THESE PRODUCTION FILE
                FLAGS ARE CONSIDERED ACCURATE, THERE IS NO INDEPENDENT CHECK
                TO DETERMINE IN WHICH LANGUAGE THE INTERVIEW WAS ACTUALLY
                CONDUCTED.
    
```

```

-----
Section          3
Variable Name    MARITAL
Label           MARITAL STATUS OF MOTHER CATEGORIES
Response
Categories              Freq  Value  Label
                        2939      1  WIDOWED/DIVORCED/SEPARATED
                        6858      2  NEVER MARRIED
                        24613     3  MARRIED
                        32      4  DECEASED

Type            NUM
Location        0084  - 0084
Width           1
Sequence Order  48
Notes          IMPUTED VARIABLE.
    
```

```

-----
Section          3
Variable Name    MOBIL
Label           GEOGRAPHIC MOBILITY STATUS: STATE OF RESIDENCE OF CHILD AT
                BIRTH VERSUS CURRENT STATE OF RESIDENCE
Response
Categories              Freq  Value  Label
                        3627      1  MOVED FROM DIFFERENT STATE
                        30815     2  DID NOT MOVE FROM DIFFERENT STATE

Type            NUM
Location        0085  - 0085
Width           1
Sequence Order  49
Notes
    
```


1999 National Immunization Survey Public-Use Data File

SECTION 3. DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Section 3
Variable Name M_AGEGRP
Label AGE OF MOTHER CATEGORIES
Response
Categories

	Freq	Value	Label
	1159	1	<=19
	15635	2	20 - 29
	17648	3	30+

Type NUM
Location 0086 - 0086
Width 1
Sequence Order 50
Notes IMPUTED VARIABLE.

Section 3
Variable Name RACEKIDR
Label RACE/ETHNICITY OF CHILD (RECODE)
Response
Categories

	Freq	Value	Label
	6234	1	HISPANIC
	20178	2	WHITE, NON HISPANIC
	5965	3	BLACK, NON HISPANIC
	2065	4	ALL OTHER, NON HISPANIC

Type NUM
Location 0087 - 0087
Width 1
Sequence Order 51
Notes IMPUTED VARIABLE. COMBINES HISPANIC ORIGIN AND RACE.

Section 3
Variable Name RACEMOMR
Label RACE/ETHNICITY OF MOTHER (RECODE)
Response
Categories

	Freq	Value	Label
	5515	1	HISPANIC
	21255	2	WHITE, NON HISPANIC
	5704	3	BLACK, NON HISPANIC
	1968	4	ALL OTHER, NON HISPANIC

Type NUM
Location 0088 - 0088
Width 1
Sequence Order 52
Notes IMPUTED VARIABLE. COMBINES HISPANIC ORIGIN AND RACE.

1999 National Immunization Survey Public-Use Data File

SECTION 3. DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

```
-----
Section          3
Variable Name    SEX
Label           GENDER OF CHILD
Response
Categories              Freq  Value  Label
                        17364    1  MALE
                        17078    2  FEMALE
```

```
Type           NUM
Location       0089 - 0089
Width         1
Sequence Order 53
Notes
```

```
-----
Section          3
Variable Name    INTRP
Label           INTERRUPTION IN PHONE SERVICE OF 7 DAYS OR MORE
Response
Categories              Freq  Value  Label
                        2535    1  YES
                        31907    2  NO
```

```
Type           NUM
Location       0090 - 0090
Width         1
Sequence Order 54
Notes         IMPUTED VARIABLE.
```

```
-----
Section          3
Variable Name    INOPHONR
Label           LENGTH OF INTERRUPTION IN TELEPHONE SERVICE IN DAYS(RECODE)
Response
Categories              Freq  Value  Label
                        31907    .  MISSING
                        880     1  7 TO 14 DAYS
                        541     2  15 TO 30 DAYS
                        1114    3  31 TO 365 DAYS
```

```
Type           NUM
Location       0091 - 0091
Width         1
Sequence Order 55
Notes         IMPUTED VARIABLE.
```

1999 National Immunization Survey Public-Use Data File

SECTION 4. GEOGRAPHIC VARIABLES

Section	4		
Variable Name	ITRUEIAP		
Label	IAP AREA OF CURRENT RESIDENCE		
Response			
Categories	Freq	Value	Label
	412	1	CT
	402	2	MA-REST OF STATE
	398	3	MA-CITY OF BOSTON
	386	4	ME
	389	5	NH
	420	6	RI
	412	7	VT
	541	8	NJ-REST OF STATE
	425	9	NJ-CITY OF NEWARK
	440	10	NY-REST OF STATE
	495	11	NY-NYC 5 COUNTIES
	491	12	DISTRICT OF COLUMBIA
	438	13	DE
	492	14	MD-REST OF STATE
	392	15	MD-CITY OF BALTIMORE
	414	16	PA-REST OF STATE
	490	17	PA-PHILADELPHIA COUNTY
	432	18	VA
	394	19	WV
	446	20	AL-REST OF STATE
	396	21	AL-JEFFERSON COUNTY
	448	22	FL-REST OF STATE
	449	23	FL-DUVAL COUNTY
	405	24	FL-DADE COUNTY
	405	25	GA-REST OF STATE
	437	26	GA-FULTON/DEKALB COUNTIES
	413	27	KY
	395	28	MS
	426	29	NC
	507	30	SC
	394	31	TN-REST OF STATE
	453	32	TN-SHELBY COUNTY
	454	33	TN-DAVIDSON COUNTY
	439	34	IL-REST OF STATE
	505	35	IL-CITY OF CHICAGO
	411	36	IN-REST OF STATE
	392	37	IN-MARION COUNTY
	461	38	MI-REST OF STATE
	413	39	MI-CITY OF DETROIT
	386	40	MN
	429	41	OH-REST OF STATE
	493	42	OH-CUYAHOGA COUNTY
	442	43	OH-FRANKLIN COUNTY
	408	44	WI-REST OF STATE
	388	45	WI-MILWAUKEE COUNTY
	428	46	AR
	520	47	LA-REST OF STATE

1999 National Immunization Survey Public-Use Data File

SECTION 4. GEOGRAPHIC VARIABLES

464	48 LA-ORLEANS PARISH
470	49 NM
464	50 OK
568	51 TX-REST OF STATE
369	52 TX-DALLAS COUNTY
520	53 TX-EL PASO COUNTY
467	54 TX-CITY OF HOUSTON
455	55 TX-BEXAR COUNTY
411	56 IA
467	57 KS
449	58 MO
415	59 NE
506	60 CO
392	61 MT
427	62 ND
422	63 SD
409	64 UT
406	65 WY
487	66 AZ-REST OF STATE
450	67 AZ-MARICOPA COUNTY
454	68 CA-REST OF STATE
495	69 CA-LOS ANGELES COUNTY
407	70 CA-SANTA CLARA COUNTY
496	71 CA-SAN DIEGO COUNTY
457	72 HI
498	73 NV
480	74 AK
421	75 ID
396	76 OR
438	77 WA-REST OF STATE
476	78 WA-KING COUNTY

Type	NUM
Location	0092 - 0093
Width	2
Sequence Order	56
Notes	USE AS STRATUM IDENTIFIER WHEN CALCULATING STANDARD ERRORS.

1999 National Immunization Survey Public-Use Data File

SECTION 4. GEOGRAPHIC VARIABLES

```

-----
Section          4
Variable Name    STATE
Label           STATE OF RESIDENCE (STATE FIPS CODE)
Response
Categories      Freq  Value  Label
                -----
                842   1     ALABAMA
                480   2     ALASKA
                937   4     ARIZONA
                428   5     ARKANSAS
                1852  6     CALIFORNIA
                506   8     COLORADO
                412   9     CONNECTICUT
                438  10    DELAWARE
                491  11    DIST. OF COLUMBIA
                1302  12    FLORIDA
                842  13    GEORGIA
                457  15    HAWAII
                421  16    IDAHO
                944  17    ILLINOIS
                803  18    INDIANA
                411  19    IOWA
                467  20    KANSAS
                413  21    KENTUCKY
                984  22    LOUISIANA
                386  23    MAINE
                884  24    MARYLAND
                800  25    MASSACHUSETTS
                874  26    MICHIGAN
                386  27    MINNESOTA
                395  28    MISSISSIPPI
                449  29    MISSOURI
                392  30    MONTANA
                415  31    NEBRASKA
                498  32    NEVADA
                389  33    NEW HAMPSHIRE
                966  34    NEW JERSEY
                470  35    NEW MEXICO
                935  36    NEW YORK
                426  37    NORTH CAROLINA
                427  38    NORTH DAKOTA
                1364  39    OHIO
                464  40    OKLAHOMA
                396  41    OREGON
                904  42    PENNSYLVANIA
                420  44    RHODE ISLAND
                507  45    SOUTH CAROLINA
                422  46    SOUTH DAKOTA
                1301  47    TENNESSEE
                2379  48    TEXAS
                409  49    UTAH
                412  50    VERMONT
                432  51    VIRGINIA
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 4. GEOGRAPHIC VARIABLES

914	53	WASHINGTON
394	54	WEST VIRGINIA
796	55	WISCONSIN
406	56	WYOMING

Type	NUM
Location	0094 - 0095
Width	2
Sequence Order	57
Notes	

1999 National Immunization Survey Public-Use Data File

SECTION 5. NUMBER OF PROVIDERS IDENTIFIED AND CONSENT VARIABLES

```

-----
Section          5
Variable Name    D6R
Label           NUMBER OF VACCINATION PROVIDERS IDENTIFIED BY RESPONDENT
                (RECODE)

Response
Categories      Freq  Value  Label

                1768   .   MISSING
                145    0    0
                22358  1    1
                8311  2    2
                1860  3    3+

Type            NUM
Location        0096  - 0096
Width           1
Sequence Order  58
Notes          NUMBER OF VACCINATIONS PROVIDERS IDENTIFIED FOR THE CHILD IN
                QUESTION D6 DURING THE HOUSEHOLD INTERVIEW. RANGE: 1 TO 5
                PROVIDERS.
    
```

```

-----
Section          5
Variable Name    D7
Label           CONSENT TO OBTAIN CHILD'S IMMUNIZATION RECORDS FROM VACCINATION
                PROVIDERS IDENTIFIED IN QUESTION D6 IN THE INTERVIEW

Response
Categories      Freq  Value  Label

                5201   .   MISSING
                28981  1    YES
                260    2    NO

Type            NUM
Location        0097  - 0097
Width           1
Sequence Order  59
Notes          A BLANK VALUE MEANS CONSENT WAS NOT OBTAINED BECAUSE OF AN
                INTERVIEW BREAK-OFF.
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 6. NUMBER OF RESPONDING PROVIDER VARIABLES

```

-----
Section          6
Variable Name    DISPCODE
Label           NIS PROVIDER RECORD-CHECK DISPOSITION CODE
Response
Categories      Freq  Value  Label

                11356   .
                10253   1
                 9400   2
                 883    3
                 111    4
                1385   5
                 54     6
                 565   7
                 34     8
                 80     9
                 171   10
                 150   11

Type            NUM
Location        0098 - 0099
Width           2
Sequence Order  60
Notes          SEE USER'S GUIDE FOR DEFINITION OF CODES. CHILDREN WITH A
                DISPCODE = 7 HAVE INADEQUATE PROVIDER DATA (PDAT = 2) TO
                DETERMINE UP-TO-DATE STATUS OF CHILD.  THESE CHILDREN SHOULD NOT
                BE USED IN THE CALCULATION OF VACCINATION COVERAGE RATES.
-----

```

```

-----
Section          6
Variable Name    N_PRVR
Label           NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD
                (RECODE)
Response
Categories      Freq  Value  Label

                11356   .  MISSING
                19080   1   1
                 3640   2   2
                 366    3  3+

Type            NUM
Location        0100 - 0100
Width           1
Sequence Order  61
Notes          TOTAL NUMBER OF VACCINATION PROVIDERS RESPONDING WITH
                VACCINATION INFORMATION FOR THE CHILD.  RANGE: 1 TO 5 PROVIDERS.
-----

```


1999 National Immunization Survey Public-Use Data File

SECTION 7. CHARACTERISTICS OF PROVIDER VARIABLES

```

-----
Section              7
Variable Name       NCARER1
Label               CHILD'S PROVIDERS OFFER COMPREHENSIVE CHILD CARE
Response
Categories          Freq  Value  Label
                   -----
                   11356   .    MISSING
                   17978   1    ALL PROVIDERS
                   1633    2    SOME BUT NOT ALL PROVIDERS
                   3475    3    NO PROVIDER/UNKNOWN

Type                NUM
Location            0101  - 0101
Width               1
Sequence Order     62
Notes               CONSTRUCTED FROM THE RESPONSES OF UP TO FIVE PROVIDERS.
-----

```

```

-----
Section              7
Variable Name       NCARER2
Label               CHILD'S PROVIDERS OFFER ACUTE ILLNESS CARE
Response
Categories          Freq  Value  Label
                   -----
                   11356   .    MISSING
                   14822   1    ALL PROVIDERS
                   2017    2    SOME BUT NOT ALL PROVIDERS
                   6247    3    NO PROVIDER/UNKNOWN

Type                NUM
Location            0102  - 0102
Width               1
Sequence Order     63
Notes               CONSTRUCTED FROM THE RESPONSES OF UP TO FIVE PROVIDERS.
-----

```

```

-----
Section              7
Variable Name       NCARER3
Label               CHILD'S PROVIDERS OFFER FOLLOW UP VISITS
Response
Categories          Freq  Value  Label
                   -----
                   11356   .    MISSING
                   15516   1    ALL PROVIDERS
                   1990    2    SOME BUT NOT ALL PROVIDERS
                   5580    3    NO PROVIDER/UNKNOWN

Type                NUM
Location            0103  - 0103
Width               1
Sequence Order     64
Notes               CONSTRUCTED FROM THE RESPONSES OF UP TO FIVE PROVIDERS.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 7. CHARACTERISTICS OF PROVIDER VARIABLES

```
-----
Section              7
Variable Name        NCARER4
Label                CHILD'S PROVIDERS OFFER AFTER-HOURS TELEPHONE COVERAGE
Response
Categories           Freq  Value  Label

                   11356    .  MISSING
                   12757    1  ALL PROVIDERS
                   2046     2  SOME BUT NOT ALL PROVIDERS
                   8283     3  NO PROVIDER/UNKNOWN

Type                 NUM
Location             0104  - 0104
Width                1
Sequence Order       65
Notes                CONSTRUCTED FROM THE RESPONSES OF UP TO FIVE PROVIDERS.
-----
```

```
-----
Section              7
Variable Name        NCARER5
Label                CHILD'S PROVIDERS OFFER WIC PROGRAM/SERVICES
Response
Categories           Freq  Value  Label

                   11356    .  MISSING
                   6184     1  ALL PROVIDERS
                   1649     2  SOME BUT NOT ALL PROVIDERS
                   15253    3  NO PROVIDER/UNKNOWN

Type                 NUM
Location             0105  - 0105
Width                1
Sequence Order       66
Notes                CONSTRUCTED FROM THE RESPONSES OF UP TO FIVE PROVIDERS.
-----
```

```
-----
Section              7
Variable Name        NCARER6
Label                CHILD'S PROVIDERS OFFER OTHER SERVICES
Response
Categories           Freq  Value  Label

                   11356    .  MISSING
                   1984     1  ALL PROVIDERS
                   947      2  SOME BUT NOT ALL PROVIDERS
                   20155    3  NO PROVIDER/UNKNOWN
-----
```

```
-----
Section              7
Variable Name        NCARER6
Label                CHILD'S PROVIDERS OFFER OTHER SERVICES
Response
Categories           Freq  Value  Label

                   11356    .  MISSING
                   1984     1  ALL PROVIDERS
                   947      2  SOME BUT NOT ALL PROVIDERS
                   20155    3  NO PROVIDER/UNKNOWN

Type                 NUM
Location             0106  - 0106
Width                1
Sequence Order       67
Notes                CONSTRUCTED FROM THE RESPONSES OF UP TO FIVE PROVIDERS.
-----
```

1999 National Immunization Survey Public-Use Data File

SECTION 7. CHARACTERISTICS OF PROVIDER VARIABLES

Section	7
Variable Name	PROV_FAC
Label	PROVIDER FACILITY TYPE
Response	
Categories	Freq Value Label
	11356 . MISSING
	3736 1 ALL PUBLIC FACILITIES
	1669 2 ALL HOSPITAL FACILITIES
	12246 3 ALL PRIVATE FACILITIES
	562 4 ALL MILITARY/OTHER FACILITIES
	1581 5 MIXED(ONE OR MORE OF ABOVE CATEGORIES)
	3292 6 TYPE OF FACILITY UNKNOWN

Type	NUM
Location	0107 - 0107
Width	1
Sequence Order	68
Notes	CONSTRUCTED FROM THE RESPONSES OF UP TO 5 PROVIDERS.

Section	7
Variable Name	REGISTRY
Label	CHILD'S PROVIDERS REPORTED CHILD'S VACCINATIONS TO IMMUNIZATION REGISTRY
Response	
Categories	Freq Value Label
	11356 . MISSING
	5044 1 ALL PROVIDERS
	1174 2 SOME BUT NOT ALL PROVIDERS
	8022 3 NO PROVIDER
	8846 4 UNKNOWN

Type	NUM
Location	0108 - 0108
Width	1
Sequence Order	69
Notes	CONSTRUCTED FROM THE RESPONSES OF UP TO 5 PROVIDERS.

1999 National Immunization Survey Public-Use Data File

SECTION 7. CHARACTERISTICS OF PROVIDER VARIABLES

Section 7
Variable Name VFC_PRO
Label PARTICIPATION OF CHILD'S PROVIDERS IN VACCINES FOR CHILDREN PROGRAM
Response
Categories

Freq	Value	Label
11356	.	MISSING
15681	1	ALL PROVIDERS
1585	2	SOME BUT NOT ALL PROVIDERS
1781	3	NO PROVIDER
4039	4	UNKNOWN

Type NUM
Location 0109 - 0109
Width 1
Sequence Order 70
Notes CONSTRUCTED FROM THE RESPONSES OF UP TO 5 PROVIDERS.

1999 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

```

-----
Section                8
Variable Name          HEP_BRTH
Label                  HEPATITIS B GIVEN AT BIRTH FLAG
Response
Categories              Freq  Value  Label

                        11356    .
                        8508     1  AT LEAST 1 PROVIDER CHECKED THE GIVEN AT BIRTH
                        14578    2  NO PROVIDER CHECKED THE GIVEN AT BIRTH BOX

Type                   NUM
Location               0110   - 0110
Width                  1
Sequence Order         71
Notes                  CONSTRUCTED FROM THE RESPONSES OF UP TO FIVE PROVIDERS. SEE
                        USERS GUIDE FOR MORE INFORMATION ON THIS VARIABLE.
-----

```

```

-----
Section                8
Variable Name          P_UTD431
Label                  UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1
Response
Categories              Freq  Value  Label

                        11356    .  MISSING
                        4749     0  NOT UTD
                        18337    1  UTD

Type                   NUM
Location               0111   - 0111
Width                  1
Sequence Order         72
Notes                  4+ DTP, 3+ POLIO AND 1+ MCV.
-----

```

```

-----
Section                8
Variable Name          PUTD4313
Label                  UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3
Response
Categories              Freq  Value  Label

                        11356    .  MISSING
                        5049     0  NOT UTD
                        18037    1  UTD

Type                   NUM
Location               0112   - 0112
Width                  1
Sequence Order         73
Notes                  4+ DTP, 3+ POLIO, 1+ MCV AND 3+ HIB
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

```
-----
Section            8
Variable Name     PUT43133
Label            UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3
Response
Categories
                Freq  Value  Label
                11356   .   MISSING
                6391    0   NOT UTD
                16695   1   UTD
```

```
Type            NUM
Location        0113  - 0113
Width           1
Sequence Order  74
Notes          4+ DTP, 3+ POLIO, 1+ MCV, 3+ HIB AND 3+ HEP B.
-----
```

```
Section            8
Variable Name     P_UTD331
Label            UTD (UP-TO-DATE) FLAG FOR PROVIDER 3:3:1
Response
Categories
                Freq  Value  Label
                11356   .   MISSING
                3464    0   NOT UTD
                19622   1   UTD
```

```
Type            NUM
Location        0114  - 0114
Width           1
Sequence Order  75
Notes          3+ DTP, 3+ POLIO AND 1+ MCV.
-----
```

```
Section            8
Variable Name     P_U12VRC
Label            UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ VARICELLA AT 12+ MONTHS
Response
Categories
                Freq  Value  Label
                11356   .   MISSING
                10206   0   NOT UTD
                12880   1   UTD
```

```
Type            NUM
Location        0115  - 0115
Width           1
Sequence Order  76
Notes
```

1999 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

```
-----
Section                8
Variable Name          P_UTDHEP
Label                  UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HEPATITIS B
Response
Categories              Freq  Value  Label
                        -----
                        11356   .   MISSING
                        2994    0   NOT UTD
                        20092   1   UTD

Type                   NUM
Location               0116   - 0116
Width                  1
Sequence Order         77
Notes                  INCLUDES ALL HEPATITIS B-CONTAINING VACCINES.
-----
```

```
-----
Section                8
Variable Name          P_UTDHIB
Label                  UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB
Response
Categories              Freq  Value  Label
                        -----
                        11356   .   MISSING
                        1590    0   NOT UTD
                        21496   1   UTD

Type                   NUM
Location               0117   - 0117
Width                  1
Sequence Order         78
Notes                  INCLUDES ALL HIB-CONTAINING VACCINES.
-----
```

```
-----
Section                8
Variable Name          P_UTDMCV
Label                  UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MCV
Response
Categories              Freq  Value  Label
                        -----
                        11356   .   MISSING
                        2099    0   NOT UTD
                        20987   1   UTD

Type                   NUM
Location               0118   - 0118
Width                  1
Sequence Order         79
Notes                  INCLUDES ALL MEASLES-CONTAINING VACCINES (MCV).
-----
```

1999 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

```
-----
Section                8
Variable Name          P_UTDMMX
Label                  UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MMR (NOT INCLUDING ANY
                      MEASLES-ONLY SHOTS)
Response
Categories              Freq  Value  Label

                      11356   .   MISSING
                      2134    0   NOT UTD
                      20952   1   UTD

Type                   NUM
Location               0119   - 0119
Width                  1
Sequence Order         80
Notes                  ONLY INCLUDES MMR VACCINES.
-----
```

```
-----
Section                8
Variable Name          P_UTDPOL
Label                  UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ POLIO
Response
Categories              Freq  Value  Label

                      11356   .   MISSING
                      2605    0   NOT UTD
                      20481   1   UTD

Type                   NUM
Location               0120   - 0120
Width                  1
Sequence Order         81
Notes                  INCLUDES ALL POLIO-CONTAINING VACCINES.
-----
```

```
-----
Section                8
Variable Name          P_UTDTP3
Label                  UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ DTP
Response
Categories              Freq  Value  Label

                      11356   .   MISSING
                      1087    0   NOT UTD
                      21999   1   UTD

Type                   NUM
Location               0121   - 0121
Width                  1
Sequence Order         82
Notes                  INCLUDES ALL DTP-CONTAINING VACCINES.
-----
```


1999 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

```
-----
Section          8
Variable Name    P_UTDTP4
Label           UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ DTP
Response
Categories       Freq  Value  Label
                  11356   .    MISSING
                  3834   0    NOT UTD
                  19252   1    UTD
```

```
Type            NUM
Location         0122  - 0122
Width            1
Sequence Order   83
Notes           INCLUDES ALL DTP-CONTAINING VACCINES.
```

```
-----
Section          8
Variable Name    P_NUHEPX
Label           NUMBER OF HEPATITIS B-ONLY SHOTS, AS DETERMINED FROM PROVIDER
                INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S)
                AS OCCURRING AFTER THE RDD INTERVIEW DATE.
```

```
Response
Categories       Freq  Value  Label
                  11356   .
                  865    0
                  780    1
                  2232   2
                  18786  3
                  397    4
                  24     5
                  2      6
```

```
Type            NUM
Location         0123  - 0123
Width            1
Sequence Order   84
Notes           ONLY INCLUDES HEPATITIS B VACCINES.
```

1999 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Section 8
 Variable Name P_NUHIBN
 Label NUMBER OF HIB (UNMARKED) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.

Response
 Categories

Freq	Value	Label
11356	.	
10807	0	
2534	1	
1320	2	
2716	3	
5645	4	
61	5	
2	6	
1	7	

Type NUM
 Location 0124 - 0124
 Width 1
 Sequence Order 85
 Notes ONLY INCLUDES HIB VACCINES WHERE PROVIDER DID NOT IDENTIFY THE SPECIFIC TYPE OF HIB VACCINE.

Section 8
 Variable Name P_NUHIBO
 Label NUMBER OF HIB (OTHER) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.

Response
 Categories

Freq	Value	Label
11356	.	
16677	0	
1460	1	
766	2	
1500	3	
2677	4	
6	5	

Type NUM
 Location 0125 - 0125
 Width 1
 Sequence Order 86
 Notes ONLY INCLUDES HIB VACCINES WHERE PROVIDER IDENTIFIED THE VACCINE AS AN "OTHER" HIB VACCINE.

1999 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Section 8
 Variable Name P_NUHIBP
 Label NUMBER OF PEDVAX HIB SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.

Response
 Categories

Freq	Value	Label
11356	.	
20543	0	
964	1	
387	2	
527	3	
665	4	

Type NUM
 Location 0126 - 0126
 Width 1
 Sequence Order 87
 Notes ONLY INCLUDES HIB VACCINES WHERE PROVIDER IDENTIFIED THE VACCINE AS A PEDVAX HIB VACCINE.

Section 8
 Variable Name P_NUHIBX
 Label NUMBER OF HIB-ONLY SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.

Response
 Categories

Freq	Value	Label
11356	.	
4282	0	
3141	1	
1733	2	
3848	3	
9977	4	
101	5	
3	6	
1	7	

Type NUM
 Location 0127 - 0127
 Width 1
 Sequence Order 88
 Notes ONLY INCLUDES HIB-ONLY VACCINES.

1999 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

```
-----
Section          8
Variable Name    P_NUHPHB
Label           NUMBER OF HEPATITIS B/HIB (COMVAX) SHOTS, AS DETERMINED FROM
                PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE
                PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
```

```
Response
Categories          Freq  Value  Label

                11356    .
                21723    0
                 634     1
                 357     2
                 351     3
                  20     4
                   1     5
```

```
Type            NUM
Location        0128 - 0128
Width          1
Sequence Order  89
Notes          ONLY INCLUDES HEPATITIS B/HIB (COMVAX) VACCINES.
```

```
-----
Section          8
Variable Name    P_NUMDAH
Label           NUMBER OF DTAP/HIB (MARKED) SHOTS, AS DETERMINED FROM PROVIDER
                INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S)
                AS OCCURRING AFTER THE RDD INTERVIEW DATE.
```

```
Response
Categories          Freq  Value  Label

                11356    .
                20722    0
                 1861    1
                  154    2
                  203    3
                  146    4
```

```
Type            NUM
Location        0129 - 0129
Width          1
Sequence Order  90
Notes          ONLY INCLUDES DTAP/HIB VACCINES.
```

1999 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

```
-----
Section          8
Variable Name    P_NUMDHB
Label           NUMBER OF DTP/HIB COMBINATION SHOTS (ALL TYPES), AS DETERMINED
                FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY
                THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
```

```
Response
Categories      Freq  Value  Label

                11356   .
                13343   0
                 2565   1
                 1365   2
                 3158   3
                 2632   4
                  23    5
```

```
Type           NUM
Location       0130 - 0130
Width         1
Sequence Order 91
Notes         INCLUDES ALL TYPES OF DTP/HIB VACCINES.
```

```
-----
Section          8
Variable Name    P_NUMDHM
Label           NUMBER OF DTP/HIB (MARKED) SHOTS, AS DETERMINED FROM PROVIDER
                INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S)
                AS OCCURRING AFTER THE RDD INTERVIEW DATE.
```

```
Response
Categories      Freq  Value  Label

                11356   .
                15478   0
                 1625   1
                 1336   2
                 2990   3
                 1643   4
                  14    5
```

```
Type           NUM
Location       0131 - 0131
Width         1
Sequence Order 92
Notes         ONLY INCLUDES DTP/HIB VACCINES.
```

1999 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

```
-----
Section          8
Variable Name    P_NUMDHN
Label           NUMBER OF DTP/HIB (UNMARKED) SHOTS, AS DETERMINED FROM PROVIDER
                INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S)
                AS OCCURRING AFTER THE RDD INTERVIEW DATE.
```

```
Response
Categories       Freq  Value  Label

                11356   .
                22042   0
                 494    1
                 177    2
                 200    3
                 172    4
                  1     5
```

```
Type           NUM
Location       0132 - 0132
Width          1
Sequence Order 93
Notes          ONLY INCLUDES DTP/HIB VACCINES WHERE PROVIDER DID NOT IDENTIFY
                THE SPECIFIC TYPE OF DTP/HIB VACCINE.
```

```
-----
Section          8
Variable Name    P_NUMDTA
Label           NUMBER OF DTAP (MARKED) SHOTS, AS DETERMINED FROM PROVIDER
                INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S)
                AS OCCURRING AFTER THE RDD INTERVIEW DATE.
```

```
Response
Categories       Freq  Value  Label

                11356   .
                7162   0
                4254   1
                1870   2
                3406   3
                6341   4
                 53    5
```

```
Type           NUM
Location       0133 - 0133
Width          1
Sequence Order 94
Notes          ONLY INCLUDES DTAP VACCINES.
```

1999 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

```
-----
Section          8
Variable Name    P_NUMDTM
Label           NUMBER OF DT (MARKED) SHOTS, AS DETERMINED FROM PROVIDER
                INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S)
                AS OCCURRING AFTER THE RDD INTERVIEW DATE.
```

```
Response
Categories      Freq  Value  Label

                11356   .
                22915   0
                 111    1
                  25    2
                   21    3
                   14    4
```

```
Type           NUM
Location       0134 - 0134
Width         1
Sequence Order 95
Notes         ONLY INCLUDES DT VACCINES.
```

```
-----
Section          8
Variable Name    P_NUMDTP
Label           NUMBER OF DTP SHOTS (ALL TYPES INCLUDING DT), AS DETERMINED
                FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY
                THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
```

```
Response
Categories      Freq  Value  Label

                11356   .
                 226    0
                 402    1
                 459    2
                 2747   3
                 18937  4
                 299    5
                  13    6
                   2    7
                   1    8
```

```
Type           NUM
Location       0135 - 0135
Width         1
Sequence Order 96
Notes         INCLUDES ALL DTP-CONTAINING VACCINES.
```

1999 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

```
-----
Section          8
Variable Name    P_NUMHEP
Label           NUMBER OF HEPATITIS B (ALL TYPES) SHOTS, AS DETERMINED FROM
                PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE
                PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
```

```
Response
Categories      Freq  Value  Label

                11356  .
                500   0
                557   1
                1937  2
                19529 3
                513   4
                 36   5
                 10   6
                  4   7
```

```
Type          NUM
Location      0136 - 0136
Width        1
Sequence Order 97
Notes        INCLUDES ALL HEPATITIS B-CONTAINING VACCINES.
```

```
-----
Section          8
Variable Name    P_NUMHIB
Label           NUMBER OF HIB (ALL TYPES) SHOTS, AS DETERMINED FROM PROVIDER
                INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S)
                AS OCCURRING AFTER THE RDD INTERVIEW DATE.
```

```
Response
Categories      Freq  Value  Label

                11356  .
                337   0
                569   1
                684   2
                3613  3
                17471 4
                363   5
                 38   6
                 10   7
                  1   8
```

```
Type          NUM
Location      0137 - 0137
Width        1
Sequence Order 98
Notes        INCLUDES ALL HIB-CONTAINING VACCINES.
```


1999 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

```

-----
Section                8
Variable Name         P_NUMIPV
Label                 NUMBER OF IPV (MARKED) SHOTS, AS DETERMINED FROM PROVIDER
                     INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S)
                     AS OCCURRING AFTER THE RDD INTERVIEW DATE.

Response
Categories            Freq  Value  Label

                     11356   .
                     14154   0
                     1116    1
                     6296    2
                     1469    3
                     51      4

Type                  NUM
Location              0138 - 0138
Width                 1
Sequence Order        99
Notes                 ONLY INCLUDES IPV VACCINES.
-----

```

```

-----
Section                8
Variable Name         P_NUMMMR
Label                 NUMBER OF MCV (MEASLES-CONTAINING VACCINE) SHOTS, AS DETERMINED
                     FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY
                     THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.

Response
Categories            Freq  Value  Label

                     11356   .
                     2099   0
                     20587  1
                     384    2
                     16     3

Type                  NUM
Location              0139 - 0139
Width                 1
Sequence Order        100
Notes                 INCLUDES ALL MEASLES-CONTAINING VACCINES (MCV).
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

```

-----
Section                8
Variable Name          P_NUMMMX
Label                  NUMBER OF TRUE MMR (NOT INCLUDING MEASLES-ONLY SHOTS), AS
                      DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS
                      REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW
                      DATE.

Response
Categories              Freq  Value  Label

                      11356   .
                      2134    0
                      20672   1
                      268     2
                      12      3

Type                    NUM
Location                0140 - 0140
Width                   1
Sequence Order          101
Notes                   ONLY INCLUDES MMR VACCINES.
-----

```

```

-----
Section                8
Variable Name          P_NUMOLN
Label                  NUMBER OF POLIO (UNMARKED) SHOTS, AS DETERMINED FROM PROVIDER
                      INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE
                      PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.

Response
Categories              Freq  Value  Label

                      11356   .
                      19539   0
                      1202    1
                      639     2
                      1518    3
                      184     4
                      4       5

Type                    NUM
Location                0141 - 0141
Width                   1
Sequence Order          102
Notes                   ONLY INCLUDES POLIO VACCINES WHERE PROVIDER DID NOT IDENTIFY
                      THE SPECIFIC TYPE OF POLIO VACCINE.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

```
-----
Section          8
Variable Name    P_NUMOPV
Label           NUMBER OF OPV (MARKED) SHOTS, AS DETERMINED FROM PROVIDER
                INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S)
                AS OCCURRING AFTER THE RDD INTERVIEW DATE.
```

```
Response
Categories      Freq  Value  Label

                11356   .
                4953   0
                6283   1
                1932   2
                8867   3
                1018   4
                 33    5
```

```
Type           NUM
Location       0142 - 0142
Width         1
Sequence Order 103
Notes         ONLY INCLUDES OPV VACCINES.
```

```
-----
Section          8
Variable Name    P_NUMPOL
Label           NUMBER OF POLIO (ALL TYPES) SHOTS, AS DETERMINED FROM PROVIDER
                INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S)
                AS OCCURRING AFTER THE RDD INTERVIEW DATE.
```

```
Response
Categories      Freq  Value  Label

                11356   .
                 580   0
                 434   1
                 1591  2
                 18516  3
                 1899  4
                  63   5
                   2   6
                   1   7
```

```
Type           NUM
Location       0143 - 0143
Width         1
Sequence Order 104
Notes         INCLUDES ALL POLIO VACCINES.
```

1999 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Section 8
 Variable Name P_NUMRB
 Label NUMBER OF RUBELLA SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.

Response Categories

Freq	Value	Label
11356	.	
23080	0	
6	1	

Type NUM
 Location 0144 - 0144
 Width 1
 Sequence Order 105
 Notes

 Section 8
 Variable Name P_NUMROT
 Label NUMBER OF ROTAVIRUS SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.

Response Categories

Freq	Value	Label
11356	.	
23068	0	
14	1	
1	2	
3	3	

Type NUM
 Location 0145 - 0145
 Width 1
 Sequence Order 106
 Notes

1999 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

```

-----
Section                8
Variable Name          P_NUMTPM
Label                  NUMBER OF DTP (MARKED) SHOTS, AS DETERMINED FROM PROVIDER
                      INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S)
                      AS OCCURRING AFTER THE RDD INTERVIEW DATE.

Response
Categories              Freq  Value  Label

                      11356   .
                      18744   0
                      1327    1
                      773     2
                      1310    3
                      928     4
                      4       5

Type                    NUM
Location                0146 - 0146
Width                   1
Sequence Order          107
Notes                   ONLY INCLUDES DTP VACCINES.
-----

```

```

-----
Section                8
Variable Name          P_NUMTPN
Label                  NUMBER OF DTP (UNMARKED) SHOTS, AS DETERMINED FROM PROVIDER
                      INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S)
                      AS OCCURRING AFTER THE RDD INTERVIEW DATE.

Response
Categories              Freq  Value  Label

                      11356   .
                      19993   0
                      1348    1
                      474     2
                      546     3
                      722     4
                      3       5

Type                    NUM
Location                0147 - 0147
Width                   1
Sequence Order          108
Notes                   ONLY INCLUDES DTP VACCINES WHERE PROVIDER DID NOT IDENTIFY THE
                      SPECIFIC TYPE OF DTP VACCINE.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

```
-----
Section          8
Variable Name    P_NUMVRC
Label           NUMBER OF VARICELLA (CHICKEN POX) SHOTS, AS DETERMINED FROM
                PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE
                PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
```

```
Response
Categories      Freq  Value  Label

                11356   .
                9674   0
                13343  1
                 69    2
```

```
Type          NUM
Location      0148 - 0148
Width         1
Sequence Order 109
Notes
```

```
-----
Section          8
Variable Name    VB11
Label           VERBATIM TEXT FOR 1ST OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT
                PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.
```

```
Response
Categories      Frequency of Missing/Non-missing Values

                33442   MISSING
                 1000   NON-MISSING CHARACTER STRING
```

```
Type          CHAR
Location      0149 - 0178
Width         30
Sequence Order 110
Notes        ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.
```

```
-----
Section          8
Variable Name    VB12
Label           VERBATIM TEXT FOR 1ST OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT
                PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.
```

```
Response
Categories      Frequency of Missing/Non-missing Values

                34347   MISSING
                 95    NON-MISSING CHARACTER STRING
```

```
Type          CHAR
Location      0179 - 0208
Width         30
Sequence Order 111
Notes        ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.
```

1999 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Section 8
Variable Name VB13
Label VERBATIM TEXT FOR 1ST OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT
PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
Response
Categories Frequency of Missing/Non-missing Values

34438 MISSING
4 NON-MISSING CHARACTER STRING

Type CHAR
Location 0209 - 0238
Width 30
Sequence Order 112
Notes ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.

Section 8
Variable Name VB21
Label VERBATIM TEXT FOR 2ND OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT
PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.
Response
Categories Frequency of Missing/Non-missing Values

34005 MISSING
437 NON-MISSING CHARACTER STRING

Type CHAR
Location 0239 - 0268
Width 30
Sequence Order 113
Notes ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.

Section 8
Variable Name VB22
Label VERBATIM TEXT FOR 2ND OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT
PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.
Response
Categories Frequency of Missing/Non-missing Values

34394 MISSING
48 NON-MISSING CHARACTER STRING

Type CHAR
Location 0269 - 0298
Width 30
Sequence Order 114
Notes ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.

1999 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Section 8
Variable Name VB23
Label VERBATIM TEXT FOR 2ND OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT
PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
Response
Categories Frequency of Missing/Non-missing Values

34441 MISSING
1 NON-MISSING CHARACTER STRING

Type CHAR
Location 0299 - 0328
Width 30
Sequence Order 115
Notes ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.

Section 8
Variable Name VB31
Label VERBATIM TEXT FOR 3RD OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT
PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.
Response
Categories Frequency of Missing/Non-missing Values

34274 MISSING
168 NON-MISSING CHARACTER STRING

Type CHAR
Location 0329 - 0358
Width 30
Sequence Order 116
Notes ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.

Section 8
Variable Name VB32
Label VERBATIM TEXT FOR 3RD OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT
PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.
Response
Categories Frequency of Missing/Non-missing Values

34419 MISSING
23 NON-MISSING CHARACTER STRING

Type CHAR
Location 0359 - 0388
Width 30
Sequence Order 117
Notes ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.

1999 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

```
-----  
Section                8  
Variable Name         VB33  
Label                 VERBATIM TEXT FOR 3RD OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT  
                     PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.  
Response  
Categories            Frequency of Missing/Non-missing Values  
  
                     34442          MISSING  
  
Type                  CHAR  
Location              0389 - 0418  
Width                 30  
Sequence Order        118  
Notes                 ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.  
-----  
Section                8  
Variable Name         VB41  
Label                 VERBATIM TEXT FOR 4TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT  
                     PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.  
Response  
Categories            Frequency of Missing/Non-missing Values  
  
                     34365          MISSING  
                     77           NON-MISSING CHARACTER STRING  
  
Type                  CHAR  
Location              0419 - 0448  
Width                 30  
Sequence Order        119  
Notes                 ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.  
-----  
Section                8  
Variable Name         VB42  
Label                 VERBATIM TEXT FOR 4TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT  
                     PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.  
Response  
Categories            Frequency of Missing/Non-missing Values  
  
                     34432          MISSING  
                     10           NON-MISSING CHARACTER STRING  
  
Type                  CHAR  
Location              0449 - 0478  
Width                 30  
Sequence Order        120  
Notes                 ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.
```

1999 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

```

-----
Section          8
Variable Name    VB43
Label            VERBATIM TEXT FOR 4TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT
PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.

Response
Categories       Frequency of Missing/Non-missing Values

                34442          MISSING

Type             CHAR
Location         0479 - 0508
Width            30
Sequence Order   121
Notes            ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.
-----
Section          8
Variable Name    VB51
Label            VERBATIM TEXT FOR 5TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT
PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.

Response
Categories       Frequency of Missing/Non-missing Values

                34430          MISSING
                 12          NON-MISSING CHARACTER STRING

Type             CHAR
Location         0509 - 0538
Width            30
Sequence Order   122
Notes            ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.
-----
Section          8
Variable Name    VB52
Label            VERBATIM TEXT FOR 5TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT
PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.

Response
Categories       Frequency of Missing/Non-missing Values

                34440          MISSING
                 2          NON-MISSING CHARACTER STRING

Type             CHAR
Location         0539 - 0568
Width            30
Sequence Order   123
Notes            ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.

```

1999 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Section	8
Variable Name	VB53
Label	VERBATIM TEXT FOR 5TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
Response	
Categories	Frequency of Missing/Non-missing Values
	34442 MISSING
Type	CHAR
Location	0569 - 0598
Width	30
Sequence Order	124
Notes	ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DDTAH1
Label AGE IN DAYS OF PROVIDER-REPORTED DTAP/HIB (MARKED) SHOT #1
Response
Categories Statistics Description

	2364	NUMBER OF NON-MISSING
	32078	NUMBER OF MISSING
	393.57	AVERAGE/MEAN
	462.00	MEDIAN VALUE
	32.00	MINIMUM VALUE
	996.00	MAXIMUM VALUE

Type NUM
Location 0599 - 0602
Width 4
Sequence Order 125
Notes SEE SECTION 8 NOTES FOR P_NUMDAH.

Section 9
Variable Name DDTAH2
Label AGE IN DAYS OF PROVIDER-REPORTED DTAP/HIB (MARKED) SHOT #2
Response
Categories Statistics Description

	503	NUMBER OF NON-MISSING
	33939	NUMBER OF MISSING
	202.02	AVERAGE/MEAN
	132.00	MEDIAN VALUE
	92.00	MINIMUM VALUE
	814.00	MAXIMUM VALUE

Type NUM
Location 0603 - 0606
Width 4
Sequence Order 126
Notes SEE SECTION 8 NOTES FOR P_NUMDAH.

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTAH3
Label           AGE IN DAYS OF PROVIDER-REPORTED DTAP/HIB (MARKED) SHOT #3
Response
Categories      Statistics  Description
                349      NUMBER OF NON-MISSING
                34093    NUMBER OF MISSING

                246.29   AVERAGE/MEAN
                192.00   MEDIAN VALUE
                125.00   MINIMUM VALUE
                884.00   MAXIMUM VALUE

Type            NUM
Location        0607 - 0610
Width           4
Sequence Order  127
Notes           SEE SECTION 8 NOTES FOR P_NUMDAH.
-----

```

```

-----
Section          9
Variable Name    DDTAH4
Label           AGE IN DAYS OF PROVIDER-REPORTED DTAP/HIB (MARKED) SHOT #4
Response
Categories      Statistics  Description
                146      NUMBER OF NON-MISSING
                34296    NUMBER OF MISSING

                513.93   AVERAGE/MEAN
                492.00   MEDIAN VALUE
                254.00   MINIMUM VALUE
                949.00   MAXIMUM VALUE

Type            NUM
Location        0611 - 0614
Width           4
Sequence Order  128
Notes           SEE SECTION 8 NOTES FOR P_NUMDAH.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DDTAH5
Label AGE IN DAYS OF PROVIDER-REPORTED DTAP/HIB (MARKED) SHOT #5
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
34442		NUMBER OF MISSING
.		AVERAGE/MEAN
.		MEDIAN VALUE
.		MINIMUM VALUE
.		MAXIMUM VALUE

Type NUM
Location 0615 - 0618
Width 4
Sequence Order 129
Notes SEE SECTION 8 NOTES FOR P_NUMDAH.

Section 9
Variable Name DDTAH6
Label AGE IN DAYS OF PROVIDER-REPORTED DTAP/HIB (MARKED) SHOT #6
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
34442		NUMBER OF MISSING
.		AVERAGE/MEAN
.		MEDIAN VALUE
.		MINIMUM VALUE
.		MAXIMUM VALUE

Type NUM
Location 0619 - 0622
Width 4
Sequence Order 130
Notes SEE SECTION 8 NOTES FOR P_NUMDAH.

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTAH7
Label           AGE IN DAYS OF PROVIDER-REPORTED DTAP/HIB (MARKED) SHOT #7
Response
Categories      Statistics  Description
                0 NUMBER OF NON-MISSING
                34442 NUMBER OF MISSING
                .  AVERAGE/MEAN
                .  MEDIAN VALUE
                .  MINIMUM VALUE
                .  MAXIMUM VALUE

Type            NUM
Location        0623 - 0626
Width           4
Sequence Order  131
Notes           SEE SECTION 8 NOTES FOR P_NUMDAH.
-----

```

```

-----
Section          9
Variable Name    DDTAH8
Label           AGE IN DAYS OF PROVIDER-REPORTED DTAP/HIB (MARKED) SHOT #8
Response
Categories      Statistics  Description
                0 NUMBER OF NON-MISSING
                34442 NUMBER OF MISSING
                .  AVERAGE/MEAN
                .  MEDIAN VALUE
                .  MINIMUM VALUE
                .  MAXIMUM VALUE

Type            NUM
Location        0627 - 0630
Width           4
Sequence Order  132
Notes           SEE SECTION 8 NOTES FOR P_NUMDAH.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTAP1
Label           AGE IN DAYS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #1
Response
Categories      Statistics  Description
                15924    NUMBER OF NON-MISSING
                18518    NUMBER OF MISSING

                189.74   AVERAGE/MEAN
                75.00    MEDIAN VALUE
                 0.00    MINIMUM VALUE
                1047.00  MAXIMUM VALUE

Type            NUM
Location        0631 - 0634
Width           4
Sequence Order  133
Notes           SEE SECTION 8 NOTES FOR P_NUMMDTA.
-----

```

```

-----
Section          9
Variable Name    DDTAP2
Label           AGE IN DAYS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #2
Response
Categories      Statistics  Description
                11670    NUMBER OF NON-MISSING
                22772    NUMBER OF MISSING

                190.53   AVERAGE/MEAN
                133.00   MEDIAN VALUE
                 34.00   MINIMUM VALUE
                1071.00  MAXIMUM VALUE

Type            NUM
Location        0635 - 0638
Width           4
Sequence Order  134
Notes           SEE SECTION 8 NOTES FOR P_NUMMDTA.
-----

```


1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTAP3
Label           AGE IN DAYS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #3
Response
Categories       Statistics  Description
                9800      NUMBER OF NON-MISSING
                24642     NUMBER OF MISSING

                252.01    AVERAGE/MEAN
                196.00    MEDIAN VALUE
                95.00     MINIMUM VALUE
                1044.00   MAXIMUM VALUE

Type            NUM
Location       0639 - 0642
Width         4
Sequence Order 135
Notes         SEE SECTION 8 NOTES FOR P_NUMMDTA.
-----

```

```

-----
Section          9
Variable Name    DDTAP4
Label           AGE IN DAYS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #4
Response
Categories       Statistics  Description
                6394      NUMBER OF NON-MISSING
                28048     NUMBER OF MISSING

                511.97    AVERAGE/MEAN
                506.00    MEDIAN VALUE
                171.00    MINIMUM VALUE
                1058.00   MAXIMUM VALUE

Type            NUM
Location       0643 - 0646
Width         4
Sequence Order 136
Notes         SEE SECTION 8 NOTES FOR P_NUMMDTA.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTAP5
Label           AGE IN DAYS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #5
Response
Categories       Statistics  Description
                    53  NUMBER OF NON-MISSING
                   34389  NUMBER OF MISSING
                    579.42  AVERAGE/MEAN
                    553.00  MEDIAN VALUE
                    187.00  MINIMUM VALUE
                   1028.00  MAXIMUM VALUE

Type            NUM
Location        0647  - 0650
Width           4
Sequence Order  137
Notes           SEE SECTION 8 NOTES FOR P_NUMMDTA.
-----

```

```

-----
Section          9
Variable Name    DDTAP6
Label           AGE IN DAYS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #6
Response
Categories       Statistics  Description
                    0  NUMBER OF NON-MISSING
                   34442  NUMBER OF MISSING
                    .    AVERAGE/MEAN
                    .    MEDIAN VALUE
                    .    MINIMUM VALUE
                    .    MAXIMUM VALUE

Type            NUM
Location        0651  - 0654
Width           4
Sequence Order  138
Notes           SEE SECTION 8 NOTES FOR P_NUMMDTA.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DDTAP7
Label AGE IN DAYS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #7
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
34442		NUMBER OF MISSING
.		AVERAGE/MEAN
.		MEDIAN VALUE
.		MINIMUM VALUE
.		MAXIMUM VALUE

Type NUM
Location 0655 - 0658
Width 4
Sequence Order 139
Notes SEE SECTION 8 NOTES FOR P_NUMMDTA.

Section 9
Variable Name DDTAP8
Label AGE IN DAYS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #8
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
34442		NUMBER OF MISSING
.		AVERAGE/MEAN
.		MEDIAN VALUE
.		MINIMUM VALUE
.		MAXIMUM VALUE

Type NUM
Location 0659 - 0662
Width 4
Sequence Order 140
Notes SEE SECTION 8 NOTES FOR P_NUMMDTA.

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTHM1
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB (MARKED) SHOT #1
Response
Categories      Statistics  Description

                7608  NUMBER OF NON-MISSING
                26834 NUMBER OF MISSING

                94.45  AVERAGE/MEAN
                65.00  MEDIAN VALUE
                 0.00  MINIMUM VALUE
                896.00  MAXIMUM VALUE

Type            NUM
Location        0663 - 0666
Width           4
Sequence Order  141
Notes           SEE SECTION 8 NOTES FOR P_NUMDHM.
-----

```

```

-----
Section          9
Variable Name    DDTHM2
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB (MARKED) SHOT #2
Response
Categories      Statistics  Description

                5983  NUMBER OF NON-MISSING
                28459 NUMBER OF MISSING

                151.57 AVERAGE/MEAN
                129.00 MEDIAN VALUE
                 42.00 MINIMUM VALUE
                1013.00 MAXIMUM VALUE

Type            NUM
Location        0667 - 0670
Width           4
Sequence Order  142
Notes           SEE SECTION 8 NOTES FOR P_NUMDHM.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTHM3
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB (MARKED) SHOT #3
Response
Categories      Statistics  Description
                4647      NUMBER OF NON-MISSING
                29795     NUMBER OF MISSING

                221.63    AVERAGE/MEAN
                193.00    MEDIAN VALUE
                119.00    MINIMUM VALUE
                939.00    MAXIMUM VALUE

Type            NUM
Location       0671 - 0674
Width         4
Sequence Order 143
Notes         SEE SECTION 8 NOTES FOR P_NUMDHM.
-----

```

```

-----
Section          9
Variable Name    DDTHM4
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB (MARKED) SHOT #4
Response
Categories      Statistics  Description
                1657      NUMBER OF NON-MISSING
                32785     NUMBER OF MISSING

                486.94    AVERAGE/MEAN
                470.00    MEDIAN VALUE
                170.00    MINIMUM VALUE
                1044.00   MAXIMUM VALUE

Type            NUM
Location       0675 - 0678
Width         4
Sequence Order 144
Notes         SEE SECTION 8 NOTES FOR P_NUMDHM.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
 Variable Name DDTHM5
 Label AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB (MARKED) SHOT #5
 Response

Categories	Statistics	Description
	14	NUMBER OF NON-MISSING
	34428	NUMBER OF MISSING
	582.07	AVERAGE/MEAN
	533.50	MEDIAN VALUE
	429.00	MINIMUM VALUE
	959.00	MAXIMUM VALUE

Type NUM
 Location 0679 - 0682
 Width 4
 Sequence Order 145
 Notes SEE SECTION 8 NOTES FOR P_NUMDHM.

Section 9
 Variable Name DDTHM6
 Label AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB (MARKED) SHOT #6
 Response

Categories	Statistics	Description
	0	NUMBER OF NON-MISSING
	34442	NUMBER OF MISSING
	.	AVERAGE/MEAN
	.	MEDIAN VALUE
	.	MINIMUM VALUE
	.	MAXIMUM VALUE

Type NUM
 Location 0683 - 0686
 Width 4
 Sequence Order 146
 Notes SEE SECTION 8 NOTES FOR P_NUMDHM.

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTHM7
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB (MARKED) SHOT #7
Response
Categories       Statistics  Description
                0 NUMBER OF NON-MISSING
                34442 NUMBER OF MISSING
                .  AVERAGE/MEAN
                .  MEDIAN VALUE
                .  MINIMUM VALUE
                .  MAXIMUM VALUE

Type            NUM
Location        0687 - 0690
Width           4
Sequence Order  147
Notes           SEE SECTION 8 NOTES FOR P_NUMDHM.
-----

```

```

-----
Section          9
Variable Name    DDTHM8
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB (MARKED) SHOT #8
Response
Categories       Statistics  Description
                0 NUMBER OF NON-MISSING
                34442 NUMBER OF MISSING
                .  AVERAGE/MEAN
                .  MEDIAN VALUE
                .  MINIMUM VALUE
                .  MAXIMUM VALUE

Type            NUM
Location        0691 - 0694
Width           4
Sequence Order  148
Notes           SEE SECTION 8 NOTES FOR P_NUMDHM.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTHN1
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB (UNMARKED) SHOT #1
Response
Categories       Statistics  Description
                1044      NUMBER OF NON-MISSING
                33398     NUMBER OF MISSING

                182.13    AVERAGE/MEAN
                121.00    MEDIAN VALUE
                36.00     MINIMUM VALUE
                1058.00   MAXIMUM VALUE

Type            NUM
Location        0695 - 0698
Width           4
Sequence Order  149
Notes          SEE SECTION 8 NOTES FOR P_NUMDHN.
-----

```

```

-----
Section          9
Variable Name    DDTHN2
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB (UNMARKED) SHOT #2
Response
Categories       Statistics  Description
                550      NUMBER OF NON-MISSING
                33892     NUMBER OF MISSING

                174.53    AVERAGE/MEAN
                138.00    MEDIAN VALUE
                76.00     MINIMUM VALUE
                597.00   MAXIMUM VALUE

Type            NUM
Location        0699 - 0702
Width           4
Sequence Order  150
Notes          SEE SECTION 8 NOTES FOR P_NUMDHN.
-----

```


1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTHN3
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB (UNMARKED) SHOT #3
Response
Categories       Statistics  Description
                373      NUMBER OF NON-MISSING
                34069    NUMBER OF MISSING

                249.68   AVERAGE/MEAN
                197.00   MEDIAN VALUE
                125.00   MINIMUM VALUE
                665.00   MAXIMUM VALUE

Type            NUM
Location        0703 - 0706
Width           4
Sequence Order  151
Notes           SEE SECTION 8 NOTES FOR P_NUMDHN.
-----

```

```

-----
Section          9
Variable Name    DDTHN4
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB (UNMARKED) SHOT #4
Response
Categories       Statistics  Description
                173      NUMBER OF NON-MISSING
                34269    NUMBER OF MISSING

                504.55   AVERAGE/MEAN
                482.00   MEDIAN VALUE
                202.00   MINIMUM VALUE
                1059.00  MAXIMUM VALUE

Type            NUM
Location        0707 - 0710
Width           4
Sequence Order  152
Notes           SEE SECTION 8 NOTES FOR P_NUMDHN.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTHN5
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB (UNMARKED) SHOT #5
Response
Categories       Statistics  Description
                1  NUMBER OF NON-MISSING
                34441 NUMBER OF MISSING
                654.00 AVERAGE/MEAN
                654.00 MEDIAN VALUE
                654.00 MINIMUM VALUE
                654.00 MAXIMUM VALUE

Type             NUM
Location        0711 - 0714
Width           4
Sequence Order  153
Notes          SEE SECTION 8 NOTES FOR P_NUMDHN.
-----

```

```

-----
Section          9
Variable Name    DDTHN6
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB (UNMARKED) SHOT #6
Response
Categories       Statistics  Description
                0  NUMBER OF NON-MISSING
                34442 NUMBER OF MISSING
                .   AVERAGE/MEAN
                .   MEDIAN VALUE
                .   MINIMUM VALUE
                .   MAXIMUM VALUE

Type             NUM
Location        0715 - 0718
Width           4
Sequence Order  154
Notes          SEE SECTION 8 NOTES FOR P_NUMDHN.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DDTHN7
Label AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB (UNMARKED) SHOT #7
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
34442		NUMBER OF MISSING
.		AVERAGE/MEAN
.		MEDIAN VALUE
.		MINIMUM VALUE
.		MAXIMUM VALUE

Type NUM
Location 0719 - 0722
Width 4
Sequence Order 155
Notes SEE SECTION 8 NOTES FOR P_NUMDHN.

Section 9
Variable Name DDTHN8
Label AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB (UNMARKED) SHOT #8
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
34442		NUMBER OF MISSING
.		AVERAGE/MEAN
.		MEDIAN VALUE
.		MINIMUM VALUE
.		MAXIMUM VALUE

Type NUM
Location 0723 - 0726
Width 4
Sequence Order 156
Notes SEE SECTION 8 NOTES FOR P_NUMDHN.

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DDTM1
Label AGE IN DAYS OF PROVIDER-REPORTED DT (MARKED) SHOT #1
Response
Categories Statistics Description

	171	NUMBER OF NON-MISSING
	34271	NUMBER OF MISSING
	243.88	AVERAGE/MEAN
	175.00	MEDIAN VALUE
	40.00	MINIMUM VALUE
	879.00	MAXIMUM VALUE

Type NUM
Location 0727 - 0730
Width 4
Sequence Order 157
Notes SEE SECTION 8 NOTES FOR P_NUMDTM.

Section 9
Variable Name DDTM2
Label AGE IN DAYS OF PROVIDER-REPORTED DT (MARKED) SHOT #2
Response
Categories Statistics Description

	60	NUMBER OF NON-MISSING
	34382	NUMBER OF MISSING
	288.72	AVERAGE/MEAN
	192.00	MEDIAN VALUE
	115.00	MINIMUM VALUE
	791.00	MAXIMUM VALUE

Type NUM
Location 0731 - 0734
Width 4
Sequence Order 158
Notes SEE SECTION 8 NOTES FOR P_NUMDTM.

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DDTM3
Label AGE IN DAYS OF PROVIDER-REPORTED DT (MARKED) SHOT #3
Response
Categories Statistics Description

	35	NUMBER OF NON-MISSING
	34407	NUMBER OF MISSING
	395.63	AVERAGE/MEAN
	295.00	MEDIAN VALUE
	169.00	MINIMUM VALUE
	875.00	MAXIMUM VALUE

Type NUM
Location 0735 - 0738
Width 4
Sequence Order 159
Notes SEE SECTION 8 NOTES FOR P_NUMDTM.

Section 9
Variable Name DDTM4
Label AGE IN DAYS OF PROVIDER-REPORTED DT (MARKED) SHOT #4
Response
Categories Statistics Description

	14	NUMBER OF NON-MISSING
	34428	NUMBER OF MISSING
	545.71	AVERAGE/MEAN
	517.00	MEDIAN VALUE
	375.00	MINIMUM VALUE
	762.00	MAXIMUM VALUE

Type NUM
Location 0739 - 0742
Width 4
Sequence Order 160
Notes SEE SECTION 8 NOTES FOR P_NUMDTM.

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTM5
Label           AGE IN DAYS OF PROVIDER-REPORTED DT (MARKED) SHOT #5
Response
Categories       Statistics  Description
                   0 NUMBER OF NON-MISSING
                 34442 NUMBER OF MISSING
                   .  AVERAGE/MEAN
                   .  MEDIAN VALUE
                   .  MINIMUM VALUE
                   .  MAXIMUM VALUE

Type             NUM
Location        0743 - 0746
Width           4
Sequence Order  161
Notes           SEE SECTION 8 NOTES FOR P_NUMDTM.
-----

```

```

-----
Section          9
Variable Name    DDTM6
Label           AGE IN DAYS OF PROVIDER-REPORTED DT (MARKED) SHOT #6
Response
Categories       Statistics  Description
                   0 NUMBER OF NON-MISSING
                 34442 NUMBER OF MISSING
                   .  AVERAGE/MEAN
                   .  MEDIAN VALUE
                   .  MINIMUM VALUE
                   .  MAXIMUM VALUE

Type             NUM
Location        0747 - 0750
Width           4
Sequence Order  162
Notes           SEE SECTION 8 NOTES FOR P_NUMDTM.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DDTM7
Label AGE IN DAYS OF PROVIDER-REPORTED DT (MARKED) SHOT #7
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
34442		NUMBER OF MISSING
.		AVERAGE/MEAN
.		MEDIAN VALUE
.		MINIMUM VALUE
.		MAXIMUM VALUE

Type NUM
Location 0751 - 0754
Width 4
Sequence Order 163
Notes SEE SECTION 8 NOTES FOR P_NUMDTM.

Section 9
Variable Name DDTM8
Label AGE IN DAYS OF PROVIDER-REPORTED DT (MARKED) SHOT #8
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
34442		NUMBER OF MISSING
.		AVERAGE/MEAN
.		MEDIAN VALUE
.		MINIMUM VALUE
.		MAXIMUM VALUE

Type NUM
Location 0755 - 0758
Width 4
Sequence Order 164
Notes SEE SECTION 8 NOTES FOR P_NUMDTM.

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTP1
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING
                DT) #1
Response
Categories       Statistics  Description
                22860    NUMBER OF NON-MISSING
                11582    NUMBER OF MISSING
                77.14    AVERAGE/MEAN
                64.00    MEDIAN VALUE
                0.00     MINIMUM VALUE
                1020.00  MAXIMUM VALUE

Type            NUM
Location       0759 - 0762
Width         4
Sequence Order 165
Notes         SEE SECTION 8 NOTES FOR P_NUMDTP.
-----

```

```

-----
Section          9
Variable Name    DDTP2
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING
                DT) #2
Response
Categories       Statistics  Description
                22458    NUMBER OF NON-MISSING
                11984    NUMBER OF MISSING
                146.63   AVERAGE/MEAN
                128.00   MEDIAN VALUE
                34.00    MINIMUM VALUE
                1051.00  MAXIMUM VALUE

Type            NUM
Location       0763 - 0766
Width         4
Sequence Order 166
Notes         SEE SECTION 8 NOTES FOR P_NUMDTP.
-----

```


1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTP3
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING
                DT) #3
Response
Categories      Statistics  Description
                21999    NUMBER OF NON-MISSING
                12443    NUMBER OF MISSING

                223.26   AVERAGE/MEAN
                194.00   MEDIAN VALUE
                73.00    MINIMUM VALUE
                1071.00  MAXIMUM VALUE

Type            NUM
Location        0767 - 0770
Width           4
Sequence Order  167
Notes           SEE SECTION 8 NOTES FOR P_NUMDTP.
-----

```

```

-----
Section          9
Variable Name    DDTP4
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING
                DT) #4
Response
Categories      Statistics  Description
                19252    NUMBER OF NON-MISSING
                15190    NUMBER OF MISSING

                513.56   AVERAGE/MEAN
                499.00   MEDIAN VALUE
                139.00   MINIMUM VALUE
                1060.00  MAXIMUM VALUE

Type            NUM
Location        0771 - 0774
Width           4
Sequence Order  168
Notes           SEE SECTION 8 NOTES FOR P_NUMDTP.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTP5
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING
                DT) #5
Response
Categories       Statistics  Description
                315      NUMBER OF NON-MISSING
                34127    NUMBER OF MISSING
                573.00   AVERAGE/MEAN
                551.00   MEDIAN VALUE
                187.00   MINIMUM VALUE
                1028.00  MAXIMUM VALUE

Type            NUM
Location       0775 - 0778
Width          4
Sequence Order 169
Notes         SEE SECTION 8 NOTES FOR P_NUMDTP.
-----

```

```

-----
Section          9
Variable Name    DDTP6
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING
                DT) #6
Response
Categories       Statistics  Description
                16      NUMBER OF NON-MISSING
                34426    NUMBER OF MISSING
                679.38   AVERAGE/MEAN
                599.50   MEDIAN VALUE
                454.00   MINIMUM VALUE
                1020.00  MAXIMUM VALUE

Type            NUM
Location       0779 - 0782
Width          4
Sequence Order 170
Notes         SEE SECTION 8 NOTES FOR P_NUMDTP.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTP7
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING
                DT) #7
Response
Categories       Statistics  Description
                3          NUMBER OF NON-MISSING
                34439       NUMBER OF MISSING

                727.67     AVERAGE/MEAN
                755.00     MEDIAN VALUE
                601.00     MINIMUM VALUE
                827.00     MAXIMUM VALUE

Type            NUM
Location       0783 - 0786
Width         4
Sequence Order 171
Notes         SEE SECTION 8 NOTES FOR P_NUMDTP.
-----

```

```

-----
Section          9
Variable Name    DDTP8
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING
                DT) #8
Response
Categories       Statistics  Description
                1          NUMBER OF NON-MISSING
                34441       NUMBER OF MISSING

                890.00     AVERAGE/MEAN
                890.00     MEDIAN VALUE
                890.00     MINIMUM VALUE
                890.00     MAXIMUM VALUE

Type            NUM
Location       0787 - 0790
Width         4
Sequence Order 172
Notes         SEE SECTION 8 NOTES FOR P_NUMDTP.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DDTPHB1
Label AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #1
Response
Categories Statistics Description

	9743	NUMBER OF NON-MISSING
	24699	NUMBER OF MISSING
	138.75	AVERAGE/MEAN
	66.00	MEDIAN VALUE
	0.00	MINIMUM VALUE
	996.00	MAXIMUM VALUE

Type NUM
Location 0791 - 0794
Width 4
Sequence Order 173
Notes SEE SECTION 8 NOTES FOR P_NUMDHB.

Section 9
Variable Name DDTPHB2
Label AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #2
Response
Categories Statistics Description

	7178	NUMBER OF NON-MISSING
	27264	NUMBER OF MISSING
	157.47	AVERAGE/MEAN
	129.00	MEDIAN VALUE
	42.00	MINIMUM VALUE
	877.00	MAXIMUM VALUE

Type NUM
Location 0795 - 0798
Width 4
Sequence Order 174
Notes SEE SECTION 8 NOTES FOR P_NUMDHB.

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DDTPHB3
Label AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #3
Response
Categories Statistics Description

	5813	NUMBER OF NON-MISSING
	28629	NUMBER OF MISSING
	226.96	AVERAGE/MEAN
	194.00	MEDIAN VALUE
	119.00	MINIMUM VALUE
	1013.00	MAXIMUM VALUE

Type NUM
Location 0799 - 0802
Width 4
Sequence Order 175
Notes SEE SECTION 8 NOTES FOR P_NUMDHB.

Section 9
Variable Name DDTPHB4
Label AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #4
Response
Categories Statistics Description

	2655	NUMBER OF NON-MISSING
	31787	NUMBER OF MISSING
	495.71	AVERAGE/MEAN
	477.00	MEDIAN VALUE
	170.00	MINIMUM VALUE
	1059.00	MAXIMUM VALUE

Type NUM
Location 0803 - 0806
Width 4
Sequence Order 176
Notes SEE SECTION 8 NOTES FOR P_NUMDHB.

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DDTPHB5
Label AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #5
Response
Categories Statistics Description

	23	NUMBER OF NON-MISSING
	34419	NUMBER OF MISSING
	565.83	AVERAGE/MEAN
	532.00	MEDIAN VALUE
	385.00	MINIMUM VALUE
	959.00	MAXIMUM VALUE

Type NUM
Location 0807 - 0810
Width 4
Sequence Order 177
Notes SEE SECTION 8 NOTES FOR P_NUMDHB.

Section 9
Variable Name DDTPHB6
Label AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #6
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
	34442	NUMBER OF MISSING
	.	AVERAGE/MEAN
	.	MEDIAN VALUE
	.	MINIMUM VALUE
	.	MAXIMUM VALUE

Type NUM
Location 0811 - 0814
Width 4
Sequence Order 178
Notes SEE SECTION 8 NOTES FOR P_NUMDHB.

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DDTPHB7
Label AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #7
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
34442		NUMBER OF MISSING
.		AVERAGE/MEAN
.		MEDIAN VALUE
.		MINIMUM VALUE
.		MAXIMUM VALUE

Type NUM
Location 0815 - 0818
Width 4
Sequence Order 179
Notes SEE SECTION 8 NOTES FOR P_NUMDHB.

Section 9
Variable Name DDTPHB8
Label AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #8
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
34442		NUMBER OF MISSING
.		AVERAGE/MEAN
.		MEDIAN VALUE
.		MINIMUM VALUE
.		MAXIMUM VALUE

Type NUM
Location 0819 - 0822
Width 4
Sequence Order 180
Notes SEE SECTION 8 NOTES FOR P_NUMDHB.

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTPM1
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP (MARKED) #1
Response
Categories       Statistics  Description
                4342    NUMBER OF NON-MISSING
                30100   NUMBER OF MISSING

                113.96  AVERAGE/MEAN
                67.00   MEDIAN VALUE
                0.00    MINIMUM VALUE
                954.00  MAXIMUM VALUE

Type            NUM
Location        0823 - 0826
Width           4
Sequence Order  181
Notes          SEE SECTION 8 NOTES FOR P_NUMTPM.
-----

```

```

-----
Section          9
Variable Name    DDTPM2
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP (MARKED) #2
Response
Categories       Statistics  Description
                3015    NUMBER OF NON-MISSING
                31427   NUMBER OF MISSING

                162.46  AVERAGE/MEAN
                132.00  MEDIAN VALUE
                56.00   MINIMUM VALUE
                1006.00 MAXIMUM VALUE

Type            NUM
Location        0827 - 0830
Width           4
Sequence Order  182
Notes          SEE SECTION 8 NOTES FOR P_NUMTPM.
-----

```


1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DDTPM3
Label AGE IN DAYS OF PROVIDER-REPORTED DTP (MARKED) #3
Response
Categories Statistics Description

	2242	NUMBER OF NON-MISSING
	32200	NUMBER OF MISSING
	237.08	AVERAGE/MEAN
	196.00	MEDIAN VALUE
	100.00	MINIMUM VALUE
	998.00	MAXIMUM VALUE

Type NUM
Location 0831 - 0834
Width 4
Sequence Order 183
Notes SEE SECTION 8 NOTES FOR P_NUMTPM.

Section 9
Variable Name DDTPM4
Label AGE IN DAYS OF PROVIDER-REPORTED DTP (MARKED) #4
Response
Categories Statistics Description

	932	NUMBER OF NON-MISSING
	33510	NUMBER OF MISSING
	521.26	AVERAGE/MEAN
	514.00	MEDIAN VALUE
	188.00	MINIMUM VALUE
	1060.00	MAXIMUM VALUE

Type NUM
Location 0835 - 0838
Width 4
Sequence Order 184
Notes SEE SECTION 8 NOTES FOR P_NUMTPM.

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DDTPM5
Label AGE IN DAYS OF PROVIDER-REPORTED DTP (MARKED) #5
Response
Categories Statistics Description

	4	NUMBER OF NON-MISSING
34438		NUMBER OF MISSING
419.50		AVERAGE/MEAN
422.00		MEDIAN VALUE
345.00		MINIMUM VALUE
489.00		MAXIMUM VALUE

Type NUM
Location 0839 - 0842
Width 4
Sequence Order 185
Notes SEE SECTION 8 NOTES FOR P_NUMTPM.

Section 9
Variable Name DDTPM6
Label AGE IN DAYS OF PROVIDER-REPORTED DTP (MARKED) #6
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
34442		NUMBER OF MISSING
.		AVERAGE/MEAN
.		MEDIAN VALUE
.		MINIMUM VALUE
.		MAXIMUM VALUE

Type NUM
Location 0843 - 0846
Width 4
Sequence Order 186
Notes SEE SECTION 8 NOTES FOR P_NUMTPM.

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section	9
Variable Name	DDTPM7
Label	AGE IN DAYS OF PROVIDER-REPORTED DTP (MARKED) #7
Response	
Categories	Statistics Description
	0 NUMBER OF NON-MISSING
	34442 NUMBER OF MISSING
	. AVERAGE/MEAN
	. MEDIAN VALUE
	. MINIMUM VALUE
	. MAXIMUM VALUE
Type	NUM
Location	0847 - 0850
Width	4
Sequence Order	187
Notes	SEE SECTION 8 NOTES FOR P_NUMTPM.

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTPM8
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP (MARKED) #8
Response
Categories      Statistics  Description
                0        NUMBER OF NON-MISSING
                34442     NUMBER OF MISSING
                .        AVERAGE/MEAN
                .        MEDIAN VALUE
                .        MINIMUM VALUE
                .        MAXIMUM VALUE

Type            NUM
Location       0851 - 0854
Width          4
Sequence Order 188
Notes          SEE SECTION 8 NOTES FOR P_NUMTPM.
-----
Section          9
Variable Name    DDTPN1
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #1
Response
Categories      Statistics  Description
                3093     NUMBER OF NON-MISSING
                31349    NUMBER OF MISSING
                231.99   AVERAGE/MEAN
                133.00   MEDIAN VALUE
                0.00     MINIMUM VALUE
                1007.00  MAXIMUM VALUE

Type            NUM
Location       0855 - 0858
Width          4
Sequence Order 189
Notes          SEE SECTION 8 NOTES FOR P_NUMTPN.

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTPN2
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #2
Response
Categories      Statistics  Description
                1745     NUMBER OF NON-MISSING
                32697    NUMBER OF MISSING

                211.25   AVERAGE/MEAN
                148.00   MEDIAN VALUE
                59.00    MINIMUM VALUE
                957.00   MAXIMUM VALUE

Type            NUM
Location       0859 - 0862
Width          4
Sequence Order 190
Notes          SEE SECTION 8 NOTES FOR P_NUMTPN.
-----

```

```

-----
Section          9
Variable Name    DDTPN3
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #3
Response
Categories      Statistics  Description
                1271     NUMBER OF NON-MISSING
                33171    NUMBER OF MISSING

                277.72   AVERAGE/MEAN
                202.00   MEDIAN VALUE
                73.00    MINIMUM VALUE
                973.00   MAXIMUM VALUE

Type            NUM
Location       0863 - 0866
Width          4
Sequence Order 191
Notes          SEE SECTION 8 NOTES FOR P_NUMTPN.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTPN4
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #4
Response
Categories      Statistics  Description
                725      NUMBER OF NON-MISSING
                33717    NUMBER OF MISSING

                518.26   AVERAGE/MEAN
                507.00   MEDIAN VALUE
                139.00   MINIMUM VALUE
                982.00   MAXIMUM VALUE

Type            NUM
Location        0867 - 0870
Width           4
Sequence Order  192
Notes           SEE SECTION 8 NOTES FOR P_NUMTPN.
-----

```

```

-----
Section          9
Variable Name    DDTPN5
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #5
Response
Categories      Statistics  Description
                3       NUMBER OF NON-MISSING
                34439    NUMBER OF MISSING

                543.00   AVERAGE/MEAN
                578.00   MEDIAN VALUE
                361.00   MINIMUM VALUE
                690.00   MAXIMUM VALUE

Type            NUM
Location        0871 - 0874
Width           4
Sequence Order  193
Notes           SEE SECTION 8 NOTES FOR P_NUMTPN.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DDTPN6
Label AGE IN DAYS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #6
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
34442		NUMBER OF MISSING
.		AVERAGE/MEAN
.		MEDIAN VALUE
.		MINIMUM VALUE
.		MAXIMUM VALUE

Type NUM
Location 0875 - 0878
Width 4
Sequence Order 194
Notes SEE SECTION 8 NOTES FOR P_NUMTPN.

Section 9
Variable Name DDTPN7
Label AGE IN DAYS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #7
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
34442		NUMBER OF MISSING
.		AVERAGE/MEAN
.		MEDIAN VALUE
.		MINIMUM VALUE
.		MAXIMUM VALUE

Type NUM
Location 0879 - 0882
Width 4
Sequence Order 195
Notes SEE SECTION 8 NOTES FOR P_NUMTPN.

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTPN8
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #8
Response
Categories      Statistics  Description
                0        NUMBER OF NON-MISSING
                34442    NUMBER OF MISSING
                .        AVERAGE/MEAN
                .        MEDIAN VALUE
                .        MINIMUM VALUE
                .        MAXIMUM VALUE

Type            NUM
Location        0883 - 0886
Width           4
Sequence Order  196
Notes           SEE SECTION 8 NOTES FOR P_NUMTPN.
-----

```

```

-----
Section          9
Variable Name    DHEPB1
Label           AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT
#1
Response
Categories      Statistics  Description
                22586    NUMBER OF NON-MISSING
                11856    NUMBER OF MISSING
                26.47    AVERAGE/MEAN
                2.00     MEDIAN VALUE
                0.00     MINIMUM VALUE
                1059.00   MAXIMUM VALUE

Type            NUM
Location        0887 - 0890
Width           4
Sequence Order  197
Notes           SEE SECTION 8 NOTES FOR P_NUMHEP.
-----

```


1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section	9
Variable Name	DHEPB2
Label	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #2
Response	
Categories	Statistics Description
	22029 NUMBER OF NON-MISSING
	12413 NUMBER OF MISSING
	92.65 AVERAGE/MEAN
	63.00 MEDIAN VALUE
	1.00 MINIMUM VALUE
	1051.00 MAXIMUM VALUE
Type	NUM
Location	0891 - 0894
Width	4
Sequence Order	198
Notes	SEE SECTION 8 NOTES FOR P_NUMHEP.

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHEPB3
Label           AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT
                #3
Response
Categories       Statistics  Description
                20092  NUMBER OF NON-MISSING
                14350  NUMBER OF MISSING

                269.41  AVERAGE/MEAN
                247.00  MEDIAN VALUE
                 4.00  MINIMUM VALUE
                1078.00  MAXIMUM VALUE

Type            NUM
Location        0895 - 0898
Width           4
Sequence Order  199
Notes          SEE SECTION 8 NOTES FOR P_NUMHEP.
-----

```

```

-----
Section          9
Variable Name    DHEPB4
Label           AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT
                #4
Response
Categories       Statistics  Description
                563    NUMBER OF NON-MISSING
                33879  NUMBER OF MISSING

                383.99  AVERAGE/MEAN
                368.00  MEDIAN VALUE
                 31.00  MINIMUM VALUE
                1058.00  MAXIMUM VALUE

Type            NUM
Location        0899 - 0902
Width           4
Sequence Order  200
Notes          SEE SECTION 8 NOTES FOR P_NUMHEP.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHEPB5
Label           AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT
                #5
Response
Categories       Statistics  Description
                50         NUMBER OF NON-MISSING
                34392      NUMBER OF MISSING
                411.40     AVERAGE/MEAN
                366.00     MEDIAN VALUE
                182.00     MINIMUM VALUE
                812.00     MAXIMUM VALUE

Type            NUM
Location        0903 - 0906
Width           4
Sequence Order  201
Notes          SEE SECTION 8 NOTES FOR P_NUMHEP.
-----

```

```

-----
Section          9
Variable Name    DHEPB6
Label           AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT
                #6
Response
Categories       Statistics  Description
                14         NUMBER OF NON-MISSING
                34428      NUMBER OF MISSING
                467.29     AVERAGE/MEAN
                438.50     MEDIAN VALUE
                280.00     MINIMUM VALUE
                890.00     MAXIMUM VALUE

Type            NUM
Location        0907 - 0910
Width           4
Sequence Order  202
Notes          SEE SECTION 8 NOTES FOR P_NUMHEP.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHEPB7
Label           AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT
                #7
Response
Categories       Statistics  Description
                4          NUMBER OF NON-MISSING
                34438       NUMBER OF MISSING
                493.50      AVERAGE/MEAN
                479.00      MEDIAN VALUE
                464.00      MINIMUM VALUE
                552.00      MAXIMUM VALUE

Type            NUM
Location        0911 - 0914
Width           4
Sequence Order  203
Notes          SEE SECTION 8 NOTES FOR P_NUMHEP.
-----

```

```

-----
Section          9
Variable Name    DHEPB8
Label           AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT
                #8
Response
Categories       Statistics  Description
                0          NUMBER OF NON-MISSING
                34442       NUMBER OF MISSING
                .          AVERAGE/MEAN
                .          MEDIAN VALUE
                .          MINIMUM VALUE
                .          MAXIMUM VALUE

Type            NUM
Location        0915 - 0918
Width           4
Sequence Order  204
Notes          SEE SECTION 8 NOTES FOR P_NUMHEP.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DHEPX1
Label AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B-ONLY SHOT #1
Response
Categories Statistics Description

	22221	NUMBER OF NON-MISSING
	12221	NUMBER OF MISSING
	26.77	AVERAGE/MEAN
	2.00	MEDIAN VALUE
	0.00	MINIMUM VALUE
	1163.00	MAXIMUM VALUE

Type NUM
Location 0919 - 0922
Width 4
Sequence Order 205
Notes SEE SECTION 8 NOTES FOR P_NUHEPX.

Section 9
Variable Name DHEPX2
Label AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B-ONLY SHOT #2
Response
Categories Statistics Description

	21441	NUMBER OF NON-MISSING
	13001	NUMBER OF MISSING
	93.39	AVERAGE/MEAN
	63.00	MEDIAN VALUE
	1.00	MINIMUM VALUE
	1126.00	MAXIMUM VALUE

Type NUM
Location 0923 - 0926
Width 4
Sequence Order 206
Notes SEE SECTION 8 NOTES FOR P_NUHEPX.

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHEPX3
Label           AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B-ONLY SHOT #3
Response
Categories      Statistics  Description
                19209    NUMBER OF NON-MISSING
                15233    NUMBER OF MISSING

                269.99   AVERAGE/MEAN
                247.00   MEDIAN VALUE
                 4.00    MINIMUM VALUE
                1161.00  MAXIMUM VALUE

Type            NUM
Location       0927 - 0930
Width          4
Sequence Order 207
Notes          SEE SECTION 8 NOTES FOR P_NUHEPX.
-----

```

```

-----
Section          9
Variable Name    DHEPX4
Label           AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B-ONLY SHOT #4
Response
Categories      Statistics  Description
                423     NUMBER OF NON-MISSING
                34019   NUMBER OF MISSING

                401.21   AVERAGE/MEAN
                367.00   MEDIAN VALUE
                 31.00   MINIMUM VALUE
                1099.00  MAXIMUM VALUE

Type            NUM
Location       0931 - 0934
Width          4
Sequence Order 208
Notes          SEE SECTION 8 NOTES FOR P_NUHEPX.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHEPX5
Label           AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B-ONLY SHOT #5
Response
Categories      Statistics  Description
                26        NUMBER OF NON-MISSING
                34416     NUMBER OF MISSING

                499.31    AVERAGE/MEAN
                486.00    MEDIAN VALUE
                212.00    MINIMUM VALUE
                1093.00   MAXIMUM VALUE

Type            NUM
Location        0935 - 0938
Width           4
Sequence Order  209
Notes           SEE SECTION 8 NOTES FOR P_NUHEPX.
-----

```

```

-----
Section          9
Variable Name    DHEPX6
Label           AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B-ONLY SHOT #6
Response
Categories      Statistics  Description
                2        NUMBER OF NON-MISSING
                34440     NUMBER OF MISSING

                745.50    AVERAGE/MEAN
                745.50    MEDIAN VALUE
                601.00    MINIMUM VALUE
                890.00    MAXIMUM VALUE

Type            NUM
Location        0939 - 0942
Width           4
Sequence Order  210
Notes           SEE SECTION 8 NOTES FOR P_NUHEPX.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHEPX7
Label           AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B-ONLY SHOT #7
Response
Categories      Statistics  Description
                0 NUMBER OF NON-MISSING
                34442 NUMBER OF MISSING
                .  AVERAGE/MEAN
                .  MEDIAN VALUE
                .  MINIMUM VALUE
                .  MAXIMUM VALUE

Type            NUM
Location        0943 - 0946
Width           4
Sequence Order  211
Notes           SEE SECTION 8 NOTES FOR P_NUHEPX.
-----

```

```

-----
Section          9
Variable Name    DHEPX8
Label           AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B-ONLY SHOT #8
Response
Categories      Statistics  Description
                0 NUMBER OF NON-MISSING
                34442 NUMBER OF MISSING
                .  AVERAGE/MEAN
                .  MEDIAN VALUE
                .  MINIMUM VALUE
                .  MAXIMUM VALUE

Type            NUM
Location        0947 - 0950
Width           4
Sequence Order  212
Notes           SEE SECTION 8 NOTES FOR P_NUHEPX.
-----

```


1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHIB1
Label           AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #1
Response
Categories      Statistics  Description
                22749    NUMBER OF NON-MISSING
                11693    NUMBER OF MISSING

                80.03    AVERAGE/MEAN
                64.00    MEDIAN VALUE
                 0.00    MINIMUM VALUE
                1020.00   MAXIMUM VALUE

Type            NUM
Location        0951 - 0954
Width           4
Sequence Order  213
Notes           SEE SECTION 8 NOTES FOR P_NUMHIB.
-----

```

```

-----
Section          9
Variable Name    DHIB2
Label           AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #2
Response
Categories      Statistics  Description
                22180    NUMBER OF NON-MISSING
                12262    NUMBER OF MISSING

                147.99   AVERAGE/MEAN
                129.00   MEDIAN VALUE
                 7.00    MINIMUM VALUE
                1051.00   MAXIMUM VALUE

Type            NUM
Location        0955 - 0958
Width           4
Sequence Order  214
Notes           SEE SECTION 8 NOTES FOR P_NUMHIB.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHIB3
Label           AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #3
Response
Categories      Statistics  Description
                21496    NUMBER OF NON-MISSING
                12946    NUMBER OF MISSING

                230.78   AVERAGE/MEAN
                195.00   MEDIAN VALUE
                59.00    MINIMUM VALUE
                1071.00  MAXIMUM VALUE

Type            NUM
Location       0959 - 0962
Width          4
Sequence Order 215
Notes          SEE SECTION 8 NOTES FOR P_NUMHIB.
-----

```

```

-----
Section          9
Variable Name    DHIB4
Label           AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #4
Response
Categories      Statistics  Description
                17883    NUMBER OF NON-MISSING
                16559    NUMBER OF MISSING

                481.68   AVERAGE/MEAN
                467.00   MEDIAN VALUE
                111.00   MINIMUM VALUE
                1059.00  MAXIMUM VALUE

Type            NUM
Location       0963 - 0966
Width          4
Sequence Order 216
Notes          SEE SECTION 8 NOTES FOR P_NUMHIB.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DHIB5
Label AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #5
Response
Categories Statistics Description

	412	NUMBER OF NON-MISSING
	34030	NUMBER OF MISSING
	511.11	AVERAGE/MEAN
	502.50	MEDIAN VALUE
	178.00	MINIMUM VALUE
	1021.00	MAXIMUM VALUE

Type NUM
Location 0967 - 0970
Width 4
Sequence Order 217
Notes SEE SECTION 8 NOTES FOR P_NUMHIB.

Section 9
Variable Name DHIB6
Label AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #6
Response
Categories Statistics Description

	49	NUMBER OF NON-MISSING
	34393	NUMBER OF MISSING
	492.61	AVERAGE/MEAN
	485.00	MEDIAN VALUE
	217.00	MINIMUM VALUE
	1020.00	MAXIMUM VALUE

Type NUM
Location 0971 - 0974
Width 4
Sequence Order 218
Notes SEE SECTION 8 NOTES FOR P_NUMHIB.

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DHIB7
Label AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #7
Response
Categories Statistics Description

	11	NUMBER OF NON-MISSING
	34431	NUMBER OF MISSING
	535.09	AVERAGE/MEAN
	546.00	MEDIAN VALUE
	366.00	MINIMUM VALUE
	827.00	MAXIMUM VALUE

Type NUM
Location 0975 - 0978
Width 4
Sequence Order 219
Notes SEE SECTION 8 NOTES FOR P_NUMHIB.

Section 9
Variable Name DHIB8
Label AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #8
Response
Categories Statistics Description

	1	NUMBER OF NON-MISSING
	34441	NUMBER OF MISSING
	890.00	AVERAGE/MEAN
	890.00	MEDIAN VALUE
	890.00	MINIMUM VALUE
	890.00	MAXIMUM VALUE

Type NUM
Location 0979 - 0982
Width 4
Sequence Order 220
Notes SEE SECTION 8 NOTES FOR P_NUMHIB.

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHIBN1
Label           AGE IN DAYS OF PROVIDER-REPORTED HIB (UNKNOWN TYPE) SHOT #1
Response
Categories      Statistics  Description
                12279    NUMBER OF NON-MISSING
                22163    NUMBER OF MISSING

                149.39   AVERAGE/MEAN
                70.00    MEDIAN VALUE
                 0.00    MINIMUM VALUE
                1042.00   MAXIMUM VALUE

Type            NUM
Location        0983 - 0986
Width           4
Sequence Order  221
Notes           SEE SECTION 8 NOTES FOR P_NUHIBN.
-----

```

```

-----
Section          9
Variable Name    DHIBN2
Label           AGE IN DAYS OF PROVIDER-REPORTED HIB (UNKNOWN TYPE) SHOT #2
Response
Categories      Statistics  Description
                9745     NUMBER OF NON-MISSING
                24697    NUMBER OF MISSING

                178.08   AVERAGE/MEAN
                133.00   MEDIAN VALUE
                 28.00   MINIMUM VALUE
                1036.00   MAXIMUM VALUE

Type            NUM
Location        0987 - 0990
Width           4
Sequence Order  222
Notes           SEE SECTION 8 NOTES FOR P_NUHIBN.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHIBN3
Label           AGE IN DAYS OF PROVIDER-REPORTED HIB (UNKNOWN TYPE) SHOT #3
Response
Categories      Statistics  Description
                8425     NUMBER OF NON-MISSING
                26017    NUMBER OF MISSING

                248.61   AVERAGE/MEAN
                198.00   MEDIAN VALUE
                106.00   MINIMUM VALUE
                1032.00  MAXIMUM VALUE

Type            NUM
Location       0991 - 0994
Width          4
Sequence Order 223
Notes         SEE SECTION 8 NOTES FOR P_NUHIBN.
-----

```

```

-----
Section          9
Variable Name    DHIBN4
Label           AGE IN DAYS OF PROVIDER-REPORTED HIB (UNKNOWN TYPE) SHOT #4
Response
Categories      Statistics  Description
                5709     NUMBER OF NON-MISSING
                28733    NUMBER OF MISSING

                479.54   AVERAGE/MEAN
                465.00   MEDIAN VALUE
                182.00   MINIMUM VALUE
                1058.00  MAXIMUM VALUE

Type            NUM
Location       0995 - 0998
Width          4
Sequence Order 224
Notes         SEE SECTION 8 NOTES FOR P_NUHIBN.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHIBN5
Label           AGE IN DAYS OF PROVIDER-REPORTED HIB (UNKNOWN TYPE) SHOT #5
Response
Categories      Statistics  Description
                64        NUMBER OF NON-MISSING
                34378     NUMBER OF MISSING

                536.80    AVERAGE/MEAN
                497.00    MEDIAN VALUE
                313.00    MINIMUM VALUE
                1012.00   MAXIMUM VALUE

Type            NUM
Location        0999 - 1002
Width           4
Sequence Order  225
Notes           SEE SECTION 8 NOTES FOR P_NUHIBN.
-----

```

```

-----
Section          9
Variable Name    DHIBN6
Label           AGE IN DAYS OF PROVIDER-REPORTED HIB (UNKNOWN TYPE) SHOT #6
Response
Categories      Statistics  Description
                3        NUMBER OF NON-MISSING
                34439     NUMBER OF MISSING

                754.00    AVERAGE/MEAN
                827.00    MEDIAN VALUE
                555.00    MINIMUM VALUE
                880.00    MAXIMUM VALUE

Type            NUM
Location        1003 - 1006
Width           4
Sequence Order  226
Notes           SEE SECTION 8 NOTES FOR P_NUHIBN.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHIBN7
Label           AGE IN DAYS OF PROVIDER-REPORTED HIB (UNKNOWN TYPE) SHOT #7
Response
Categories      Statistics  Description
                1 NUMBER OF NON-MISSING
                34441 NUMBER OF MISSING
                890.00 AVERAGE/MEAN
                890.00 MEDIAN VALUE
                890.00 MINIMUM VALUE
                890.00 MAXIMUM VALUE

Type            NUM
Location        1007 - 1010
Width           4
Sequence Order  227
Notes           SEE SECTION 8 NOTES FOR P_NUHIBN.
-----

```

```

-----
Section          9
Variable Name    DHIBN8
Label           AGE IN DAYS OF PROVIDER-REPORTED HIB (UNKNOWN TYPE) SHOT #8
Response
Categories      Statistics  Description
                0 NUMBER OF NON-MISSING
                34442 NUMBER OF MISSING
                .  AVERAGE/MEAN
                .  MEDIAN VALUE
                .  MINIMUM VALUE
                .  MAXIMUM VALUE

Type            NUM
Location        1011 - 1014
Width           4
Sequence Order  228
Notes           SEE SECTION 8 NOTES FOR P_NUHIBN.
-----

```


1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHIB01
Label           AGE IN DAYS OF PROVIDER-REPORTED HIB OTHER SHOT #1
Response
Categories      Statistics  Description
                6409      NUMBER OF NON-MISSING
                28033     NUMBER OF MISSING

                148.68    AVERAGE/MEAN
                70.00     MEDIAN VALUE
                0.00      MINIMUM VALUE
                1031.00   MAXIMUM VALUE

Type            NUM
Location        1015 - 1018
Width           4
Sequence Order  229
Notes           SEE SECTION 8 NOTES FOR P_NUHIBO.
-----

```

```

-----
Section          9
Variable Name    DHIB02
Label           AGE IN DAYS OF PROVIDER-REPORTED HIB OTHER SHOT #2
Response
Categories      Statistics  Description
                4949      NUMBER OF NON-MISSING
                29493     NUMBER OF MISSING

                174.22    AVERAGE/MEAN
                131.00    MEDIAN VALUE
                55.00     MINIMUM VALUE
                1051.00   MAXIMUM VALUE

Type            NUM
Location        1019 - 1022
Width           4
Sequence Order  230
Notes           SEE SECTION 8 NOTES FOR P_NUHIBO.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DHIBO3
Label AGE IN DAYS OF PROVIDER-REPORTED HIB OTHER SHOT #3
Response
Categories Statistics Description

	4183	NUMBER OF NON-MISSING
	30259	NUMBER OF MISSING
	244.93	AVERAGE/MEAN
	195.00	MEDIAN VALUE
	115.00	MINIMUM VALUE
	1029.00	MAXIMUM VALUE

Type NUM
Location 1023 - 1026
Width 4
Sequence Order 231
Notes SEE SECTION 8 NOTES FOR P_NUHIBO.

Section 9
Variable Name DHIBO4
Label AGE IN DAYS OF PROVIDER-REPORTED HIB OTHER SHOT #4
Response
Categories Statistics Description

	2683	NUMBER OF NON-MISSING
	31759	NUMBER OF MISSING
	473.91	AVERAGE/MEAN
	463.00	MEDIAN VALUE
	179.00	MINIMUM VALUE
	1022.00	MAXIMUM VALUE

Type NUM
Location 1027 - 1030
Width 4
Sequence Order 232
Notes SEE SECTION 8 NOTES FOR P_NUHIBO.

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHIBO5
Label           AGE IN DAYS OF PROVIDER-REPORTED HIB OTHER SHOT #5
Response
Categories      Statistics  Description
                6         NUMBER OF NON-MISSING
                34436      NUMBER OF MISSING
                568.17    AVERAGE/MEAN
                476.50    MEDIAN VALUE
                397.00    MINIMUM VALUE
                1021.00   MAXIMUM VALUE

Type            NUM
Location       1031 - 1034
Width          4
Sequence Order 233
Notes          SEE SECTION 8 NOTES FOR P_NUHIBO.
-----

```

```

-----
Section          9
Variable Name    DHIBO6
Label           AGE IN DAYS OF PROVIDER-REPORTED HIB OTHER SHOT #6
Response
Categories      Statistics  Description
                0         NUMBER OF NON-MISSING
                34442      NUMBER OF MISSING
                .         AVERAGE/MEAN
                .         MEDIAN VALUE
                .         MINIMUM VALUE
                .         MAXIMUM VALUE

Type            NUM
Location       1035 - 1038
Width          4
Sequence Order 234
Notes          SEE SECTION 8 NOTES FOR P_NUHIBO.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DHIBO7
Label AGE IN DAYS OF PROVIDER-REPORTED HIB OTHER SHOT #7
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
34442		NUMBER OF MISSING
.		AVERAGE/MEAN
.		MEDIAN VALUE
.		MINIMUM VALUE
.		MAXIMUM VALUE

Type NUM
Location 1039 - 1042
Width 4
Sequence Order 235
Notes SEE SECTION 8 NOTES FOR P_NUHIBO.

Section 9
Variable Name DHIBO8
Label AGE IN DAYS OF PROVIDER-REPORTED HIB OTHER SHOT #8
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
34442		NUMBER OF MISSING
.		AVERAGE/MEAN
.		MEDIAN VALUE
.		MINIMUM VALUE
.		MAXIMUM VALUE

Type NUM
Location 1043 - 1046
Width 4
Sequence Order 236
Notes SEE SECTION 8 NOTES FOR P_NUHIBO.

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHIBP1
Label           AGE IN DAYS OF PROVIDER-REPORTED PEDVAX HIB SHOT #1
Response
Categories      Statistics  Description
                2543     NUMBER OF NON-MISSING
                31899    NUMBER OF MISSING

                178.41   AVERAGE/MEAN
                78.00    MEDIAN VALUE
                0.00     MINIMUM VALUE
                1021.00  MAXIMUM VALUE

Type            NUM
Location        1047 - 1050
Width           4
Sequence Order  237
Notes           SEE SECTION 8 NOTES FOR P_NUHIBP.
-----

```

```

-----
Section          9
Variable Name    DHIBP2
Label           AGE IN DAYS OF PROVIDER-REPORTED PEDVAX HIB SHOT #2
Response
Categories      Statistics  Description
                1579     NUMBER OF NON-MISSING
                32863    NUMBER OF MISSING

                179.53   AVERAGE/MEAN
                135.00   MEDIAN VALUE
                37.00    MINIMUM VALUE
                946.00   MAXIMUM VALUE

Type            NUM
Location        1051 - 1054
Width           4
Sequence Order  238
Notes           SEE SECTION 8 NOTES FOR P_NUHIBP.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHIBP3
Label           AGE IN DAYS OF PROVIDER-REPORTED PEDVAX HIB SHOT #3
Response
Categories      Statistics  Description
                1192     NUMBER OF NON-MISSING
                33250    NUMBER OF MISSING

                260.79   AVERAGE/MEAN
                202.00   MEDIAN VALUE
                112.00   MINIMUM VALUE
                1071.00  MAXIMUM VALUE

Type            NUM
Location        1055 - 1058
Width           4
Sequence Order  239
Notes           SEE SECTION 8 NOTES FOR P_NUHIBP.
-----

```

```

-----
Section          9
Variable Name    DHIBP4
Label           AGE IN DAYS OF PROVIDER-REPORTED PEDVAX HIB SHOT #4
Response
Categories      Statistics  Description
                665     NUMBER OF NON-MISSING
                33777    NUMBER OF MISSING

                476.98   AVERAGE/MEAN
                466.00   MEDIAN VALUE
                184.00   MINIMUM VALUE
                1020.00  MAXIMUM VALUE

Type            NUM
Location        1059 - 1062
Width           4
Sequence Order  240
Notes           SEE SECTION 8 NOTES FOR P_NUHIBP.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DHIBP5
Label AGE IN DAYS OF PROVIDER-REPORTED PEDVAX HIB SHOT #5
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
34442		NUMBER OF MISSING
.		AVERAGE/MEAN
.		MEDIAN VALUE
.		MINIMUM VALUE
.		MAXIMUM VALUE

Type NUM
Location 1063 - 1066
Width 4
Sequence Order 241
Notes SEE SECTION 8 NOTES FOR P_NUHIBP.

Section 9
Variable Name DHIBP6
Label AGE IN DAYS OF PROVIDER-REPORTED PEDVAX HIB SHOT #6
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
34442		NUMBER OF MISSING
.		AVERAGE/MEAN
.		MEDIAN VALUE
.		MINIMUM VALUE
.		MAXIMUM VALUE

Type NUM
Location 1067 - 1070
Width 4
Sequence Order 242
Notes SEE SECTION 8 NOTES FOR P_NUHIBP.

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

Section          9
Variable Name    DHIBP7
Label           AGE IN DAYS OF PROVIDER-REPORTED PEDVAX HIB SHOT #7
Response
Categories      Statistics  Description
                0         NUMBER OF NON-MISSING
                34442      NUMBER OF MISSING
                .         AVERAGE/MEAN
                .         MEDIAN VALUE
                .         MINIMUM VALUE
                .         MAXIMUM VALUE

Type            NUM
Location        1071 - 1074
Width           4
Sequence Order  243
Notes           SEE SECTION 8 NOTES FOR P_NUHIBP.
    
```

```

-----
Section          9
Variable Name    DHIBP8
Label           AGE IN DAYS OF PROVIDER-REPORTED PEDVAX HIB SHOT #8
Response
Categories      Statistics  Description
                0         NUMBER OF NON-MISSING
                34442      NUMBER OF MISSING
                .         AVERAGE/MEAN
                .         MEDIAN VALUE
                .         MINIMUM VALUE
                .         MAXIMUM VALUE

Type            NUM
Location        1075 - 1078
Width           4
Sequence Order  244
Notes           SEE SECTION 8 NOTES FOR P_NUHIBP.
    
```


1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHIBX1
Label           AGE IN DAYS OF PROVIDER-REPORTED HIB-ONLY SHOT #1
Response
Categories       Statistics  Description
                18804    NUMBER OF NON-MISSING
                15638    NUMBER OF MISSING

                142.17   AVERAGE/MEAN
                68.00    MEDIAN VALUE
                 0.00    MINIMUM VALUE
                1154.00   MAXIMUM VALUE

Type            NUM
Location        1079 - 1082
Width           4
Sequence Order  245
Notes          SEE SECTION 8 NOTES FOR P_NUHIBX.
-----

```

```

-----
Section          9
Variable Name    DHIBX2
Label           AGE IN DAYS OF PROVIDER-REPORTED HIB-ONLY SHOT #2
Response
Categories       Statistics  Description
                15663    NUMBER OF NON-MISSING
                18779    NUMBER OF MISSING

                173.95   AVERAGE/MEAN
                132.00   MEDIAN VALUE
                 28.00   MINIMUM VALUE
                1212.00   MAXIMUM VALUE

Type            NUM
Location        1083 - 1086
Width           4
Sequence Order  246
Notes          SEE SECTION 8 NOTES FOR P_NUHIBX.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DHIBX3
Label AGE IN DAYS OF PROVIDER-REPORTED HIB-ONLY SHOT #3
Response
Categories Statistics Description

	13930	NUMBER OF NON-MISSING
	20512	NUMBER OF MISSING
	246.24	AVERAGE/MEAN
	196.00	MEDIAN VALUE
	106.00	MINIMUM VALUE
	1138.00	MAXIMUM VALUE

Type NUM
Location 1087 - 1090
Width 4
Sequence Order 247
Notes SEE SECTION 8 NOTES FOR P_NUHIBX.

Section 9
Variable Name DHIBX4
Label AGE IN DAYS OF PROVIDER-REPORTED HIB-ONLY SHOT #4
Response
Categories Statistics Description

	10082	NUMBER OF NON-MISSING
	24360	NUMBER OF MISSING
	484.15	AVERAGE/MEAN
	465.00	MEDIAN VALUE
	173.00	MINIMUM VALUE
	1173.00	MAXIMUM VALUE

Type NUM
Location 1091 - 1094
Width 4
Sequence Order 248
Notes SEE SECTION 8 NOTES FOR P_NUHIBX.

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DHIBX5
Label AGE IN DAYS OF PROVIDER-REPORTED HIB-ONLY SHOT #5
Response
Categories Statistics Description

	105	NUMBER OF NON-MISSING
	34337	NUMBER OF MISSING
	563.63	AVERAGE/MEAN
	546.00	MEDIAN VALUE
	313.00	MINIMUM VALUE
	1021.00	MAXIMUM VALUE

Type NUM
Location 1095 - 1098
Width 4
Sequence Order 249
Notes SEE SECTION 8 NOTES FOR P_NUHIBX.

Section 9
Variable Name DHIBX6
Label AGE IN DAYS OF PROVIDER-REPORTED HIB-ONLY SHOT #6
Response
Categories Statistics Description

	4	NUMBER OF NON-MISSING
	34438	NUMBER OF MISSING
	705.00	AVERAGE/MEAN
	692.50	MEDIAN VALUE
	555.00	MINIMUM VALUE
	880.00	MAXIMUM VALUE

Type NUM
Location 1099 - 1102
Width 4
Sequence Order 250
Notes SEE SECTION 8 NOTES FOR P_NUHIBX.

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHIBX7
Label           AGE IN DAYS OF PROVIDER-REPORTED HIB-ONLY SHOT #7
Response
Categories       Statistics  Description
                   1  NUMBER OF NON-MISSING
                   34441 NUMBER OF MISSING
                   890.00 AVERAGE/MEAN
                   890.00 MEDIAN VALUE
                   890.00 MINIMUM VALUE
                   890.00 MAXIMUM VALUE

Type             NUM
Location        1103 - 1106
Width           4
Sequence Order  251
Notes          SEE SECTION 8 NOTES FOR P_NUHIBX.
-----

```

```

-----
Section          9
Variable Name    DHIBX8
Label           AGE IN DAYS OF PROVIDER-REPORTED HIB-ONLY SHOT #8
Response
Categories       Statistics  Description
                   0  NUMBER OF NON-MISSING
                   34442 NUMBER OF MISSING
                   .   AVERAGE/MEAN
                   .   MEDIAN VALUE
                   .   MINIMUM VALUE
                   .   MAXIMUM VALUE

Type             NUM
Location        1107 - 1110
Width           4
Sequence Order  252
Notes          SEE SECTION 8 NOTES FOR P_NUHIBX.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHPHB1
Label           AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B/HIB (COMVAX)
                SHOT #1
Response
Categories       Statistics  Description
                1363      NUMBER OF NON-MISSING
                33079     NUMBER OF MISSING

                163.48    AVERAGE/MEAN
                76.00     MEDIAN VALUE
                0.00      MINIMUM VALUE
                1044.00   MAXIMUM VALUE

Type            NUM
Location       1111 - 1114
Width          4
Sequence Order 253
Notes         SEE SECTION 8 NOTES FOR P_NUHPHB.
-----

```

```

-----
Section          9
Variable Name    DHPHB2
Label           AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B/HIB (COMVAX)
                SHOT #2
Response
Categories       Statistics  Description
                729      NUMBER OF NON-MISSING
                33713     NUMBER OF MISSING

                187.04    AVERAGE/MEAN
                135.00    MEDIAN VALUE
                12.00     MINIMUM VALUE
                1028.00   MAXIMUM VALUE

Type            NUM
Location       1115 - 1118
Width          4
Sequence Order 254
Notes         SEE SECTION 8 NOTES FOR P_NUHPHB.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```
-----
Section          9
Variable Name    DHPHB3
Label           AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B/HIB (COMVAX)
                SHOT #3
Response
```

```
Categories      Statistics  Description
                372      NUMBER OF NON-MISSING
                34070    NUMBER OF MISSING

                383.85   AVERAGE/MEAN
                378.50   MEDIAN VALUE
                80.00    MINIMUM VALUE
                908.00   MAXIMUM VALUE
```

```
Type           NUM
Location       1119 - 1122
Width         4
Sequence Order 255
Notes         SEE SECTION 8 NOTES FOR P_NUHPHB.
```

```
-----
Section          9
Variable Name    DHPHB4
Label           AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B/HIB (COMVAX)
                SHOT #4
Response
```

```
Categories      Statistics  Description
                21      NUMBER OF NON-MISSING
                34421    NUMBER OF MISSING

                485.14   AVERAGE/MEAN
                464.00   MEDIAN VALUE
                368.00   MINIMUM VALUE
                947.00   MAXIMUM VALUE
```

```
Type           NUM
Location       1123 - 1126
Width         4
Sequence Order 256
Notes         SEE SECTION 8 NOTES FOR P_NUHPHB.
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```
-----
Section          9
Variable Name    DHPHB5
Label           AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B/HIB (COMVAX)
                SHOT #5
Response
```

```
Categories      Statistics  Description
                1 NUMBER OF NON-MISSING
                34441 NUMBER OF MISSING

                686.00 AVERAGE/MEAN
                686.00 MEDIAN VALUE
                686.00 MINIMUM VALUE
                686.00 MAXIMUM VALUE
```

```
Type           NUM
Location        1127 - 1130
Width           4
Sequence Order  257
Notes           SEE SECTION 8 NOTES FOR P_NUHPHB.
```

```
-----
Section          9
Variable Name    DHPHB6
Label           AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B/HIB (COMVAX)
                SHOT #6
Response
```

```
Categories      Statistics  Description
                0 NUMBER OF NON-MISSING
                34442 NUMBER OF MISSING

                .  AVERAGE/MEAN
                .  MEDIAN VALUE
                .  MINIMUM VALUE
                .  MAXIMUM VALUE
```

```
Type           NUM
Location        1131 - 1134
Width           4
Sequence Order  258
Notes           SEE SECTION 8 NOTES FOR P_NUHPHB.
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```
-----
Section          9
Variable Name    DHPHB7
Label           AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B/HIB (COMVAX)
                SHOT #7
Response
```

Categories	Statistics	Description
	0	NUMBER OF NON-MISSING
	34442	NUMBER OF MISSING
	.	AVERAGE/MEAN
	.	MEDIAN VALUE
	.	MINIMUM VALUE
	.	MAXIMUM VALUE

```
Type          NUM
Location      1135 - 1138
Width        4
Sequence Order 259
Notes        SEE SECTION 8 NOTES FOR P_NUHPHB.
```

```
-----
Section          9
Variable Name    DHPHB8
Label           AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B/HIB (COMVAX)
                SHOT #8
Response
```

Categories	Statistics	Description
	0	NUMBER OF NON-MISSING
	34442	NUMBER OF MISSING
	.	AVERAGE/MEAN
	.	MEDIAN VALUE
	.	MINIMUM VALUE
	.	MAXIMUM VALUE

```
Type          NUM
Location      1139 - 1142
Width        4
Sequence Order 260
Notes        SEE SECTION 8 NOTES FOR P_NUHPHB.
```


1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DIPVM1
Label           AGE IN DAYS OF PROVIDER-REPORTED POLIO/IPV SHOT (MARKED) #1
Response
Categories      Statistics  Description
                8932     NUMBER OF NON-MISSING
                25510    NUMBER OF MISSING

                88.49    AVERAGE/MEAN
                65.00    MEDIAN VALUE
                0.00     MINIMUM VALUE
                975.00   MAXIMUM VALUE

Type            NUM
Location        1143 - 1146
Width           4
Sequence Order  261
Notes           SEE SECTION 8 NOTES FOR P_NUMIPV.
-----

```

```

-----
Section          9
Variable Name    DIPVM2
Label           AGE IN DAYS OF PROVIDER-REPORTED POLIO/IPV SHOT (MARKED) #2
Response
Categories      Statistics  Description
                7816     NUMBER OF NON-MISSING
                26626    NUMBER OF MISSING

                148.13   AVERAGE/MEAN
                128.00   MEDIAN VALUE
                28.00    MINIMUM VALUE
                1051.00  MAXIMUM VALUE

Type            NUM
Location        1147 - 1150
Width           4
Sequence Order  262
Notes           SEE SECTION 8 NOTES FOR P_NUMIPV.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DIPVM3
Label AGE IN DAYS OF PROVIDER-REPORTED POLIO/IPV SHOT (MARKED) #3
Response
Categories Statistics Description

	1520	NUMBER OF NON-MISSING
	32922	NUMBER OF MISSING
	413.61	AVERAGE/MEAN
	428.00	MEDIAN VALUE
	87.00	MINIMUM VALUE
	1085.00	MAXIMUM VALUE

Type NUM
Location 1151 - 1154
Width 4
Sequence Order 263
Notes SEE SECTION 8 NOTES FOR P_NUMIPV.

Section 9
Variable Name DIPVM4
Label AGE IN DAYS OF PROVIDER-REPORTED POLIO/IPV SHOT (MARKED) #4
Response
Categories Statistics Description

	51	NUMBER OF NON-MISSING
	34391	NUMBER OF MISSING
	522.55	AVERAGE/MEAN
	547.00	MEDIAN VALUE
	243.00	MINIMUM VALUE
	813.00	MAXIMUM VALUE

Type NUM
Location 1155 - 1158
Width 4
Sequence Order 264
Notes SEE SECTION 8 NOTES FOR P_NUMIPV.

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DIPVM5
Label           AGE IN DAYS OF PROVIDER-REPORTED POLIO/IPV SHOT (MARKED) #5
Response
Categories      Statistics  Description
                0        NUMBER OF NON-MISSING
                34442    NUMBER OF MISSING
                .        AVERAGE/MEAN
                .        MEDIAN VALUE
                .        MINIMUM VALUE
                .        MAXIMUM VALUE

Type            NUM
Location        1159 - 1162
Width           4
Sequence Order  265
Notes           SEE SECTION 8 NOTES FOR P_NUMIPV.
-----

```

```

-----
Section          9
Variable Name    DIPVM6
Label           AGE IN DAYS OF PROVIDER-REPORTED POLIO/IPV SHOT (MARKED) #6
Response
Categories      Statistics  Description
                0        NUMBER OF NON-MISSING
                34442    NUMBER OF MISSING
                .        AVERAGE/MEAN
                .        MEDIAN VALUE
                .        MINIMUM VALUE
                .        MAXIMUM VALUE

Type            NUM
Location        1163 - 1166
Width           4
Sequence Order  266
Notes           SEE SECTION 8 NOTES FOR P_NUMIPV.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DIPVM7
Label AGE IN DAYS OF PROVIDER-REPORTED POLIO/IPV SHOT (MARKED) #7
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
34442		NUMBER OF MISSING
.		AVERAGE/MEAN
.		MEDIAN VALUE
.		MINIMUM VALUE
.		MAXIMUM VALUE

Type NUM
Location 1167 - 1170
Width 4
Sequence Order 267
Notes SEE SECTION 8 NOTES FOR P_NUMIPV.

Section 9
Variable Name DIPVM8
Label AGE IN DAYS OF PROVIDER-REPORTED POLIO/IPV SHOT (MARKED) #8
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
34442		NUMBER OF MISSING
.		AVERAGE/MEAN
.		MEDIAN VALUE
.		MINIMUM VALUE
.		MAXIMUM VALUE

Type NUM
Location 1171 - 1174
Width 4
Sequence Order 268
Notes SEE SECTION 8 NOTES FOR P_NUMIPV.

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DMMR1
Label           AGE IN DAYS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE
                SHOT #1
Response
Categories       Statistics  Description
                20987    NUMBER OF NON-MISSING
                13455    NUMBER OF MISSING

                437.58   AVERAGE/MEAN
                420.00   MEDIAN VALUE
                 0.00    MINIMUM VALUE
                1058.00  MAXIMUM VALUE

Type            NUM
Location       1175 - 1178
Width         4
Sequence Order 269
Notes         SEE SECTION 8 NOTES FOR P_NUMMMR.
-----

```

```

-----
Section          9
Variable Name    DMMR2
Label           AGE IN DAYS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE
                SHOT #2
Response
Categories       Statistics  Description
                400     NUMBER OF NON-MISSING
                34042   NUMBER OF MISSING

                547.20   AVERAGE/MEAN
                512.00   MEDIAN VALUE
                 61.00   MINIMUM VALUE
                1069.00  MAXIMUM VALUE

Type            NUM
Location       1179 - 1182
Width         4
Sequence Order 270
Notes         SEE SECTION 8 NOTES FOR P_NUMMMR.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DMMR3
Label           AGE IN DAYS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE
                SHOT #3
Response
Categories      Statistics  Description
                16        NUMBER OF NON-MISSING
                34426     NUMBER OF MISSING
                546.19    AVERAGE/MEAN
                543.50    MEDIAN VALUE
                329.00    MINIMUM VALUE
                985.00    MAXIMUM VALUE

Type            NUM
Location        1183 - 1186
Width           4
Sequence Order  271
Notes           SEE SECTION 8 NOTES FOR P_NUMMMR.
-----

```

```

-----
Section          9
Variable Name    DMMR4
Label           AGE IN DAYS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE
                SHOT #4
Response
Categories      Statistics  Description
                0        NUMBER OF NON-MISSING
                34442     NUMBER OF MISSING
                .         AVERAGE/MEAN
                .         MEDIAN VALUE
                .         MINIMUM VALUE
                .         MAXIMUM VALUE

Type            NUM
Location        1187 - 1190
Width           4
Sequence Order  272
Notes           SEE SECTION 8 NOTES FOR P_NUMMMR.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```
-----
Section          9
Variable Name    DMMRX1
Label           AGE IN DAYS OF PROVIDER-REPORTED MMR SHOT #1
Response
Categories      Statistics  Description
                20952    NUMBER OF NON-MISSING
                13490    NUMBER OF MISSING

                438.64   AVERAGE/MEAN
                421.00   MEDIAN VALUE
                 0.00   MINIMUM VALUE
                1058.00  MAXIMUM VALUE

Type            NUM
Location       1191 - 1194
Width          4
Sequence Order 273
Notes          SEE SECTION 8 NOTES FOR P_NUMMMX.
-----
```

```
-----
Section          9
Variable Name    DMMRX2
Label           AGE IN DAYS OF PROVIDER-REPORTED MMR SHOT #2
Response
Categories      Statistics  Description
                280     NUMBER OF NON-MISSING
                34162   NUMBER OF MISSING

                569.89   AVERAGE/MEAN
                546.00   MEDIAN VALUE
                 61.00   MINIMUM VALUE
                1069.00  MAXIMUM VALUE

Type            NUM
Location       1195 - 1198
Width          4
Sequence Order 274
Notes          SEE SECTION 8 NOTES FOR P_NUMMMX.
-----
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DMMRX3
Label           AGE IN DAYS OF PROVIDER-REPORTED MMR SHOT #3
Response
Categories      Statistics  Description
                12      NUMBER OF NON-MISSING
                34430   NUMBER OF MISSING
                499.58  AVERAGE/MEAN
                495.50  MEDIAN VALUE
                329.00  MINIMUM VALUE
                798.00  MAXIMUM VALUE

Type            NUM
Location        1199 - 1202
Width           4
Sequence Order  275
Notes           SEE SECTION 8 NOTES FOR P_NUMMMX.
-----

```

```

-----
Section          9
Variable Name    DMMRX4
Label           AGE IN DAYS OF PROVIDER-REPORTED MMR SHOT #4
Response
Categories      Statistics  Description
                0      NUMBER OF NON-MISSING
                34442   NUMBER OF MISSING
                .      AVERAGE/MEAN
                .      MEDIAN VALUE
                .      MINIMUM VALUE
                .      MAXIMUM VALUE

Type            NUM
Location        1203 - 1206
Width           4
Sequence Order  276
Notes           SEE SECTION 8 NOTES FOR P_NUMMMX.
-----

```


1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DMP1
Label AGE IN DAYS OF PROVIDER-REPORTED MUMPS SHOT #1
Response
Categories Statistics Description

	9	NUMBER OF NON-MISSING
	34433	NUMBER OF MISSING
	570.78	AVERAGE/MEAN
	567.00	MEDIAN VALUE
	463.00	MINIMUM VALUE
	695.00	MAXIMUM VALUE

Type NUM
Location 1207 - 1210
Width 4
Sequence Order 277
Notes

Section 9
Variable Name DMP2
Label AGE IN DAYS OF PROVIDER-REPORTED MUMPS SHOT #2
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
	34442	NUMBER OF MISSING
	.	AVERAGE/MEAN
	.	MEDIAN VALUE
	.	MINIMUM VALUE
	.	MAXIMUM VALUE

Type NUM
Location 1211 - 1214
Width 4
Sequence Order 278
Notes

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DMP3
Label AGE IN DAYS OF PROVIDER-REPORTED MUMPS SHOT #3
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
	34442	NUMBER OF MISSING
	.	AVERAGE/MEAN
	.	MEDIAN VALUE
	.	MINIMUM VALUE
	.	MAXIMUM VALUE

Type NUM
Location 1215 - 1218
Width 4
Sequence Order 279
Notes

Section 9
Variable Name DMP4
Label AGE IN DAYS OF PROVIDER-REPORTED MUMPS SHOT #4
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
	34442	NUMBER OF MISSING
	.	AVERAGE/MEAN
	.	MEDIAN VALUE
	.	MINIMUM VALUE
	.	MAXIMUM VALUE

Type NUM
Location 1219 - 1222
Width 4
Sequence Order 280
Notes

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DMPRB1
Label AGE IN DAYS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #1
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
34442		NUMBER OF MISSING
.		AVERAGE/MEAN
.		MEDIAN VALUE
.		MINIMUM VALUE
.		MAXIMUM VALUE

Type NUM
Location 1223 - 1226
Width 4
Sequence Order 281
Notes

Section 9
Variable Name DMPRB2
Label AGE IN DAYS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #2
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
34442		NUMBER OF MISSING
.		AVERAGE/MEAN
.		MEDIAN VALUE
.		MINIMUM VALUE
.		MAXIMUM VALUE

Type NUM
Location 1227 - 1230
Width 4
Sequence Order 282
Notes

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DMPRB3
Label AGE IN DAYS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #3
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
34442		NUMBER OF MISSING
.		AVERAGE/MEAN
.		MEDIAN VALUE
.		MINIMUM VALUE
.		MAXIMUM VALUE

Type NUM
Location 1231 - 1234
Width 4
Sequence Order 283
Notes

Section 9
Variable Name DMPRB4
Label AGE IN DAYS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #4
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
34442		NUMBER OF MISSING
.		AVERAGE/MEAN
.		MEDIAN VALUE
.		MINIMUM VALUE
.		MAXIMUM VALUE

Type NUM
Location 1235 - 1238
Width 4
Sequence Order 284
Notes

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DMS1
Label AGE IN DAYS OF PROVIDER-REPORTED MEASLES SHOT #1
Response
Categories Statistics Description

	193	NUMBER OF NON-MISSING
	34249	NUMBER OF MISSING
	360.15	AVERAGE/MEAN
	367.00	MEDIAN VALUE
	66.00	MINIMUM VALUE
	1011.00	MAXIMUM VALUE

Type NUM
Location 1239 - 1242
Width 4
Sequence Order 285
Notes

Section 9
Variable Name DMS2
Label AGE IN DAYS OF PROVIDER-REPORTED MEASLES SHOT #2
Response
Categories Statistics Description

	5	NUMBER OF NON-MISSING
	34437	NUMBER OF MISSING
	431.00	AVERAGE/MEAN
	367.00	MEDIAN VALUE
	191.00	MINIMUM VALUE
	696.00	MAXIMUM VALUE

Type NUM
Location 1243 - 1246
Width 4
Sequence Order 286
Notes

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DMS3
Label AGE IN DAYS OF PROVIDER-REPORTED MEASLES SHOT #3
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
34442		NUMBER OF MISSING
.		AVERAGE/MEAN
.		MEDIAN VALUE
.		MINIMUM VALUE
.		MAXIMUM VALUE

Type NUM
Location 1247 - 1250
Width 4
Sequence Order 287
Notes

Section 9
Variable Name DMS4
Label AGE IN DAYS OF PROVIDER-REPORTED MEASLES SHOT #4
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
34442		NUMBER OF MISSING
.		AVERAGE/MEAN
.		MEDIAN VALUE
.		MINIMUM VALUE
.		MAXIMUM VALUE

Type NUM
Location 1251 - 1254
Width 4
Sequence Order 288
Notes

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DMSMP1
Label AGE IN DAYS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #1
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
34442		NUMBER OF MISSING
.		AVERAGE/MEAN
.		MEDIAN VALUE
.		MINIMUM VALUE
.		MAXIMUM VALUE

Type NUM
Location 1255 - 1258
Width 4
Sequence Order 289
Notes

Section 9
Variable Name DMSMP2
Label AGE IN DAYS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #2
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
34442		NUMBER OF MISSING
.		AVERAGE/MEAN
.		MEDIAN VALUE
.		MINIMUM VALUE
.		MAXIMUM VALUE

Type NUM
Location 1259 - 1262
Width 4
Sequence Order 290
Notes

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DMSMP3
Label AGE IN DAYS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #3
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
34442		NUMBER OF MISSING
.		AVERAGE/MEAN
.		MEDIAN VALUE
.		MINIMUM VALUE
.		MAXIMUM VALUE

Type NUM
Location 1263 - 1266
Width 4
Sequence Order 291
Notes

Section 9
Variable Name DMSMP4
Label AGE IN DAYS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #4
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
34442		NUMBER OF MISSING
.		AVERAGE/MEAN
.		MEDIAN VALUE
.		MINIMUM VALUE
.		MAXIMUM VALUE

Type NUM
Location 1267 - 1270
Width 4
Sequence Order 292
Notes

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DMSRB1
Label AGE IN DAYS OF PROVIDER-REPORTED MEASLES/RUBELLA #1
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
34442		NUMBER OF MISSING
.		AVERAGE/MEAN
.		MEDIAN VALUE
.		MINIMUM VALUE
.		MAXIMUM VALUE

Type NUM
Location 1271 - 1274
Width 4
Sequence Order 293
Notes

Section 9
Variable Name DMSRB2
Label AGE IN DAYS OF PROVIDER-REPORTED MEASLES/RUBELLA #2
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
34442		NUMBER OF MISSING
.		AVERAGE/MEAN
.		MEDIAN VALUE
.		MINIMUM VALUE
.		MAXIMUM VALUE

Type NUM
Location 1275 - 1278
Width 4
Sequence Order 294
Notes

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DMSRB3
Label AGE IN DAYS OF PROVIDER-REPORTED MEASLES/RUBELLA #3
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
34442		NUMBER OF MISSING
.		AVERAGE/MEAN
.		MEDIAN VALUE
.		MINIMUM VALUE
.		MAXIMUM VALUE

Type NUM
Location 1279 - 1282
Width 4
Sequence Order 295
Notes

Section 9
Variable Name DMSRB4
Label AGE IN DAYS OF PROVIDER-REPORTED MEASLES/RUBELLA #4
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
34442		NUMBER OF MISSING
.		AVERAGE/MEAN
.		MEDIAN VALUE
.		MINIMUM VALUE
.		MAXIMUM VALUE

Type NUM
Location 1283 - 1286
Width 4
Sequence Order 296
Notes

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DOPVM1
Label AGE IN DAYS OF PROVIDER-REPORTED POLIO/OPV SHOT #1
Response
Categories Statistics Description

	18133	NUMBER OF NON-MISSING
	16309	NUMBER OF MISSING
	189.69	AVERAGE/MEAN
	74.00	MEDIAN VALUE
	0.00	MINIMUM VALUE
	1020.00	MAXIMUM VALUE

Type NUM
Location 1287 - 1290
Width 4
Sequence Order 297
Notes SEE SECTION 8 NOTES FOR P_NUMOPV.

Section 9
Variable Name DOPVM2
Label AGE IN DAYS OF PROVIDER-REPORTED POLIO/OPV SHOT #2
Response
Categories Statistics Description

	11850	NUMBER OF NON-MISSING
	22592	NUMBER OF MISSING
	167.23	AVERAGE/MEAN
	131.00	MEDIAN VALUE
	36.00	MINIMUM VALUE
	1036.00	MAXIMUM VALUE

Type NUM
Location 1291 - 1294
Width 4
Sequence Order 298
Notes SEE SECTION 8 NOTES FOR P_NUMOPV.

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DOPVM3
Label           AGE IN DAYS OF PROVIDER-REPORTED POLIO/OPV SHOT #3
Response
Categories       Statistics  Description
                9918      NUMBER OF NON-MISSING
                24524     NUMBER OF MISSING

                305.67    AVERAGE/MEAN
                213.00    MEDIAN VALUE
                65.00     MINIMUM VALUE
                1042.00   MAXIMUM VALUE

Type            NUM
Location       1295 - 1298
Width          4
Sequence Order 299
Notes         SEE SECTION 8 NOTES FOR P_NUMOPV.
-----

```

```

-----
Section          9
Variable Name    DOPVM4
Label           AGE IN DAYS OF PROVIDER-REPORTED POLIO/OPV SHOT #4
Response
Categories       Statistics  Description
                1051      NUMBER OF NON-MISSING
                33391     NUMBER OF MISSING

                514.27    AVERAGE/MEAN
                529.00    MEDIAN VALUE
                97.00     MINIMUM VALUE
                1058.00   MAXIMUM VALUE

Type            NUM
Location       1299 - 1302
Width          4
Sequence Order 300
Notes         SEE SECTION 8 NOTES FOR P_NUMOPV.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DOPVM5
Label AGE IN DAYS OF PROVIDER-REPORTED POLIO/OPV SHOT #5
Response
Categories Statistics Description

	33	NUMBER OF NON-MISSING
	34409	NUMBER OF MISSING
	433.91	AVERAGE/MEAN
	478.00	MEDIAN VALUE
	141.00	MINIMUM VALUE
	870.00	MAXIMUM VALUE

Type NUM
Location 1303 - 1306
Width 4
Sequence Order 301
Notes SEE SECTION 8 NOTES FOR P_NUMOPV.

Section 9
Variable Name DOPVM6
Label AGE IN DAYS OF PROVIDER-REPORTED POLIO/OPV SHOT #6
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
	34442	NUMBER OF MISSING
	.	AVERAGE/MEAN
	.	MEDIAN VALUE
	.	MINIMUM VALUE
	.	MAXIMUM VALUE

Type NUM
Location 1307 - 1310
Width 4
Sequence Order 302
Notes SEE SECTION 8 NOTES FOR P_NUMOPV.

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DOPVM7
Label AGE IN DAYS OF PROVIDER-REPORTED POLIO/OPV SHOT #7
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
34442		NUMBER OF MISSING
.		AVERAGE/MEAN
.		MEDIAN VALUE
.		MINIMUM VALUE
.		MAXIMUM VALUE

Type NUM
Location 1311 - 1314
Width 4
Sequence Order 303
Notes SEE SECTION 8 NOTES FOR P_NUMOPV.

Section 9
Variable Name DOPVM8
Label AGE IN DAYS OF PROVIDER-REPORTED POLIO/OPV SHOT #8
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
34442		NUMBER OF MISSING
.		AVERAGE/MEAN
.		MEDIAN VALUE
.		MINIMUM VALUE
.		MAXIMUM VALUE

Type NUM
Location 1315 - 1318
Width 4
Sequence Order 304
Notes SEE SECTION 8 NOTES FOR P_NUMOPV.

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DPOLIO1
Label AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #1
Response
Categories Statistics Description

	22506	NUMBER OF NON-MISSING
	11936	NUMBER OF MISSING
	76.45	AVERAGE/MEAN
	64.00	MEDIAN VALUE
	0.00	MINIMUM VALUE
	1020.00	MAXIMUM VALUE

Type NUM
Location 1319 - 1322
Width 4
Sequence Order 305
Notes SEE SECTION 8 NOTES FOR P_NUMPOL.

Section 9
Variable Name DPOLIO2
Label AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #2
Response
Categories Statistics Description

	22072	NUMBER OF NON-MISSING
	12370	NUMBER OF MISSING
	147.76	AVERAGE/MEAN
	129.00	MEDIAN VALUE
	28.00	MINIMUM VALUE
	1051.00	MAXIMUM VALUE

Type NUM
Location 1323 - 1326
Width 4
Sequence Order 306
Notes SEE SECTION 8 NOTES FOR P_NUMPOL.

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DPOLIO3
Label           AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #3
Response
Categories      Statistics  Description
                20481    NUMBER OF NON-MISSING
                13961    NUMBER OF MISSING

                351.86   AVERAGE/MEAN
                365.00   MEDIAN VALUE
                65.00    MINIMUM VALUE
                1085.00  MAXIMUM VALUE

Type            NUM
Location       1327 - 1330
Width          4
Sequence Order 307
Notes          SEE SECTION 8 NOTES FOR P_NUMPOL.
-----

```

```

-----
Section          9
Variable Name    DPOLIO4
Label           AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #4
Response
Categories      Statistics  Description
                1965    NUMBER OF NON-MISSING
                32477   NUMBER OF MISSING

                516.32   AVERAGE/MEAN
                528.00   MEDIAN VALUE
                97.00    MINIMUM VALUE
                1060.00  MAXIMUM VALUE

Type            NUM
Location       1331 - 1334
Width          4
Sequence Order 308
Notes          SEE SECTION 8 NOTES FOR P_NUMPOL.
-----

```


1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DPOLIO5
Label AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #5
Response
Categories Statistics Description

	66	NUMBER OF NON-MISSING
	34376	NUMBER OF MISSING
	482.09	AVERAGE/MEAN
	501.00	MEDIAN VALUE
	141.00	MINIMUM VALUE
	934.00	MAXIMUM VALUE

Type NUM
Location 1335 - 1338
Width 4
Sequence Order 309
Notes SEE SECTION 8 NOTES FOR P_NUMPOL.

Section 9
Variable Name DPOLIO6
Label AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #6
Response
Categories Statistics Description

	3	NUMBER OF NON-MISSING
	34439	NUMBER OF MISSING
	672.00	AVERAGE/MEAN
	644.00	MEDIAN VALUE
	545.00	MINIMUM VALUE
	827.00	MAXIMUM VALUE

Type NUM
Location 1339 - 1342
Width 4
Sequence Order 310
Notes SEE SECTION 8 NOTES FOR P_NUMPOL.

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DPOLIO7
Label           AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #7
Response
Categories      Statistics  Description
                1 NUMBER OF NON-MISSING
                34441 NUMBER OF MISSING
                755.00 AVERAGE/MEAN
                755.00 MEDIAN VALUE
                755.00 MINIMUM VALUE
                755.00 MAXIMUM VALUE

Type            NUM
Location        1343 - 1346
Width           4
Sequence Order  311
Notes           SEE SECTION 8 NOTES FOR P_NUMPOL.
-----

```

```

-----
Section          9
Variable Name    DPOLIO8
Label           AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #8
Response
Categories      Statistics  Description
                0 NUMBER OF NON-MISSING
                34442 NUMBER OF MISSING
                .   AVERAGE/MEAN
                .   MEDIAN VALUE
                .   MINIMUM VALUE
                .   MAXIMUM VALUE

Type            NUM
Location        1347 - 1350
Width           4
Sequence Order  312
Notes           SEE SECTION 8 NOTES FOR P_NUMPOL.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DPOLN1
Label           AGE IN DAYS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #1
Response
Categories      Statistics  Description
                3547      NUMBER OF NON-MISSING
                30895     NUMBER OF MISSING

                154.31    AVERAGE/MEAN
                77.00     MEDIAN VALUE
                0.00      MINIMUM VALUE
                1060.00   MAXIMUM VALUE

Type            NUM
Location        1351 - 1354
Width           4
Sequence Order  313
Notes           SEE SECTION 8 NOTES FOR P_NUMOLN.
-----

```

```

-----
Section          9
Variable Name    DPOLN2
Label           AGE IN DAYS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #2
Response
Categories      Statistics  Description
                2345      NUMBER OF NON-MISSING
                32097     NUMBER OF MISSING

                180.04    AVERAGE/MEAN
                135.00    MEDIAN VALUE
                28.00     MINIMUM VALUE
                1071.00   MAXIMUM VALUE

Type            NUM
Location        1355 - 1358
Width           4
Sequence Order  314
Notes           SEE SECTION 8 NOTES FOR P_NUMOLN.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DPOLN3
Label AGE IN DAYS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #3
Response
Categories Statistics Description

	1706	NUMBER OF NON-MISSING
	32736	NUMBER OF MISSING
	327.41	AVERAGE/MEAN
	236.00	MEDIAN VALUE
	72.00	MINIMUM VALUE
	1058.00	MAXIMUM VALUE

Type NUM
Location 1359 - 1362
Width 4
Sequence Order 315
Notes SEE SECTION 8 NOTES FOR P_NUMOLN.

Section 9
Variable Name DPOLN4
Label AGE IN DAYS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #4
Response
Categories Statistics Description

	188	NUMBER OF NON-MISSING
	34254	NUMBER OF MISSING
	514.31	AVERAGE/MEAN
	537.00	MEDIAN VALUE
	112.00	MINIMUM VALUE
	978.00	MAXIMUM VALUE

Type NUM
Location 1363 - 1366
Width 4
Sequence Order 316
Notes SEE SECTION 8 NOTES FOR P_NUMOLN.

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DPOLN5
Label           AGE IN DAYS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #5
Response
Categories      Statistics  Description
                4         NUMBER OF NON-MISSING
                34438      NUMBER OF MISSING
                328.00     AVERAGE/MEAN
                313.00     MEDIAN VALUE
                183.00     MINIMUM VALUE
                503.00     MAXIMUM VALUE

Type            NUM
Location        1367 - 1370
Width           4
Sequence Order  317
Notes           SEE SECTION 8 NOTES FOR P_NUMOLN.
-----

```

```

-----
Section          9
Variable Name    DPOLN6
Label           AGE IN DAYS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #6
Response
Categories      Statistics  Description
                0         NUMBER OF NON-MISSING
                34442      NUMBER OF MISSING
                .         AVERAGE/MEAN
                .         MEDIAN VALUE
                .         MINIMUM VALUE
                .         MAXIMUM VALUE

Type            NUM
Location        1371 - 1374
Width           4
Sequence Order  318
Notes           SEE SECTION 8 NOTES FOR P_NUMOLN.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DPOLN7
Label           AGE IN DAYS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #7
Response
Categories      Statistics  Description
                0        NUMBER OF NON-MISSING
                34442    NUMBER OF MISSING
                .        AVERAGE/MEAN
                .        MEDIAN VALUE
                .        MINIMUM VALUE
                .        MAXIMUM VALUE

Type            NUM
Location        1375 - 1378
Width           4
Sequence Order  319
Notes           SEE SECTION 8 NOTES FOR P_NUMOLN.
-----

```

```

-----
Section          9
Variable Name    DPOLN8
Label           AGE IN DAYS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #8
Response
Categories      Statistics  Description
                0        NUMBER OF NON-MISSING
                34442    NUMBER OF MISSING
                .        AVERAGE/MEAN
                .        MEDIAN VALUE
                .        MINIMUM VALUE
                .        MAXIMUM VALUE

Type            NUM
Location        1379 - 1382
Width           4
Sequence Order  320
Notes           SEE SECTION 8 NOTES FOR P_NUMOLN.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DRB1
Label           AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #1
Response
Categories      Statistics  Description
                6         NUMBER OF NON-MISSING
                34436      NUMBER OF MISSING
                507.33     AVERAGE/MEAN
                407.00     MEDIAN VALUE
                372.00     MINIMUM VALUE
                778.00     MAXIMUM VALUE

Type            NUM
Location        1383 - 1386
Width           4
Sequence Order  321
Notes
-----

```

```

-----
Section          9
Variable Name    DRB2
Label           AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #2
Response
Categories      Statistics  Description
                0         NUMBER OF NON-MISSING
                34442      NUMBER OF MISSING
                .         AVERAGE/MEAN
                .         MEDIAN VALUE
                .         MINIMUM VALUE
                .         MAXIMUM VALUE

Type            NUM
Location        1387 - 1390
Width           4
Sequence Order  322
Notes
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DRB3
Label AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #3
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
34442		NUMBER OF MISSING
.		AVERAGE/MEAN
.		MEDIAN VALUE
.		MINIMUM VALUE
.		MAXIMUM VALUE

Type NUM
Location 1391 - 1394
Width 4
Sequence Order 323
Notes

Section 9
Variable Name DRB4
Label AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #4
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
34442		NUMBER OF MISSING
.		AVERAGE/MEAN
.		MEDIAN VALUE
.		MINIMUM VALUE
.		MAXIMUM VALUE

Type NUM
Location 1395 - 1398
Width 4
Sequence Order 324
Notes

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DRB5
Label AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #5
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
34442		NUMBER OF MISSING
.		AVERAGE/MEAN
.		MEDIAN VALUE
.		MINIMUM VALUE
.		MAXIMUM VALUE

Type NUM
Location 1399 - 1402
Width 4
Sequence Order 325
Notes

Section 9
Variable Name DRB6
Label AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #6
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
34442		NUMBER OF MISSING
.		AVERAGE/MEAN
.		MEDIAN VALUE
.		MINIMUM VALUE
.		MAXIMUM VALUE

Type NUM
Location 1403 - 1406
Width 4
Sequence Order 326
Notes

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DRB7
Label AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #7
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
34442		NUMBER OF MISSING
.		AVERAGE/MEAN
.		MEDIAN VALUE
.		MINIMUM VALUE
.		MAXIMUM VALUE

Type NUM
Location 1407 - 1410
Width 4
Sequence Order 327
Notes

Section 9
Variable Name DRB8
Label AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #8
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
34442		NUMBER OF MISSING
.		AVERAGE/MEAN
.		MEDIAN VALUE
.		MINIMUM VALUE
.		MAXIMUM VALUE

Type NUM
Location 1411 - 1414
Width 4
Sequence Order 328
Notes

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DROT1
Label AGE IN DAYS OF PROVIDER-REPORTED ROTAVIRUS SHOT #1
Response
Categories Statistics Description

	18	NUMBER OF NON-MISSING
	34424	NUMBER OF MISSING
	380.17	AVERAGE/MEAN
	368.50	MEDIAN VALUE
	0.00	MINIMUM VALUE
	723.00	MAXIMUM VALUE

Type NUM
Location 1415 - 1418
Width 4
Sequence Order 329
Notes

Section 9
Variable Name DROT2
Label AGE IN DAYS OF PROVIDER-REPORTED ROTAVIRUS SHOT #2
Response
Categories Statistics Description

	4	NUMBER OF NON-MISSING
	34438	NUMBER OF MISSING
	257.00	AVERAGE/MEAN
	238.00	MEDIAN VALUE
	223.00	MINIMUM VALUE
	329.00	MAXIMUM VALUE

Type NUM
Location 1419 - 1422
Width 4
Sequence Order 330
Notes

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DROT3
Label           AGE IN DAYS OF PROVIDER-REPORTED ROTAVIRUS SHOT #3
Response
Categories       Statistics  Description
                   3  NUMBER OF NON-MISSING
                   34439 NUMBER OF MISSING
                   277.00 AVERAGE/MEAN
                   276.00 MEDIAN VALUE
                   276.00 MINIMUM VALUE
                   279.00 MAXIMUM VALUE

Type             NUM
Location         1423  - 1426
Width            4
Sequence Order   331
Notes
-----

```

```

-----
Section          9
Variable Name    DROT4
Label           AGE IN DAYS OF PROVIDER-REPORTED ROTAVIRUS SHOT #4
Response
Categories       Statistics  Description
                   0  NUMBER OF NON-MISSING
                   34442 NUMBER OF MISSING
                   .   AVERAGE/MEAN
                   .   MEDIAN VALUE
                   .   MINIMUM VALUE
                   .   MAXIMUM VALUE

Type             NUM
Location         1427  - 1430
Width            4
Sequence Order   332
Notes
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DROT5
Label AGE IN DAYS OF PROVIDER-REPORTED ROTAVIRUS SHOT #5
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
34442		NUMBER OF MISSING
.		AVERAGE/MEAN
.		MEDIAN VALUE
.		MINIMUM VALUE
.		MAXIMUM VALUE

Type NUM
Location 1431 - 1434
Width 4
Sequence Order 333
Notes

Section 9
Variable Name DROT6
Label AGE IN DAYS OF PROVIDER-REPORTED ROTAVIRUS SHOT #6
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
34442		NUMBER OF MISSING
.		AVERAGE/MEAN
.		MEDIAN VALUE
.		MINIMUM VALUE
.		MAXIMUM VALUE

Type NUM
Location 1435 - 1438
Width 4
Sequence Order 334
Notes

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DROT7
Label AGE IN DAYS OF PROVIDER-REPORTED ROTAVIRUS SHOT #7
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
34442		NUMBER OF MISSING
.		AVERAGE/MEAN
.		MEDIAN VALUE
.		MINIMUM VALUE
.		MAXIMUM VALUE

Type NUM
Location 1439 - 1442
Width 4
Sequence Order 335
Notes

Section 9
Variable Name DROT8
Label AGE IN DAYS OF PROVIDER-REPORTED ROTAVIRUS SHOT #8
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
34442		NUMBER OF MISSING
.		AVERAGE/MEAN
.		MEDIAN VALUE
.		MINIMUM VALUE
.		MAXIMUM VALUE

Type NUM
Location 1443 - 1446
Width 4
Sequence Order 336
Notes

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DVRC1
Label AGE IN DAYS OF PROVIDER-REPORTED VARICELLA SHOT #1
Response
Categories Statistics Description

	13412	NUMBER OF NON-MISSING
	21030	NUMBER OF MISSING
	448.89	AVERAGE/MEAN
	392.00	MEDIAN VALUE
	0.00	MINIMUM VALUE
	1078.00	MAXIMUM VALUE

Type NUM
Location 1447 - 1450
Width 4
Sequence Order 337
Notes

Section 9
Variable Name DVRC2
Label AGE IN DAYS OF PROVIDER-REPORTED VARICELLA SHOT #2
Response
Categories Statistics Description

	69	NUMBER OF NON-MISSING
	34373	NUMBER OF MISSING
	576.41	AVERAGE/MEAN
	541.00	MEDIAN VALUE
	367.00	MINIMUM VALUE
	939.00	MAXIMUM VALUE

Type NUM
Location 1451 - 1454
Width 4
Sequence Order 338
Notes

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DVRC3
Label AGE IN DAYS OF PROVIDER-REPORTED VARICELLA SHOT #3
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
34442		NUMBER OF MISSING
.		AVERAGE/MEAN
.		MEDIAN VALUE
.		MINIMUM VALUE
.		MAXIMUM VALUE

Type NUM
Location 1455 - 1458
Width 4
Sequence Order 339
Notes

Section 9
Variable Name DVRC4
Label AGE IN DAYS OF PROVIDER-REPORTED VARICELLA SHOT #4
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
34442		NUMBER OF MISSING
.		AVERAGE/MEAN
.		MEDIAN VALUE
.		MINIMUM VALUE
.		MAXIMUM VALUE

Type NUM
Location 1459 - 1462
Width 4
Sequence Order 340
Notes

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHA1_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTAP/HIB (MARKED) SHOT #1
Response
Categories      Statistics  Description
                2364     NUMBER OF NON-MISSING
                32078    NUMBER OF MISSING

                12.52    AVERAGE/MEAN
                15.00    MEDIAN VALUE
                1.00     MINIMUM VALUE
                32.00    MAXIMUM VALUE

Type            NUM
Location        1463 - 1464
Width           2
Sequence Order  341
Notes           SEE SECTION 8 NOTES FOR P_NUMDAH. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    DHA2_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTAP/HIB (MARKED) SHOT #2
Response
Categories      Statistics  Description
                503     NUMBER OF NON-MISSING
                33939    NUMBER OF MISSING

                6.24    AVERAGE/MEAN
                4.00    MEDIAN VALUE
                3.00    MINIMUM VALUE
                26.00    MAXIMUM VALUE

Type            NUM
Location        1465 - 1466
Width           2
Sequence Order  342
Notes           SEE SECTION 8 NOTES FOR P_NUMDAH. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHA3_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTAP/HIB (MARKED) SHOT #3
Response
Categories      Statistics  Description
                349      NUMBER OF NON-MISSING
                34093    NUMBER OF MISSING
                7.71    AVERAGE/MEAN
                6.00    MEDIAN VALUE
                4.00    MINIMUM VALUE
                29.00   MAXIMUM VALUE

Type            NUM
Location        1467 - 1468
Width           2
Sequence Order  343
Notes           SEE SECTION 8 NOTES FOR P_NUMDAH. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    DHA4_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTAP/HIB (MARKED) SHOT #4
Response
Categories      Statistics  Description
                146      NUMBER OF NON-MISSING
                34296    NUMBER OF MISSING
                16.49   AVERAGE/MEAN
                16.00   MEDIAN VALUE
                8.00    MINIMUM VALUE
                31.00   MAXIMUM VALUE

Type            NUM
Location        1469 - 1470
Width           2
Sequence Order  344
Notes           SEE SECTION 8 NOTES FOR P_NUMDAH. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DHA5_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED DTAP/HIB (MARKED) SHOT #5
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
34442		NUMBER OF MISSING
.		AVERAGE/MEAN
.		MEDIAN VALUE
.		MINIMUM VALUE
.		MAXIMUM VALUE

Type NUM
Location 1471 - 1472
Width 2
Sequence Order 345
Notes SEE SECTION 8 NOTES FOR P_NUMDAH. CALCULATED AS EXACT AGE IN MONTHS.

Section 9
Variable Name DHA6_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED DTAP/HIB (MARKED) SHOT #6
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
34442		NUMBER OF MISSING
.		AVERAGE/MEAN
.		MEDIAN VALUE
.		MINIMUM VALUE
.		MAXIMUM VALUE

Type NUM
Location 1473 - 1474
Width 2
Sequence Order 346
Notes SEE SECTION 8 NOTES FOR P_NUMDAH. CALCULATED AS EXACT AGE IN MONTHS.

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHA7_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTAP/HIB (MARKED) SHOT #7
Response
Categories      Statistics  Description
                0        NUMBER OF NON-MISSING
                34442    NUMBER OF MISSING
                .        AVERAGE/MEAN
                .        MEDIAN VALUE
                .        MINIMUM VALUE
                .        MAXIMUM VALUE

Type            NUM
Location        1475 - 1476
Width           2
Sequence Order  347
Notes          SEE SECTION 8 NOTES FOR P_NUMDAH. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    DHA8_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTAP/HIB (MARKED) SHOT #8
Response
Categories      Statistics  Description
                0        NUMBER OF NON-MISSING
                34442    NUMBER OF MISSING
                .        AVERAGE/MEAN
                .        MEDIAN VALUE
                .        MINIMUM VALUE
                .        MAXIMUM VALUE

Type            NUM
Location        1477 - 1478
Width           2
Sequence Order  348
Notes          SEE SECTION 8 NOTES FOR P_NUMDAH. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHB1_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #1
Response
Categories      Statistics  Description

                9743  NUMBER OF NON-MISSING
                24699 NUMBER OF MISSING

                4.16  AVERAGE/MEAN
                2.00  MEDIAN VALUE
                0.00  MINIMUM VALUE
                32.00 MAXIMUM VALUE

Type            NUM
Location        1479  - 1480
Width           2
Sequence Order  349
Notes           SEE SECTION 8 NOTES FOR P_NUMDHB. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    DHB2_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #2
Response
Categories      Statistics  Description

                7178  NUMBER OF NON-MISSING
                27264 NUMBER OF MISSING

                4.78  AVERAGE/MEAN
                4.00  MEDIAN VALUE
                1.00  MINIMUM VALUE
                28.00 MAXIMUM VALUE

Type            NUM
Location        1481  - 1482
Width           2
Sequence Order  350
Notes           SEE SECTION 8 NOTES FOR P_NUMDHB. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHB3_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #3
Response
Categories      Statistics  Description
                5813     NUMBER OF NON-MISSING
                28629    NUMBER OF MISSING

                7.06     AVERAGE/MEAN
                6.00     MEDIAN VALUE
                3.00     MINIMUM VALUE
                33.00    MAXIMUM VALUE

Type            NUM
Location       1483 - 1484
Width          2
Sequence Order 351
Notes         SEE SECTION 8 NOTES FOR P_NUMDHB. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    DHB4_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #4
Response
Categories      Statistics  Description
                2655     NUMBER OF NON-MISSING
                31787    NUMBER OF MISSING

                15.88    AVERAGE/MEAN
                15.00    MEDIAN VALUE
                5.00     MINIMUM VALUE
                34.00    MAXIMUM VALUE

Type            NUM
Location       1485 - 1486
Width          2
Sequence Order 352
Notes         SEE SECTION 8 NOTES FOR P_NUMDHB. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHB5_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #5
Response
Categories      Statistics  Description
                23        NUMBER OF NON-MISSING
                34419     NUMBER OF MISSING
                18.13    AVERAGE/MEAN
                17.00    MEDIAN VALUE
                12.00    MINIMUM VALUE
                31.00    MAXIMUM VALUE

Type            NUM
Location        1487 - 1488
Width           2
Sequence Order  353
Notes           SEE SECTION 8 NOTES FOR P_NUMDHB. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    DHB6_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #6
Response
Categories      Statistics  Description
                0        NUMBER OF NON-MISSING
                34442     NUMBER OF MISSING
                .        AVERAGE/MEAN
                .        MEDIAN VALUE
                .        MINIMUM VALUE
                .        MAXIMUM VALUE

Type            NUM
Location        1489 - 1490
Width           2
Sequence Order  354
Notes           SEE SECTION 8 NOTES FOR P_NUMDHB. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHB7_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #7
Response
Categories       Statistics  Description
                   0 NUMBER OF NON-MISSING
                   34442 NUMBER OF MISSING
                   . AVERAGE/MEAN
                   . MEDIAN VALUE
                   . MINIMUM VALUE
                   . MAXIMUM VALUE

Type             NUM
Location         1491 - 1492
Width            2
Sequence Order   355
Notes            SEE SECTION 8 NOTES FOR P_NUMDHB. CALCULATED AS EXACT AGE IN
                   MONTHS.
    
```

```

-----
Section          9
Variable Name    DHB8_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #8
Response
Categories       Statistics  Description
                   0 NUMBER OF NON-MISSING
                   34442 NUMBER OF MISSING
                   . AVERAGE/MEAN
                   . MEDIAN VALUE
                   . MINIMUM VALUE
                   . MAXIMUM VALUE

Type             NUM
Location         1493 - 1494
Width            2
Sequence Order   356
Notes            SEE SECTION 8 NOTES FOR P_NUMDHB. CALCULATED AS EXACT AGE IN
                   MONTHS.
    
```


1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHM1_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (MARKED) SHOT #1
Response
Categories      Statistics  Description
                7608     NUMBER OF NON-MISSING
                26834    NUMBER OF MISSING

                2.71     AVERAGE/MEAN
                2.00     MEDIAN VALUE
                0.00     MINIMUM VALUE
                29.00    MAXIMUM VALUE

Type            NUM
Location        1495 - 1496
Width           2
Sequence Order  357
Notes           SEE SECTION 8 NOTES FOR P_NUMDHM. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    DHM2_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (MARKED) SHOT #2
Response
Categories      Statistics  Description
                5983     NUMBER OF NON-MISSING
                28459    NUMBER OF MISSING

                4.58     AVERAGE/MEAN
                4.00     MEDIAN VALUE
                1.00     MINIMUM VALUE
                33.00    MAXIMUM VALUE

Type            NUM
Location        1497 - 1498
Width           2
Sequence Order  358
Notes           SEE SECTION 8 NOTES FOR P_NUMDHM. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHM3_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (MARKED) SHOT #3
Response
Categories      Statistics  Description
                4647     NUMBER OF NON-MISSING
                29795    NUMBER OF MISSING

                6.88     AVERAGE/MEAN
                6.00     MEDIAN VALUE
                3.00     MINIMUM VALUE
                30.00    MAXIMUM VALUE

Type            NUM
Location       1499 - 1500
Width          2
Sequence Order 359
Notes         SEE SECTION 8 NOTES FOR P_NUMDHM. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    DHM4_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (MARKED) SHOT #4
Response
Categories      Statistics  Description
                1657     NUMBER OF NON-MISSING
                32785    NUMBER OF MISSING

                15.60    AVERAGE/MEAN
                15.00    MEDIAN VALUE
                5.00     MINIMUM VALUE
                34.00    MAXIMUM VALUE

Type            NUM
Location       1501 - 1502
Width          2
Sequence Order 360
Notes         SEE SECTION 8 NOTES FOR P_NUMDHM. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHM5_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (MARKED) SHOT #5
Response
Categories       Statistics  Description
                  14      NUMBER OF NON-MISSING
                  34428   NUMBER OF MISSING
                  18.64   AVERAGE/MEAN
                  17.00   MEDIAN VALUE
                  14.00   MINIMUM VALUE
                  31.00   MAXIMUM VALUE

Type            NUM
Location        1503 - 1504
Width           2
Sequence Order  361
Notes           SEE SECTION 8 NOTES FOR P_NUMDHM. CALCULATED AS EXACT AGE IN
                  MONTHS.
    
```

```

-----
Section          9
Variable Name    DHM6_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (MARKED) SHOT #6
Response
Categories       Statistics  Description
                  0      NUMBER OF NON-MISSING
                  34442   NUMBER OF MISSING
                  .      AVERAGE/MEAN
                  .      MEDIAN VALUE
                  .      MINIMUM VALUE
                  .      MAXIMUM VALUE

Type            NUM
Location        1505 - 1506
Width           2
Sequence Order  362
Notes           SEE SECTION 8 NOTES FOR P_NUMDHM. CALCULATED AS EXACT AGE IN
                  MONTHS.
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHM7_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (MARKED) SHOT #7
Response
Categories      Statistics  Description
                0        NUMBER OF NON-MISSING
                34442    NUMBER OF MISSING
                .        AVERAGE/MEAN
                .        MEDIAN VALUE
                .        MINIMUM VALUE
                .        MAXIMUM VALUE

Type            NUM
Location       1507 - 1508
Width         2
Sequence Order 363
Notes         SEE SECTION 8 NOTES FOR P_NUMDHM. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    DHM8_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (MARKED) SHOT #8
Response
Categories      Statistics  Description
                0        NUMBER OF NON-MISSING
                34442    NUMBER OF MISSING
                .        AVERAGE/MEAN
                .        MEDIAN VALUE
                .        MINIMUM VALUE
                .        MAXIMUM VALUE

Type            NUM
Location       1509 - 1510
Width         2
Sequence Order 364
Notes         SEE SECTION 8 NOTES FOR P_NUMDHM. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHN1_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (UNMARKED) SHOT #1
Response
Categories      Statistics  Description
                1044     NUMBER OF NON-MISSING
                33398    NUMBER OF MISSING

                5.57     AVERAGE/MEAN
                4.00     MEDIAN VALUE
                1.00     MINIMUM VALUE
                34.00    MAXIMUM VALUE

Type            NUM
Location       1511 - 1512
Width          2
Sequence Order 365
Notes          SEE SECTION 8 NOTES FOR P_NUMDHN. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    DHN2_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (UNMARKED) SHOT #2
Response
Categories      Statistics  Description
                550     NUMBER OF NON-MISSING
                33892    NUMBER OF MISSING

                5.33     AVERAGE/MEAN
                4.00     MEDIAN VALUE
                2.00     MINIMUM VALUE
                19.00    MAXIMUM VALUE

Type            NUM
Location       1513 - 1514
Width          2
Sequence Order 366
Notes          SEE SECTION 8 NOTES FOR P_NUMDHN. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHN3_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (UNMARKED) SHOT #3
Response
Categories       Statistics  Description
                373      NUMBER OF NON-MISSING
                34069    NUMBER OF MISSING

                7.82    AVERAGE/MEAN
                6.00    MEDIAN VALUE
                4.00    MINIMUM VALUE
                21.00   MAXIMUM VALUE

Type            NUM
Location        1515 - 1516
Width           2
Sequence Order  367
Notes           SEE SECTION 8 NOTES FOR P_NUMDHN. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    DHN4_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (UNMARKED) SHOT #4
Response
Categories       Statistics  Description
                173      NUMBER OF NON-MISSING
                34269    NUMBER OF MISSING

                16.16   AVERAGE/MEAN
                15.00   MEDIAN VALUE
                6.00    MINIMUM VALUE
                34.00   MAXIMUM VALUE

Type            NUM
Location        1517 - 1518
Width           2
Sequence Order  368
Notes           SEE SECTION 8 NOTES FOR P_NUMDHN. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHN5_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (UNMARKED) SHOT #5
Response
Categories      Statistics  Description
                1        NUMBER OF NON-MISSING
                34441     NUMBER OF MISSING
                21.00    AVERAGE/MEAN
                21.00    MEDIAN VALUE
                21.00    MINIMUM VALUE
                21.00    MAXIMUM VALUE

Type            NUM
Location        1519 - 1520
Width           2
Sequence Order  369
Notes           SEE SECTION 8 NOTES FOR P_NUMDHN. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    DHN6_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (UNMARKED) SHOT #6
Response
Categories      Statistics  Description
                0        NUMBER OF NON-MISSING
                34442     NUMBER OF MISSING
                .        AVERAGE/MEAN
                .        MEDIAN VALUE
                .        MINIMUM VALUE
                .        MAXIMUM VALUE

Type            NUM
Location        1521 - 1522
Width           2
Sequence Order  370
Notes           SEE SECTION 8 NOTES FOR P_NUMDHN. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

Section          9
Variable Name    DHN7_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (UNMARKED) SHOT #7
Response
Categories       Statistics  Description
                   0 NUMBER OF NON-MISSING
                   34442 NUMBER OF MISSING
                   . AVERAGE/MEAN
                   . MEDIAN VALUE
                   . MINIMUM VALUE
                   . MAXIMUM VALUE

Type            NUM
Location        1523 - 1524
Width           2
Sequence Order  371
Notes           SEE SECTION 8 NOTES FOR P_NUMDHN. CALCULATED AS EXACT AGE IN
                   MONTHS.
    
```

```

-----
Section          9
Variable Name    DHN8_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (UNMARKED) SHOT #8
Response
Categories       Statistics  Description
                   0 NUMBER OF NON-MISSING
                   34442 NUMBER OF MISSING
                   . AVERAGE/MEAN
                   . MEDIAN VALUE
                   . MINIMUM VALUE
                   . MAXIMUM VALUE

Type            NUM
Location        1525 - 1526
Width           2
Sequence Order  372
Notes           SEE SECTION 8 NOTES FOR P_NUMDHN. CALCULATED AS EXACT AGE IN
                   MONTHS.
    
```


1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DPM1_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (MARKED) SHOT #1
Response
Categories      Statistics  Description
                4342     NUMBER OF NON-MISSING
                30100    NUMBER OF MISSING

                3.35     AVERAGE/MEAN
                2.00     MEDIAN VALUE
                0.00     MINIMUM VALUE
                31.00    MAXIMUM VALUE

Type            NUM
Location        1527 - 1528
Width           2
Sequence Order  373
Notes           SEE SECTION 8 NOTES FOR P_NUMTPM. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    DPM2_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (MARKED) SHOT #2
Response
Categories      Statistics  Description
                3015     NUMBER OF NON-MISSING
                31427    NUMBER OF MISSING

                4.93     AVERAGE/MEAN
                4.00     MEDIAN VALUE
                1.00     MINIMUM VALUE
                33.00    MAXIMUM VALUE

Type            NUM
Location        1529 - 1530
Width           2
Sequence Order  374
Notes           SEE SECTION 8 NOTES FOR P_NUMTPM. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DPM3_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED DTP (MARKED) SHOT #3
Response
Categories Statistics Description

	2242	NUMBER OF NON-MISSING
	32200	NUMBER OF MISSING
	7.38	AVERAGE/MEAN
	6.00	MEDIAN VALUE
	3.00	MINIMUM VALUE
	32.00	MAXIMUM VALUE

Type NUM
Location 1531 - 1532
Width 2
Sequence Order 375
Notes SEE SECTION 8 NOTES FOR P_NUMTPM. CALCULATED AS EXACT AGE IN MONTHS.

Section 9
Variable Name DPM4_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED DTP (MARKED) SHOT #4
Response
Categories Statistics Description

	932	NUMBER OF NON-MISSING
	33510	NUMBER OF MISSING
	16.69	AVERAGE/MEAN
	16.00	MEDIAN VALUE
	6.00	MINIMUM VALUE
	34.00	MAXIMUM VALUE

Type NUM
Location 1533 - 1534
Width 2
Sequence Order 376
Notes SEE SECTION 8 NOTES FOR P_NUMTPM. CALCULATED AS EXACT AGE IN MONTHS.

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DPM5_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (MARKED) SHOT #5
Response
Categories      Statistics  Description
                4         NUMBER OF NON-MISSING
                34438      NUMBER OF MISSING
                13.50     AVERAGE/MEAN
                13.50     MEDIAN VALUE
                11.00     MINIMUM VALUE
                16.00     MAXIMUM VALUE

Type            NUM
Location       1535 - 1536
Width          2
Sequence Order 377
Notes         SEE SECTION 8 NOTES FOR P_NUMTPM. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    DPM6_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (MARKED) SHOT #6
Response
Categories      Statistics  Description
                0         NUMBER OF NON-MISSING
                34442      NUMBER OF MISSING
                .         AVERAGE/MEAN
                .         MEDIAN VALUE
                .         MINIMUM VALUE
                .         MAXIMUM VALUE

Type            NUM
Location       1537 - 1538
Width          2
Sequence Order 378
Notes         SEE SECTION 8 NOTES FOR P_NUMTPM. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DPM7_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (MARKED) SHOT #7
Response
Categories      Statistics  Description
                0         NUMBER OF NON-MISSING
                34442      NUMBER OF MISSING
                .         AVERAGE/MEAN
                .         MEDIAN VALUE
                .         MINIMUM VALUE
                .         MAXIMUM VALUE

Type            NUM
Location        1539 - 1540
Width           2
Sequence Order  379
Notes           SEE SECTION 8 NOTES FOR P_NUMTPM. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    DPM8_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (MARKED) SHOT #8
Response
Categories      Statistics  Description
                0         NUMBER OF NON-MISSING
                34442      NUMBER OF MISSING
                .         AVERAGE/MEAN
                .         MEDIAN VALUE
                .         MINIMUM VALUE
                .         MAXIMUM VALUE

Type            NUM
Location        1541 - 1542
Width           2
Sequence Order  380
Notes           SEE SECTION 8 NOTES FOR P_NUMTPM. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DPN1_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #1
Response
Categories      Statistics  Description
                3093     NUMBER OF NON-MISSING
                31349    NUMBER OF MISSING

                7.23     AVERAGE/MEAN
                4.00     MEDIAN VALUE
                0.00     MINIMUM VALUE
                33.00    MAXIMUM VALUE

Type            NUM
Location        1543 - 1544
Width           2
Sequence Order  381
Notes          SEE SECTION 8 NOTES FOR P_NUMTPN. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    DPN2_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #2
Response
Categories      Statistics  Description
                1745     NUMBER OF NON-MISSING
                32697    NUMBER OF MISSING

                6.54     AVERAGE/MEAN
                4.00     MEDIAN VALUE
                2.00     MINIMUM VALUE
                31.00    MAXIMUM VALUE

Type            NUM
Location        1545 - 1546
Width           2
Sequence Order  382
Notes          SEE SECTION 8 NOTES FOR P_NUMTPN. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DPN3_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #3
Response
Categories      Statistics  Description
                1271     NUMBER OF NON-MISSING
                33171    NUMBER OF MISSING

                8.72     AVERAGE/MEAN
                6.00     MEDIAN VALUE
                2.00     MINIMUM VALUE
                32.00    MAXIMUM VALUE

Type            NUM
Location        1547 - 1548
Width           2
Sequence Order  383
Notes           SEE SECTION 8 NOTES FOR P_NUMTPN. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    DPN4_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #4
Response
Categories      Statistics  Description
                725     NUMBER OF NON-MISSING
                33717    NUMBER OF MISSING

                16.61    AVERAGE/MEAN
                16.00    MEDIAN VALUE
                4.00     MINIMUM VALUE
                32.00    MAXIMUM VALUE

Type            NUM
Location        1549 - 1550
Width           2
Sequence Order  384
Notes           SEE SECTION 8 NOTES FOR P_NUMTPN. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DPN5_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #5
Response
Categories      Statistics  Description
                3         NUMBER OF NON-MISSING
                34439      NUMBER OF MISSING
                17.33     AVERAGE/MEAN
                19.00     MEDIAN VALUE
                11.00     MINIMUM VALUE
                22.00     MAXIMUM VALUE

Type            NUM
Location        1551 - 1552
Width           2
Sequence Order  385
Notes          SEE SECTION 8 NOTES FOR P_NUMTPN. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    DPN6_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #6
Response
Categories      Statistics  Description
                0         NUMBER OF NON-MISSING
                34442      NUMBER OF MISSING
                .         AVERAGE/MEAN
                .         MEDIAN VALUE
                .         MINIMUM VALUE
                .         MAXIMUM VALUE

Type            NUM
Location        1553 - 1554
Width           2
Sequence Order  386
Notes          SEE SECTION 8 NOTES FOR P_NUMTPN. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DPN7_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #7
Response
Categories      Statistics  Description
                0         NUMBER OF NON-MISSING
                34442      NUMBER OF MISSING
                .         AVERAGE/MEAN
                .         MEDIAN VALUE
                .         MINIMUM VALUE
                .         MAXIMUM VALUE

Type            NUM
Location        1555 - 1556
Width           2
Sequence Order  387
Notes           SEE SECTION 8 NOTES FOR P_NUMTPN. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    DPN8_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #8
Response
Categories      Statistics  Description
                0         NUMBER OF NON-MISSING
                34442      NUMBER OF MISSING
                .         AVERAGE/MEAN
                .         MEDIAN VALUE
                .         MINIMUM VALUE
                .         MAXIMUM VALUE

Type            NUM
Location        1557 - 1558
Width           2
Sequence Order  388
Notes           SEE SECTION 8 NOTES FOR P_NUMTPN. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```


1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DTA1_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #1
Response
Categories      Statistics  Description
                15924    NUMBER OF NON-MISSING
                18518    NUMBER OF MISSING

                5.84    AVERAGE/MEAN
                2.00    MEDIAN VALUE
                0.00    MINIMUM VALUE
                34.00   MAXIMUM VALUE

Type            NUM
Location       1559 - 1560
Width          2
Sequence Order 389
Notes          SEE SECTION 8 NOTES FOR P_NUMMDTA. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    DTA2_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #2
Response
Categories      Statistics  Description
                11670   NUMBER OF NON-MISSING
                22772   NUMBER OF MISSING

                5.87    AVERAGE/MEAN
                4.00    MEDIAN VALUE
                1.00    MINIMUM VALUE
                35.00   MAXIMUM VALUE

Type            NUM
Location       1561 - 1562
Width          2
Sequence Order 390
Notes          SEE SECTION 8 NOTES FOR P_NUMMDTA. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DTA3_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #3
Response
Categories       Statistics  Description
                9800    NUMBER OF NON-MISSING
                24642   NUMBER OF MISSING

                7.89    AVERAGE/MEAN
                6.00    MEDIAN VALUE
                3.00    MINIMUM VALUE
                34.00   MAXIMUM VALUE

Type            NUM
Location        1563 - 1564
Width           2
Sequence Order  391
Notes          SEE SECTION 8 NOTES FOR P_NUMMDTA. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    DTA4_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #4
Response
Categories       Statistics  Description
                6394    NUMBER OF NON-MISSING
                28048   NUMBER OF MISSING

                16.42   AVERAGE/MEAN
                16.00   MEDIAN VALUE
                5.00    MINIMUM VALUE
                34.00   MAXIMUM VALUE

Type            NUM
Location        1565 - 1566
Width           2
Sequence Order  392
Notes          SEE SECTION 8 NOTES FOR P_NUMMDTA. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DTA5_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #5
Response
Categories      Statistics  Description
                53        NUMBER OF NON-MISSING
                34389     NUMBER OF MISSING
                18.58     AVERAGE/MEAN
                18.00     MEDIAN VALUE
                6.00      MINIMUM VALUE
                33.00     MAXIMUM VALUE

Type            NUM
Location        1567 - 1568
Width           2
Sequence Order  393
Notes           SEE SECTION 8 NOTES FOR P_NUMMDTA. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    DTA6_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #6
Response
Categories      Statistics  Description
                0        NUMBER OF NON-MISSING
                34442     NUMBER OF MISSING
                .         AVERAGE/MEAN
                .         MEDIAN VALUE
                .         MINIMUM VALUE
                .         MAXIMUM VALUE

Type            NUM
Location        1569 - 1570
Width           2
Sequence Order  394
Notes           SEE SECTION 8 NOTES FOR P_NUMMDTA. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DTA7_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #7
Response
Categories       Statistics  Description
                0 NUMBER OF NON-MISSING
                34442 NUMBER OF MISSING
                .  AVERAGE/MEAN
                .  MEDIAN VALUE
                .  MINIMUM VALUE
                .  MAXIMUM VALUE

Type            NUM
Location        1571 - 1572
Width           2
Sequence Order  395
Notes           SEE SECTION 8 NOTES FOR P_NUMMDTA. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    DTA8_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #8
Response
Categories       Statistics  Description
                0 NUMBER OF NON-MISSING
                34442 NUMBER OF MISSING
                .  AVERAGE/MEAN
                .  MEDIAN VALUE
                .  MINIMUM VALUE
                .  MAXIMUM VALUE

Type            NUM
Location        1573 - 1574
Width           2
Sequence Order  396
Notes           SEE SECTION 8 NOTES FOR P_NUMMDTA. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DTM1_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DT (MARKED) SHOT #1
Response
Categories      Statistics  Description
                171      NUMBER OF NON-MISSING
                34271    NUMBER OF MISSING
                7.61     AVERAGE/MEAN
                5.00     MEDIAN VALUE
                1.00     MINIMUM VALUE
                28.00    MAXIMUM VALUE

Type            NUM
Location        1575 - 1576
Width           2
Sequence Order  397
Notes           SEE SECTION 8 NOTES FOR P_NUMDTM. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    DTM2_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DT (MARKED) SHOT #2
Response
Categories      Statistics  Description
                60      NUMBER OF NON-MISSING
                34382    NUMBER OF MISSING
                9.07     AVERAGE/MEAN
                6.00     MEDIAN VALUE
                3.00     MINIMUM VALUE
                26.00    MAXIMUM VALUE

Type            NUM
Location        1577 - 1578
Width           2
Sequence Order  398
Notes           SEE SECTION 8 NOTES FOR P_NUMDTM. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DTM3_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DT (MARKED) SHOT #3
Response
Categories      Statistics  Description
                35        NUMBER OF NON-MISSING
                34407     NUMBER OF MISSING

                12.60    AVERAGE/MEAN
                9.00     MEDIAN VALUE
                5.00     MINIMUM VALUE
                28.00    MAXIMUM VALUE

Type            NUM
Location        1579 - 1580
Width           2
Sequence Order  399
Notes           SEE SECTION 8 NOTES FOR P_NUMDTM. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    DTM4_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DT (MARKED) SHOT #4
Response
Categories      Statistics  Description
                14        NUMBER OF NON-MISSING
                34428     NUMBER OF MISSING

                17.64    AVERAGE/MEAN
                16.50    MEDIAN VALUE
                12.00    MINIMUM VALUE
                25.00    MAXIMUM VALUE

Type            NUM
Location        1581 - 1582
Width           2
Sequence Order  400
Notes           SEE SECTION 8 NOTES FOR P_NUMDTM. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DTM5_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DT (MARKED) SHOT #5
Response
Categories      Statistics  Description
                0         NUMBER OF NON-MISSING
                34442      NUMBER OF MISSING
                .         AVERAGE/MEAN
                .         MEDIAN VALUE
                .         MINIMUM VALUE
                .         MAXIMUM VALUE

Type            NUM
Location       1583 - 1584
Width          2
Sequence Order 401
Notes          SEE SECTION 8 NOTES FOR P_NUMDTM. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    DTM6_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DT (MARKED) SHOT #6
Response
Categories      Statistics  Description
                0         NUMBER OF NON-MISSING
                34442      NUMBER OF MISSING
                .         AVERAGE/MEAN
                .         MEDIAN VALUE
                .         MINIMUM VALUE
                .         MAXIMUM VALUE

Type            NUM
Location       1585 - 1586
Width          2
Sequence Order 402
Notes          SEE SECTION 8 NOTES FOR P_NUMDTM. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DTM7_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DT (MARKED) SHOT #7
Response
Categories      Statistics  Description
                0 NUMBER OF NON-MISSING
                34442 NUMBER OF MISSING
                .  AVERAGE/MEAN
                .  MEDIAN VALUE
                .  MINIMUM VALUE
                .  MAXIMUM VALUE

Type            NUM
Location        1587 - 1588
Width           2
Sequence Order  403
Notes           SEE SECTION 8 NOTES FOR P_NUMDTM. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    DTM8_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DT (MARKED) SHOT #8
Response
Categories      Statistics  Description
                0 NUMBER OF NON-MISSING
                34442 NUMBER OF MISSING
                .  AVERAGE/MEAN
                .  MEDIAN VALUE
                .  MINIMUM VALUE
                .  MAXIMUM VALUE

Type            NUM
Location        1589 - 1590
Width           2
Sequence Order  404
Notes           SEE SECTION 8 NOTES FOR P_NUMDTM. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```


1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DTP1_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT)
                SHOT #1
Response
Categories       Statistics  Description
                22860    NUMBER OF NON-MISSING
                11582    NUMBER OF MISSING

                2.15    AVERAGE/MEAN
                2.00    MEDIAN VALUE
                0.00    MINIMUM VALUE
                33.00   MAXIMUM VALUE

Type            NUM
Location       1591 - 1592
Width          2
Sequence Order 405
Notes          SEE SECTION 8 NOTES FOR P_NUMDTP. CALCULATED AS EXACT AGE IN
                MONTHS.
-----

```

```

-----
Section          9
Variable Name    DTP2_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT)
                SHOT #2
Response
Categories       Statistics  Description
                22458    NUMBER OF NON-MISSING
                11984    NUMBER OF MISSING

                4.43    AVERAGE/MEAN
                4.00    MEDIAN VALUE
                1.00    MINIMUM VALUE
                34.00   MAXIMUM VALUE

Type            NUM
Location       1593 - 1594
Width          2
Sequence Order 406
Notes          SEE SECTION 8 NOTES FOR P_NUMDTP. CALCULATED AS EXACT AGE IN
                MONTHS.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DTP3_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT)
                SHOT #3
Response
Categories      Statistics  Description
                21999    NUMBER OF NON-MISSING
                12443    NUMBER OF MISSING

                6.94    AVERAGE/MEAN
                6.00    MEDIAN VALUE
                2.00    MINIMUM VALUE
                35.00   MAXIMUM VALUE

Type            NUM
Location       1595 - 1596
Width          2
Sequence Order 407
Notes          SEE SECTION 8 NOTES FOR P_NUMDTP. CALCULATED AS EXACT AGE IN
                MONTHS.
-----

```

```

-----
Section          9
Variable Name    DTP4_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT)
                SHOT #4
Response
Categories      Statistics  Description
                19252    NUMBER OF NON-MISSING
                15190    NUMBER OF MISSING

                16.46   AVERAGE/MEAN
                16.00   MEDIAN VALUE
                4.00    MINIMUM VALUE
                34.00   MAXIMUM VALUE

Type            NUM
Location       1597 - 1598
Width          2
Sequence Order 408
Notes          SEE SECTION 8 NOTES FOR P_NUMDTP. CALCULATED AS EXACT AGE IN
                MONTHS.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DTP5_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT)
                SHOT #5
Response
Categories       Statistics  Description
                315      NUMBER OF NON-MISSING
                34127    NUMBER OF MISSING
                18.41    AVERAGE/MEAN
                18.00    MEDIAN VALUE
                6.00     MINIMUM VALUE
                33.00    MAXIMUM VALUE

Type            NUM
Location        1599 - 1600
Width           2
Sequence Order  409
Notes           SEE SECTION 8 NOTES FOR P_NUMDTP. CALCULATED AS EXACT AGE IN
                MONTHS.
-----

```

```

-----
Section          9
Variable Name    DTP6_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT)
                SHOT #6
Response
Categories       Statistics  Description
                16      NUMBER OF NON-MISSING
                34426    NUMBER OF MISSING
                21.75    AVERAGE/MEAN
                19.00    MEDIAN VALUE
                14.00    MINIMUM VALUE
                33.00    MAXIMUM VALUE

Type            NUM
Location        1601 - 1602
Width           2
Sequence Order  410
Notes           SEE SECTION 8 NOTES FOR P_NUMDTP. CALCULATED AS EXACT AGE IN
                MONTHS.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DTP7_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT)
                SHOT #7
Response
Categories      Statistics  Description
                3         NUMBER OF NON-MISSING
                34439      NUMBER OF MISSING
                23.33     AVERAGE/MEAN
                24.00     MEDIAN VALUE
                19.00     MINIMUM VALUE
                27.00     MAXIMUM VALUE

Type            NUM
Location        1603 - 1604
Width           2
Sequence Order  411
Notes           SEE SECTION 8 NOTES FOR P_NUMDTP. CALCULATED AS EXACT AGE IN
                MONTHS.
-----

```

```

-----
Section          9
Variable Name    DTP8_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT)
                SHOT #8
Response
Categories      Statistics  Description
                1         NUMBER OF NON-MISSING
                34441      NUMBER OF MISSING
                29.00     AVERAGE/MEAN
                29.00     MEDIAN VALUE
                29.00     MINIMUM VALUE
                29.00     MAXIMUM VALUE

Type            NUM
Location        1605 - 1606
Width           2
Sequence Order  412
Notes           SEE SECTION 8 NOTES FOR P_NUMDTP. CALCULATED AS EXACT AGE IN
                MONTHS.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    HEP1_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT
                #1
Response
Categories      Statistics  Description
                22586    NUMBER OF NON-MISSING
                11856    NUMBER OF MISSING

                0.69    AVERAGE/MEAN
                0.00    MEDIAN VALUE
                0.00    MINIMUM VALUE
                34.00   MAXIMUM VALUE

Type            NUM
Location        1607 - 1608
Width           2
Sequence Order  413
Notes           SEE SECTION 8 NOTES FOR P_NUMHEP. CALCULATED AS EXACT AGE IN
                MONTHS.
-----

```

```

-----
Section          9
Variable Name    HEP2_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT
                #2
Response
Categories      Statistics  Description
                22029    NUMBER OF NON-MISSING
                12413    NUMBER OF MISSING

                2.67    AVERAGE/MEAN
                2.00    MEDIAN VALUE
                0.00    MINIMUM VALUE
                34.00   MAXIMUM VALUE

Type            NUM
Location        1609 - 1610
Width           2
Sequence Order  414
Notes           SEE SECTION 8 NOTES FOR P_NUMHEP. CALCULATED AS EXACT AGE IN
                MONTHS.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    HEP3_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT
                #3
Response
Categories       Statistics  Description
                20092  NUMBER OF NON-MISSING
                14350  NUMBER OF MISSING

                8.45  AVERAGE/MEAN
                8.00  MEDIAN VALUE
                0.00  MINIMUM VALUE
                35.00  MAXIMUM VALUE

Type             NUM
Location        1611 - 1612
Width           2
Sequence Order  415
Notes          SEE SECTION 8 NOTES FOR P_NUMHEP. CALCULATED AS EXACT AGE IN
                MONTHS.
-----

```

```

-----
Section          9
Variable Name    HEP4_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT
                #4
Response
Categories       Statistics  Description
                563  NUMBER OF NON-MISSING
                33879  NUMBER OF MISSING

                12.22  AVERAGE/MEAN
                12.00  MEDIAN VALUE
                1.00  MINIMUM VALUE
                34.00  MAXIMUM VALUE

Type             NUM
Location        1613 - 1614
Width           2
Sequence Order  416
Notes          SEE SECTION 8 NOTES FOR P_NUMHEP. CALCULATED AS EXACT AGE IN
                MONTHS.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    HEP5_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT
                #5
Response
Categories       Statistics  Description
                50  NUMBER OF NON-MISSING
                34392 NUMBER OF MISSING
                13.16 AVERAGE/MEAN
                12.00 MEDIAN VALUE
                6.00  MINIMUM VALUE
                26.00 MAXIMUM VALUE

Type            NUM
Location        1615 - 1616
Width           2
Sequence Order  417
Notes           SEE SECTION 8 NOTES FOR P_NUMHEP. CALCULATED AS EXACT AGE IN
                MONTHS.
-----

```

```

-----
Section          9
Variable Name    HEP6_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT
                #6
Response
Categories       Statistics  Description
                14  NUMBER OF NON-MISSING
                34428 NUMBER OF MISSING
                14.93 AVERAGE/MEAN
                14.00 MEDIAN VALUE
                9.00  MINIMUM VALUE
                29.00 MAXIMUM VALUE

Type            NUM
Location        1617 - 1618
Width           2
Sequence Order  418
Notes           SEE SECTION 8 NOTES FOR P_NUMHEP. CALCULATED AS EXACT AGE IN
                MONTHS.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    HEP7_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT
                #7
Response
Categories       Statistics  Description
                4  NUMBER OF NON-MISSING
                34438 NUMBER OF MISSING
                16.00 AVERAGE/MEAN
                15.50 MEDIAN VALUE
                15.00 MINIMUM VALUE
                18.00 MAXIMUM VALUE

Type            NUM
Location        1619 - 1620
Width           2
Sequence Order  419
Notes           SEE SECTION 8 NOTES FOR P_NUMHEP. CALCULATED AS EXACT AGE IN
                MONTHS.
-----

```

```

-----
Section          9
Variable Name    HEP8_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT
                #8
Response
Categories       Statistics  Description
                0  NUMBER OF NON-MISSING
                34442 NUMBER OF MISSING
                .  AVERAGE/MEAN
                .  MEDIAN VALUE
                .  MINIMUM VALUE
                .  MAXIMUM VALUE

Type            NUM
Location        1621 - 1622
Width           2
Sequence Order  420
Notes           SEE SECTION 8 NOTES FOR P_NUMHEP. CALCULATED AS EXACT AGE IN
                MONTHS.
-----

```


1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    HHB1_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B-HIB SHOT #1
Response
Categories      Statistics  Description
                1363     NUMBER OF NON-MISSING
                33079    NUMBER OF MISSING

                5.00     AVERAGE/MEAN
                2.00     MEDIAN VALUE
                0.00     MINIMUM VALUE
                34.00    MAXIMUM VALUE

Type            NUM
Location        1623 - 1624
Width           2
Sequence Order  421
Notes           SEE SECTION 8 NOTES FOR P_NUHPHB. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    HHB2_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B-HIB SHOT #2
Response
Categories      Statistics  Description
                729     NUMBER OF NON-MISSING
                33713    NUMBER OF MISSING

                5.78     AVERAGE/MEAN
                4.00     MEDIAN VALUE
                0.00     MINIMUM VALUE
                33.00    MAXIMUM VALUE

Type            NUM
Location        1625 - 1626
Width           2
Sequence Order  422
Notes           SEE SECTION 8 NOTES FOR P_NUHPHB. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    HHB3_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B-HIB SHOT #3
Response
Categories      Statistics  Description
                372      NUMBER OF NON-MISSING
                34070    NUMBER OF MISSING

                12.22   AVERAGE/MEAN
                12.00   MEDIAN VALUE
                 2.00   MINIMUM VALUE
                29.00   MAXIMUM VALUE

Type            NUM
Location        1627 - 1628
Width           2
Sequence Order  423
Notes           SEE SECTION 8 NOTES FOR P_NUHPHB. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    HHB4_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B-HIB SHOT #4
Response
Categories      Statistics  Description
                21      NUMBER OF NON-MISSING
                34421    NUMBER OF MISSING

                15.57   AVERAGE/MEAN
                15.00   MEDIAN VALUE
                12.00   MINIMUM VALUE
                31.00   MAXIMUM VALUE

Type            NUM
Location        1629 - 1630
Width           2
Sequence Order  424
Notes           SEE SECTION 8 NOTES FOR P_NUHPHB. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    HHB5_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B-HIB SHOT #5
Response
Categories      Statistics  Description
                1        NUMBER OF NON-MISSING
                34441    NUMBER OF MISSING
                22.00    AVERAGE/MEAN
                22.00    MEDIAN VALUE
                22.00    MINIMUM VALUE
                22.00    MAXIMUM VALUE

Type            NUM
Location        1631 - 1632
Width           2
Sequence Order  425
Notes           SEE SECTION 8 NOTES FOR P_NUHPHB. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    HHB6_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B-HIB SHOT #6
Response
Categories      Statistics  Description
                0        NUMBER OF NON-MISSING
                34442    NUMBER OF MISSING
                .        AVERAGE/MEAN
                .        MEDIAN VALUE
                .        MINIMUM VALUE
                .        MAXIMUM VALUE

Type            NUM
Location        1633 - 1634
Width           2
Sequence Order  426
Notes           SEE SECTION 8 NOTES FOR P_NUHPHB. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name HHB7_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B-HIB SHOT #7
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
	34442	NUMBER OF MISSING
	.	AVERAGE/MEAN
	.	MEDIAN VALUE
	.	MINIMUM VALUE
	.	MAXIMUM VALUE

Type NUM
Location 1635 - 1636
Width 2
Sequence Order 427
Notes SEE SECTION 8 NOTES FOR P_NUHPHB. CALCULATED AS EXACT AGE IN MONTHS.

Section 9
Variable Name HHB8_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B-HIB SHOT #8
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
	34442	NUMBER OF MISSING
	.	AVERAGE/MEAN
	.	MEDIAN VALUE
	.	MINIMUM VALUE
	.	MAXIMUM VALUE

Type NUM
Location 1637 - 1638
Width 2
Sequence Order 428
Notes SEE SECTION 8 NOTES FOR P_NUHPHB. CALCULATED AS EXACT AGE IN MONTHS.

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    HIB1_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #1
Response
Categories      Statistics  Description
                22749    NUMBER OF NON-MISSING
                11693    NUMBER OF MISSING

                2.24    AVERAGE/MEAN
                2.00    MEDIAN VALUE
                0.00    MINIMUM VALUE
                33.00   MAXIMUM VALUE

Type            NUM
Location        1639 - 1640
Width           2
Sequence Order  429
Notes           SEE SECTION 8 NOTES FOR P_NUMHIB. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    HIB2_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #2
Response
Categories      Statistics  Description
                22180    NUMBER OF NON-MISSING
                12262    NUMBER OF MISSING

                4.47    AVERAGE/MEAN
                4.00    MEDIAN VALUE
                0.00    MINIMUM VALUE
                34.00   MAXIMUM VALUE

Type            NUM
Location        1641 - 1642
Width           2
Sequence Order  430
Notes           SEE SECTION 8 NOTES FOR P_NUMHIB. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    HIB3_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #3
Response
Categories      Statistics  Description
                21496    NUMBER OF NON-MISSING
                12946    NUMBER OF MISSING

                7.18    AVERAGE/MEAN
                6.00    MEDIAN VALUE
                1.00    MINIMUM VALUE
                35.00   MAXIMUM VALUE

Type            NUM
Location        1643 - 1644
Width           2
Sequence Order  431
Notes           SEE SECTION 8 NOTES FOR P_NUMHIB. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    HIB4_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #4
Response
Categories      Statistics  Description
                17883    NUMBER OF NON-MISSING
                16559    NUMBER OF MISSING

                15.42   AVERAGE/MEAN
                15.00   MEDIAN VALUE
                 3.00   MINIMUM VALUE
                34.00   MAXIMUM VALUE

Type            NUM
Location        1645 - 1646
Width           2
Sequence Order  432
Notes           SEE SECTION 8 NOTES FOR P_NUMHIB. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    HIB5_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #5
Response
Categories      Statistics  Description
                412      NUMBER OF NON-MISSING
                34030    NUMBER OF MISSING

                16.42    AVERAGE/MEAN
                16.00    MEDIAN VALUE
                 5.00    MINIMUM VALUE
                33.00    MAXIMUM VALUE

Type            NUM
Location        1647 - 1648
Width           2
Sequence Order  433
Notes          SEE SECTION 8 NOTES FOR P_NUMHIB. CALCULATED AS EXACT AGE IN
                MONTHS.
-----

```

```

-----
Section          9
Variable Name    HIB6_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #6
Response
Categories      Statistics  Description
                49      NUMBER OF NON-MISSING
                34393    NUMBER OF MISSING

                15.80    AVERAGE/MEAN
                15.00    MEDIAN VALUE
                 7.00    MINIMUM VALUE
                33.00    MAXIMUM VALUE

Type            NUM
Location        1649 - 1650
Width           2
Sequence Order  434
Notes          SEE SECTION 8 NOTES FOR P_NUMHIB. CALCULATED AS EXACT AGE IN
                MONTHS.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    HIB7_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #7
Response
Categories      Statistics  Description
                11        NUMBER OF NON-MISSING
                34431     NUMBER OF MISSING
                17.27    AVERAGE/MEAN
                18.00    MEDIAN VALUE
                12.00    MINIMUM VALUE
                27.00    MAXIMUM VALUE

Type            NUM
Location        1651 - 1652
Width           2
Sequence Order  435
Notes           SEE SECTION 8 NOTES FOR P_NUMHIB. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    HIB8_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #8
Response
Categories      Statistics  Description
                1        NUMBER OF NON-MISSING
                34441     NUMBER OF MISSING
                29.00    AVERAGE/MEAN
                29.00    MEDIAN VALUE
                29.00    MINIMUM VALUE
                29.00    MAXIMUM VALUE

Type            NUM
Location        1653 - 1654
Width           2
Sequence Order  436
Notes           SEE SECTION 8 NOTES FOR P_NUMHIB. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```


1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    HIN1_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HIB (UNMARKED) SHOT #1
Response
Categories      Statistics  Description
                12279    NUMBER OF NON-MISSING
                22163    NUMBER OF MISSING

                4.52    AVERAGE/MEAN
                2.00    MEDIAN VALUE
                0.00    MINIMUM VALUE
                34.00   MAXIMUM VALUE

Type            NUM
Location        1655 - 1656
Width           2
Sequence Order  437
Notes          SEE SECTION 8 NOTES FOR P_NUHIBN. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    HIN2_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HIB (UNMARKED) SHOT #2
Response
Categories      Statistics  Description
                9745    NUMBER OF NON-MISSING
                24697   NUMBER OF MISSING

                5.45    AVERAGE/MEAN
                4.00    MEDIAN VALUE
                0.00    MINIMUM VALUE
                34.00   MAXIMUM VALUE

Type            NUM
Location        1657 - 1658
Width           2
Sequence Order  438
Notes          SEE SECTION 8 NOTES FOR P_NUHIBN. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    HIN3_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HIB (UNMARKED) SHOT #3
Response
Categories       Statistics  Description
                8425     NUMBER OF NON-MISSING
                26017    NUMBER OF MISSING

                7.76     AVERAGE/MEAN
                6.00     MEDIAN VALUE
                3.00     MINIMUM VALUE
                33.00    MAXIMUM VALUE

Type            NUM
Location        1659 - 1660
Width           2
Sequence Order  439
Notes           SEE SECTION 8 NOTES FOR P_NUHIBN. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    HIN4_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HIB (UNMARKED) SHOT #4
Response
Categories       Statistics  Description
                5709     NUMBER OF NON-MISSING
                28733    NUMBER OF MISSING

                15.36    AVERAGE/MEAN
                15.00    MEDIAN VALUE
                5.00     MINIMUM VALUE
                34.00    MAXIMUM VALUE

Type            NUM
Location        1661 - 1662
Width           2
Sequence Order  440
Notes           SEE SECTION 8 NOTES FOR P_NUHIBN. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    HIN5_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HIB (UNMARKED) SHOT #5
Response
Categories      Statistics  Description
                64        NUMBER OF NON-MISSING
                34378     NUMBER OF MISSING

                17.34    AVERAGE/MEAN
                16.00    MEDIAN VALUE
                10.00    MINIMUM VALUE
                33.00    MAXIMUM VALUE

Type            NUM
Location        1663 - 1664
Width           2
Sequence Order  441
Notes           SEE SECTION 8 NOTES FOR P_NUHIBN. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    HIN6_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HIB (UNMARKED) SHOT #6
Response
Categories      Statistics  Description
                3        NUMBER OF NON-MISSING
                34439     NUMBER OF MISSING

                24.33    AVERAGE/MEAN
                27.00    MEDIAN VALUE
                18.00    MINIMUM VALUE
                28.00    MAXIMUM VALUE

Type            NUM
Location        1665 - 1666
Width           2
Sequence Order  442
Notes           SEE SECTION 8 NOTES FOR P_NUHIBN. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    HIN7_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HIB (UNMARKED) SHOT #7
Response
Categories      Statistics  Description
                1         NUMBER OF NON-MISSING
                34441      NUMBER OF MISSING
                29.00     AVERAGE/MEAN
                29.00     MEDIAN VALUE
                29.00     MINIMUM VALUE
                29.00     MAXIMUM VALUE

Type            NUM
Location        1667 - 1668
Width           2
Sequence Order  443
Notes           SEE SECTION 8 NOTES FOR P_NUHIBN. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    HIN8_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HIB (UNMARKED) SHOT #8
Response
Categories      Statistics  Description
                0         NUMBER OF NON-MISSING
                34442      NUMBER OF MISSING
                .         AVERAGE/MEAN
                .         MEDIAN VALUE
                .         MINIMUM VALUE
                .         MAXIMUM VALUE

Type            NUM
Location        1669 - 1670
Width           2
Sequence Order  444
Notes           SEE SECTION 8 NOTES FOR P_NUHIBN. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name HIO1_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED HIB OTHER SHOT #1
Response
Categories Statistics Description

	6409	NUMBER OF NON-MISSING
	28033	NUMBER OF MISSING
	4.50	AVERAGE/MEAN
	2.00	MEDIAN VALUE
	0.00	MINIMUM VALUE
	33.00	MAXIMUM VALUE

Type NUM
Location 1671 - 1672
Width 2
Sequence Order 445
Notes SEE SECTION 8 NOTES FOR P_NUHIBO. CALCULATED AS EXACT AGE IN MONTHS.

Section 9
Variable Name HIO2_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED HIB OTHER SHOT #2
Response
Categories Statistics Description

	4949	NUMBER OF NON-MISSING
	29493	NUMBER OF MISSING
	5.34	AVERAGE/MEAN
	4.00	MEDIAN VALUE
	1.00	MINIMUM VALUE
	34.00	MAXIMUM VALUE

Type NUM
Location 1673 - 1674
Width 2
Sequence Order 446
Notes SEE SECTION 8 NOTES FOR P_NUHIBO. CALCULATED AS EXACT AGE IN MONTHS.

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    HIO3_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HIB OTHER SHOT #3
Response
Categories       Statistics  Description
                4183    NUMBER OF NON-MISSING
                30259   NUMBER OF MISSING

                7.66    AVERAGE/MEAN
                6.00    MEDIAN VALUE
                3.00    MINIMUM VALUE
                33.00   MAXIMUM VALUE

Type            NUM
Location        1675 - 1676
Width           2
Sequence Order  447
Notes           SEE SECTION 8 NOTES FOR P_NUHIBO. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    HIO4_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HIB OTHER SHOT #4
Response
Categories       Statistics  Description
                2683    NUMBER OF NON-MISSING
                31759   NUMBER OF MISSING

                15.18   AVERAGE/MEAN
                15.00   MEDIAN VALUE
                5.00    MINIMUM VALUE
                33.00   MAXIMUM VALUE

Type            NUM
Location        1677 - 1678
Width           2
Sequence Order  448
Notes           SEE SECTION 8 NOTES FOR P_NUHIBO. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    HIO5_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HIB OTHER SHOT #5
Response
Categories       Statistics  Description
                   6  NUMBER OF NON-MISSING
                   34436 NUMBER OF MISSING
                   18.33 AVERAGE/MEAN
                   15.00 MEDIAN VALUE
                   13.00 MINIMUM VALUE
                   33.00 MAXIMUM VALUE

Type            NUM
Location        1679 - 1680
Width           2
Sequence Order  449
Notes           SEE SECTION 8 NOTES FOR P_NUHIBO. CALCULATED AS EXACT AGE IN
                   MONTHS.

```

```

-----
Section          9
Variable Name    HIO6_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HIB OTHER SHOT #6
Response
Categories       Statistics  Description
                   0  NUMBER OF NON-MISSING
                   34442 NUMBER OF MISSING
                   .  AVERAGE/MEAN
                   .  MEDIAN VALUE
                   .  MINIMUM VALUE
                   .  MAXIMUM VALUE

Type            NUM
Location        1681 - 1682
Width           2
Sequence Order  450
Notes           SEE SECTION 8 NOTES FOR P_NUHIBO. CALCULATED AS EXACT AGE IN
                   MONTHS.

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name HIO7_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED HIB OTHER SHOT #7
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
	34442	NUMBER OF MISSING
	.	AVERAGE/MEAN
	.	MEDIAN VALUE
	.	MINIMUM VALUE
	.	MAXIMUM VALUE

Type NUM
Location 1683 - 1684
Width 2
Sequence Order 451
Notes SEE SECTION 8 NOTES FOR P_NUHIBO. CALCULATED AS EXACT AGE IN MONTHS.

Section 9
Variable Name HIO8_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED HIB OTHER SHOT #8
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
	34442	NUMBER OF MISSING
	.	AVERAGE/MEAN
	.	MEDIAN VALUE
	.	MINIMUM VALUE
	.	MAXIMUM VALUE

Type NUM
Location 1685 - 1686
Width 2
Sequence Order 452
Notes SEE SECTION 8 NOTES FOR P_NUHIBO. CALCULATED AS EXACT AGE IN MONTHS.

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    HIP1_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED PEDVAX HIB SHOT #1
Response
Categories      Statistics  Description
                2543     NUMBER OF NON-MISSING
                31899    NUMBER OF MISSING

                5.47     AVERAGE/MEAN
                2.00     MEDIAN VALUE
                0.00     MINIMUM VALUE
                33.00    MAXIMUM VALUE

Type            NUM
Location        1687 - 1688
Width           2
Sequence Order  453
Notes           SEE SECTION 8 NOTES FOR P_NUHIBP. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    HIP2_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED PEDVAX HIB SHOT #2
Response
Categories      Statistics  Description
                1579    NUMBER OF NON-MISSING
                32863   NUMBER OF MISSING

                5.50    AVERAGE/MEAN
                4.00    MEDIAN VALUE
                1.00    MINIMUM VALUE
                31.00   MAXIMUM VALUE

Type            NUM
Location        1689 - 1690
Width           2
Sequence Order  454
Notes           SEE SECTION 8 NOTES FOR P_NUHIBP. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    HIP3_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED PEDVAX HIB SHOT #3
Response
Categories      Statistics  Description
                1192     NUMBER OF NON-MISSING
                33250    NUMBER OF MISSING

                8.17     AVERAGE/MEAN
                6.00     MEDIAN VALUE
                3.00     MINIMUM VALUE
                35.00    MAXIMUM VALUE

Type            NUM
Location        1691 - 1692
Width           2
Sequence Order  455
Notes           SEE SECTION 8 NOTES FOR P_NUHIBP. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    HIP4_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED PEDVAX HIB SHOT #4
Response
Categories      Statistics  Description
                665     NUMBER OF NON-MISSING
                33777    NUMBER OF MISSING

                15.28    AVERAGE/MEAN
                15.00    MEDIAN VALUE
                6.00     MINIMUM VALUE
                33.00    MAXIMUM VALUE

Type            NUM
Location        1693 - 1694
Width           2
Sequence Order  456
Notes           SEE SECTION 8 NOTES FOR P_NUHIBP. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    HIP5_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED PEDVAX HIB SHOT #5
Response
Categories      Statistics  Description
                0         NUMBER OF NON-MISSING
                34442      NUMBER OF MISSING
                .         AVERAGE/MEAN
                .         MEDIAN VALUE
                .         MINIMUM VALUE
                .         MAXIMUM VALUE

Type            NUM
Location        1695 - 1696
Width           2
Sequence Order  457
Notes           SEE SECTION 8 NOTES FOR P_NUHIBP. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    HIP6_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED PEDVAX HIB SHOT #6
Response
Categories      Statistics  Description
                0         NUMBER OF NON-MISSING
                34442      NUMBER OF MISSING
                .         AVERAGE/MEAN
                .         MEDIAN VALUE
                .         MINIMUM VALUE
                .         MAXIMUM VALUE

Type            NUM
Location        1697 - 1698
Width           2
Sequence Order  458
Notes           SEE SECTION 8 NOTES FOR P_NUHIBP. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name HIP7_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED PEDVAX HIB SHOT #7
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
	34442	NUMBER OF MISSING
	.	AVERAGE/MEAN
	.	MEDIAN VALUE
	.	MINIMUM VALUE
	.	MAXIMUM VALUE

Type NUM
Location 1699 - 1700
Width 2
Sequence Order 459
Notes SEE SECTION 8 NOTES FOR P_NUHIBP. CALCULATED AS EXACT AGE IN MONTHS.

Section 9
Variable Name HIP8_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED PEDVAX HIB SHOT #8
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
	34442	NUMBER OF MISSING
	.	AVERAGE/MEAN
	.	MEDIAN VALUE
	.	MINIMUM VALUE
	.	MAXIMUM VALUE

Type NUM
Location 1701 - 1702
Width 2
Sequence Order 460
Notes SEE SECTION 8 NOTES FOR P_NUHIBP. CALCULATED AS EXACT AGE IN MONTHS.

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    IPV1_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED POLIO/IPV (MARKED) SHOT #1
Response
Categories      Statistics  Description
                8932     NUMBER OF NON-MISSING
                25510    NUMBER OF MISSING

                2.53     AVERAGE/MEAN
                2.00     MEDIAN VALUE
                0.00     MINIMUM VALUE
                32.00    MAXIMUM VALUE

Type            NUM
Location        1703 - 1704
Width           2
Sequence Order  461
Notes          SEE SECTION 8 NOTES FOR P_NUMIPV. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    IPV2_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED POLIO/IPV (MARKED) SHOT #2
Response
Categories      Statistics  Description
                7816     NUMBER OF NON-MISSING
                26626    NUMBER OF MISSING

                4.49     AVERAGE/MEAN
                4.00     MEDIAN VALUE
                0.00     MINIMUM VALUE
                34.00    MAXIMUM VALUE

Type            NUM
Location        1705 - 1706
Width           2
Sequence Order  462
Notes          SEE SECTION 8 NOTES FOR P_NUMIPV. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    IPV3_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED POLIO/IPV (MARKED) SHOT #3
Response
Categories      Statistics  Description
                1520     NUMBER OF NON-MISSING
                32922    NUMBER OF MISSING

                13.19    AVERAGE/MEAN
                14.00    MEDIAN VALUE
                2.00     MINIMUM VALUE
                35.00    MAXIMUM VALUE

Type            NUM
Location        1707 - 1708
Width           2
Sequence Order  463
Notes           SEE SECTION 8 NOTES FOR P_NUMIPV. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    IPV4_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED POLIO/IPV (MARKED) SHOT #4
Response
Categories      Statistics  Description
                51      NUMBER OF NON-MISSING
                34391    NUMBER OF MISSING

                16.73    AVERAGE/MEAN
                17.00    MEDIAN VALUE
                8.00     MINIMUM VALUE
                26.00    MAXIMUM VALUE

Type            NUM
Location        1709 - 1710
Width           2
Sequence Order  464
Notes           SEE SECTION 8 NOTES FOR P_NUMIPV. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    IPV5_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED POLIO/IPV (MARKED) SHOT #5
Response
Categories      Statistics  Description
                0         NUMBER OF NON-MISSING
                34442      NUMBER OF MISSING
                .         AVERAGE/MEAN
                .         MEDIAN VALUE
                .         MINIMUM VALUE
                .         MAXIMUM VALUE

Type            NUM
Location        1711  - 1712
Width           2
Sequence Order  465
Notes           SEE SECTION 8 NOTES FOR P_NUMIPV. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    IPV6_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED POLIO/IPV (MARKED) SHOT #6
Response
Categories      Statistics  Description
                0         NUMBER OF NON-MISSING
                34442      NUMBER OF MISSING
                .         AVERAGE/MEAN
                .         MEDIAN VALUE
                .         MINIMUM VALUE
                .         MAXIMUM VALUE

Type            NUM
Location        1713  - 1714
Width           2
Sequence Order  466
Notes           SEE SECTION 8 NOTES FOR P_NUMIPV. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    IPV7_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED POLIO/IPV (MARKED) SHOT #7
Response
Categories      Statistics  Description
                0        NUMBER OF NON-MISSING
                34442    NUMBER OF MISSING
                .        AVERAGE/MEAN
                .        MEDIAN VALUE
                .        MINIMUM VALUE
                .        MAXIMUM VALUE

Type            NUM
Location        1715 - 1716
Width           2
Sequence Order  467
Notes           SEE SECTION 8 NOTES FOR P_NUMIPV. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    IPV8_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED POLIO/IPV (MARKED) SHOT #8
Response
Categories      Statistics  Description
                0        NUMBER OF NON-MISSING
                34442    NUMBER OF MISSING
                .        AVERAGE/MEAN
                .        MEDIAN VALUE
                .        MINIMUM VALUE
                .        MAXIMUM VALUE

Type            NUM
Location        1717 - 1718
Width           2
Sequence Order  468
Notes           SEE SECTION 8 NOTES FOR P_NUMIPV. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```


1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    MMR1_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE
                SHOT #1
Response
Categories       Statistics  Description
                20987    NUMBER OF NON-MISSING
                13455    NUMBER OF MISSING

                14.00    AVERAGE/MEAN
                13.00    MEDIAN VALUE
                 0.00    MINIMUM VALUE
                34.00    MAXIMUM VALUE

Type            NUM
Location       1719 - 1720
Width         2
Sequence Order 469
Notes         SEE SECTION 8 NOTES FOR P_NUMMMR. CALCULATED AS EXACT AGE IN
                MONTHS.
-----

```

```

-----
Section          9
Variable Name    MMR2_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE
                SHOT #2
Response
Categories       Statistics  Description
                400     NUMBER OF NON-MISSING
                34042   NUMBER OF MISSING

                17.53   AVERAGE/MEAN
                16.00   MEDIAN VALUE
                 2.00   MINIMUM VALUE
                35.00   MAXIMUM VALUE

Type            NUM
Location       1721 - 1722
Width         2
Sequence Order 470
Notes         SEE SECTION 8 NOTES FOR P_NUMMMR. CALCULATED AS EXACT AGE IN
                MONTHS.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    MMR3_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE
                SHOT #3
Response
Categories       Statistics  Description
                16        NUMBER OF NON-MISSING
                34426     NUMBER OF MISSING
                17.50     AVERAGE/MEAN
                17.50     MEDIAN VALUE
                10.00     MINIMUM VALUE
                32.00     MAXIMUM VALUE

Type            NUM
Location        1723 - 1724
Width           2
Sequence Order  471
Notes           SEE SECTION 8 NOTES FOR P_NUMMMR. CALCULATED AS EXACT AGE IN
                MONTHS.
-----

```

```

-----
Section          9
Variable Name    MMR4_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE
                SHOT #4
Response
Categories       Statistics  Description
                0        NUMBER OF NON-MISSING
                34442     NUMBER OF MISSING
                .        AVERAGE/MEAN
                .        MEDIAN VALUE
                .        MINIMUM VALUE
                .        MAXIMUM VALUE

Type            NUM
Location        1725 - 1726
Width           2
Sequence Order  472
Notes           SEE SECTION 8 NOTES FOR P_NUMMMR. CALCULATED AS EXACT AGE IN
                MONTHS.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    MMX1_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED MMR SHOT #1
Response
Categories      Statistics  Description
                20952    NUMBER OF NON-MISSING
                13490    NUMBER OF MISSING

                14.03    AVERAGE/MEAN
                13.00    MEDIAN VALUE
                 0.00    MINIMUM VALUE
                34.00    MAXIMUM VALUE

Type            NUM
Location        1727 - 1728
Width           2
Sequence Order  473
Notes          SEE SECTION 8 NOTES FOR P_NUMMMX. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    MMX2_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED MMR SHOT #2
Response
Categories      Statistics  Description
                280     NUMBER OF NON-MISSING
                34162   NUMBER OF MISSING

                18.26   AVERAGE/MEAN
                17.00   MEDIAN VALUE
                 2.00   MINIMUM VALUE
                35.00   MAXIMUM VALUE

Type            NUM
Location        1729 - 1730
Width           2
Sequence Order  474
Notes          SEE SECTION 8 NOTES FOR P_NUMMMX. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    MMX3_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED MMR SHOT #3
Response
Categories       Statistics  Description
                12        NUMBER OF NON-MISSING
                34430     NUMBER OF MISSING
                16.00     AVERAGE/MEAN
                15.50     MEDIAN VALUE
                10.00     MINIMUM VALUE
                26.00     MAXIMUM VALUE

Type            NUM
Location        1731 - 1732
Width           2
Sequence Order  475
Notes           SEE SECTION 8 NOTES FOR P_NUMMMX. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    MMX4_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED MMR SHOT #4
Response
Categories       Statistics  Description
                0        NUMBER OF NON-MISSING
                34442     NUMBER OF MISSING
                .        AVERAGE/MEAN
                .        MEDIAN VALUE
                .        MINIMUM VALUE
                .        MAXIMUM VALUE

Type            NUM
Location        1733 - 1734
Width           2
Sequence Order  476
Notes           SEE SECTION 8 NOTES FOR P_NUMMMX. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    MP1_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED MUMPS SHOT #1
Response
Categories      Statistics  Description
                9         NUMBER OF NON-MISSING
                34433     NUMBER OF MISSING
                18.33    AVERAGE/MEAN
                18.00    MEDIAN VALUE
                15.00    MINIMUM VALUE
                22.00    MAXIMUM VALUE

Type            NUM
Location       1735 - 1736
Width          2
Sequence Order 477
Notes          CALCULATED AS EXACT AGE IN MONTHS.
-----

```

```

-----
Section          9
Variable Name    MP2_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED MUMPS SHOT #2
Response
Categories      Statistics  Description
                0         NUMBER OF NON-MISSING
                34442     NUMBER OF MISSING
                .         AVERAGE/MEAN
                .         MEDIAN VALUE
                .         MINIMUM VALUE
                .         MAXIMUM VALUE

Type            NUM
Location       1737 - 1738
Width          2
Sequence Order 478
Notes          CALCULATED AS EXACT AGE IN MONTHS.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name MP3_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED MUMPS SHOT #3
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
	34442	NUMBER OF MISSING
	.	AVERAGE/MEAN
	.	MEDIAN VALUE
	.	MINIMUM VALUE
	.	MAXIMUM VALUE

Type NUM
Location 1739 - 1740
Width 2
Sequence Order 479
Notes CALCULATED AS EXACT AGE IN MONTHS.

Section 9
Variable Name MP4_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED MUMPS SHOT #4
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
	34442	NUMBER OF MISSING
	.	AVERAGE/MEAN
	.	MEDIAN VALUE
	.	MINIMUM VALUE
	.	MAXIMUM VALUE

Type NUM
Location 1741 - 1742
Width 2
Sequence Order 480
Notes CALCULATED AS EXACT AGE IN MONTHS.

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name MPR1_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #1
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
	34442	NUMBER OF MISSING
	.	AVERAGE/MEAN
	.	MEDIAN VALUE
	.	MINIMUM VALUE
	.	MAXIMUM VALUE

Type NUM
Location 1743 - 1744
Width 2
Sequence Order 481
Notes CALCULATED AS EXACT AGE IN MONTHS.

Section 9
Variable Name MPR2_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #2
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
	34442	NUMBER OF MISSING
	.	AVERAGE/MEAN
	.	MEDIAN VALUE
	.	MINIMUM VALUE
	.	MAXIMUM VALUE

Type NUM
Location 1745 - 1746
Width 2
Sequence Order 482
Notes CALCULATED AS EXACT AGE IN MONTHS.

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name MPR3_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #3
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
	34442	NUMBER OF MISSING
	.	AVERAGE/MEAN
	.	MEDIAN VALUE
	.	MINIMUM VALUE
	.	MAXIMUM VALUE

Type NUM
Location 1747 - 1748
Width 2
Sequence Order 483
Notes CALCULATED AS EXACT AGE IN MONTHS.

Section 9
Variable Name MPR4_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #4
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
	34442	NUMBER OF MISSING
	.	AVERAGE/MEAN
	.	MEDIAN VALUE
	.	MINIMUM VALUE
	.	MAXIMUM VALUE

Type NUM
Location 1749 - 1750
Width 2
Sequence Order 484
Notes CALCULATED AS EXACT AGE IN MONTHS.

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    MS1_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-ONLY SHOT #1
Response
Categories      Statistics  Description
                193      NUMBER OF NON-MISSING
                34249    NUMBER OF MISSING

                11.47   AVERAGE/MEAN
                12.00   MEDIAN VALUE
                 2.00   MINIMUM VALUE
                33.00   MAXIMUM VALUE

Type            NUM
Location        1751 - 1752
Width           2
Sequence Order  485
Notes           CALCULATED AS EXACT AGE IN MONTHS.
-----

```

```

-----
Section          9
Variable Name    MS2_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-ONLY SHOT #2
Response
Categories      Statistics  Description
                5       NUMBER OF NON-MISSING
                34437    NUMBER OF MISSING

                13.80   AVERAGE/MEAN
                12.00   MEDIAN VALUE
                 6.00   MINIMUM VALUE
                22.00   MAXIMUM VALUE

Type            NUM
Location        1753 - 1754
Width           2
Sequence Order  486
Notes           CALCULATED AS EXACT AGE IN MONTHS.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    MS3_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-ONLY SHOT #3
Response
Categories      Statistics  Description
                0         NUMBER OF NON-MISSING
                34442      NUMBER OF MISSING
                .         AVERAGE/MEAN
                .         MEDIAN VALUE
                .         MINIMUM VALUE
                .         MAXIMUM VALUE

Type            NUM
Location        1755 - 1756
Width           2
Sequence Order  487
Notes           CALCULATED AS EXACT AGE IN MONTHS.
-----

```

```

-----
Section          9
Variable Name    MS4_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-ONLY SHOT #4
Response
Categories      Statistics  Description
                0         NUMBER OF NON-MISSING
                34442      NUMBER OF MISSING
                .         AVERAGE/MEAN
                .         MEDIAN VALUE
                .         MINIMUM VALUE
                .         MAXIMUM VALUE

Type            NUM
Location        1757 - 1758
Width           2
Sequence Order  488
Notes           CALCULATED AS EXACT AGE IN MONTHS.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name MSM1_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #1
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
	34442	NUMBER OF MISSING
	.	AVERAGE/MEAN
	.	MEDIAN VALUE
	.	MINIMUM VALUE
	.	MAXIMUM VALUE

Type NUM
Location 1759 - 1760
Width 2
Sequence Order 489
Notes CALCULATED AS EXACT AGE IN MONTHS.

Section 9
Variable Name MSM2_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #2
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
	34442	NUMBER OF MISSING
	.	AVERAGE/MEAN
	.	MEDIAN VALUE
	.	MINIMUM VALUE
	.	MAXIMUM VALUE

Type NUM
Location 1761 - 1762
Width 2
Sequence Order 490
Notes CALCULATED AS EXACT AGE IN MONTHS.

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name MSM3_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #3
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
	34442	NUMBER OF MISSING
	.	AVERAGE/MEAN
	.	MEDIAN VALUE
	.	MINIMUM VALUE
	.	MAXIMUM VALUE

Type NUM
Location 1763 - 1764
Width 2
Sequence Order 491
Notes CALCULATED AS EXACT AGE IN MONTHS.

Section 9
Variable Name MSM4_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #4
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
	34442	NUMBER OF MISSING
	.	AVERAGE/MEAN
	.	MEDIAN VALUE
	.	MINIMUM VALUE
	.	MAXIMUM VALUE

Type NUM
Location 1765 - 1766
Width 2
Sequence Order 492
Notes CALCULATED AS EXACT AGE IN MONTHS.

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name MSR1_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/RUBELLA SHOT #1
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
	34442	NUMBER OF MISSING
	.	AVERAGE/MEAN
	.	MEDIAN VALUE
	.	MINIMUM VALUE
	.	MAXIMUM VALUE

Type NUM
Location 1767 - 1768
Width 2
Sequence Order 493
Notes CALCULATED AS EXACT AGE IN MONTHS.

Section 9
Variable Name MSR2_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/RUBELLA SHOT #2
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
	34442	NUMBER OF MISSING
	.	AVERAGE/MEAN
	.	MEDIAN VALUE
	.	MINIMUM VALUE
	.	MAXIMUM VALUE

Type NUM
Location 1769 - 1770
Width 2
Sequence Order 494
Notes CALCULATED AS EXACT AGE IN MONTHS.

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    MSR3_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/RUBELLA SHOT #3
Response
Categories      Statistics  Description
                0        NUMBER OF NON-MISSING
                34442    NUMBER OF MISSING
                .        AVERAGE/MEAN
                .        MEDIAN VALUE
                .        MINIMUM VALUE
                .        MAXIMUM VALUE

Type            NUM
Location       1771 - 1772
Width          2
Sequence Order 495
Notes          CALCULATED AS EXACT AGE IN MONTHS.
-----

```

```

-----
Section          9
Variable Name    MSR4_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/RUBELLA SHOT #4
Response
Categories      Statistics  Description
                0        NUMBER OF NON-MISSING
                34442    NUMBER OF MISSING
                .        AVERAGE/MEAN
                .        MEDIAN VALUE
                .        MINIMUM VALUE
                .        MAXIMUM VALUE

Type            NUM
Location       1773 - 1774
Width          2
Sequence Order 496
Notes          CALCULATED AS EXACT AGE IN MONTHS.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    OPV1_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED POLIO/OPV (MARKED) SHOT #1
Response
Categories      Statistics  Description
                18133    NUMBER OF NON-MISSING
                16309    NUMBER OF MISSING

                5.84    AVERAGE/MEAN
                2.00    MEDIAN VALUE
                0.00    MINIMUM VALUE
                33.00   MAXIMUM VALUE

Type            NUM
Location        1775 - 1776
Width           2
Sequence Order  497
Notes           SEE SECTION 8 NOTES FOR P_NUMOPV. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    OPV2_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED POLIO/OPV (MARKED) SHOT #2
Response
Categories      Statistics  Description
                11850    NUMBER OF NON-MISSING
                22592    NUMBER OF MISSING

                5.10    AVERAGE/MEAN
                4.00    MEDIAN VALUE
                1.00    MINIMUM VALUE
                34.00   MAXIMUM VALUE

Type            NUM
Location        1777 - 1778
Width           2
Sequence Order  498
Notes           SEE SECTION 8 NOTES FOR P_NUMOPV. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    OPV3_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED POLIO/OPV (MARKED) SHOT #3
Response
Categories      Statistics  Description
                9918     NUMBER OF NON-MISSING
                24524    NUMBER OF MISSING

                9.64     AVERAGE/MEAN
                7.00     MEDIAN VALUE
                2.00     MINIMUM VALUE
                34.00    MAXIMUM VALUE

Type            NUM
Location       1779 - 1780
Width          2
Sequence Order 499
Notes          SEE SECTION 8 NOTES FOR P_NUMOPV. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    OPV4_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED POLIO/OPV (MARKED) SHOT #4
Response
Categories      Statistics  Description
                1051    NUMBER OF NON-MISSING
                33391   NUMBER OF MISSING

                16.48   AVERAGE/MEAN
                17.00   MEDIAN VALUE
                3.00    MINIMUM VALUE
                34.00   MAXIMUM VALUE

Type            NUM
Location       1781 - 1782
Width          2
Sequence Order 500
Notes          SEE SECTION 8 NOTES FOR P_NUMOPV. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```


1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    OPV5_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED POLIO/OPV (MARKED) SHOT #5
Response
Categories      Statistics  Description
                33        NUMBER OF NON-MISSING
                34409     NUMBER OF MISSING
                13.76     AVERAGE/MEAN
                15.00     MEDIAN VALUE
                4.00      MINIMUM VALUE
                28.00     MAXIMUM VALUE

Type            NUM
Location        1783 - 1784
Width           2
Sequence Order  501
Notes           SEE SECTION 8 NOTES FOR P_NUMOPV. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    OPV6_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED POLIO/OPV (MARKED) SHOT #6
Response
Categories      Statistics  Description
                0        NUMBER OF NON-MISSING
                34442     NUMBER OF MISSING
                .         AVERAGE/MEAN
                .         MEDIAN VALUE
                .         MINIMUM VALUE
                .         MAXIMUM VALUE

Type            NUM
Location        1785 - 1786
Width           2
Sequence Order  502
Notes           SEE SECTION 8 NOTES FOR P_NUMOPV. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    OPV7_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED POLIO/OPV (MARKED) SHOT #7
Response
Categories      Statistics  Description
                0        NUMBER OF NON-MISSING
                34442    NUMBER OF MISSING
                .        AVERAGE/MEAN
                .        MEDIAN VALUE
                .        MINIMUM VALUE
                .        MAXIMUM VALUE

Type            NUM
Location        1787 - 1788
Width           2
Sequence Order  503
Notes           SEE SECTION 8 NOTES FOR P_NUMOPV. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    OPV8_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED POLIO/OPV (MARKED) SHOT #8
Response
Categories      Statistics  Description
                0        NUMBER OF NON-MISSING
                34442    NUMBER OF MISSING
                .        AVERAGE/MEAN
                .        MEDIAN VALUE
                .        MINIMUM VALUE
                .        MAXIMUM VALUE

Type            NUM
Location        1789 - 1790
Width           2
Sequence Order  504
Notes           SEE SECTION 8 NOTES FOR P_NUMOPV. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    PLN1_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #1
Response
Categories      Statistics  Description
                3547     NUMBER OF NON-MISSING
                30895    NUMBER OF MISSING

                4.67     AVERAGE/MEAN
                2.00     MEDIAN VALUE
                0.00     MINIMUM VALUE
                34.00    MAXIMUM VALUE

Type            NUM
Location        1791 - 1792
Width           2
Sequence Order  505
Notes           SEE SECTION 8 NOTES FOR P_NUMOLN. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    PLN2_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #2
Response
Categories      Statistics  Description
                2345     NUMBER OF NON-MISSING
                32097    NUMBER OF MISSING

                5.51     AVERAGE/MEAN
                4.00     MEDIAN VALUE
                0.00     MINIMUM VALUE
                35.00    MAXIMUM VALUE

Type            NUM
Location        1793 - 1794
Width           2
Sequence Order  506
Notes           SEE SECTION 8 NOTES FOR P_NUMOLN. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    PLN3_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #3
Response
Categories      Statistics  Description
                1706     NUMBER OF NON-MISSING
                32736    NUMBER OF MISSING

                10.35    AVERAGE/MEAN
                7.00     MEDIAN VALUE
                2.00     MINIMUM VALUE
                34.00    MAXIMUM VALUE

Type            NUM
Location        1795 - 1796
Width           2
Sequence Order  507
Notes           SEE SECTION 8 NOTES FOR P_NUMOLN. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    PLN4_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #4
Response
Categories      Statistics  Description
                188     NUMBER OF NON-MISSING
                34254    NUMBER OF MISSING

                16.51    AVERAGE/MEAN
                17.00    MEDIAN VALUE
                3.00     MINIMUM VALUE
                32.00    MAXIMUM VALUE

Type            NUM
Location        1797 - 1798
Width           2
Sequence Order  508
Notes           SEE SECTION 8 NOTES FOR P_NUMOLN. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    PLN5_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #5
Response
Categories      Statistics  Description
                4         NUMBER OF NON-MISSING
                34438      NUMBER OF MISSING
                10.25     AVERAGE/MEAN
                9.50      MEDIAN VALUE
                6.00      MINIMUM VALUE
                16.00     MAXIMUM VALUE

Type            NUM
Location        1799 - 1800
Width           2
Sequence Order  509
Notes           SEE SECTION 8 NOTES FOR P_NUMOLN. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    PLN6_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #6
Response
Categories      Statistics  Description
                0         NUMBER OF NON-MISSING
                34442      NUMBER OF MISSING
                .         AVERAGE/MEAN
                .         MEDIAN VALUE
                .         MINIMUM VALUE
                .         MAXIMUM VALUE

Type            NUM
Location        1801 - 1802
Width           2
Sequence Order  510
Notes           SEE SECTION 8 NOTES FOR P_NUMOLN. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    PLN7_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #7
Response
Categories      Statistics  Description
                0        NUMBER OF NON-MISSING
                34442    NUMBER OF MISSING
                .        AVERAGE/MEAN
                .        MEDIAN VALUE
                .        MINIMUM VALUE
                .        MAXIMUM VALUE

Type            NUM
Location        1803 - 1804
Width           2
Sequence Order  511
Notes          SEE SECTION 8 NOTES FOR P_NUMOLN. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    PLN8_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #8
Response
Categories      Statistics  Description
                0        NUMBER OF NON-MISSING
                34442    NUMBER OF MISSING
                .        AVERAGE/MEAN
                .        MEDIAN VALUE
                .        MINIMUM VALUE
                .        MAXIMUM VALUE

Type            NUM
Location        1805 - 1806
Width           2
Sequence Order  512
Notes          SEE SECTION 8 NOTES FOR P_NUMOLN. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    POL1_AGE
Label           AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 1
Response
Categories      Statistics  Description
                22506    NUMBER OF NON-MISSING
                11936    NUMBER OF MISSING

                2.13    AVERAGE/MEAN
                2.00    MEDIAN VALUE
                0.00    MINIMUM VALUE
                33.00   MAXIMUM VALUE

Type            NUM
Location        1807 - 1808
Width           2
Sequence Order  513
Notes          SEE SECTION 8 NOTES FOR P_NUMPOL. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    POL2_AGE
Label           AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 2
Response
Categories      Statistics  Description
                22072    NUMBER OF NON-MISSING
                12370    NUMBER OF MISSING

                4.46    AVERAGE/MEAN
                4.00    MEDIAN VALUE
                0.00    MINIMUM VALUE
                34.00   MAXIMUM VALUE

Type            NUM
Location        1809 - 1810
Width           2
Sequence Order  514
Notes          SEE SECTION 8 NOTES FOR P_NUMPOL. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    POL3_AGE
Label           AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 3
Response
Categories      Statistics  Description
                20481    NUMBER OF NON-MISSING
                13961    NUMBER OF MISSING

                11.16   AVERAGE/MEAN
                12.00   MEDIAN VALUE
                 2.00   MINIMUM VALUE
                35.00   MAXIMUM VALUE

Type            NUM
Location        1811 - 1812
Width           2
Sequence Order  515
Notes           SEE SECTION 8 NOTES FOR P_NUMPOL. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    POL4_AGE
Label           AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 4
Response
Categories      Statistics  Description
                1965    NUMBER OF NON-MISSING
                32477   NUMBER OF MISSING

                16.54   AVERAGE/MEAN
                17.00   MEDIAN VALUE
                 3.00   MINIMUM VALUE
                34.00   MAXIMUM VALUE

Type            NUM
Location        1813 - 1814
Width           2
Sequence Order  516
Notes           SEE SECTION 8 NOTES FOR P_NUMPOL. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```


1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    POL5_AGE
Label           AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 5
Response
Categories      Statistics  Description
                66        NUMBER OF NON-MISSING
                34376     NUMBER OF MISSING

                15.38    AVERAGE/MEAN
                16.00    MEDIAN VALUE
                4.00     MINIMUM VALUE
                30.00    MAXIMUM VALUE

Type            NUM
Location        1815 - 1816
Width           2
Sequence Order  517
Notes           SEE SECTION 8 NOTES FOR P_NUMPOL. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    POL6_AGE
Label           AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 6
Response
Categories      Statistics  Description
                3        NUMBER OF NON-MISSING
                34439     NUMBER OF MISSING

                21.67    AVERAGE/MEAN
                21.00    MEDIAN VALUE
                17.00    MINIMUM VALUE
                27.00    MAXIMUM VALUE

Type            NUM
Location        1817 - 1818
Width           2
Sequence Order  518
Notes           SEE SECTION 8 NOTES FOR P_NUMPOL. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    POL7_AGE
Label           AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 7
Response
Categories       Statistics  Description
                1  NUMBER OF NON-MISSING
                34441  NUMBER OF MISSING
                24.00  AVERAGE/MEAN
                24.00  MEDIAN VALUE
                24.00  MINIMUM VALUE
                24.00  MAXIMUM VALUE

Type            NUM
Location        1819 - 1820
Width           2
Sequence Order  519
Notes           SEE SECTION 8 NOTES FOR P_NUMPOL. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

```

-----
Section          9
Variable Name    POL8_AGE
Label           AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 8
Response
Categories       Statistics  Description
                0  NUMBER OF NON-MISSING
                34442  NUMBER OF MISSING
                .    AVERAGE/MEAN
                .    MEDIAN VALUE
                .    MINIMUM VALUE
                .    MAXIMUM VALUE

Type            NUM
Location        1821 - 1822
Width           2
Sequence Order  520
Notes           SEE SECTION 8 NOTES FOR P_NUMPOL. CALCULATED AS EXACT AGE IN
                MONTHS.
    
```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name RB1_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #1
Response
Categories Statistics Description

	6	NUMBER OF NON-MISSING
34436		NUMBER OF MISSING
	16.33	AVERAGE/MEAN
	13.00	MEDIAN VALUE
	12.00	MINIMUM VALUE
	25.00	MAXIMUM VALUE

Type NUM
Location 1823 - 1824
Width 2
Sequence Order 521
Notes CALCULATED AS EXACT AGE IN MONTHS.

Section 9
Variable Name RB2_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #2
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
34442		NUMBER OF MISSING
	.	AVERAGE/MEAN
	.	MEDIAN VALUE
	.	MINIMUM VALUE
	.	MAXIMUM VALUE

Type NUM
Location 1825 - 1826
Width 2
Sequence Order 522
Notes CALCULATED AS EXACT AGE IN MONTHS.

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name RB3_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #3
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
	34442	NUMBER OF MISSING
	.	AVERAGE/MEAN
	.	MEDIAN VALUE
	.	MINIMUM VALUE
	.	MAXIMUM VALUE

Type NUM
Location 1827 - 1828
Width 2
Sequence Order 523
Notes CALCULATED AS EXACT AGE IN MONTHS.

Section 9
Variable Name RB4_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #4
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
	34442	NUMBER OF MISSING
	.	AVERAGE/MEAN
	.	MEDIAN VALUE
	.	MINIMUM VALUE
	.	MAXIMUM VALUE

Type NUM
Location 1829 - 1830
Width 2
Sequence Order 524
Notes CALCULATED AS EXACT AGE IN MONTHS.

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name RB5_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #5
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
	34442	NUMBER OF MISSING
	.	AVERAGE/MEAN
	.	MEDIAN VALUE
	.	MINIMUM VALUE
	.	MAXIMUM VALUE

Type NUM
Location 1831 - 1832
Width 2
Sequence Order 525
Notes CALCULATED AS EXACT AGE IN MONTHS.

Section 9
Variable Name RB6_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #6
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
	34442	NUMBER OF MISSING
	.	AVERAGE/MEAN
	.	MEDIAN VALUE
	.	MINIMUM VALUE
	.	MAXIMUM VALUE

Type NUM
Location 1833 - 1834
Width 2
Sequence Order 526
Notes CALCULATED AS EXACT AGE IN MONTHS.

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name RB7_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #7
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
	34442	NUMBER OF MISSING
	.	AVERAGE/MEAN
	.	MEDIAN VALUE
	.	MINIMUM VALUE
	.	MAXIMUM VALUE

Type NUM
Location 1835 - 1836
Width 2
Sequence Order 527
Notes CALCULATED AS EXACT AGE IN MONTHS.

Section 9
Variable Name RB8_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #8
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
	34442	NUMBER OF MISSING
	.	AVERAGE/MEAN
	.	MEDIAN VALUE
	.	MINIMUM VALUE
	.	MAXIMUM VALUE

Type NUM
Location 1837 - 1838
Width 2
Sequence Order 528
Notes CALCULATED AS EXACT AGE IN MONTHS.

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name ROT1_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED ROTAVIRUS SHOT #1
Response
Categories Statistics Description

	18	NUMBER OF NON-MISSING
	34424	NUMBER OF MISSING
	12.17	AVERAGE/MEAN
	12.00	MEDIAN VALUE
	0.00	MINIMUM VALUE
	23.00	MAXIMUM VALUE

Type NUM
Location 1839 - 1840
Width 2
Sequence Order 529
Notes CALCULATED AS EXACT AGE IN MONTHS.

Section 9
Variable Name ROT2_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED ROTAVIRUS SHOT #2
Response
Categories Statistics Description

	4	NUMBER OF NON-MISSING
	34438	NUMBER OF MISSING
	8.00	AVERAGE/MEAN
	7.50	MEDIAN VALUE
	7.00	MINIMUM VALUE
	10.00	MAXIMUM VALUE

Type NUM
Location 1841 - 1842
Width 2
Sequence Order 530
Notes CALCULATED AS EXACT AGE IN MONTHS.

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    ROT3_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED ROTAVIRUS SHOT #3
Response
Categories      Statistics  Description
                3         NUMBER OF NON-MISSING
                34439      NUMBER OF MISSING
                9.00      AVERAGE/MEAN
                9.00      MEDIAN VALUE
                9.00      MINIMUM VALUE
                9.00      MAXIMUM VALUE

Type            NUM
Location        1843 - 1844
Width           2
Sequence Order  531
Notes           CALCULATED AS EXACT AGE IN MONTHS.
-----

```

```

-----
Section          9
Variable Name    ROT4_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED ROTAVIRUS SHOT #4
Response
Categories      Statistics  Description
                0         NUMBER OF NON-MISSING
                34442      NUMBER OF MISSING
                .         AVERAGE/MEAN
                .         MEDIAN VALUE
                .         MINIMUM VALUE
                .         MAXIMUM VALUE

Type            NUM
Location        1845 - 1846
Width           2
Sequence Order  532
Notes           CALCULATED AS EXACT AGE IN MONTHS.
-----

```


1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    ROT5_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED ROTAVIRUS SHOT #5
Response
Categories      Statistics  Description
                0         NUMBER OF NON-MISSING
                34442      NUMBER OF MISSING
                .         AVERAGE/MEAN
                .         MEDIAN VALUE
                .         MINIMUM VALUE
                .         MAXIMUM VALUE

Type            NUM
Location        1847 - 1848
Width           2
Sequence Order  533
Notes           CALCULATED AS EXACT AGE IN MONTHS.
-----

```

```

-----
Section          9
Variable Name    ROT6_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED ROTAVIRUS SHOT #6
Response
Categories      Statistics  Description
                0         NUMBER OF NON-MISSING
                34442      NUMBER OF MISSING
                .         AVERAGE/MEAN
                .         MEDIAN VALUE
                .         MINIMUM VALUE
                .         MAXIMUM VALUE

Type            NUM
Location        1849 - 1850
Width           2
Sequence Order  534
Notes           CALCULATED AS EXACT AGE IN MONTHS.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    ROT7_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED ROTAVIRUS SHOT #7
Response
Categories       Statistics  Description
                   0 NUMBER OF NON-MISSING
                   34442 NUMBER OF MISSING
                   .  AVERAGE/MEAN
                   .  MEDIAN VALUE
                   .  MINIMUM VALUE
                   .  MAXIMUM VALUE

Type             NUM
Location        1851 - 1852
Width           2
Sequence Order  535
Notes           CALCULATED AS EXACT AGE IN MONTHS.
-----

```

```

-----
Section          9
Variable Name    ROT8_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED ROTAVIRUS SHOT #8
Response
Categories       Statistics  Description
                   0 NUMBER OF NON-MISSING
                   34442 NUMBER OF MISSING
                   .  AVERAGE/MEAN
                   .  MEDIAN VALUE
                   .  MINIMUM VALUE
                   .  MAXIMUM VALUE

Type             NUM
Location        1853 - 1854
Width           2
Sequence Order  536
Notes           CALCULATED AS EXACT AGE IN MONTHS.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    VRC1_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED VARICELLA SHOT #1
Response
Categories      Statistics  Description
                13412    NUMBER OF NON-MISSING
                21030    NUMBER OF MISSING
                14.38    AVERAGE/MEAN
                12.00    MEDIAN VALUE
                 0.00    MINIMUM VALUE
                35.00    MAXIMUM VALUE

Type            NUM
Location        1855 - 1856
Width           2
Sequence Order  537
Notes           CALCULATED AS EXACT AGE IN MONTHS.
-----

```

```

-----
Section          9
Variable Name    VRC2_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED VARICELLA SHOT #2
Response
Categories      Statistics  Description
                69     NUMBER OF NON-MISSING
                34373   NUMBER OF MISSING
                18.55   AVERAGE/MEAN
                17.00   MEDIAN VALUE
                12.00   MINIMUM VALUE
                30.00   MAXIMUM VALUE

Type            NUM
Location        1857 - 1858
Width           2
Sequence Order  538
Notes           CALCULATED AS EXACT AGE IN MONTHS.
-----

```

1999 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name VRC3_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED VARICELLA SHOT #3
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
	34442	NUMBER OF MISSING
	.	AVERAGE/MEAN
	.	MEDIAN VALUE
	.	MINIMUM VALUE
	.	MAXIMUM VALUE

Type NUM
Location 1859 - 1860
Width 2
Sequence Order 539
Notes CALCULATED AS EXACT AGE IN MONTHS.

Section 9
Variable Name VRC4_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED VARICELLA SHOT #4
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
	34442	NUMBER OF MISSING
	.	AVERAGE/MEAN
	.	MEDIAN VALUE
	.	MINIMUM VALUE
	.	MAXIMUM VALUE

Type NUM
Location 1861 - 1862
Width 2
Sequence Order 540
Notes CALCULATED AS EXACT AGE IN MONTHS.

1999 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
AGEGRP	0057	0057	3	AGE CATEGORY OF CHILD (RECODE)
ALL4SHOT	0037	0037	2	4:3:1:3 UP-TO-DATE (HH REPORT)
C_431	0038	0038	2	HOUSEHOLD REPORT OF 4:3:1 UP-TO-DATE BY SHOT CARD USE
C_4313	0039	0039	2	HOUSEHOLD REPORT OF 4:3:1:3 UP-TO-DATE BY SHOT CARD USE
C_DTP	0040	0040	2	HOUSEHOLD REPORT OF 4+ DTP UP-TO-DATE BY SHOT CARD USE
C_HEP	0041	0041	2	HOUSEHOLD REPORT OF 3+ HEPATITIS B UP-TO-DATE BY SHOT CARD USE
C_HIB	0042	0042	2	HOUSEHOLD REPORT OF 3+ HIB UP-TO-DATE BY SHOT CARD USE
C_MMR	0043	0043	2	HOUSEHOLD REPORT OF 1+ MEASLES-CONTAINING VACCINE UP-TO-DATE BY SHOT CARD USE
C_POL	0044	0044	2	HOUSEHOLD REPORT OF 3+ POLIO UP-TO-DATE BY SHOT CARD USE
C_VRC	0045	0045	2	HOUSEHOLD REPORT OF 1+ VARICELLA UP-TO-DATE BY SHOT CARD USE
C1R	0058	0059	3	NUMBER OF PEOPLE LIVING IN THE HOUSEHOLD (RECODE)
C5R	0060	0061	3	RELATIONSHIP OF RESPONDENT TO CHILD (RECODE)
CEN_REG	0062	0062	3	CENSUS REGION BASED ON STATE
CHILDNM	0063	0063	3	NUMBER OF CHILDREN LESS THAN 18 YEARS IN HH (RECODE)
D6R	0096	0096	5	NUMBER OF VACCINATION PROVIDERS IDENTIFIED BY RESPONDENT (RECODE)
D7	0097	0097	5	CONSENT TO OBTAIN CHILD'S IMMUNIZATION RECORDS FROM VACCINATION PROVIDERS IDENTIFIED IN QUESTION D6 IN THE INTERVIEW
DDTAH1	0599	0602	9	AGE IN DAYS OF PROVIDER-REPORTED DTAP/HIB (MARKED) SHOT #1
DDTAH2	0603	0606	9	AGE IN DAYS OF PROVIDER-REPORTED DTAP/HIB (MARKED) SHOT #2
DDTAH3	0607	0610	9	AGE IN DAYS OF PROVIDER-REPORTED DTAP/HIB (MARKED) SHOT #3
DDTAH4	0611	0614	9	AGE IN DAYS OF PROVIDER-REPORTED DTAP/HIB (MARKED) SHOT #4
DDTAH5	0615	0618	9	AGE IN DAYS OF PROVIDER-REPORTED DTAP/HIB (MARKED) SHOT #5
DDTAH6	0619	0622	9	AGE IN DAYS OF PROVIDER-REPORTED DTAP/HIB (MARKED) SHOT #6
DDTAH7	0623	0626	9	AGE IN DAYS OF PROVIDER-REPORTED DTAP/HIB (MARKED) SHOT #7
DDTAH8	0627	0630	9	AGE IN DAYS OF PROVIDER-REPORTED DTAP/HIB (MARKED) SHOT #8
DDTAP1	0631	0634	9	AGE IN DAYS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #1
DDTAP2	0635	0638	9	AGE IN DAYS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #2

1999 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
DDTAP3	0639	0642	9	AGE IN DAYS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #3
DDTAP4	0643	0646	9	AGE IN DAYS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #4
DDTAP5	0647	0650	9	AGE IN DAYS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #5
DDTAP6	0651	0654	9	AGE IN DAYS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #6
DDTAP7	0655	0658	9	AGE IN DAYS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #7
DDTAP8	0659	0662	9	AGE IN DAYS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #8
DDTHM1	0663	0666	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB (MARKED) SHOT #1
DDTHM2	0667	0670	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB (MARKED) SHOT #2
DDTHM3	0671	0674	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB (MARKED) SHOT #3
DDTHM4	0675	0678	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB (MARKED) SHOT #4
DDTHM5	0679	0682	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB (MARKED) SHOT #5
DDTHM6	0683	0686	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB (MARKED) SHOT #6
DDTHM7	0687	0690	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB (MARKED) SHOT #7
DDTHM8	0691	0694	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB (MARKED) SHOT #8
DDTHN1	0695	0698	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB (UNMARKED) SHOT #1
DDTHN2	0699	0702	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB (UNMARKED) SHOT #2
DDTHN3	0703	0706	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB (UNMARKED) SHOT #3
DDTHN4	0707	0710	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB (UNMARKED) SHOT #4
DDTHN5	0711	0714	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB (UNMARKED) SHOT #5
DDTHN6	0715	0718	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB (UNMARKED) SHOT #6
DDTHN7	0719	0722	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB (UNMARKED) SHOT #7
DDTHN8	0723	0726	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB (UNMARKED) SHOT #8
DDTM1	0727	0730	9	AGE IN DAYS OF PROVIDER-REPORTED DT (MARKED) SHOT #1
DDTM2	0731	0734	9	AGE IN DAYS OF PROVIDER-REPORTED DT (MARKED) SHOT #2
DDTM3	0735	0738	9	AGE IN DAYS OF PROVIDER-REPORTED DT (MARKED) SHOT #3

1999 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
DDTM4	0739	0742	9	AGE IN DAYS OF PROVIDER-REPORTED DT (MARKED) SHOT #4
DDTM5	0743	0746	9	AGE IN DAYS OF PROVIDER-REPORTED DT (MARKED) SHOT #5
DDTM6	0747	0750	9	AGE IN DAYS OF PROVIDER-REPORTED DT (MARKED) SHOT #6
DDTM7	0751	0754	9	AGE IN DAYS OF PROVIDER-REPORTED DT (MARKED) SHOT #7
DDTM8	0755	0758	9	AGE IN DAYS OF PROVIDER-REPORTED DT (MARKED) SHOT #8
DDTP1	0759	0762	9	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #1
DDTP2	0763	0766	9	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #2
DDTP3	0767	0770	9	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #3
DDTP4	0771	0774	9	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #4
DDTP5	0775	0778	9	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #5
DDTP6	0779	0782	9	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #6
DDTP7	0783	0786	9	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #7
DDTP8	0787	0790	9	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #8
DDTPHB1	0791	0794	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #1
DDTPHB2	0795	0798	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #2
DDTPHB3	0799	0802	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #3
DDTPHB4	0803	0806	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #4
DDTPHB5	0807	0810	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #5
DDTPHB6	0811	0814	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #6
DDTPHB7	0815	0818	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #7
DDTPHB8	0819	0822	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #8
DDTPM1	0823	0826	9	AGE IN DAYS OF PROVIDER-REPORTED DTP (MARKED) #1
DDTPM2	0827	0830	9	AGE IN DAYS OF PROVIDER-REPORTED DTP (MARKED) #2
DDTPM3	0831	0834	9	AGE IN DAYS OF PROVIDER-REPORTED DTP (MARKED) #3
DDTPM4	0835	0838	9	AGE IN DAYS OF PROVIDER-REPORTED DTP (MARKED) #4

1999 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
DDTPM5	0839	0842	9	AGE IN DAYS OF PROVIDER-REPORTED DTP (MARKED) #5
DDTPM6	0843	0846	9	AGE IN DAYS OF PROVIDER-REPORTED DTP (MARKED) #6
DDTPM7	0847	0850	9	AGE IN DAYS OF PROVIDER-REPORTED DTP (MARKED) #7
DDTPM8	0851	0854	9	AGE IN DAYS OF PROVIDER-REPORTED DTP (MARKED) #8
DDTPN1	0855	0858	9	AGE IN DAYS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #1
DDTPN2	0859	0862	9	AGE IN DAYS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #2
DDTPN3	0863	0866	9	AGE IN DAYS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #3
DDTPN4	0867	0870	9	AGE IN DAYS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #4
DDTPN5	0871	0874	9	AGE IN DAYS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #5
DDTPN6	0875	0878	9	AGE IN DAYS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #6
DDTPN7	0879	0882	9	AGE IN DAYS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #7
DDTPN8	0883	0886	9	AGE IN DAYS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #8
DHA1_AGE	1463	1464	9	AGE IN MONTHS OF PROVIDER-REPORTED DTAP/HIB (MARKED) SHOT #1
DHA2_AGE	1465	1466	9	AGE IN MONTHS OF PROVIDER-REPORTED DTAP/HIB (MARKED) SHOT #2
DHA3_AGE	1467	1468	9	AGE IN MONTHS OF PROVIDER-REPORTED DTAP/HIB (MARKED) SHOT #3
DHA4_AGE	1469	1470	9	AGE IN MONTHS OF PROVIDER-REPORTED DTAP/HIB (MARKED) SHOT #4
DHA5_AGE	1471	1472	9	AGE IN MONTHS OF PROVIDER-REPORTED DTAP/HIB (MARKED) SHOT #5
DHA6_AGE	1473	1474	9	AGE IN MONTHS OF PROVIDER-REPORTED DTAP/HIB (MARKED) SHOT #6
DHA7_AGE	1475	1476	9	AGE IN MONTHS OF PROVIDER-REPORTED DTAP/HIB (MARKED) SHOT #7
DHA8_AGE	1477	1478	9	AGE IN MONTHS OF PROVIDER-REPORTED DTAP/HIB (MARKED) SHOT #8
DHB1_AGE	1479	1480	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #1
DHB2_AGE	1481	1482	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #2
DHB3_AGE	1483	1484	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #3
DHB4_AGE	1485	1486	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #4
DHB5_AGE	1487	1488	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #5

1999 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
DHB6_AGE	1489	1490	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #6
DHB7_AGE	1491	1492	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #7
DHB8_AGE	1493	1494	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #8
DHEPB1	0887	0890	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #1
DHEPB2	0891	0894	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #2
DHEPB3	0895	0898	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #3
DHEPB4	0899	0902	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #4
DHEPB5	0903	0906	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #5
DHEPB6	0907	0910	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #6
DHEPB7	0911	0914	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #7
DHEPB8	0915	0918	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #8
DHEPX1	0919	0922	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B-ONLY SHOT #1
DHEPX2	0923	0926	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B-ONLY SHOT #2
DHEPX3	0927	0930	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B-ONLY SHOT #3
DHEPX4	0931	0934	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B-ONLY SHOT #4
DHEPX5	0935	0938	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B-ONLY SHOT #5
DHEPX6	0939	0942	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B-ONLY SHOT #6
DHEPX7	0943	0946	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B-ONLY SHOT #7
DHEPX8	0947	0950	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B-ONLY SHOT #8
DHIB1	0951	0954	9	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #1
DHIB2	0955	0958	9	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #2
DHIB3	0959	0962	9	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #3
DHIB4	0963	0966	9	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #4
DHIB5	0967	0970	9	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #5
DHIB6	0971	0974	9	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #6

1999 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
DHIB7	0975	0978	9	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #7
DHIB8	0979	0982	9	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #8
DHIBN1	0983	0986	9	AGE IN DAYS OF PROVIDER-REPORTED HIB (UNKNOWN TYPE) SHOT #1
DHIBN2	0987	0990	9	AGE IN DAYS OF PROVIDER-REPORTED HIB (UNKNOWN TYPE) SHOT #2
DHIBN3	0991	0994	9	AGE IN DAYS OF PROVIDER-REPORTED HIB (UNKNOWN TYPE) SHOT #3
DHIBN4	0995	0998	9	AGE IN DAYS OF PROVIDER-REPORTED HIB (UNKNOWN TYPE) SHOT #4
DHIBN5	0999	1002	9	AGE IN DAYS OF PROVIDER-REPORTED HIB (UNKNOWN TYPE) SHOT #5
DHIBN6	1003	1006	9	AGE IN DAYS OF PROVIDER-REPORTED HIB (UNKNOWN TYPE) SHOT #6
DHIBN7	1007	1010	9	AGE IN DAYS OF PROVIDER-REPORTED HIB (UNKNOWN TYPE) SHOT #7
DHIBN8	1011	1014	9	AGE IN DAYS OF PROVIDER-REPORTED HIB (UNKNOWN TYPE) SHOT #8
DHIBO1	1015	1018	9	AGE IN DAYS OF PROVIDER-REPORTED HIB OTHER SHOT #1
DHIBO2	1019	1022	9	AGE IN DAYS OF PROVIDER-REPORTED HIB OTHER SHOT #2
DHIBO3	1023	1026	9	AGE IN DAYS OF PROVIDER-REPORTED HIB OTHER SHOT #3
DHIBO4	1027	1030	9	AGE IN DAYS OF PROVIDER-REPORTED HIB OTHER SHOT #4
DHIBO5	1031	1034	9	AGE IN DAYS OF PROVIDER-REPORTED HIB OTHER SHOT #5
DHIBO6	1035	1038	9	AGE IN DAYS OF PROVIDER-REPORTED HIB OTHER SHOT #6
DHIBO7	1039	1042	9	AGE IN DAYS OF PROVIDER-REPORTED HIB OTHER SHOT #7
DHIBO8	1043	1046	9	AGE IN DAYS OF PROVIDER-REPORTED HIB OTHER SHOT #8
DHIBP1	1047	1050	9	AGE IN DAYS OF PROVIDER-REPORTED PEDVAX HIB SHOT #1
DHIBP2	1051	1054	9	AGE IN DAYS OF PROVIDER-REPORTED PEDVAX HIB SHOT #2
DHIBP3	1055	1058	9	AGE IN DAYS OF PROVIDER-REPORTED PEDVAX HIB SHOT #3
DHIBP4	1059	1062	9	AGE IN DAYS OF PROVIDER-REPORTED PEDVAX HIB SHOT #4
DHIBP5	1063	1066	9	AGE IN DAYS OF PROVIDER-REPORTED PEDVAX HIB SHOT #5
DHIBP6	1067	1070	9	AGE IN DAYS OF PROVIDER-REPORTED PEDVAX HIB SHOT #6
DHIBP7	1071	1074	9	AGE IN DAYS OF PROVIDER-REPORTED PEDVAX HIB SHOT #7

1999 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
DHIBP8	1075	1078	9	AGE IN DAYS OF PROVIDER-REPORTED PEDVAX HIB SHOT #8
DHIBX1	1079	1082	9	AGE IN DAYS OF PROVIDER-REPORTED HIB-ONLY SHOT #1
DHIBX2	1083	1086	9	AGE IN DAYS OF PROVIDER-REPORTED HIB-ONLY SHOT #2
DHIBX3	1087	1090	9	AGE IN DAYS OF PROVIDER-REPORTED HIB-ONLY SHOT #3
DHIBX4	1091	1094	9	AGE IN DAYS OF PROVIDER-REPORTED HIB-ONLY SHOT #4
DHIBX5	1095	1098	9	AGE IN DAYS OF PROVIDER-REPORTED HIB-ONLY SHOT #5
DHIBX6	1099	1102	9	AGE IN DAYS OF PROVIDER-REPORTED HIB-ONLY SHOT #6
DHIBX7	1103	1106	9	AGE IN DAYS OF PROVIDER-REPORTED HIB-ONLY SHOT #7
DHIBX8	1107	1110	9	AGE IN DAYS OF PROVIDER-REPORTED HIB-ONLY SHOT #8
DHM1_AGE	1495	1496	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (MARKED) SHOT #1
DHM2_AGE	1497	1498	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (MARKED) SHOT #2
DHM3_AGE	1499	1500	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (MARKED) SHOT #3
DHM4_AGE	1501	1502	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (MARKED) SHOT #4
DHM5_AGE	1503	1504	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (MARKED) SHOT #5
DHM6_AGE	1505	1506	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (MARKED) SHOT #6
DHM7_AGE	1507	1508	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (MARKED) SHOT #7
DHM8_AGE	1509	1510	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (MARKED) SHOT #8
DHN1_AGE	1511	1512	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (UNMARKED) SHOT #1
DHN2_AGE	1513	1514	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (UNMARKED) SHOT #2
DHN3_AGE	1515	1516	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (UNMARKED) SHOT #3
DHN4_AGE	1517	1518	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (UNMARKED) SHOT #4
DHN5_AGE	1519	1520	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (UNMARKED) SHOT #5
DHN6_AGE	1521	1522	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (UNMARKED) SHOT #6
DHN7_AGE	1523	1524	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (UNMARKED) SHOT #7
DHN8_AGE	1525	1526	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (UNMARKED) SHOT #8

1999 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
DHPHB1	1111	1114	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B/HIB (COMVAX) SHOT #1
DHPHB2	1115	1118	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B/HIB (COMVAX) SHOT #2
DHPHB3	1119	1122	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B/HIB (COMVAX) SHOT #3
DHPHB4	1123	1126	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B/HIB (COMVAX) SHOT #4
DHPHB5	1127	1130	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B/HIB (COMVAX) SHOT #5
DHPHB6	1131	1134	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B/HIB (COMVAX) SHOT #6
DHPHB7	1135	1138	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B/HIB (COMVAX) SHOT #7
DHPHB8	1139	1142	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B/HIB (COMVAX) SHOT #8
DIPVM1	1143	1146	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO/IPV SHOT (MARKED) #1
DIPVM2	1147	1150	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO/IPV SHOT (MARKED) #2
DIPVM3	1151	1154	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO/IPV SHOT (MARKED) #3
DIPVM4	1155	1158	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO/IPV SHOT (MARKED) #4
DIPVM5	1159	1162	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO/IPV SHOT (MARKED) #5
DIPVM6	1163	1166	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO/IPV SHOT (MARKED) #6
DIPVM7	1167	1170	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO/IPV SHOT (MARKED) #7
DIPVM8	1171	1174	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO/IPV SHOT (MARKED) #8
DISPCODE	0098	0099	6	NIS PROVIDER RECORD-CHECK DISPOSITION CODE
DMMR1	1175	1178	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #1
DMMR2	1179	1182	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #2
DMMR3	1183	1186	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #3
DMMR4	1187	1190	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #4
DMMRX1	1191	1194	9	AGE IN DAYS OF PROVIDER-REPORTED MMR SHOT #1
DMMRX2	1195	1198	9	AGE IN DAYS OF PROVIDER-REPORTED MMR SHOT #2
DMMRX3	1199	1202	9	AGE IN DAYS OF PROVIDER-REPORTED MMR SHOT #3
DMMRX4	1203	1206	9	AGE IN DAYS OF PROVIDER-REPORTED MMR SHOT #4
DMP1	1207	1210	9	AGE IN DAYS OF PROVIDER-REPORTED MUMPS SHOT #1
DMP2	1211	1214	9	AGE IN DAYS OF PROVIDER-REPORTED MUMPS SHOT #2
DMP3	1215	1218	9	AGE IN DAYS OF PROVIDER-REPORTED MUMPS SHOT

1999 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
				#3
DMP4	1219	1222	9	AGE IN DAYS OF PROVIDER-REPORTED MUMPS SHOT #4
DMPRB1	1223	1226	9	AGE IN DAYS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #1
DMPRB2	1227	1230	9	AGE IN DAYS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #2
DMPRB3	1231	1234	9	AGE IN DAYS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #3
DMPRB4	1235	1238	9	AGE IN DAYS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #4
DMS1	1239	1242	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES SHOT #1
DMS2	1243	1246	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES SHOT #2
DMS3	1247	1250	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES SHOT #3
DMS4	1251	1254	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES SHOT #4
DMSMP1	1255	1258	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #1
DMSMP2	1259	1262	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #2
DMSMP3	1263	1266	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #3
DMSMP4	1267	1270	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #4
DMSRB1	1271	1274	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/RUBELLA #1
DMSRB2	1275	1278	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/RUBELLA #2
DMSRB3	1279	1282	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/RUBELLA #3
DMSRB4	1283	1286	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/RUBELLA #4
DOPVM1	1287	1290	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO/OPV SHOT #1
DOPVM2	1291	1294	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO/OPV SHOT #2
DOPVM3	1295	1298	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO/OPV SHOT #3
DOPVM4	1299	1302	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO/OPV SHOT #4
DOPVM5	1303	1306	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO/OPV SHOT #5
DOPVM6	1307	1310	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO/OPV SHOT #6
DOPVM7	1311	1314	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO/OPV SHOT #7

1999 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
DOPVM8	1315	1318	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO/OPV SHOT #8
DPM1_AGE	1527	1528	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (MARKED) SHOT #1
DPM2_AGE	1529	1530	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (MARKED) SHOT #2
DPM3_AGE	1531	1532	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (MARKED) SHOT #3
DPM4_AGE	1533	1534	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (MARKED) SHOT #4
DPM5_AGE	1535	1536	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (MARKED) SHOT #5
DPM6_AGE	1537	1538	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (MARKED) SHOT #6
DPM7_AGE	1539	1540	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (MARKED) SHOT #7
DPM8_AGE	1541	1542	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (MARKED) SHOT #8
DPN1_AGE	1543	1544	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #1
DPN2_AGE	1545	1546	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #2
DPN3_AGE	1547	1548	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #3
DPN4_AGE	1549	1550	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #4
DPN5_AGE	1551	1552	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #5
DPN6_AGE	1553	1554	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #6
DPN7_AGE	1555	1556	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #7
DPN8_AGE	1557	1558	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #8
DPOLIO1	1319	1322	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #1
DPOLIO2	1323	1326	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #2
DPOLIO3	1327	1330	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #3
DPOLIO4	1331	1334	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #4
DPOLIO5	1335	1338	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #5
DPOLIO6	1339	1342	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #6
DPOLIO7	1343	1346	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #7
DPOLIO8	1347	1350	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #8

1999 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
DPOLN1	1351	1354	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #1
DPOLN2	1355	1358	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #2
DPOLN3	1359	1362	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #3
DPOLN4	1363	1366	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #4
DPOLN5	1367	1370	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #5
DPOLN6	1371	1374	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #6
DPOLN7	1375	1378	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #7
DPOLN8	1379	1382	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #8
DRB1	1383	1386	9	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #1
DRB2	1387	1390	9	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #2
DRB3	1391	1394	9	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #3
DRB4	1395	1398	9	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #4
DRB5	1399	1402	9	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #5
DRB6	1403	1406	9	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #6
DRB7	1407	1410	9	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #7
DRB8	1411	1414	9	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #8
DROT1	1415	1418	9	AGE IN DAYS OF PROVIDER-REPORTED ROTAVIRUS SHOT #1
DROT2	1419	1422	9	AGE IN DAYS OF PROVIDER-REPORTED ROTAVIRUS SHOT #2
DROT3	1423	1426	9	AGE IN DAYS OF PROVIDER-REPORTED ROTAVIRUS SHOT #3
DROT4	1427	1430	9	AGE IN DAYS OF PROVIDER-REPORTED ROTAVIRUS SHOT #4
DROT5	1431	1434	9	AGE IN DAYS OF PROVIDER-REPORTED ROTAVIRUS SHOT #5
DROT6	1435	1438	9	AGE IN DAYS OF PROVIDER-REPORTED ROTAVIRUS SHOT #6
DROT7	1439	1442	9	AGE IN DAYS OF PROVIDER-REPORTED ROTAVIRUS SHOT #7
DROT8	1443	1446	9	AGE IN DAYS OF PROVIDER-REPORTED ROTAVIRUS SHOT #8
DTA1_AGE	1559	1560	9	AGE IN MONTHS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #1

1999 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
DTA2_AGE	1561	1562	9	AGE IN MONTHS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #2
DTA3_AGE	1563	1564	9	AGE IN MONTHS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #3
DTA4_AGE	1565	1566	9	AGE IN MONTHS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #4
DTA5_AGE	1567	1568	9	AGE IN MONTHS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #5
DTA6_AGE	1569	1570	9	AGE IN MONTHS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #6
DTA7_AGE	1571	1572	9	AGE IN MONTHS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #7
DTA8_AGE	1573	1574	9	AGE IN MONTHS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #8
DTM1_AGE	1575	1576	9	AGE IN MONTHS OF PROVIDER-REPORTED DT (MARKED) SHOT #1
DTM2_AGE	1577	1578	9	AGE IN MONTHS OF PROVIDER-REPORTED DT (MARKED) SHOT #2
DTM3_AGE	1579	1580	9	AGE IN MONTHS OF PROVIDER-REPORTED DT (MARKED) SHOT #3
DTM4_AGE	1581	1582	9	AGE IN MONTHS OF PROVIDER-REPORTED DT (MARKED) SHOT #4
DTM5_AGE	1583	1584	9	AGE IN MONTHS OF PROVIDER-REPORTED DT (MARKED) SHOT #5
DTM6_AGE	1585	1586	9	AGE IN MONTHS OF PROVIDER-REPORTED DT (MARKED) SHOT #6
DTM7_AGE	1587	1588	9	AGE IN MONTHS OF PROVIDER-REPORTED DT (MARKED) SHOT #7
DTM8_AGE	1589	1590	9	AGE IN MONTHS OF PROVIDER-REPORTED DT (MARKED) SHOT #8
DTP_SOUR	0046	0046	2	SHOT CARD USED FOR DTP REPORTING
DTP1_AGE	1591	1592	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #1
DTP2_AGE	1593	1594	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #2
DTP3_AGE	1595	1596	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #3
DTP4_AGE	1597	1598	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #4
DTP5_AGE	1599	1600	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #5
DTP6_AGE	1601	1602	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #6
DTP7_AGE	1603	1604	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #7
DTP8_AGE	1605	1606	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #8
DVRC1	1447	1450	9	AGE IN DAYS OF PROVIDER-REPORTED VARICELLA SHOT #1

1999 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
DVRC2	1451	1454	9	AGE IN DAYS OF PROVIDER-REPORTED VARICELLA SHOT #2
DVRC3	1455	1458	9	AGE IN DAYS OF PROVIDER-REPORTED VARICELLA SHOT #3
DVRC4	1459	1462	9	AGE IN DAYS OF PROVIDER-REPORTED VARICELLA SHOT #4
EDUC1	0064	0064	3	EDUCATION OF MOTHER CATEGORIES
ENTRY	0065	0065	3	CHILD LIVES IN STATE WITH HEPATITIS B STATE ENTRY LAW FOR DAY CARE/HEAD START (1996-1997 SCHOOL YEAR)
FRSTBRN	0066	0066	3	FIRST BORN STATUS OF CHILD
FUL2_MMR	0047	0047	2	HOUSEHOLD REPORT OF 1+ MMR AT ANY AGE
FULL_CPO	0048	0048	2	HOUSEHOLD REPORT OF 1+ VARICELLA AT ANY AGE
FULL_DTP	0049	0049	2	HOUSEHOLD REPORT OF 4+ DTP
FULL_HEP	0050	0050	2	HOUSEHOLD REPORT OF 3+ HEPATITIS B
FULL_HIB	0051	0051	2	HOUSEHOLD REPORT OF 3+ HIB
FULL_POL	0052	0052	2	HOUSEHOLD REPORT OF 3+ POLIO
HEP_BRTH	0110	0110	8	HEPATITIS B GIVEN AT BIRTH FLAG
HEP1_AGE	1607	1608	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #1
HEP2_AGE	1609	1610	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #2
HEP3_AGE	1611	1612	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #3
HEP4_AGE	1613	1614	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #4
HEP5_AGE	1615	1616	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #5
HEP6_AGE	1617	1618	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #6
HEP7_AGE	1619	1620	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #7
HEP8_AGE	1621	1622	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #8
HHB1_AGE	1623	1624	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B-HIB SHOT #1
HHB2_AGE	1625	1626	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B-HIB SHOT #2
HHB3_AGE	1627	1628	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B-HIB SHOT #3
HHB4_AGE	1629	1630	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B-HIB SHOT #4
HHB5_AGE	1631	1632	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B-HIB SHOT #5
HHB6_AGE	1633	1634	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B-HIB SHOT #6
HHB7_AGE	1635	1636	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B-HIB SHOT #7
HHB8_AGE	1637	1638	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B-HIB SHOT #8

1999 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
HIB1_AGE	1639	1640	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #1
HIB2_AGE	1641	1642	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #2
HIB3_AGE	1643	1644	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #3
HIB4_AGE	1645	1646	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #4
HIB5_AGE	1647	1648	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #5
HIB6_AGE	1649	1650	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #6
HIB7_AGE	1651	1652	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #7
HIB8_AGE	1653	1654	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #8
HIN1_AGE	1655	1656	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (UNMARKED) SHOT #1
HIN2_AGE	1657	1658	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (UNMARKED) SHOT #2
HIN3_AGE	1659	1660	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (UNMARKED) SHOT #3
HIN4_AGE	1661	1662	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (UNMARKED) SHOT #4
HIN5_AGE	1663	1664	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (UNMARKED) SHOT #5
HIN6_AGE	1665	1666	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (UNMARKED) SHOT #6
HIN7_AGE	1667	1668	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (UNMARKED) SHOT #7
HIN8_AGE	1669	1670	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (UNMARKED) SHOT #8
HIO1_AGE	1671	1672	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB OTHER SHOT #1
HIO2_AGE	1673	1674	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB OTHER SHOT #2
HIO3_AGE	1675	1676	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB OTHER SHOT #3
HIO4_AGE	1677	1678	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB OTHER SHOT #4
HIO5_AGE	1679	1680	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB OTHER SHOT #5
HIO6_AGE	1681	1682	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB OTHER SHOT #6
HIO7_AGE	1683	1684	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB OTHER SHOT #7
HIO8_AGE	1685	1686	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB OTHER SHOT #8
HIP1_AGE	1687	1688	9	AGE IN MONTHS OF PROVIDER-REPORTED PEDVAX HIB SHOT #1

1999 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
HIP2_AGE	1689	1690	9	AGE IN MONTHS OF PROVIDER-REPORTED PEDVAX HIB SHOT #2
HIP3_AGE	1691	1692	9	AGE IN MONTHS OF PROVIDER-REPORTED PEDVAX HIB SHOT #3
HIP4_AGE	1693	1694	9	AGE IN MONTHS OF PROVIDER-REPORTED PEDVAX HIB SHOT #4
HIP5_AGE	1695	1696	9	AGE IN MONTHS OF PROVIDER-REPORTED PEDVAX HIB SHOT #5
HIP6_AGE	1697	1698	9	AGE IN MONTHS OF PROVIDER-REPORTED PEDVAX HIB SHOT #6
HIP7_AGE	1699	1700	9	AGE IN MONTHS OF PROVIDER-REPORTED PEDVAX HIB SHOT #7
HIP8_AGE	1701	1702	9	AGE IN MONTHS OF PROVIDER-REPORTED PEDVAX HIB SHOT #8
HUTD4313	0053	0053	2	HOUSEHOLD REPORT OF 4:3:1:3 UTD (UP-TO-DATE)
HY_WGT	0012	0021	1	MODIFIED-POSTSTRATIFICATION (HH) WEIGHT FOR CHILD
I_CWIC01	0075	0075	3	CHILD EVER RECEIVED WIC BENEFITS
I_CWIC03	0076	0076	3	CHILD IS CURRENTLY GETTING WIC BENEFITS
I_CWIC05	0077	0077	3	SPELL OF MORE THAN 6 MONTHS WITH NO WIC BENEFITS
I_CWIC07	0078	0078	3	AT LAST WIC CERTIFICATION VISIT DID ANYONE ASK TO CHECK CHILD'S SHOT RECORD OR VACCINE INFORMATION
I_HADCPX	0054	0054	2	DID CHILD EVER HAVE CHICKEN POX?
I_HISP_K	0079	0079	3	HISPANIC ORIGIN OF CHILD
I_HISP_M	0080	0080	3	HISPANIC ORIGIN OF MOTHER
I_RACEKR	0081	0081	3	RACE OF CHILD (RECODE)
I_RACEMR	0082	0082	3	RACE OF MOTHER (RECODE)
IAGECPXR	0055	0055	2	AGE IN MONTHS WHEN CHILD HAD CHICKEN POX (RECODE)
ICONTWIC	0074	0074	3	DID CHILD HAVE CONTINUOUS WIC PARTICIPATION FROM BIRTH?
INCPORAT	0067	0070	3	INCOME TO POVERTY RATIO
INCPOV1R	0071	0071	3	POVERTY STATUS(RECODE)
INCQ298R	0072	0073	3	FAMILY INCOME CATEGORIES (RECODE)
INOPHONR	0091	0091	3	LENGTH OF INTERRUPTION IN TELEPHONE SERVICE IN DAYS(RECODE)
INTRP	0090	0090	3	INTERRUPTION IN PHONE SERVICE OF 7 DAYS OR MORE
IPV1_AGE	1703	1704	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/IPV (MARKED) SHOT #1
IPV2_AGE	1705	1706	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/IPV (MARKED) SHOT #2
IPV3_AGE	1707	1708	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/IPV (MARKED) SHOT #3
IPV4_AGE	1709	1710	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/IPV (MARKED) SHOT #4
IPV5_AGE	1711	1712	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/IPV (MARKED) SHOT #5

1999 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
IPV6_AGE	1713	1714	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/IPV (MARKED) SHOT #6
IPV7_AGE	1715	1716	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/IPV (MARKED) SHOT #7
IPV8_AGE	1717	1718	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/IPV (MARKED) SHOT #8
ITRUEIAP	0092	0093	4	IAP AREA OF CURRENT RESIDENCE
LANGUAGE	0083	0083	3	LANGUAGE THE INTERVIEW WAS CONDUCTED IN
M_AGEGRP	0086	0086	3	AGE OF MOTHER CATEGORIES
MARITAL	0084	0084	3	MARITAL STATUS OF MOTHER CATEGORIES
MMR1_AGE	1719	1720	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #1
MMR2_AGE	1721	1722	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #2
MMR3_AGE	1723	1724	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #3
MMR4_AGE	1725	1726	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #4
MMX1_AGE	1727	1728	9	AGE IN MONTHS OF PROVIDER-REPORTED MMR SHOT #1
MMX2_AGE	1729	1730	9	AGE IN MONTHS OF PROVIDER-REPORTED MMR SHOT #2
MMX3_AGE	1731	1732	9	AGE IN MONTHS OF PROVIDER-REPORTED MMR SHOT #3
MMX4_AGE	1733	1734	9	AGE IN MONTHS OF PROVIDER-REPORTED MMR SHOT #4
MOBIL	0085	0085	3	GEOGRAPHIC MOBILITY STATUS: STATE OF RESIDENCE OF CHILD AT BIRTH VERSUS CURRENT STATE OF RESIDENCE
MP1_AGE	1735	1736	9	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS SHOT #1
MP2_AGE	1737	1738	9	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS SHOT #2
MP3_AGE	1739	1740	9	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS SHOT #3
MP4_AGE	1741	1742	9	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS SHOT #4
MPR1_AGE	1743	1744	9	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #1
MPR2_AGE	1745	1746	9	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #2
MPR3_AGE	1747	1748	9	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #3
MPR4_AGE	1749	1750	9	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #4
MS1_AGE	1751	1752	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-ONLY SHOT #1
MS2_AGE	1753	1754	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-ONLY SHOT #2

1999 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
MS3_AGE	1755	1756	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-ONLY SHOT #3
MS4_AGE	1757	1758	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-ONLY SHOT #4
MSM1_AGE	1759	1760	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #1
MSM2_AGE	1761	1762	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #2
MSM3_AGE	1763	1764	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #3
MSM4_AGE	1765	1766	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #4
MSR1_AGE	1767	1768	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/RUBELLA SHOT #1
MSR2_AGE	1769	1770	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/RUBELLA SHOT #2
MSR3_AGE	1771	1772	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/RUBELLA SHOT #3
MSR4_AGE	1773	1774	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/RUBELLA SHOT #4
N_PRVR	0100	0100	6	NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD (RECODE)
NCARER1	0101	0101	7	CHILD'S PROVIDERS OFFER COMPREHENSIVE CHILD CARE
NCARER2	0102	0102	7	CHILD'S PROVIDERS OFFER ACUTE ILLNESS CARE
NCARER3	0103	0103	7	CHILD'S PROVIDERS OFFER FOLLOW UP VISITS
NCARER4	0104	0104	7	CHILD'S PROVIDERS OFFER AFTER-HOURS TELEPHONE COVERAGE
NCARER5	0105	0105	7	CHILD'S PROVIDERS OFFER WIC PROGRAM/SERVICES
NCARER6	0106	0106	7	CHILD'S PROVIDERS OFFER OTHER SERVICES
OPV1_AGE	1775	1776	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/OPV (MARKED) SHOT #1
OPV2_AGE	1777	1778	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/OPV (MARKED) SHOT #2
OPV3_AGE	1779	1780	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/OPV (MARKED) SHOT #3
OPV4_AGE	1781	1782	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/OPV (MARKED) SHOT #4
OPV5_AGE	1783	1784	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/OPV (MARKED) SHOT #5
OPV6_AGE	1785	1786	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/OPV (MARKED) SHOT #6
OPV7_AGE	1787	1788	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/OPV (MARKED) SHOT #7
OPV8_AGE	1789	1790	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/OPV (MARKED) SHOT #8
P_NUHEPX	0123	0123	8	NUMBER OF HEPATITIS B-ONLY SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD

1999 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
				INTERVIEW DATE.
P_NUHIBN	0124	0124	8	NUMBER OF HIB (UNMARKED) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUHIBO	0125	0125	8	NUMBER OF HIB (OTHER) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUHIBP	0126	0126	8	NUMBER OF PEDVAX HIB SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUHIBX	0127	0127	8	NUMBER OF HIB-ONLY SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUHPHB	0128	0128	8	NUMBER OF HEPATITIS B/HIB (COMVAX) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMDAH	0129	0129	8	NUMBER OF DTAP/HIB (MARKED) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMDHB	0130	0130	8	NUMBER OF DTP/HIB COMBINATION SHOTS (ALL TYPES), AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMDHM	0131	0131	8	NUMBER OF DTP/HIB (MARKED) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMDHN	0132	0132	8	NUMBER OF DTP/HIB (UNMARKED) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMDTA	0133	0133	8	NUMBER OF DTAP (MARKED) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.

1999 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
P_NUMDTM	0134	0134	8	NUMBER OF DT (MARKED) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMDTP	0135	0135	8	NUMBER OF DTP SHOTS (ALL TYPES INCLUDING DT), AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMHEP	0136	0136	8	NUMBER OF HEPATITIS B (ALL TYPES) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMHIB	0137	0137	8	NUMBER OF HIB (ALL TYPES) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMIPV	0138	0138	8	NUMBER OF IPV (MARKED) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMMMR	0139	0139	8	NUMBER OF MCV (MEASLES-CONTAINING VACCINE) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMMMX	0140	0140	8	NUMBER OF TRUE MMR (NOT INCLUDING MEASLES-ONLY SHOTS), AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMOLN	0141	0141	8	NUMBER OF POLIO (UNMARKED) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMOPV	0142	0142	8	NUMBER OF OPV (MARKED) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMPOL	0143	0143	8	NUMBER OF POLIO (ALL TYPES) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMRB	0144	0144	8	NUMBER OF RUBELLA SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.

1999 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
P_NUMROT	0145	0145	8	NUMBER OF ROTAVIRUS SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMTPM	0146	0146	8	NUMBER OF DTP (MARKED) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMTPN	0147	0147	8	NUMBER OF DTP (UNMARKED) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMVRC	0148	0148	8	NUMBER OF VARICELLA (CHICKEN POX) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_U12VRC	0115	0115	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ VARICELLA AT 12+ MONTHS
P_UTD331	0114	0114	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3:3:1
P_UTD431	0111	0111	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1
P_UTDHEP	0116	0116	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HEPATITIS B
P_UTDHIB	0117	0117	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB
P_UTDMCV	0118	0118	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MCV
P_UTDMMX	0119	0119	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MMR (NOT INCLUDING ANY MEASLES-ONLY SHOTS)
P_UTDPOL	0120	0120	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ POLIO
P_UTDTP3	0121	0121	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ DTP
P_UTDTP4	0122	0122	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ DTP
PDAT	0036	0036	1	CHILD HAS ADEQUATE PROVIDER DATA
PLN1_AGE	1791	1792	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #1
PLN2_AGE	1793	1794	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #2
PLN3_AGE	1795	1796	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #3
PLN4_AGE	1797	1798	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #4
PLN5_AGE	1799	1800	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #5
PLN6_AGE	1801	1802	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #6
PLN7_AGE	1803	1804	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #7
PLN8_AGE	1805	1806	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #8
POL1_AGE	1807	1808	9	AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 1

1999 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
POL2_AGE	1809	1810	9	AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 2
POL3_AGE	1811	1812	9	AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 3
POL4_AGE	1813	1814	9	AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 4
POL5_AGE	1815	1816	9	AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 5
POL6_AGE	1817	1818	9	AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 6
POL7_AGE	1819	1820	9	AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 7
POL8_AGE	1821	1822	9	AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 8
PROV_FAC	0107	0107	7	PROVIDER FACILITY TYPE
PUT43133	0113	0113	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3
PUTD4313	0112	0112	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3
RACEKIDR	0087	0087	3	RACE/ETHNICITY OF CHILD (RECODE)
RACEMOMR	0088	0088	3	RACE/ETHNICITY OF MOTHER (RECODE)
RB1_AGE	1823	1824	9	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #1
RB2_AGE	1825	1826	9	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #2
RB3_AGE	1827	1828	9	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #3
RB4_AGE	1829	1830	9	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #4
RB5_AGE	1831	1832	9	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #5
RB6_AGE	1833	1834	9	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #6
RB7_AGE	1835	1836	9	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #7
RB8_AGE	1837	1838	9	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #8
REGISTRY	0108	0108	7	CHILD'S PROVIDERS REPORTED CHILD'S VACCINATIONS TO IMMUNIZATION REGISTRY
ROT1_AGE	1839	1840	9	AGE IN MONTHS OF PROVIDER-REPORTED ROTAVIRUS SHOT #1
ROT2_AGE	1841	1842	9	AGE IN MONTHS OF PROVIDER-REPORTED ROTAVIRUS SHOT #2
ROT3_AGE	1843	1844	9	AGE IN MONTHS OF PROVIDER-REPORTED ROTAVIRUS SHOT #3
ROT4_AGE	1845	1846	9	AGE IN MONTHS OF PROVIDER-REPORTED ROTAVIRUS SHOT #4
ROT5_AGE	1847	1848	9	AGE IN MONTHS OF PROVIDER-REPORTED ROTAVIRUS SHOT #5
ROT6_AGE	1849	1850	9	AGE IN MONTHS OF PROVIDER-REPORTED ROTAVIRUS SHOT #6

1999 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
ROT7_AGE	1851	1852	9	AGE IN MONTHS OF PROVIDER-REPORTED ROTAVIRUS SHOT #7
ROT8_AGE	1853	1854	9	AGE IN MONTHS OF PROVIDER-REPORTED ROTAVIRUS SHOT #8
SEQNUMC	0001	0006	1	UNIQUE CHILD IDENTIFIER
SEQNUMHH	0007	0011	1	UNIQUE HOUSEHOLD IDENTIFIER
SEX	0089	0089	3	GENDER OF CHILD
SHOTCARD	0056	0056	2	SHOT CARD USE FLAG
STATE	0094	0095	4	STATE OF RESIDENCE (STATE FIPS CODE)
VB11	0149	0178	8	VERBATIM TEXT FOR 1ST OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.
VB12	0179	0208	8	VERBATIM TEXT FOR 1ST OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.
VB13	0209	0238	8	VERBATIM TEXT FOR 1ST OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
VB21	0239	0268	8	VERBATIM TEXT FOR 2ND OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.
VB22	0269	0298	8	VERBATIM TEXT FOR 2ND OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.
VB23	0299	0328	8	VERBATIM TEXT FOR 2ND OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
VB31	0329	0358	8	VERBATIM TEXT FOR 3RD OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.
VB32	0359	0388	8	VERBATIM TEXT FOR 3RD OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.
VB33	0389	0418	8	VERBATIM TEXT FOR 3RD OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
VB41	0419	0448	8	VERBATIM TEXT FOR 4TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.
VB42	0449	0478	8	VERBATIM TEXT FOR 4TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.
VB43	0479	0508	8	VERBATIM TEXT FOR 4TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
VB51	0509	0538	8	VERBATIM TEXT FOR 5TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.

1999 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
VB52	0539	0568	8	VERBATIM TEXT FOR 5TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.
VB53	0569	0598	8	VERBATIM TEXT FOR 5TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
VFC_PRO	0109	0109	7	PARTICIPATION OF CHILD'S PROVIDERS IN VACCINES FOR CHILDREN PROGRAM
VRC1_AGE	1855	1856	9	AGE IN MONTHS OF PROVIDER-REPORTED VARICELLA SHOT #1
VRC2_AGE	1857	1858	9	AGE IN MONTHS OF PROVIDER-REPORTED VARICELLA SHOT #2
VRC3_AGE	1859	1860	9	AGE IN MONTHS OF PROVIDER-REPORTED VARICELLA SHOT #3
VRC4_AGE	1861	1862	9	AGE IN MONTHS OF PROVIDER-REPORTED VARICELLA SHOT #4
W0	0022	0031	1	OVERALL VACCINATION HISTORY NONRESPONSE ADJUSTED WEIGHT FOR CHILDREN WITH ADEQUATE PROVIDER DATA
YEAR	0032	0035	1	YEAR OF INTERVIEW