

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2215

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other and unspecified disorders of circulatory system (I83-I99)												
UNITED STATES -	75	60	93	84	120	142	153	144	98	42	6	-
WHITE-----MALE----	42	30	45	33	66	61	55	54	19	6	-	-
FEMALE--	19	14	30	32	37	63	80	74	67	31	6	-
ALL OTHER--MALE----	12	12	11	12	5	11	9	6	3	1	-	-
FEMALE--	2	4	7	7	12	7	9	10	9	4	-	-
BLACK---MALE----	11	10	8	11	5	9	8	4	3	1	-	-
FEMALE--	2	4	5	6	10	7	9	9	6	3	-	-
ALABAMA -----	-	1	5	1	2	3	4	1	4	1	-	-
WHITE-----MALE----	-	1	1	1	-	1	1	-	1	-	-	-
FEMALE--	-	-	2	-	1	2	2	-	2	1	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	2	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
ALASKA -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	-	4	1	1	4	5	2	4	-	-	-
WHITE-----MALE----	2	-	3	-	1	1	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	3	4	1	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ARKANSAS -----	2	1	1	1	-	2	3	5	1	-	-	-
WHITE-----MALE----	2	1	1	-	-	-	1	1	1	-	-	-
FEMALE--	-	-	-	1	-	2	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
CALIFORNIA -----	10	2	5	6	4	9	7	10	4	1	-	-
WHITE-----MALE----	7	1	3	2	4	3	3	5	-	-	-	-
FEMALE--	1	1	1	2	-	4	4	5	2	1	-	-
ALL OTHER--MALE----	2	-	1	2	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	1	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2216

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other and unspecified disorders of circulatory system (I83-I99)												
COLORADO -----	1	1	2	4	1	1	4	2	1	-	-	-
WHITE-----MALE----	1	1	2	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	3	1	1	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	1	2	2	1	2	3	-	1	-	-
WHITE-----MALE----	-	1	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	1	1	1	2	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	-	1	1	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
FLORIDA -----	2	4	1	8	6	12	7	9	4	3	-	-
WHITE-----MALE----	1	1	1	3	2	6	2	4	1	-	-	-
FEMALE--	1	1	-	3	4	4	3	2	3	3	-	-
ALL OTHER--MALE----	-	1	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	1	-	2	-	-	1	3	-	-	-	-
BLACK---MALE-----	-	1	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	1	-	2	-	-	1	3	-	-	-	-
GEORGIA -----	2	1	4	3	7	3	4	2	-	1	-	-
WHITE-----MALE----	1	-	2	1	3	1	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	3	-	-	1	-	-
ALL OTHER--MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	4	1	-	1	-	-	-	-
BLACK---MALE-----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	4	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2218

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other and unspecified disorders of circulatory system (I83-I99)												
KENTUCKY -----	1	1	1	1	3	4	2	4	2	1	-	-
WHITE-----MALE----	1	-	-	1	2	2	2	2	1	1	-	-
FEMALE--	-	-	1	-	1	2	-	2	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	1	1	2	6	2	3	2	2	-	-	-
WHITE-----MALE----	-	1	1	-	4	2	-	-	1	-	-	-
FEMALE--	1	-	-	1	2	-	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
MAINE -----	-	-	1	-	2	-	3	-	3	1	-	-
WHITE-----MALE----	-	-	1	-	1	-	2	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	2	1	1	2	6	5	2	1	1	1	-
WHITE-----MALE----	-	-	1	-	1	4	4	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	1	2	-	-	1	-
ALL OTHER--MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	1	-	-
MASSACHUSETTS -----	3	2	3	4	4	3	4	5	2	1	-	-
WHITE-----MALE----	2	1	1	2	4	2	1	-	-	-	-	-
FEMALE--	1	1	2	1	-	-	3	5	2	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MICHIGAN -----	3	2	4	1	3	6	8	4	2	1	-	-
WHITE-----MALE----	2	2	2	-	2	2	-	1	-	-	-	-
FEMALE--	1	-	2	-	1	2	6	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2221

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other and unspecified disorders of circulatory system (I83-I99)												
OHIO -----	5	3	4	2	5	-	8	8	5	1	-	-
WHITE-----MALE----	-	1	1	-	2	-	3	3	-	1	-	-
FEMALE--	3	1	2	-	3	-	4	5	5	-	-	-
ALL OTHER--MALE----	2	1	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	1	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
OKLAHOMA -----	1	-	1	2	1	1	2	1	4	1	-	-
WHITE-----MALE----	1	-	-	1	1	1	1	-	3	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	4	1	2	-	2	2	1	1	1	-
WHITE-----MALE----	-	-	2	1	2	-	2	-	1	-	-	-
FEMALE--	-	-	2	-	-	-	-	2	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	5	3	8	1	6	10	11	11	5	2	-	-
WHITE-----MALE----	3	1	4	1	1	4	5	4	-	-	-	-
FEMALE--	-	2	3	-	5	4	5	7	5	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	1	-	-	-	-	-
RHODE ISLAND -----	1	-	-	1	-	2	1	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3	-	2	4	6	5	3	2	2	2	-	-
WHITE-----MALE----	-	-	-	2	4	3	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	1	2	1	1	1	-	-
ALL OTHER--MALE----	2	-	-	1	2	1	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	1	-	-
BLACK---MALE----	2	-	-	1	2	1	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2222

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other and unspecified disorders of circulatory system (I83-I99)												
SOUTH DAKOTA -----	-	-	-	-	1	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	1	3	4	3	3	7	2	5	3	-	-
WHITE-----MALE----	1	1	1	3	1	2	4	-	1	1	-	-
FEMALE--	-	-	2	1	1	1	2	1	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
TEXAS -----	3	3	4	4	1	6	6	11	6	4	1	-
WHITE-----MALE----	2	3	1	1	1	-	2	7	-	-	-	-
FEMALE--	1	-	1	3	-	6	2	3	6	2	1	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	1	-	-
BLACK---MALE----	-	-	2	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	1	-	-
UTAH -----	-	-	1	-	2	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	-	2	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	1	2	3	3	4	6	3	-	2	-	-
WHITE-----MALE----	1	-	2	3	1	1	2	2	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	1	-	2	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2224

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
X. Diseases of the respiratory system (J00-J98)												
UNITED STATES -	231,079	651	263	142	178	227	325	394	592	1,016	1,797	2,654
WHITE-----MALE----	99,472	230	81	55	55	81	131	134	210	366	724	1,075
FEMALE--	110,286	164	96	38	53	60	87	124	195	331	567	867
ALL OTHER--MALE----	11,244	139	55	26	42	54	56	85	111	169	271	393
FEMALE--	10,077	118	31	23	28	32	51	51	76	150	235	319
BLACK---MALE----	9,128	123	50	25	37	49	50	75	100	148	244	354
FEMALE--	8,452	109	27	16	25	29	46	43	67	134	204	286
ALABAMA -----	4,079	5	4	2	1	5	4	8	9	20	38	58
WHITE-----MALE----	1,678	3	1	2	-	1	2	1	3	7	12	20
FEMALE--	1,795	1	-	-	1	1	1	2	2	4	12	20
ALL OTHER--MALE----	327	1	1	-	-	3	-	4	2	7	6	8
FEMALE--	279	-	2	-	-	-	1	1	2	2	8	10
BLACK---MALE----	326	1	1	-	-	3	-	4	2	7	6	8
FEMALE--	275	-	2	-	-	-	1	1	2	2	8	9
ALASKA -----	211	2	2	-	-	2	-	2	-	2	8	4
WHITE-----MALE----	75	-	-	-	-	-	-	-	-	-	5	1
FEMALE--	71	1	-	-	-	-	-	2	-	1	-	1
ALL OTHER--MALE----	38	-	2	-	-	2	-	-	-	-	2	-
FEMALE--	27	1	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4,399	38	11	2	3	1	7	12	11	15	45	39
WHITE-----MALE----	2,102	19	3	1	1	1	3	2	7	6	24	14
FEMALE--	2,093	16	6	1	2	-	1	7	3	3	10	16
ALL OTHER--MALE----	111	3	2	-	-	-	1	1	-	5	8	4
FEMALE--	93	-	-	-	-	-	2	2	1	1	3	5
BLACK---MALE----	39	2	2	-	-	-	1	-	-	-	3	2
FEMALE--	24	-	-	-	-	-	1	-	-	-	1	-
ARKANSAS -----	2,770	5	5	2	1	4	4	5	4	9	30	34
WHITE-----MALE----	1,257	4	1	-	-	3	2	2	4	3	14	13
FEMALE--	1,276	1	3	-	-	1	1	1	-	4	10	10
ALL OTHER--MALE----	120	-	-	2	1	-	-	1	-	1	3	7
FEMALE--	117	-	1	-	-	-	1	1	-	1	3	4
BLACK---MALE----	116	-	-	2	1	-	-	1	-	1	3	7
FEMALE--	109	-	1	-	-	-	1	1	-	1	3	4
CALIFORNIA -----	23,996	67	28	14	25	14	16	43	48	100	173	279
WHITE-----MALE----	9,811	26	8	5	7	5	6	16	21	38	69	123
FEMALE--	11,500	25	10	4	9	6	7	18	16	31	52	99
ALL OTHER--MALE----	1,470	10	7	4	6	2	1	7	8	18	21	32
FEMALE--	1,215	6	3	1	3	1	2	2	3	13	31	25
BLACK---MALE----	635	6	5	4	3	2	1	5	6	14	17	19
FEMALE--	606	4	1	-	2	1	2	1	1	7	21	17

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2224

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
X. Diseases of the respiratory system (J00-J98)												
UNITED STATES -	4,093	6,511	10,183	17,296	28,721	39,256	43,258	38,353	23,927	9,137	2,097	8
WHITE-----MALE----	1,731	2,958	4,701	8,117	13,885	18,595	19,709	15,741	8,025	2,465	400	3
FEMALE--	1,518	2,551	4,147	7,222	12,233	17,666	20,555	20,132	14,236	5,975	1,469	-
ALL OTHER--MALE----	481	570	750	1,154	1,510	1,700	1,540	1,159	686	232	58	3
FEMALE--	363	432	585	803	1,093	1,295	1,454	1,321	980	465	170	2
BLACK---MALE----	419	498	647	979	1,254	1,343	1,163	838	505	183	42	2
FEMALE--	337	383	514	680	909	1,063	1,184	1,056	810	383	145	2
ALABAMA -----	82	155	214	366	572	673	706	589	386	148	34	-
WHITE-----MALE----	27	67	105	166	281	303	323	205	109	37	3	-
FEMALE--	35	54	84	151	203	287	298	319	222	84	14	-
ALL OTHER--MALE----	12	21	13	32	63	48	40	31	22	9	4	-
FEMALE--	8	13	12	17	25	35	45	34	33	18	13	-
BLACK---MALE----	12	21	13	32	62	48	40	31	22	9	4	-
FEMALE--	8	13	12	17	24	35	44	34	33	17	13	-
ALASKA -----	5	8	10	24	30	44	40	18	8	1	1	-
WHITE-----MALE----	-	4	3	9	9	14	16	10	3	-	1	-
FEMALE--	3	2	3	7	13	15	16	3	3	1	-	-
ALL OTHER--MALE----	1	2	3	5	5	7	6	3	-	-	-	-
FEMALE--	1	-	1	3	3	8	2	2	2	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ARIZONA -----	72	140	203	368	576	790	853	651	394	138	30	-
WHITE-----MALE----	35	81	110	191	312	396	407	303	140	39	7	-
FEMALE--	30	49	82	154	242	372	425	324	236	93	21	-
ALL OTHER--MALE----	2	6	9	10	12	13	13	10	9	3	-	-
FEMALE--	5	4	2	13	10	9	8	14	9	3	2	-
BLACK---MALE----	-	2	4	2	6	3	5	3	4	-	-	-
FEMALE--	2	3	-	4	4	1	-	5	2	1	-	-
ARKANSAS -----	58	95	141	242	346	482	484	434	269	94	22	-
WHITE-----MALE----	22	45	65	135	171	254	229	174	90	23	3	-
FEMALE--	22	44	61	89	158	195	216	229	152	61	18	-
ALL OTHER--MALE----	7	4	9	13	10	18	18	13	9	4	-	-
FEMALE--	7	2	6	5	7	15	21	18	18	6	1	-
BLACK---MALE----	7	4	8	13	10	18	18	11	8	4	-	-
FEMALE--	7	2	6	5	6	14	18	16	17	6	1	-
CALIFORNIA -----	407	597	955	1,585	2,725	4,199	4,639	4,121	2,671	1,068	220	2
WHITE-----MALE----	170	251	432	699	1,273	1,838	2,010	1,600	896	273	44	1
FEMALE--	144	244	395	665	1,129	1,955	2,197	2,123	1,542	684	145	-
ALL OTHER--MALE----	55	64	71	138	196	227	235	213	105	41	8	1
FEMALE--	38	38	57	83	127	179	197	185	128	70	23	-
BLACK---MALE----	33	37	48	79	90	97	69	53	27	17	3	-
FEMALE--	32	27	38	43	58	94	86	81	48	31	11	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2225

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
X. Diseases of the respiratory system (J00-J98)												
COLORADO -----	2,949	7	3	2	2	1	3	5	10	23	23	35
WHITE-----MALE----	1,456	2	-	2	1	1	1	1	7	12	9	17
FEMALE--	1,396	3	3	-	1	-	1	3	2	9	9	15
ALL OTHER--MALE----	61	2	-	-	-	-	1	1	1	2	4	1
FEMALE--	36	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	49	2	-	-	-	-	1	1	1	2	4	1
FEMALE--	30	-	-	-	-	-	-	-	-	-	1	2
CONNECTICUT -----	3,159	1	1	2	1	2	3	4	11	12	17	27
WHITE-----MALE----	1,336	-	1	-	-	-	1	2	4	7	8	15
FEMALE--	1,685	-	-	2	1	1	2	-	4	4	5	8
ALL OTHER--MALE----	78	1	-	-	-	1	-	1	2	-	3	4
FEMALE--	60	-	-	-	-	-	-	1	1	1	1	-
BLACK---MALE----	72	1	-	-	-	1	-	1	2	-	3	4
FEMALE--	53	-	-	-	-	-	-	-	1	1	1	-
DELAWARE -----	723	1	1	1	1	1	2	1	1	7	8	9
WHITE-----MALE----	286	1	1	-	1	-	-	-	-	4	4	2
FEMALE--	342	-	-	-	-	-	-	-	-	2	2	4
ALL OTHER--MALE----	59	-	-	1	-	1	2	1	1	1	-	2
FEMALE--	36	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE----	57	-	-	1	-	1	2	1	1	1	-	2
FEMALE--	35	-	-	-	-	-	-	-	-	-	2	1
DISTRICT OF COLUMBIA ---	364	2	-	-	-	-	-	-	-	3	1	5
WHITE-----MALE----	48	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	58	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	124	2	-	-	-	-	-	-	-	2	1	3
FEMALE--	134	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	122	2	-	-	-	-	-	-	-	2	1	3
FEMALE--	131	-	-	-	-	-	-	-	-	1	-	2
FLORIDA -----	14,801	39	12	5	9	8	13	15	26	48	86	173
WHITE-----MALE----	6,740	10	4	2	5	-	4	5	11	19	40	83
FEMALE--	7,103	9	1	2	-	6	5	2	5	16	23	54
ALL OTHER--MALE----	528	13	4	-	4	2	3	4	8	6	10	14
FEMALE--	430	7	3	1	-	-	1	4	2	7	13	22
BLACK---MALE----	503	13	4	-	4	2	3	4	8	6	9	14
FEMALE--	413	7	3	1	-	-	1	4	2	7	12	21
GEORGIA -----	6,300	22	6	2	6	7	10	16	26	46	89	103
WHITE-----MALE----	2,485	4	3	1	3	2	2	6	7	11	34	25
FEMALE--	2,710	4	1	-	1	2	2	-	3	9	23	32
ALL OTHER--MALE----	572	7	1	1	1	1	2	5	8	7	16	27
FEMALE--	533	7	1	-	1	2	4	5	8	19	16	19
BLACK---MALE----	557	7	1	1	1	1	2	5	7	7	16	27
FEMALE--	523	7	1	-	1	2	3	5	8	19	16	19

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2225

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
X. Diseases of the respiratory system (J00-J98)												
COLORADO -----	55	90	144	234	384	497	548	435	324	104	20	-
WHITE-----MALE----	27	49	78	105	210	269	289	200	136	36	4	-
FEMALE--	21	35	59	122	160	215	246	229	184	64	15	-
ALL OTHER--MALE----	5	3	4	4	8	10	7	3	2	3	-	-
FEMALE--	2	3	3	3	6	3	6	3	2	1	1	-
BLACK---MALE----	4	3	4	3	7	8	5	1	-	2	-	-
FEMALE--	2	3	3	-	6	1	5	3	2	1	1	-
CONNECTICUT -----	41	78	127	188	331	464	625	617	406	161	40	-
WHITE-----MALE----	22	37	59	81	163	234	285	244	121	42	10	-
FEMALE--	8	33	59	96	155	214	319	355	275	114	30	-
ALL OTHER--MALE----	5	2	5	8	9	10	13	9	2	3	-	-
FEMALE--	6	6	4	3	4	6	8	9	8	2	-	-
BLACK---MALE----	5	2	5	8	7	8	12	8	2	3	-	-
FEMALE--	6	5	4	3	3	5	6	9	7	2	-	-
DELAWARE -----	16	21	38	60	91	115	119	137	67	23	3	-
WHITE-----MALE----	5	7	14	31	41	43	51	51	25	4	1	-
FEMALE--	8	9	10	14	38	63	62	72	38	18	2	-
ALL OTHER--MALE----	3	4	9	11	7	5	4	6	1	-	-	-
FEMALE--	-	1	5	4	5	4	2	8	3	1	-	-
BLACK---MALE----	3	4	9	10	7	5	4	6	-	-	-	-
FEMALE--	-	1	5	4	5	4	2	7	3	1	-	-
DISTRICT OF COLUMBIA ---	7	9	15	31	42	70	57	52	45	16	9	-
WHITE-----MALE----	1	-	1	1	3	10	14	8	7	2	1	-
FEMALE--	-	-	1	2	5	13	7	13	12	4	1	-
ALL OTHER--MALE----	4	3	11	12	20	31	17	8	9	-	1	-
FEMALE--	2	6	2	16	14	16	19	23	17	10	6	-
BLACK---MALE----	4	3	11	12	20	30	17	8	8	-	1	-
FEMALE--	2	6	2	16	14	16	18	21	17	10	6	-
FLORIDA -----	226	407	648	1,089	1,950	2,585	2,852	2,561	1,470	495	83	1
WHITE-----MALE----	120	184	332	526	951	1,243	1,352	1,095	575	160	18	1
FEMALE--	69	164	240	464	858	1,210	1,385	1,379	843	310	58	-
ALL OTHER--MALE----	24	32	48	65	82	79	59	39	19	10	3	-
FEMALE--	13	27	28	34	59	53	56	48	33	15	4	-
BLACK---MALE----	23	32	46	62	75	75	54	39	17	10	3	-
FEMALE--	13	26	27	34	54	49	53	47	33	15	4	-
GEORGIA -----	160	243	372	548	850	1,046	1,087	875	562	184	40	-
WHITE-----MALE----	61	95	165	250	375	461	463	317	161	30	9	-
FEMALE--	52	90	114	179	358	463	500	431	307	116	23	-
ALL OTHER--MALE----	29	37	67	67	74	60	64	53	38	5	2	-
FEMALE--	18	21	26	52	43	62	60	74	56	33	6	-
BLACK---MALE----	28	36	64	66	71	59	62	51	38	5	2	-
FEMALE--	17	21	26	49	41	61	60	72	56	33	6	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2226

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
X. Diseases of the respiratory system (J00-J98)												
HAWAII -----	713	5	-	2	-	-	-	1	2	6	7	8
WHITE-----MALE----	112	-	-	-	-	-	-	1	-	2	1	2
FEMALE--	97	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	293	4	-	1	-	-	-	-	1	3	1	2
FEMALE--	211	1	-	1	-	-	-	-	1	1	4	3
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1,032	1	-	1	-	1	2	1	5	2	4	12
WHITE-----MALE----	538	-	-	1	-	-	1	1	4	1	2	7
FEMALE--	483	1	-	-	-	1	1	-	1	1	2	5
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	9,607	26	6	13	17	22	19	26	33	59	98	106
WHITE-----MALE----	4,015	4	2	5	4	6	6	6	9	23	32	41
FEMALE--	4,526	7	1	1	1	3	2	4	8	13	33	23
ALL OTHER--MALE----	540	3	2	6	5	7	8	8	10	15	20	24
FEMALE--	526	12	1	1	7	8	4	8	6	8	13	18
BLACK---MALE-----	495	3	2	6	5	5	7	8	10	15	20	24
FEMALE--	500	12	1	1	6	8	3	8	5	8	13	18
INDIANA -----	5,421	12	13	1	6	10	4	6	13	17	35	75
WHITE-----MALE----	2,503	5	3	-	1	3	1	4	2	4	16	38
FEMALE--	2,652	5	7	-	3	2	1	2	7	8	15	27
ALL OTHER--MALE----	141	-	3	-	2	3	1	-	2	4	1	5
FEMALE--	125	2	-	1	-	2	1	-	2	1	3	5
BLACK---MALE-----	135	-	3	-	2	3	1	-	1	4	1	5
FEMALE--	120	2	-	1	-	2	1	-	2	1	3	4
IOWA -----	3,032	4	3	2	3	3	6	6	6	9	13	17
WHITE-----MALE----	1,439	2	1	1	1	2	4	3	3	3	6	6
FEMALE--	1,554	1	1	1	-	1	1	3	3	6	7	10
ALL OTHER--MALE----	21	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	18	1	1	-	2	-	-	-	-	-	-	-
BLACK---MALE-----	18	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	16	1	1	-	2	-	-	-	-	-	-	-
KANSAS -----	2,641	5	2	-	3	3	5	4	1	7	16	18
WHITE-----MALE----	1,243	4	1	-	2	-	2	2	-	4	9	8
FEMALE--	1,296	1	-	-	1	2	2	1	-	3	5	7
ALL OTHER--MALE----	62	-	-	-	-	1	-	-	1	-	2	2
FEMALE--	40	-	1	-	-	-	1	1	-	-	-	1
BLACK---MALE-----	53	-	-	-	-	-	-	-	1	-	2	2
FEMALE--	33	-	-	-	-	-	1	1	-	-	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2226

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
X. Diseases of the respiratory system (J00-J98)												
HAWAII -----	18	20	23	45	69	136	136	119	76	30	10	-
WHITE-----MALE----	3	6	5	12	17	17	13	16	15	1	1	-
FEMALE--	5	4	4	7	9	20	16	13	11	4	2	-
ALL OTHER--MALE----	5	6	8	17	24	65	61	53	29	10	3	-
FEMALE--	5	4	6	9	19	34	46	37	21	15	4	-
BLACK---MALE----	1	-	-	-	-	-	1	2	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
IDAHO -----	16	26	46	88	132	174	177	177	124	32	11	-
WHITE-----MALE----	9	16	22	58	77	95	98	87	46	9	4	-
FEMALE--	5	9	23	26	55	77	78	90	78	23	7	-
ALL OTHER--MALE----	1	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	3	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
ILLINOIS -----	160	215	423	626	1,178	1,522	1,812	1,629	1,075	443	99	-
WHITE-----MALE----	69	101	201	279	567	741	769	657	365	107	21	-
FEMALE--	47	80	141	251	489	622	927	873	627	305	68	-
ALL OTHER--MALE----	18	19	49	51	71	85	59	41	29	10	3	-
FEMALE--	26	15	32	45	51	74	57	58	54	21	7	-
BLACK---MALE----	17	18	44	44	65	79	50	34	26	10	3	-
FEMALE--	26	15	31	44	48	69	54	51	53	20	6	-
INDIANA -----	95	169	255	458	694	957	990	823	536	199	53	-
WHITE-----MALE----	42	94	120	216	368	483	476	369	202	44	12	-
FEMALE--	41	63	119	217	294	432	488	426	309	149	37	-
ALL OTHER--MALE----	9	6	12	19	16	27	12	11	8	-	-	-
FEMALE--	3	6	4	6	16	15	14	17	17	6	4	-
BLACK---MALE----	9	6	11	19	16	25	12	10	7	-	-	-
FEMALE--	3	6	4	5	14	15	14	17	16	6	4	-
IOWA -----	34	70	105	194	320	452	610	583	351	178	63	-
WHITE-----MALE----	15	35	52	105	175	239	312	287	131	44	12	-
FEMALE--	18	35	48	86	139	208	292	294	216	133	51	-
ALL OTHER--MALE----	-	-	3	1	3	3	4	1	3	1	-	-
FEMALE--	1	-	2	2	3	2	2	1	1	-	-	-
BLACK---MALE----	-	-	2	1	3	3	3	1	2	1	-	-
FEMALE--	1	-	2	2	2	2	1	1	1	-	-	-
KANSAS -----	44	57	99	174	310	473	455	502	299	124	40	-
WHITE-----MALE----	18	37	49	88	159	237	212	251	107	45	8	-
FEMALE--	21	18	44	76	141	216	223	242	185	76	32	-
ALL OTHER--MALE----	2	2	5	5	7	13	13	6	2	1	-	-
FEMALE--	3	-	1	5	3	7	7	3	5	2	-	-
BLACK---MALE----	2	1	5	5	6	12	12	5	-	-	-	-
FEMALE--	3	-	-	4	2	6	6	2	5	2	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2227

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
X. Diseases of the respiratory system (J00-J98)												
KENTUCKY -----	4,114	9	3	3	4	5	6	4	14	12	37	41
WHITE-----MALE----	1,879	5	1	1	-	2	3	2	4	5	19	16
FEMALE--	2,046	-	1	2	2	2	2	2	9	6	15	20
ALL OTHER--MALE----	95	2	1	-	1	1	-	-	1	1	1	2
FEMALE--	94	2	-	-	1	-	1	-	-	-	2	3
BLACK---MALE-----	94	2	1	-	1	1	-	-	1	1	1	2
FEMALE--	91	2	-	-	1	-	1	-	-	-	2	3
LOUISIANA -----	3,354	23	5	3	4	6	12	9	14	28	38	51
WHITE-----MALE----	1,227	6	-	2	2	1	2	2	2	4	18	7
FEMALE--	1,384	-	1	-	-	-	4	3	4	9	9	14
ALL OTHER--MALE----	408	11	4	-	1	4	4	1	4	6	9	19
FEMALE--	335	6	-	1	1	1	2	3	4	9	2	11
BLACK---MALE-----	401	11	4	-	1	4	3	1	4	6	9	17
FEMALE--	326	6	-	1	1	-	2	2	4	9	2	11
MAINE -----	1,341	-	-	-	1	1	1	3	2	1	8	15
WHITE-----MALE----	611	-	-	-	-	-	-	2	-	1	2	8
FEMALE--	724	-	-	-	1	1	1	1	1	-	5	7
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3,879	10	6	5	9	4	6	9	20	32	33	55
WHITE-----MALE----	1,431	1	3	-	-	2	1	-	4	6	9	13
FEMALE--	1,732	1	2	-	4	-	1	2	5	7	4	12
ALL OTHER--MALE----	362	3	1	2	3	1	3	5	7	8	12	18
FEMALE--	354	5	-	3	2	1	1	2	4	11	8	12
BLACK---MALE-----	345	3	1	2	3	1	3	5	7	8	12	16
FEMALE--	332	5	-	2	2	1	1	2	3	11	8	12
MASSACHUSETTS -----	6,654	4	4	-	3	6	5	7	14	19	28	41
WHITE-----MALE----	2,825	2	2	-	2	3	3	3	8	9	16	18
FEMALE--	3,644	2	1	-	-	3	1	4	4	10	9	19
ALL OTHER--MALE----	92	-	1	-	1	-	-	-	1	-	2	2
FEMALE--	93	-	-	-	-	-	1	-	1	-	1	2
BLACK---MALE-----	74	-	1	-	1	-	-	-	1	-	2	1
FEMALE--	75	-	-	-	-	-	-	-	1	-	1	1
MICHIGAN -----	7,795	23	7	6	4	10	14	27	20	36	80	110
WHITE-----MALE----	3,300	9	-	1	1	4	4	9	6	8	24	33
FEMALE--	3,690	4	3	1	1	2	3	7	6	17	26	31
ALL OTHER--MALE----	424	4	3	1	2	4	3	8	5	6	15	28
FEMALE--	381	6	1	3	-	-	4	3	3	5	15	18
BLACK---MALE-----	385	4	3	1	2	4	2	8	3	6	13	27
FEMALE--	355	6	1	2	-	-	4	3	3	5	15	17

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2227

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
X. Diseases of the respiratory system (J00-J98)												
KENTUCKY -----	91	129	211	388	527	732	733	608	379	145	33	-
WHITE-----MALE----	45	60	107	204	264	359	347	267	128	35	5	-
FEMALE--	39	62	90	168	239	343	358	328	235	96	27	-
ALL OTHER--MALE----	4	2	5	13	13	19	12	4	7	5	1	-
FEMALE--	3	5	9	3	11	11	16	9	9	9	-	-
BLACK---MALE----	4	2	5	13	12	19	12	4	7	5	1	-
FEMALE--	3	5	9	3	11	10	16	9	8	8	-	-
LOUISIANA -----	62	131	154	263	456	510	593	494	348	118	32	-
WHITE-----MALE----	21	57	59	109	184	223	249	155	90	30	4	-
FEMALE--	13	44	51	97	188	214	237	246	178	58	14	-
ALL OTHER--MALE----	21	15	26	38	52	42	53	50	35	11	2	-
FEMALE--	7	15	18	19	32	31	54	43	45	19	12	-
BLACK---MALE----	21	14	26	38	51	42	52	50	35	10	2	-
FEMALE--	7	15	18	19	30	30	53	41	45	18	12	-
MAINE -----	15	30	63	109	167	204	252	244	146	64	15	-
WHITE-----MALE----	6	17	26	45	91	109	128	103	50	22	1	-
FEMALE--	9	13	36	64	75	95	123	140	96	42	14	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	65	125	150	279	459	671	745	615	401	151	29	-
WHITE-----MALE----	21	48	50	108	190	282	295	235	122	35	6	-
FEMALE--	13	44	65	99	167	291	346	316	238	96	19	-
ALL OTHER--MALE----	13	21	22	35	55	56	44	29	19	4	1	-
FEMALE--	18	12	13	37	47	42	60	35	22	16	3	-
BLACK---MALE----	12	21	20	33	54	54	39	27	19	4	1	-
FEMALE--	17	11	13	36	43	39	56	31	21	16	2	-
MASSACHUSETTS -----	85	133	192	387	730	1,071	1,333	1,209	887	390	106	-
WHITE-----MALE----	43	73	90	179	367	518	607	502	270	97	13	-
FEMALE--	38	53	91	189	346	526	695	686	595	284	88	-
ALL OTHER--MALE----	3	4	5	12	10	15	13	10	7	4	2	-
FEMALE--	1	3	6	7	7	12	18	11	15	5	3	-
BLACK---MALE----	3	3	4	8	8	10	11	9	6	4	2	-
FEMALE--	1	3	3	6	7	11	15	9	13	2	2	-
MICHIGAN -----	178	220	347	635	1,075	1,332	1,473	1,193	674	267	64	-
WHITE-----MALE----	65	98	165	289	472	612	631	530	241	86	12	-
FEMALE--	65	83	134	275	489	628	726	582	397	163	47	-
ALL OTHER--MALE----	27	21	27	41	61	58	55	32	14	7	2	-
FEMALE--	21	18	21	30	53	34	61	49	22	11	3	-
BLACK---MALE----	25	19	24	36	59	49	51	28	14	6	1	-
FEMALE--	20	16	20	30	45	31	59	45	20	10	3	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2228

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
X. Diseases of the respiratory system (J00-J98)												
MINNESOTA -----	3,343	7	1	3	2	2	8	1	4	13	17	22
WHITE-----MALE----	1,584	4	1	1	2	2	3	-	2	8	6	18
FEMALE--	1,673	-	-	2	-	-	3	1	1	3	7	2
ALL OTHER--MALE----	49	2	-	-	-	-	-	-	1	1	2	2
FEMALE--	37	1	-	-	-	-	2	-	-	1	2	-
BLACK---MALE----	22	1	-	-	-	-	-	-	1	1	2	1
FEMALE--	12	1	-	-	-	-	1	-	-	-	-	-
MISSISSIPPI -----	2,567	20	8	2	3	3	8	9	9	21	30	28
WHITE-----MALE----	988	4	2	-	1	2	5	4	4	8	5	7
FEMALE--	1,029	3	1	1	1	-	2	3	3	3	6	8
ALL OTHER--MALE----	282	5	3	-	-	-	-	2	1	3	10	9
FEMALE--	268	8	2	1	1	1	1	-	1	7	9	4
BLACK---MALE----	281	5	3	-	-	-	-	2	1	3	10	9
FEMALE--	262	8	2	1	1	1	1	-	1	7	9	4
MISSOURI -----	5,501	12	6	3	7	5	9	11	9	19	36	71
WHITE-----MALE----	2,429	4	2	1	1	2	8	3	3	7	13	33
FEMALE--	2,694	3	3	1	1	-	-	7	3	8	15	23
ALL OTHER--MALE----	194	4	1	-	3	1	-	1	3	1	5	8
FEMALE--	184	1	-	1	2	2	1	-	-	3	3	7
BLACK---MALE----	181	4	1	-	3	1	-	1	3	1	5	8
FEMALE--	173	1	-	1	2	2	1	-	-	3	3	6
MONTANA -----	859	2	2	-	-	-	1	-	2	2	5	6
WHITE-----MALE----	416	1	1	-	-	-	1	-	1	1	1	5
FEMALE--	402	1	1	-	-	-	-	-	1	-	3	1
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	15	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1,545	6	2	1	-	3	2	4	2	6	5	6
WHITE-----MALE----	770	2	-	1	-	2	1	3	2	5	3	-
FEMALE--	727	2	2	-	-	-	1	1	-	1	2	5
ALL OTHER--MALE----	27	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	21	1	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	20	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	17	1	-	-	-	-	-	-	-	-	-	1
NEVADA -----	1,541	9	4	-	2	2	1	2	7	3	14	27
WHITE-----MALE----	727	3	2	-	-	-	1	1	4	-	7	13
FEMALE--	712	2	2	-	1	2	-	-	2	2	4	8
ALL OTHER--MALE----	53	2	-	-	1	-	-	-	-	-	2	3
FEMALE--	49	2	-	-	-	-	-	1	1	1	1	3
BLACK---MALE----	29	-	-	-	1	-	-	-	-	-	1	2
FEMALE--	32	2	-	-	-	-	-	1	1	-	1	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2228

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
X. Diseases of the respiratory system (J00-J98)												
MINNESOTA -----	46	69	110	221	372	511	646	668	407	168	45	-
WHITE-----MALE----	28	29	53	113	205	269	323	311	147	54	5	-
FEMALE--	15	35	49	101	157	230	311	347	257	112	40	-
ALL OTHER--MALE----	1	2	5	4	5	5	9	8	1	1	-	-
FEMALE--	2	3	3	3	5	7	3	2	2	1	-	-
BLACK---MALE----	-	1	1	1	2	1	5	4	-	1	-	-
FEMALE--	-	-	-	2	4	3	-	-	1	-	-	-
MISSISSIPPI -----	52	80	133	224	327	405	428	402	256	99	20	-
WHITE-----MALE----	16	28	57	106	146	174	176	156	62	22	3	-
FEMALE--	15	34	50	74	115	160	170	184	138	49	9	-
ALL OTHER--MALE----	13	11	12	24	41	40	43	28	21	15	1	-
FEMALE--	8	7	14	20	25	31	39	34	35	13	7	-
BLACK---MALE----	13	11	12	23	41	40	43	28	21	15	1	-
FEMALE--	8	7	14	19	25	30	37	33	35	13	6	-
MISSOURI -----	87	150	278	392	669	896	1,022	952	584	237	45	1
WHITE-----MALE----	33	62	123	205	323	450	500	403	171	75	7	-
FEMALE--	42	57	125	159	296	410	471	502	384	151	33	-
ALL OTHER--MALE----	7	18	14	15	25	18	27	21	14	6	1	1
FEMALE--	5	13	16	13	25	18	24	26	15	5	4	-
BLACK---MALE----	6	17	13	14	21	17	27	20	14	4	-	1
FEMALE--	5	13	15	12	22	17	23	24	14	5	4	-
MONTANA -----	11	16	34	71	120	156	169	147	87	22	6	-
WHITE-----MALE----	5	5	12	37	70	73	88	70	38	6	1	-
FEMALE--	6	9	16	27	45	79	78	71	43	16	5	-
ALL OTHER--MALE----	-	2	5	6	2	2	3	4	1	-	-	-
FEMALE--	-	-	1	1	3	2	-	2	5	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	23	39	62	123	185	238	299	263	163	98	15	-
WHITE-----MALE----	10	20	34	68	101	141	153	124	65	31	4	-
FEMALE--	10	16	24	48	79	89	138	136	98	65	10	-
ALL OTHER--MALE----	2	-	4	3	3	4	7	1	-	1	-	-
FEMALE--	1	3	-	4	2	4	1	2	-	1	1	-
BLACK---MALE----	-	-	3	3	3	3	4	1	-	1	-	-
FEMALE--	1	2	-	2	2	3	1	2	-	1	1	-
NEVADA -----	35	40	103	152	251	304	253	218	83	27	4	-
WHITE-----MALE----	16	21	54	73	124	158	111	107	27	5	-	-
FEMALE--	15	17	39	70	113	129	131	103	50	19	3	-
ALL OTHER--MALE----	2	2	6	6	9	8	5	4	2	1	-	-
FEMALE--	2	-	4	3	5	9	6	4	4	2	1	-
BLACK---MALE----	-	2	4	5	6	1	4	1	1	1	-	-
FEMALE--	2	-	4	1	1	4	5	1	4	2	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2230

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
X. Diseases of the respiratory system (J00-J98)												
OHIO -----	10,453	32	6	4	5	7	16	13	30	35	80	115
WHITE-----MALE----	4,540	12	-	3	1	3	8	6	11	18	32	56
FEMALE--	5,129	6	3	-	2	3	6	4	11	11	33	37
ALL OTHER--MALE----	382	7	-	1	1	-	2	3	3	2	7	10
FEMALE--	402	7	3	-	1	1	-	-	5	4	8	12
BLACK---MALE----	369	7	-	1	1	-	2	3	3	2	7	8
FEMALE--	388	7	3	-	1	1	-	-	5	4	8	11
OKLAHOMA -----	3,476	5	3	4	3	1	10	8	9	17	17	48
WHITE-----MALE----	1,584	1	3	3	1	-	4	2	3	5	7	15
FEMALE--	1,640	1	-	1	2	1	4	-	5	6	6	23
ALL OTHER--MALE----	135	3	-	-	-	-	1	4	1	4	1	5
FEMALE--	117	-	-	-	-	-	1	2	-	2	3	5
BLACK---MALE----	71	3	-	-	-	-	1	1	-	3	-	-
FEMALE--	62	-	-	-	-	-	1	2	-	-	-	2
OREGON -----	2,764	3	5	2	-	3	2	-	5	5	9	23
WHITE-----MALE----	1,290	1	2	2	-	2	2	-	2	2	4	11
FEMALE--	1,403	1	3	-	-	1	-	-	2	1	4	12
ALL OTHER--MALE----	36	1	-	-	-	-	-	-	-	1	1	-
FEMALE--	35	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	17	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
PENNSYLVANIA -----	12,368	39	9	6	6	7	14	13	22	38	87	130
WHITE-----MALE----	5,461	14	3	1	3	4	6	3	11	13	36	52
FEMALE--	6,013	11	3	3	1	2	6	5	5	10	26	40
ALL OTHER--MALE----	436	10	1	-	-	-	1	3	6	9	11	16
FEMALE--	458	4	2	2	2	1	1	2	-	6	14	22
BLACK---MALE----	421	10	1	-	-	-	1	3	6	7	11	16
FEMALE--	439	4	2	2	2	1	1	2	-	6	14	22
RHODE ISLAND -----	1,018	3	1	1	2	1	1	2	-	3	3	9
WHITE-----MALE----	437	1	-	-	1	-	-	1	-	1	2	4
FEMALE--	555	2	1	1	-	-	1	-	-	2	1	4
ALL OTHER--MALE----	18	-	-	-	1	-	-	1	-	-	-	1
FEMALE--	8	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	15	-	-	-	1	-	-	1	-	-	-	1
FEMALE--	7	-	-	-	-	1	-	-	-	-	-	-
SOUTH CAROLINA -----	3,127	10	3	3	-	9	3	6	10	21	30	50
WHITE-----MALE----	1,257	-	1	1	-	2	1	2	2	6	11	11
FEMALE--	1,281	2	1	-	-	3	1	2	4	5	8	17
ALL OTHER--MALE----	325	2	1	1	-	3	1	2	4	6	7	12
FEMALE--	264	6	-	1	-	1	-	-	-	4	4	10
BLACK---MALE----	320	2	1	1	-	2	1	2	4	6	7	12
FEMALE--	262	6	-	1	-	1	-	-	-	4	4	10

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2230

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
X. Diseases of the respiratory system (J00-J98)												
OHIO -----	202	309	455	763	1,409	1,861	1,980	1,660	1,009	379	83	-
WHITE-----MALE----	89	141	212	366	702	858	895	644	354	102	27	-
FEMALE--	89	128	195	324	604	869	980	925	597	253	49	-
ALL OTHER--MALE----	10	18	17	40	61	78	54	34	21	11	2	-
FEMALE--	14	22	31	33	42	56	51	57	37	13	5	-
BLACK---MALE----	9	18	17	39	60	77	53	32	17	11	2	-
FEMALE--	14	21	30	33	41	55	48	55	36	10	5	-
OKLAHOMA -----	74	134	203	290	493	590	592	506	333	110	26	-
WHITE-----MALE----	33	56	98	150	263	289	295	209	106	33	8	-
FEMALE--	32	63	87	119	202	273	266	263	198	70	18	-
ALL OTHER--MALE----	7	5	11	10	17	16	21	16	9	4	-	-
FEMALE--	2	10	7	11	11	12	10	18	20	3	-	-
BLACK---MALE----	4	4	5	4	12	8	11	7	5	3	-	-
FEMALE--	2	2	4	7	7	8	5	8	12	2	-	-
OREGON -----	39	76	116	218	356	526	558	440	243	103	32	-
WHITE-----MALE----	18	31	55	94	177	264	289	209	91	26	8	-
FEMALE--	17	38	57	113	169	253	259	228	147	76	22	-
ALL OTHER--MALE----	1	5	3	6	6	4	3	2	2	-	1	-
FEMALE--	3	2	1	5	4	5	7	1	3	1	1	-
BLACK---MALE----	1	4	-	3	1	2	1	2	1	-	-	-
FEMALE--	2	1	-	-	-	1	1	-	1	1	1	-
PENNSYLVANIA -----	189	296	445	738	1,447	2,214	2,478	2,268	1,319	506	97	-
WHITE-----MALE----	86	141	217	359	736	1,064	1,138	943	468	145	18	-
FEMALE--	71	104	185	306	598	1,006	1,234	1,217	787	324	69	-
ALL OTHER--MALE----	17	33	19	45	64	79	42	42	23	11	4	-
FEMALE--	15	18	24	28	49	65	64	66	41	26	6	-
BLACK---MALE----	15	32	19	43	62	76	41	41	22	11	4	-
FEMALE--	15	18	22	28	46	64	61	61	38	24	6	-
RHODE ISLAND -----	10	22	22	54	103	173	220	209	115	44	20	-
WHITE-----MALE----	3	7	8	22	47	90	98	95	46	11	-	-
FEMALE--	6	12	13	30	55	81	121	108	67	31	19	-
ALL OTHER--MALE----	1	2	1	1	1	2	-	4	2	1	-	-
FEMALE--	-	1	-	1	-	-	1	2	-	1	1	-
BLACK---MALE----	1	2	1	-	1	2	-	2	2	1	-	-
FEMALE--	-	-	-	1	-	-	1	2	-	1	1	-
SOUTH CAROLINA -----	79	138	166	296	423	550	573	419	240	77	18	3
WHITE-----MALE----	28	60	83	137	189	254	242	149	64	11	3	-
FEMALE--	26	42	55	102	170	219	226	193	138	56	11	-
ALL OTHER--MALE----	14	22	19	32	38	44	55	42	14	5	-	1
FEMALE--	11	14	9	25	26	33	50	35	24	5	4	2
BLACK---MALE----	13	22	18	32	38	43	54	42	14	5	-	1
FEMALE--	11	14	9	24	25	33	50	35	24	5	4	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2231

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
X. Diseases of the respiratory system (J00-J98)												
SOUTH DAKOTA -----	715	2	1	2	-	-	2	-	1	2	3	7
WHITE-----MALE----	353	1	-	-	-	-	-	-	-	-	1	2
FEMALE--	325	-	1	1	-	-	1	-	-	2	2	5
ALL OTHER--MALE----	22	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	15	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5,506	21	8	3	2	9	11	12	11	25	45	69
WHITE-----MALE----	2,397	10	3	-	2	2	4	4	4	14	16	31
FEMALE--	2,598	6	4	3	-	2	-	4	6	7	17	24
ALL OTHER--MALE----	262	2	1	-	-	3	4	2	-	3	10	11
FEMALE--	249	3	-	-	-	2	3	2	1	1	2	3
BLACK---MALE----	257	2	1	-	-	3	4	2	-	3	10	11
FEMALE--	243	3	-	-	-	2	3	2	1	1	2	3
TEXAS -----	13,712	52	26	11	13	12	26	24	42	76	137	174
WHITE-----MALE----	5,920	25	7	6	4	6	10	11	14	28	55	77
FEMALE--	6,586	15	12	4	7	2	10	11	18	30	47	56
ALL OTHER--MALE----	643	6	6	-	2	1	3	2	5	10	22	22
FEMALE--	563	6	1	1	-	3	3	-	5	8	13	19
BLACK---MALE----	592	5	6	-	2	-	2	2	5	9	22	21
FEMALE--	527	6	1	1	-	1	3	-	5	8	11	19
UTAH -----	1,139	5	2	-	-	3	2	2	6	7	10	20
WHITE-----MALE----	576	2	2	-	-	1	-	-	2	4	3	5
FEMALE--	542	3	-	-	-	2	2	1	4	3	7	14
ALL OTHER--MALE----	14	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	530	-	1	-	1	-	1	-	-	2	2	3
WHITE-----MALE----	239	-	-	-	-	-	1	-	-	1	1	2
FEMALE--	291	-	1	-	1	-	-	-	-	1	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	5,598	16	8	3	4	5	7	6	18	28	49	69
WHITE-----MALE----	2,162	6	-	1	-	1	2	2	1	6	16	24
FEMALE--	2,606	4	5	1	2	-	1	2	6	11	13	20
ALL OTHER--MALE----	434	5	2	1	1	2	3	2	7	5	11	16
FEMALE--	396	1	1	-	1	2	1	-	4	6	9	9
BLACK---MALE----	402	5	2	1	1	2	3	2	7	5	11	15
FEMALE--	375	1	1	-	1	2	1	-	4	6	8	8

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2231

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
X. Diseases of the respiratory system (J00-J98)												
SOUTH DAKOTA -----	9	11	24	50	77	107	140	131	82	49	15	-
WHITE-----MALE----	4	7	11	27	37	64	73	71	36	15	4	-
FEMALE--	2	3	11	19	38	34	61	56	44	34	11	-
ALL OTHER--MALE----	3	1	1	1	2	5	4	2	1	-	-	-
FEMALE--	-	-	1	3	-	4	2	2	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	110	199	313	483	713	933	962	828	499	210	40	-
WHITE-----MALE----	47	86	142	225	361	462	460	327	142	48	7	-
FEMALE--	43	83	132	214	293	397	437	448	312	141	25	-
ALL OTHER--MALE----	11	16	13	28	29	36	37	31	20	4	1	-
FEMALE--	9	14	26	16	30	38	28	22	25	17	7	-
BLACK---MALE-----	11	15	13	28	29	35	36	29	20	4	1	-
FEMALE--	9	13	24	16	29	36	28	22	25	17	7	-
TEXAS -----	268	434	671	1,159	1,785	2,293	2,354	2,229	1,354	467	105	-
WHITE-----MALE----	112	211	316	549	825	1,109	1,071	889	450	127	18	-
FEMALE--	101	172	273	481	802	1,040	1,103	1,203	811	312	76	-
ALL OTHER--MALE----	34	32	49	68	93	85	84	61	43	11	4	-
FEMALE--	21	19	33	61	65	59	96	76	50	17	7	-
BLACK---MALE-----	32	28	46	64	86	79	75	55	38	11	4	-
FEMALE--	21	17	32	57	62	56	88	69	46	17	7	-
UTAH -----	18	28	52	84	132	169	222	206	136	28	6	1
WHITE-----MALE----	7	14	24	47	67	100	121	105	59	11	1	1
FEMALE--	10	12	27	36	61	68	98	98	74	17	5	-
ALL OTHER--MALE----	-	-	1	1	3	1	3	1	2	-	-	-
FEMALE--	1	2	-	-	1	-	-	2	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
VERMONT -----	7	10	25	38	66	95	102	84	65	26	2	-
WHITE-----MALE----	2	4	15	18	36	48	47	32	25	7	-	-
FEMALE--	5	6	10	20	30	47	55	52	40	19	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	91	174	266	494	699	976	1,036	863	540	198	48	-
WHITE-----MALE----	37	78	107	198	304	422	422	310	153	62	10	-
FEMALE--	37	58	112	219	281	425	477	455	325	121	31	-
ALL OTHER--MALE----	12	20	14	55	54	73	79	40	27	2	3	-
FEMALE--	5	18	33	22	60	56	58	58	35	13	4	-
BLACK---MALE-----	12	16	13	51	49	66	72	38	26	2	3	-
FEMALE--	5	17	32	22	58	51	54	56	32	12	4	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2232

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
X. Diseases of the respiratory system (J00-J98)												
WASHINGTON -----	77	96	177	323	558	795	894	795	473	180	48	-
WHITE-----MALE----	35	54	90	152	283	375	428	359	173	50	6	-
FEMALE--	35	36	77	152	250	385	439	406	287	129	39	-
ALL OTHER--MALE----	4	4	6	11	13	18	10	15	9	-	2	-
FEMALE--	3	2	4	8	12	17	17	15	4	1	1	-
BLACK---MALE-----	3	2	3	7	5	6	2	5	2	-	1	-
FEMALE--	3	-	-	2	2	6	3	3	2	1	-	-
WEST VIRGINIA -----	38	77	110	193	304	435	422	391	197	71	9	-
WHITE-----MALE----	16	42	52	102	167	219	198	176	75	26	2	-
FEMALE--	22	35	56	89	133	210	216	207	118	42	7	-
ALL OTHER--MALE----	-	-	-	1	1	4	3	5	1	2	-	-
FEMALE--	-	-	2	1	3	2	5	3	3	1	-	-
BLACK---MALE-----	-	-	-	1	1	4	3	5	1	2	-	-
FEMALE--	-	-	1	1	3	2	5	3	3	1	-	-
WISCONSIN -----	50	89	147	289	567	717	799	787	516	208	68	-
WHITE-----MALE----	25	49	63	142	293	366	417	356	179	62	16	-
FEMALE--	20	32	71	133	252	330	367	420	326	143	52	-
ALL OTHER--MALE----	3	4	7	8	12	10	5	5	5	2	-	-
FEMALE--	2	4	6	6	10	11	10	6	6	1	-	-
BLACK---MALE-----	3	4	5	7	10	8	4	5	4	2	-	-
FEMALE--	2	4	5	2	9	10	8	5	6	1	-	-
WYOMING -----	11	12	16	40	59	84	101	65	46	17	4	-
WHITE-----MALE----	6	8	10	23	27	46	60	26	20	7	-	-
FEMALE--	4	4	6	17	29	38	38	39	26	10	4	-
ALL OTHER--MALE----	1	-	-	-	3	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2233

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute upper respiratory infections (J00-J06)												
UNITED STATES -	205	6	7	3	1	3	6	6	6	3	8	6
WHITE-----MALE----	66	5	1	-	-	-	1	4	5	1	6	2
FEMALE--	114	-	5	1	-	3	2	-	1	1	2	2
ALL OTHER--MALE----	13	-	1	1	-	-	2	1	-	1	-	-
FEMALE--	12	1	-	1	1	-	1	1	-	-	-	2
BLACK---MALE-----	10	-	1	1	-	-	2	1	-	-	-	-
FEMALE--	7	1	-	-	1	-	1	1	-	-	-	2
ALABAMA -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	9	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	21	-	2	1	-	1	1	-	1	1	1	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	11	-	1	-	-	1	-	-	-	1	1	-
ALL OTHER--MALE----	3	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	2	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2234

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute upper respiratory infections (J00-J06)												
COLORADO -----	4	-	-	-	-	-	-	1	-	1	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	12	1	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	8	-	-	-	1	-	-	1	-	-	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2242

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute pharyngitis and tonsillitis (J02-J03)												
UNITED STATES -	25	-	2	-	-	-	2	1	1	1	4	-
WHITE-----MALE----	11	-	1	-	-	-	-	1	1	1	2	-
FEMALE--	11	-	-	-	-	-	1	-	-	-	2	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
ALABAMA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	6	-	1	-	-	-	1	-	1	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2261

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified acute upper respiratory infections (J00-J01,J05-J06)												
COLORADO -----	3	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	9	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	7	-	-	-	1	-	-	-	-	-	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2269

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of the respiratory system (J10-J98)												
UNITED STATES -	230,874	645	256	139	177	224	319	388	586	1,013	1,789	2,648
WHITE-----MALE----	99,406	225	80	55	55	81	130	130	205	365	718	1,073
FEMALE--	110,172	164	91	37	53	57	85	124	194	330	565	865
ALL OTHER--MALE----	11,231	139	54	25	42	54	54	84	111	168	271	393
FEMALE--	10,065	117	31	22	27	32	50	50	76	150	235	317
BLACK---MALE----	9,118	123	49	24	37	49	48	74	100	148	244	354
FEMALE--	8,445	108	27	16	24	29	45	42	67	134	204	284
ALABAMA -----	4,075	5	4	2	1	5	4	8	9	20	38	58
WHITE-----MALE----	1,676	3	1	2	-	1	2	1	3	7	12	20
FEMALE--	1,794	1	-	-	1	1	1	2	2	4	12	20
ALL OTHER--MALE----	326	1	1	-	-	3	-	4	2	7	6	8
FEMALE--	279	-	2	-	-	-	1	1	2	2	8	10
BLACK---MALE----	325	1	1	-	-	3	-	4	2	7	6	8
FEMALE--	275	-	2	-	-	-	1	1	2	2	8	9
ALASKA -----	211	2	2	-	-	2	-	2	-	2	8	4
WHITE-----MALE----	75	-	-	-	-	-	-	-	-	-	5	1
FEMALE--	71	1	-	-	-	-	-	2	-	1	-	1
ALL OTHER--MALE----	38	-	2	-	-	2	-	-	-	-	2	-
FEMALE--	27	1	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4,390	38	11	2	3	1	7	12	11	14	44	39
WHITE-----MALE----	2,101	19	3	1	1	1	3	2	7	6	23	14
FEMALE--	2,087	16	6	1	2	-	1	7	3	3	10	16
ALL OTHER--MALE----	110	3	2	-	-	-	1	1	-	4	8	4
FEMALE--	92	-	-	-	-	-	2	2	1	1	3	5
BLACK---MALE----	39	2	2	-	-	-	1	-	-	-	3	2
FEMALE--	24	-	-	-	-	-	1	-	-	-	1	-
ARKANSAS -----	2,766	5	5	2	1	4	4	5	4	9	30	34
WHITE-----MALE----	1,256	4	1	-	-	3	2	2	4	3	14	13
FEMALE--	1,275	1	3	-	-	1	1	1	-	4	10	10
ALL OTHER--MALE----	119	-	-	2	1	-	-	1	-	1	3	7
FEMALE--	116	-	1	-	-	-	1	1	-	1	3	4
BLACK---MALE----	115	-	-	2	1	-	-	1	-	1	3	7
FEMALE--	109	-	1	-	-	-	1	1	-	1	3	4
CALIFORNIA -----	23,975	67	26	13	25	13	15	43	47	99	172	278
WHITE-----MALE----	9,806	26	8	5	7	5	6	16	20	38	69	122
FEMALE--	11,489	25	9	4	9	5	7	18	16	30	51	99
ALL OTHER--MALE----	1,467	10	6	3	6	2	1	7	8	18	21	32
FEMALE--	1,213	6	3	1	3	1	1	2	3	13	31	25
BLACK---MALE----	633	6	4	3	3	2	1	5	6	14	17	19
FEMALE--	605	4	1	-	2	1	1	1	1	7	21	17

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2269

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of the respiratory system (J10-J98)												
UNITED STATES -	4,084	6,508	10,180	17,286	28,707	39,239	43,238	38,326	23,896	9,130	2,088	8
WHITE-----MALE----	1,725	2,957	4,699	8,114	13,878	18,590	19,704	15,735	8,019	2,465	400	3
FEMALE--	1,516	2,549	4,147	7,217	12,226	17,654	20,544	20,114	14,212	5,968	1,460	-
ALL OTHER--MALE----	481	570	749	1,152	1,510	1,700	1,538	1,158	685	232	58	3
FEMALE--	362	432	585	803	1,093	1,295	1,452	1,319	980	465	170	2
BLACK---MALE----	419	498	647	977	1,254	1,343	1,162	837	504	183	42	2
FEMALE--	336	383	514	680	909	1,063	1,184	1,056	810	383	145	2
ALABAMA -----	82	155	214	366	571	673	705	588	386	148	33	-
WHITE-----MALE----	27	67	105	166	280	303	322	205	109	37	3	-
FEMALE--	35	54	84	151	203	287	298	319	222	84	13	-
ALL OTHER--MALE----	12	21	13	32	63	48	40	30	22	9	4	-
FEMALE--	8	13	12	17	25	35	45	34	33	18	13	-
BLACK---MALE----	12	21	13	32	62	48	40	30	22	9	4	-
FEMALE--	8	13	12	17	24	35	44	34	33	17	13	-
ALASKA -----	5	8	10	24	30	44	40	18	8	1	1	-
WHITE-----MALE----	-	4	3	9	9	14	16	10	3	-	1	-
FEMALE--	3	2	3	7	13	15	16	3	3	1	-	-
ALL OTHER--MALE----	1	2	3	5	5	7	6	3	-	-	-	-
FEMALE--	1	-	1	3	3	8	2	2	2	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ARIZONA -----	72	140	203	368	575	789	852	649	393	137	30	-
WHITE-----MALE----	35	81	110	191	312	396	407	303	140	39	7	-
FEMALE--	30	49	82	154	241	371	424	323	235	92	21	-
ALL OTHER--MALE----	2	6	9	10	12	13	13	10	9	3	-	-
FEMALE--	5	4	2	13	10	9	8	13	9	3	2	-
BLACK---MALE----	-	2	4	2	6	3	5	3	4	-	-	-
FEMALE--	2	3	-	4	4	1	-	5	2	1	-	-
ARKANSAS -----	58	95	141	241	346	482	482	434	268	94	22	-
WHITE-----MALE----	22	45	65	135	171	254	229	174	89	23	3	-
FEMALE--	22	44	61	88	158	195	216	229	152	61	18	-
ALL OTHER--MALE----	7	4	9	13	10	18	17	13	9	4	-	-
FEMALE--	7	2	6	5	7	15	20	18	18	6	1	-
BLACK---MALE----	7	4	8	13	10	18	17	11	8	4	-	-
FEMALE--	7	2	6	5	6	14	18	16	17	6	1	-
CALIFORNIA -----	406	597	955	1,583	2,723	4,198	4,635	4,120	2,670	1,068	220	2
WHITE-----MALE----	170	251	432	699	1,272	1,838	2,010	1,599	895	273	44	1
FEMALE--	143	244	395	663	1,128	1,954	2,195	2,123	1,542	684	145	-
ALL OTHER--MALE----	55	64	71	138	196	227	234	213	105	41	8	1
FEMALE--	38	38	57	83	127	179	196	185	128	70	23	-
BLACK---MALE----	33	37	48	79	90	97	69	53	27	17	3	-
FEMALE--	32	27	38	43	58	94	86	81	48	31	11	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2270

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of the respiratory system (J10-J98)												
COLORADO -----	2,945	7	3	2	2	1	3	4	10	22	23	35
WHITE-----MALE----	1,453	2	-	2	1	1	1	-	7	11	9	17
FEMALE--	1,395	3	3	-	1	-	1	3	2	9	9	15
ALL OTHER--MALE----	61	2	-	-	-	-	1	1	1	2	4	1
FEMALE--	36	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	49	2	-	-	-	-	1	1	1	2	4	1
FEMALE--	30	-	-	-	-	-	-	-	-	-	1	2
CONNECTICUT -----	3,155	1	1	2	1	2	3	4	11	12	17	27
WHITE-----MALE----	1,334	-	1	-	-	-	1	2	4	7	8	15
FEMALE--	1,683	-	-	2	1	1	2	-	4	4	5	8
ALL OTHER--MALE----	78	1	-	-	-	1	-	1	2	-	3	4
FEMALE--	60	-	-	-	-	-	-	1	1	1	1	-
BLACK---MALE----	72	1	-	-	-	1	-	1	2	-	3	4
FEMALE--	53	-	-	-	-	-	-	-	1	1	1	-
DELAWARE -----	723	1	1	1	1	1	2	1	1	7	8	9
WHITE-----MALE----	286	1	1	-	1	-	-	-	-	4	4	2
FEMALE--	342	-	-	-	-	-	-	-	-	2	2	4
ALL OTHER--MALE----	59	-	-	1	-	1	2	1	1	1	-	2
FEMALE--	36	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE----	57	-	-	1	-	1	2	1	1	1	-	2
FEMALE--	35	-	-	-	-	-	-	-	-	-	2	1
DISTRICT OF COLUMBIA ---	364	2	-	-	-	-	-	-	-	3	1	5
WHITE-----MALE----	48	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	58	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	124	2	-	-	-	-	-	-	-	2	1	3
FEMALE--	134	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	122	2	-	-	-	-	-	-	-	2	1	3
FEMALE--	131	-	-	-	-	-	-	-	-	1	-	2
FLORIDA -----	14,789	38	11	5	9	8	13	15	26	48	86	173
WHITE-----MALE----	6,737	10	4	2	5	-	4	5	11	19	40	83
FEMALE--	7,095	9	-	2	-	6	5	2	5	16	23	54
ALL OTHER--MALE----	528	13	4	-	4	2	3	4	8	6	10	14
FEMALE--	429	6	3	1	-	-	1	4	2	7	13	22
BLACK---MALE----	503	13	4	-	4	2	3	4	8	6	9	14
FEMALE--	412	6	3	1	-	-	1	4	2	7	12	21
GEORGIA -----	6,292	22	6	2	5	7	10	15	26	46	88	103
WHITE-----MALE----	2,483	4	3	1	3	2	2	6	7	11	33	25
FEMALE--	2,707	4	1	-	1	2	2	-	3	9	23	32
ALL OTHER--MALE----	570	7	1	1	1	1	2	4	8	7	16	27
FEMALE--	532	7	1	-	-	2	4	5	8	19	16	19
BLACK---MALE----	555	7	1	1	1	1	2	4	7	7	16	27
FEMALE--	522	7	1	-	-	2	3	5	8	19	16	19

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2270

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of the respiratory system (J10-J98)												
COLORADO -----	55	90	144	234	384	497	548	434	323	104	20	-
WHITE-----MALE----	27	49	78	105	210	269	289	199	136	36	4	-
FEMALE--	21	35	59	122	160	215	246	229	183	64	15	-
ALL OTHER--MALE----	5	3	4	4	8	10	7	3	2	3	-	-
FEMALE--	2	3	3	3	6	3	6	3	2	1	1	-
BLACK---MALE----	4	3	4	3	7	8	5	1	-	2	-	-
FEMALE--	2	3	3	-	6	1	5	3	2	1	1	-
CONNECTICUT -----	41	78	127	188	331	463	624	616	406	161	39	-
WHITE-----MALE----	22	37	59	81	163	233	285	243	121	42	10	-
FEMALE--	8	33	59	96	155	214	318	355	275	114	29	-
ALL OTHER--MALE----	5	2	5	8	9	10	13	9	2	3	-	-
FEMALE--	6	6	4	3	4	6	8	9	8	2	-	-
BLACK---MALE----	5	2	5	8	7	8	12	8	2	3	-	-
FEMALE--	6	5	4	3	3	5	6	9	7	2	-	-
DELAWARE -----	16	21	38	60	91	115	119	137	67	23	3	-
WHITE-----MALE----	5	7	14	31	41	43	51	51	25	4	1	-
FEMALE--	8	9	10	14	38	63	62	72	38	18	2	-
ALL OTHER--MALE----	3	4	9	11	7	5	4	6	1	-	-	-
FEMALE--	-	1	5	4	5	4	2	8	3	1	-	-
BLACK---MALE----	3	4	9	10	7	5	4	6	-	-	-	-
FEMALE--	-	1	5	4	5	4	2	7	3	1	-	-
DISTRICT OF COLUMBIA ---	7	9	15	31	42	70	57	52	45	16	9	-
WHITE-----MALE----	1	-	1	1	3	10	14	8	7	2	1	-
FEMALE--	-	-	1	2	5	13	7	13	12	4	1	-
ALL OTHER--MALE----	4	3	11	12	20	31	17	8	9	-	1	-
FEMALE--	2	6	2	16	14	16	19	23	17	10	6	-
BLACK---MALE----	4	3	11	12	20	30	17	8	8	-	1	-
FEMALE--	2	6	2	16	14	16	18	21	17	10	6	-
FLORIDA -----	226	406	647	1,089	1,950	2,583	2,852	2,556	1,469	495	83	1
WHITE-----MALE----	120	183	331	526	951	1,242	1,352	1,095	575	160	18	1
FEMALE--	69	164	240	464	858	1,209	1,385	1,374	842	310	58	-
ALL OTHER--MALE----	24	32	48	65	82	79	59	39	19	10	3	-
FEMALE--	13	27	28	34	59	53	56	48	33	15	4	-
BLACK---MALE----	23	32	46	62	75	75	54	39	17	10	3	-
FEMALE--	13	26	27	34	54	49	53	47	33	15	4	-
GEORGIA -----	160	242	372	547	850	1,046	1,085	874	562	184	40	-
WHITE-----MALE----	61	95	165	250	375	461	463	316	161	30	9	-
FEMALE--	52	89	114	179	358	463	498	431	307	116	23	-
ALL OTHER--MALE----	29	37	67	66	74	60	64	53	38	5	2	-
FEMALE--	18	21	26	52	43	62	60	74	56	33	6	-
BLACK---MALE----	28	36	64	65	71	59	62	51	38	5	2	-
FEMALE--	17	21	26	49	41	61	60	72	56	33	6	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2271

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of the respiratory system (J10-J98)												
HAWAII -----	712	5	-	2	-	-	-	1	2	6	7	8
WHITE-----MALE----	112	-	-	-	-	-	-	1	-	2	1	2
FEMALE--	97	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	293	4	-	1	-	-	-	-	1	3	1	2
FEMALE--	210	1	-	1	-	-	-	-	1	1	4	3
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1,031	1	-	1	-	1	2	1	5	2	4	12
WHITE-----MALE----	538	-	-	1	-	-	1	1	4	1	2	7
FEMALE--	482	1	-	-	-	1	1	-	1	1	2	5
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	9,600	26	5	13	17	22	18	26	33	59	98	105
WHITE-----MALE----	4,010	4	2	5	4	6	6	6	9	23	32	40
FEMALE--	4,525	7	-	1	1	3	2	4	8	13	33	23
ALL OTHER--MALE----	539	3	2	6	5	5	6	8	10	15	20	24
FEMALE--	526	12	1	1	7	8	4	8	6	8	13	18
BLACK---MALE-----	494	3	2	6	5	5	6	8	10	15	20	24
FEMALE--	500	12	1	1	6	8	3	8	5	8	13	18
INDIANA -----	5,417	11	13	1	6	10	4	6	13	17	35	75
WHITE-----MALE----	2,501	4	3	-	1	3	1	4	2	4	16	38
FEMALE--	2,650	5	7	-	3	2	1	2	7	8	15	27
ALL OTHER--MALE----	141	-	3	-	2	3	1	-	2	4	1	5
FEMALE--	125	2	-	1	-	2	1	-	2	1	3	5
BLACK---MALE-----	135	-	3	-	2	3	1	-	1	4	1	5
FEMALE--	120	2	-	1	-	2	1	-	2	1	3	4
IOWA -----	3,028	4	3	2	3	3	6	6	6	9	13	17
WHITE-----MALE----	1,439	2	1	1	1	2	4	3	3	3	6	6
FEMALE--	1,550	1	1	1	-	1	1	3	3	6	7	10
ALL OTHER--MALE----	21	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	18	1	1	-	2	-	-	-	-	-	-	-
BLACK---MALE-----	18	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	16	1	1	-	2	-	-	-	-	-	-	-
KANSAS -----	2,638	5	2	-	3	3	5	4	1	7	16	18
WHITE-----MALE----	1,241	4	1	-	2	-	2	2	-	4	9	8
FEMALE--	1,295	1	-	-	1	2	2	1	-	3	5	7
ALL OTHER--MALE----	62	-	-	-	-	1	-	-	1	-	2	2
FEMALE--	40	-	1	-	-	-	1	1	-	-	-	1
BLACK---MALE-----	53	-	-	-	-	-	-	-	1	-	2	2
FEMALE--	33	-	-	-	-	-	1	1	-	-	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2271

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of the respiratory system (J10-J98)												
HAWAII -----	18	20	23	45	69	136	136	118	76	30	10	-
WHITE-----MALE----	3	6	5	12	17	17	13	16	15	1	1	-
FEMALE--	5	4	4	7	9	20	16	13	11	4	2	-
ALL OTHER--MALE----	5	6	8	17	24	65	61	53	29	10	3	-
FEMALE--	5	4	6	9	19	34	46	36	21	15	4	-
BLACK---MALE----	1	-	-	-	-	-	1	2	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
IDAHO -----	16	26	46	88	132	174	177	177	123	32	11	-
WHITE-----MALE----	9	16	22	58	77	95	98	87	46	9	4	-
FEMALE--	5	9	23	26	55	77	78	90	77	23	7	-
ALL OTHER--MALE----	1	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	3	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
ILLINOIS -----	158	215	423	626	1,177	1,522	1,812	1,629	1,074	443	99	-
WHITE-----MALE----	67	101	201	279	566	741	769	657	364	107	21	-
FEMALE--	47	80	141	251	489	622	927	873	627	305	68	-
ALL OTHER--MALE----	18	19	49	51	71	85	59	41	29	10	3	-
FEMALE--	26	15	32	45	51	74	57	58	54	21	7	-
BLACK---MALE----	17	18	44	44	65	79	50	34	26	10	3	-
FEMALE--	26	15	31	44	48	69	54	51	53	20	6	-
INDIANA -----	95	169	255	458	693	956	990	823	536	198	53	-
WHITE-----MALE----	42	94	120	216	367	483	476	369	202	44	12	-
FEMALE--	41	63	119	217	294	431	488	426	309	148	37	-
ALL OTHER--MALE----	9	6	12	19	16	27	12	11	8	-	-	-
FEMALE--	3	6	4	6	16	15	14	17	17	6	4	-
BLACK---MALE----	9	6	11	19	16	25	12	10	7	-	-	-
FEMALE--	3	6	4	5	14	15	14	17	16	6	4	-
IOWA -----	34	70	105	194	319	452	609	583	350	178	62	-
WHITE-----MALE----	15	35	52	105	175	239	312	287	131	44	12	-
FEMALE--	18	35	48	86	138	208	291	294	215	133	50	-
ALL OTHER--MALE----	-	-	3	1	3	3	4	1	3	1	-	-
FEMALE--	1	-	2	2	3	2	2	1	1	-	-	-
BLACK---MALE----	-	-	2	1	3	3	3	1	2	1	-	-
FEMALE--	1	-	2	2	2	2	1	1	1	-	-	-
KANSAS -----	43	57	99	174	310	473	454	502	298	124	40	-
WHITE-----MALE----	17	37	49	88	159	237	211	251	107	45	8	-
FEMALE--	21	18	44	76	141	216	223	242	184	76	32	-
ALL OTHER--MALE----	2	2	5	5	7	13	13	6	2	1	-	-
FEMALE--	3	-	1	5	3	7	7	3	5	2	-	-
BLACK---MALE----	2	1	5	5	6	12	12	5	-	-	-	-
FEMALE--	3	-	-	4	2	6	6	2	5	2	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2272

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of the respiratory system (J10-J98)												
KENTUCKY -----	4,111	8	3	3	4	4	6	4	13	12	37	41
WHITE-----MALE----	1,877	4	1	1	-	2	3	2	3	5	19	16
FEMALE--	2,045	-	1	2	2	1	2	2	9	6	15	20
ALL OTHER--MALE----	95	2	1	-	1	1	-	-	1	1	1	2
FEMALE--	94	2	-	-	1	-	1	-	-	-	2	3
BLACK---MALE-----	94	2	1	-	1	1	-	-	1	1	1	2
FEMALE--	91	2	-	-	1	-	1	-	-	-	2	3
LOUISIANA -----	3,348	22	5	3	4	6	11	9	13	28	38	51
WHITE-----MALE----	1,225	5	-	2	2	1	2	2	1	4	18	7
FEMALE--	1,381	-	1	-	-	-	3	3	4	9	9	14
ALL OTHER--MALE----	407	11	4	-	1	4	4	1	4	6	9	19
FEMALE--	335	6	-	1	1	1	2	3	4	9	2	11
BLACK---MALE-----	400	11	4	-	1	4	3	1	4	6	9	17
FEMALE--	326	6	-	1	1	-	2	2	4	9	2	11
MAINE -----	1,341	-	-	-	1	1	1	3	2	1	8	15
WHITE-----MALE----	611	-	-	-	-	-	-	2	-	1	2	8
FEMALE--	724	-	-	-	1	1	1	1	1	-	5	7
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3,876	10	5	4	9	4	6	9	20	32	33	55
WHITE-----MALE----	1,429	1	2	-	-	2	1	-	4	6	9	13
FEMALE--	1,732	1	2	-	4	-	1	2	5	7	4	12
ALL OTHER--MALE----	362	3	1	2	3	1	3	5	7	8	12	18
FEMALE--	353	5	-	2	2	1	1	2	4	11	8	12
BLACK---MALE-----	345	3	1	2	3	1	3	5	7	8	12	16
FEMALE--	332	5	-	2	2	1	1	2	3	11	8	12
MASSACHUSETTS -----	6,652	4	4	-	3	6	5	7	14	19	27	41
WHITE-----MALE----	2,824	2	2	-	2	3	3	3	8	9	15	18
FEMALE--	3,643	2	1	-	-	3	1	4	4	10	9	19
ALL OTHER--MALE----	92	-	1	-	1	-	-	-	1	-	2	2
FEMALE--	93	-	-	-	-	-	1	-	1	-	1	2
BLACK---MALE-----	74	-	1	-	1	-	-	-	1	-	2	1
FEMALE--	75	-	-	-	-	-	-	-	1	-	1	1
MICHIGAN -----	7,789	23	7	6	4	10	14	27	20	36	80	110
WHITE-----MALE----	3,300	9	-	1	1	4	4	9	6	8	24	33
FEMALE--	3,684	4	3	1	1	2	3	7	6	17	26	31
ALL OTHER--MALE----	424	4	3	1	2	4	3	8	5	6	15	28
FEMALE--	381	6	1	3	-	-	4	3	3	5	15	18
BLACK---MALE-----	385	4	3	1	2	4	2	8	3	6	13	27
FEMALE--	355	6	1	2	-	-	4	3	3	5	15	17

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2272

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of the respiratory system (J10-J98)												
KENTUCKY -----	91	129	211	388	527	732	733	608	379	145	33	-
WHITE-----MALE----	45	60	107	204	264	359	347	267	128	35	5	-
FEMALE--	39	62	90	168	239	343	358	328	235	96	27	-
ALL OTHER--MALE----	4	2	5	13	13	19	12	4	7	5	1	-
FEMALE--	3	5	9	3	11	11	16	9	9	9	-	-
BLACK---MALE----	4	2	5	13	12	19	12	4	7	5	1	-
FEMALE--	3	5	9	3	11	10	16	9	8	8	-	-
LOUISIANA -----	62	131	154	263	456	510	592	494	346	118	32	-
WHITE-----MALE----	21	57	59	109	184	223	249	155	90	30	4	-
FEMALE--	13	44	51	97	188	214	236	246	177	58	14	-
ALL OTHER--MALE----	21	15	26	38	52	42	53	50	34	11	2	-
FEMALE--	7	15	18	19	32	31	54	43	45	19	12	-
BLACK---MALE----	21	14	26	38	51	42	52	50	34	10	2	-
FEMALE--	7	15	18	19	30	30	53	41	45	18	12	-
MAINE -----	15	30	63	109	167	204	252	244	146	64	15	-
WHITE-----MALE----	6	17	26	45	91	109	128	103	50	22	1	-
FEMALE--	9	13	36	64	75	95	123	140	96	42	14	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	65	125	150	279	458	671	745	615	401	151	29	-
WHITE-----MALE----	21	48	50	108	189	282	295	235	122	35	6	-
FEMALE--	13	44	65	99	167	291	346	316	238	96	19	-
ALL OTHER--MALE----	13	21	22	35	55	56	44	29	19	4	1	-
FEMALE--	18	12	13	37	47	42	60	35	22	16	3	-
BLACK---MALE----	12	21	20	33	54	54	39	27	19	4	1	-
FEMALE--	17	11	13	36	43	39	56	31	21	16	2	-
MASSACHUSETTS -----	85	133	192	387	730	1,071	1,333	1,208	887	390	106	-
WHITE-----MALE----	43	73	90	179	367	518	607	502	270	97	13	-
FEMALE--	38	53	91	189	346	526	695	685	595	284	88	-
ALL OTHER--MALE----	3	4	5	12	10	15	13	10	7	4	2	-
FEMALE--	1	3	6	7	7	12	18	11	15	5	3	-
BLACK---MALE----	3	3	4	8	8	10	11	9	6	4	2	-
FEMALE--	1	3	3	6	7	11	15	9	13	2	2	-
MICHIGAN -----	178	220	347	635	1,075	1,332	1,473	1,190	673	267	62	-
WHITE-----MALE----	65	98	165	289	472	612	631	530	241	86	12	-
FEMALE--	65	83	134	275	489	628	726	579	396	163	45	-
ALL OTHER--MALE----	27	21	27	41	61	58	55	32	14	7	2	-
FEMALE--	21	18	21	30	53	34	61	49	22	11	3	-
BLACK---MALE----	25	19	24	36	59	49	51	28	14	6	1	-
FEMALE--	20	16	20	30	45	31	59	45	20	10	3	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2273

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of the respiratory system (J10-J98)												
MINNESOTA -----	3,340	7	1	3	2	2	8	1	4	13	17	22
WHITE-----MALE----	1,583	4	1	1	2	2	3	-	2	8	6	18
FEMALE--	1,671	-	-	2	-	-	3	1	1	3	7	2
ALL OTHER--MALE----	49	2	-	-	-	-	-	-	1	1	2	2
FEMALE--	37	1	-	-	-	-	2	-	-	1	2	-
BLACK---MALE----	22	1	-	-	-	-	-	-	1	1	2	1
FEMALE--	12	1	-	-	-	-	1	-	-	-	-	-
MISSISSIPPI -----	2,561	20	8	2	3	3	7	9	9	21	30	28
WHITE-----MALE----	985	4	2	-	1	2	4	4	4	8	5	7
FEMALE--	1,026	3	1	1	1	-	2	3	3	3	6	8
ALL OTHER--MALE----	282	5	3	-	-	-	-	2	1	3	10	9
FEMALE--	268	8	2	1	1	1	1	-	1	7	9	4
BLACK---MALE----	281	5	3	-	-	-	-	2	1	3	10	9
FEMALE--	262	8	2	1	1	1	1	-	1	7	9	4
MISSOURI -----	5,498	12	6	3	7	5	9	11	9	19	36	71
WHITE-----MALE----	2,429	4	2	1	1	2	8	3	3	7	13	33
FEMALE--	2,691	3	3	1	1	-	-	7	3	8	15	23
ALL OTHER--MALE----	194	4	1	-	3	1	-	1	3	1	5	8
FEMALE--	184	1	-	1	2	2	1	-	-	3	3	7
BLACK---MALE----	181	4	1	-	3	1	-	1	3	1	5	8
FEMALE--	173	1	-	1	2	2	1	-	-	3	3	6
MONTANA -----	859	2	2	-	-	-	1	-	2	2	5	6
WHITE-----MALE----	416	1	1	-	-	-	1	-	1	1	1	5
FEMALE--	402	1	1	-	-	-	-	-	1	-	3	1
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	15	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1,541	6	2	1	-	3	2	4	2	6	5	6
WHITE-----MALE----	769	2	-	1	-	2	1	3	2	5	3	-
FEMALE--	724	2	2	-	-	-	1	1	-	1	2	5
ALL OTHER--MALE----	27	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	21	1	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	20	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	17	1	-	-	-	-	-	-	-	-	-	1
NEVADA -----	1,538	9	4	-	2	1	1	2	7	3	14	27
WHITE-----MALE----	727	3	2	-	-	-	1	1	4	-	7	13
FEMALE--	709	2	2	-	1	1	-	-	2	2	4	8
ALL OTHER--MALE----	53	2	-	-	1	-	-	-	-	-	2	3
FEMALE--	49	2	-	-	-	-	-	1	1	1	1	3
BLACK---MALE----	29	-	-	-	1	-	-	-	-	-	1	2
FEMALE--	32	2	-	-	-	-	-	1	1	-	1	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2273

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of the respiratory system (J10-J98)												
MINNESOTA -----	46	69	110	221	372	511	646	668	405	168	44	-
WHITE-----MALE----	28	29	53	113	205	269	323	311	146	54	5	-
FEMALE--	15	35	49	101	157	230	311	347	256	112	39	-
ALL OTHER--MALE----	1	2	5	4	5	5	9	8	1	1	-	-
FEMALE--	2	3	3	3	5	7	3	2	2	1	-	-
BLACK---MALE----	-	1	1	1	2	1	5	4	-	1	-	-
FEMALE--	-	-	-	2	4	3	-	-	1	-	-	-
MISSISSIPPI -----	52	80	133	223	327	404	426	402	255	99	20	-
WHITE-----MALE----	16	28	57	105	146	174	175	156	62	22	3	-
FEMALE--	15	34	50	74	115	159	169	184	137	49	9	-
ALL OTHER--MALE----	13	11	12	24	41	40	43	28	21	15	1	-
FEMALE--	8	7	14	20	25	31	39	34	35	13	7	-
BLACK---MALE----	13	11	12	23	41	40	43	28	21	15	1	-
FEMALE--	8	7	14	19	25	30	37	33	35	13	6	-
MISSOURI -----	87	150	278	391	669	895	1,022	952	583	237	45	1
WHITE-----MALE----	33	62	123	205	323	450	500	403	171	75	7	-
FEMALE--	42	57	125	158	296	409	471	502	383	151	33	-
ALL OTHER--MALE----	7	18	14	15	25	18	27	21	14	6	1	1
FEMALE--	5	13	16	13	25	18	24	26	15	5	4	-
BLACK---MALE----	6	17	13	14	21	17	27	20	14	4	-	1
FEMALE--	5	13	15	12	22	17	23	24	14	5	4	-
MONTANA -----	11	16	34	71	120	156	169	147	87	22	6	-
WHITE-----MALE----	5	5	12	37	70	73	88	70	38	6	1	-
FEMALE--	6	9	16	27	45	79	78	71	43	16	5	-
ALL OTHER--MALE----	-	2	5	6	2	2	3	4	1	-	-	-
FEMALE--	-	-	1	1	3	2	-	2	5	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	23	39	61	123	185	238	298	262	163	97	15	-
WHITE-----MALE----	10	20	33	68	101	141	153	124	65	31	4	-
FEMALE--	10	16	24	48	79	89	137	135	98	64	10	-
ALL OTHER--MALE----	2	-	4	3	3	4	7	1	-	1	-	-
FEMALE--	1	3	-	4	2	4	1	2	-	1	1	-
BLACK---MALE----	-	-	3	3	3	3	4	1	-	1	-	-
FEMALE--	1	2	-	2	2	3	1	2	-	1	1	-
NEVADA -----	34	40	103	152	250	304	253	218	83	27	4	-
WHITE-----MALE----	16	21	54	73	124	158	111	107	27	5	-	-
FEMALE--	14	17	39	70	112	129	131	103	50	19	3	-
ALL OTHER--MALE----	2	2	6	6	9	8	5	4	2	1	-	-
FEMALE--	2	-	4	3	5	9	6	4	4	2	1	-
BLACK---MALE----	-	2	4	5	6	1	4	1	1	1	-	-
FEMALE--	2	-	4	1	1	4	5	1	4	2	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2275

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of the respiratory system (J10-J98)												
OHIO -----	10,445	32	6	4	5	7	15	12	30	35	79	115
WHITE-----MALE----	4,539	12	-	3	1	3	8	5	11	18	32	56
FEMALE--	5,122	6	3	-	2	3	5	4	11	11	32	37
ALL OTHER--MALE----	382	7	-	1	1	-	2	3	3	2	7	10
FEMALE--	402	7	3	-	1	1	-	-	5	4	8	12
BLACK---MALE----	369	7	-	1	1	-	2	3	3	2	7	8
FEMALE--	388	7	3	-	1	1	-	-	5	4	8	11
OKLAHOMA -----	3,472	5	3	4	3	1	10	8	9	17	17	47
WHITE-----MALE----	1,582	1	3	3	1	-	4	2	3	5	7	15
FEMALE--	1,639	1	-	1	2	1	4	-	5	6	6	22
ALL OTHER--MALE----	134	3	-	-	-	-	1	4	1	4	1	5
FEMALE--	117	-	-	-	-	-	1	2	-	2	3	5
BLACK---MALE----	71	3	-	-	-	-	1	1	-	3	-	-
FEMALE--	62	-	-	-	-	-	1	2	-	-	-	2
OREGON -----	2,764	3	5	2	-	3	2	-	5	5	9	23
WHITE-----MALE----	1,290	1	2	2	-	2	2	-	2	2	4	11
FEMALE--	1,403	1	3	-	-	1	-	-	2	1	4	12
ALL OTHER--MALE----	36	1	-	-	-	-	-	-	-	1	1	-
FEMALE--	35	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	17	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
PENNSYLVANIA -----	12,359	39	9	6	6	7	14	13	22	38	86	130
WHITE-----MALE----	5,459	14	3	1	3	4	6	3	11	13	35	52
FEMALE--	6,006	11	3	3	1	2	6	5	5	10	26	40
ALL OTHER--MALE----	436	10	1	-	-	-	1	3	6	9	11	16
FEMALE--	458	4	2	2	2	1	1	2	-	6	14	22
BLACK---MALE----	421	10	1	-	-	-	1	3	6	7	11	16
FEMALE--	439	4	2	2	2	1	1	2	-	6	14	22
RHODE ISLAND -----	1,017	3	1	1	2	1	1	2	-	3	3	9
WHITE-----MALE----	437	1	-	-	1	-	-	1	-	1	2	4
FEMALE--	554	2	1	1	-	-	1	-	-	2	1	4
ALL OTHER--MALE----	18	-	-	-	1	-	-	1	-	-	-	1
FEMALE--	8	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	15	-	-	-	1	-	-	1	-	-	-	1
FEMALE--	7	-	-	-	-	1	-	-	-	-	-	-
SOUTH CAROLINA -----	3,125	10	3	3	-	9	3	6	9	21	30	50
WHITE-----MALE----	1,256	-	1	1	-	2	1	2	1	6	11	11
FEMALE--	1,280	2	1	-	-	3	1	2	4	5	8	17
ALL OTHER--MALE----	325	2	1	1	-	3	1	2	4	6	7	12
FEMALE--	264	6	-	1	-	1	-	-	-	4	4	10
BLACK---MALE----	320	2	1	1	-	2	1	2	4	6	7	12
FEMALE--	262	6	-	1	-	1	-	-	-	4	4	10

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2275

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of the respiratory system (J10-J98)												
OHIO -----	202	309	455	763	1,408	1,859	1,980	1,659	1,008	379	83	-
WHITE-----MALE----	89	141	212	366	702	858	895	644	354	102	27	-
FEMALE--	89	128	195	324	603	867	980	924	596	253	49	-
ALL OTHER--MALE----	10	18	17	40	61	78	54	34	21	11	2	-
FEMALE--	14	22	31	33	42	56	51	57	37	13	5	-
BLACK---MALE----	9	18	17	39	60	77	53	32	17	11	2	-
FEMALE--	14	21	30	33	41	55	48	55	36	10	5	-
OKLAHOMA -----	74	134	202	289	492	590	592	506	333	110	26	-
WHITE-----MALE----	33	56	98	149	262	289	295	209	106	33	8	-
FEMALE--	32	63	87	119	202	273	266	263	198	70	18	-
ALL OTHER--MALE----	7	5	10	10	17	16	21	16	9	4	-	-
FEMALE--	2	10	7	11	11	12	10	18	20	3	-	-
BLACK---MALE----	4	4	5	4	12	8	11	7	5	3	-	-
FEMALE--	2	2	4	7	7	8	5	8	12	2	-	-
OREGON -----	39	76	116	218	356	526	558	440	243	103	32	-
WHITE-----MALE----	18	31	55	94	177	264	289	209	91	26	8	-
FEMALE--	17	38	57	113	169	253	259	228	147	76	22	-
ALL OTHER--MALE----	1	5	3	6	6	4	3	2	2	-	1	-
FEMALE--	3	2	1	5	4	5	7	1	3	1	1	-
BLACK---MALE----	1	4	-	3	1	2	1	2	1	-	-	-
FEMALE--	2	1	-	-	-	1	1	-	1	1	1	-
PENNSYLVANIA -----	189	296	445	738	1,446	2,214	2,477	2,265	1,317	506	96	-
WHITE-----MALE----	86	141	217	359	736	1,064	1,137	943	468	145	18	-
FEMALE--	71	104	185	306	597	1,006	1,234	1,214	785	324	68	-
ALL OTHER--MALE----	17	33	19	45	64	79	42	42	23	11	4	-
FEMALE--	15	18	24	28	49	65	64	66	41	26	6	-
BLACK---MALE----	15	32	19	43	62	76	41	41	22	11	4	-
FEMALE--	15	18	22	28	46	64	61	61	38	24	6	-
RHODE ISLAND -----	10	22	22	54	103	172	220	209	115	44	20	-
WHITE-----MALE----	3	7	8	22	47	90	98	95	46	11	-	-
FEMALE--	6	12	13	30	55	80	121	108	67	31	19	-
ALL OTHER--MALE----	1	2	1	1	1	2	-	4	2	1	-	-
FEMALE--	-	1	-	1	-	-	1	2	-	1	1	-
BLACK---MALE----	1	2	1	-	1	2	-	2	2	1	-	-
FEMALE--	-	-	-	1	-	-	1	2	-	1	1	-
SOUTH CAROLINA -----	79	138	166	296	423	550	573	419	240	77	17	3
WHITE-----MALE----	28	60	83	137	189	254	242	149	64	11	3	-
FEMALE--	26	42	55	102	170	219	226	193	138	56	10	-
ALL OTHER--MALE----	14	22	19	32	38	44	55	42	14	5	-	1
FEMALE--	11	14	9	25	26	33	50	35	24	5	4	2
BLACK---MALE----	13	22	18	32	38	43	54	42	14	5	-	1
FEMALE--	11	14	9	24	25	33	50	35	24	5	4	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2276

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of the respiratory system (J10-J98)												
SOUTH DAKOTA -----	713	1	1	2	-	-	2	-	1	2	3	7
WHITE-----MALE----	351	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	325	-	1	1	-	-	1	-	-	2	2	5
ALL OTHER--MALE----	22	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	15	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5,504	21	8	2	2	9	11	12	11	25	45	69
WHITE-----MALE----	2,396	10	3	-	2	2	4	4	4	14	16	31
FEMALE--	2,597	6	4	2	-	2	-	4	6	7	17	24
ALL OTHER--MALE----	262	2	1	-	-	3	4	2	-	3	10	11
FEMALE--	249	3	-	-	-	2	3	2	1	1	2	3
BLACK---MALE----	257	2	1	-	-	3	4	2	-	3	10	11
FEMALE--	243	3	-	-	-	2	3	2	1	1	2	3
TEXAS -----	13,701	52	24	11	13	12	26	24	42	76	136	173
WHITE-----MALE----	5,916	25	7	6	4	6	10	11	14	28	54	77
FEMALE--	6,579	15	10	4	7	2	10	11	18	30	47	55
ALL OTHER--MALE----	643	6	6	-	2	1	3	2	5	10	22	22
FEMALE--	563	6	1	1	-	3	3	-	5	8	13	19
BLACK---MALE----	592	5	6	-	2	-	2	2	5	9	22	21
FEMALE--	527	6	1	1	-	1	3	-	5	8	11	19
UTAH -----	1,139	5	2	-	-	3	2	2	6	7	10	20
WHITE-----MALE----	576	2	2	-	-	1	-	-	2	4	3	5
FEMALE--	542	3	-	-	-	2	2	1	4	3	7	14
ALL OTHER--MALE----	14	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	529	-	1	-	1	-	1	-	-	2	2	3
WHITE-----MALE----	239	-	-	-	-	-	1	-	-	1	1	2
FEMALE--	290	-	1	-	1	-	-	-	-	1	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	5,595	16	8	3	4	5	7	5	18	28	49	69
WHITE-----MALE----	2,161	6	-	1	-	1	2	1	1	6	16	24
FEMALE--	2,604	4	5	1	2	-	1	2	6	11	13	20
ALL OTHER--MALE----	434	5	2	1	1	2	3	2	7	5	11	16
FEMALE--	396	1	1	-	1	2	1	-	4	6	9	9
BLACK---MALE----	402	5	2	1	1	2	3	2	7	5	11	15
FEMALE--	375	1	1	-	1	2	1	-	4	6	8	8

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2276

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of the respiratory system (J10-J98)												
SOUTH DAKOTA -----	9	11	24	50	77	107	139	131	82	49	15	-
WHITE-----MALE----	4	7	11	27	37	64	72	71	36	15	4	-
FEMALE--	2	3	11	19	38	34	61	56	44	34	11	-
ALL OTHER--MALE----	3	1	1	1	2	5	4	2	1	-	-	-
FEMALE--	-	-	1	3	-	4	2	2	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	110	199	313	483	713	932	962	828	499	210	40	-
WHITE-----MALE----	47	86	142	225	361	461	460	327	142	48	7	-
FEMALE--	43	83	132	214	293	397	437	448	312	141	25	-
ALL OTHER--MALE----	11	16	13	28	29	36	37	31	20	4	1	-
FEMALE--	9	14	26	16	30	38	28	22	25	17	7	-
BLACK---MALE-----	11	15	13	28	29	35	36	29	20	4	1	-
FEMALE--	9	13	24	16	29	36	28	22	25	17	7	-
TEXAS -----	266	434	671	1,159	1,785	2,292	2,354	2,228	1,351	467	105	-
WHITE-----MALE----	110	211	316	549	825	1,109	1,071	889	449	127	18	-
FEMALE--	101	172	273	481	802	1,039	1,103	1,202	809	312	76	-
ALL OTHER--MALE----	34	32	49	68	93	85	84	61	43	11	4	-
FEMALE--	21	19	33	61	65	59	96	76	50	17	7	-
BLACK---MALE-----	32	28	46	64	86	79	75	55	38	11	4	-
FEMALE--	21	17	32	57	62	56	88	69	46	17	7	-
UTAH -----	18	28	52	84	132	169	222	206	136	28	6	1
WHITE-----MALE----	7	14	24	47	67	100	121	105	59	11	1	1
FEMALE--	10	12	27	36	61	68	98	98	74	17	5	-
ALL OTHER--MALE----	-	-	1	1	3	1	3	1	2	-	-	-
FEMALE--	1	2	-	-	1	-	-	2	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
VERMONT -----	7	10	25	38	66	95	102	84	64	26	2	-
WHITE-----MALE----	2	4	15	18	36	48	47	32	25	7	-	-
FEMALE--	5	6	10	20	30	47	55	52	39	19	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	91	174	266	493	699	976	1,036	863	539	198	48	-
WHITE-----MALE----	37	78	107	198	304	422	422	310	153	62	10	-
FEMALE--	37	58	112	218	281	425	477	455	324	121	31	-
ALL OTHER--MALE----	12	20	14	55	54	73	79	40	27	2	3	-
FEMALE--	5	18	33	22	60	56	58	58	35	13	4	-
BLACK---MALE-----	12	16	13	51	49	66	72	38	26	2	3	-
FEMALE--	5	17	32	22	58	51	54	56	32	12	4	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2277

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of the respiratory system (J10-J98)												
WASHINGTON -----	75	95	177	322	558	794	894	795	471	180	48	-
WHITE-----MALE----	34	54	90	151	283	375	428	359	173	50	6	-
FEMALE--	35	35	77	152	250	384	439	406	285	129	39	-
ALL OTHER--MALE----	4	4	6	11	13	18	10	15	9	-	2	-
FEMALE--	2	2	4	8	12	17	17	15	4	1	1	-
BLACK---MALE-----	3	2	3	7	5	6	2	5	2	-	1	-
FEMALE--	2	-	-	2	2	6	3	3	2	1	-	-
WEST VIRGINIA -----	38	77	110	193	304	435	422	391	197	71	9	-
WHITE-----MALE----	16	42	52	102	167	219	198	176	75	26	2	-
FEMALE--	22	35	56	89	133	210	216	207	118	42	7	-
ALL OTHER--MALE----	-	-	-	1	1	4	3	5	1	2	-	-
FEMALE--	-	-	2	1	3	2	5	3	3	1	-	-
BLACK---MALE-----	-	-	-	1	1	4	3	5	1	2	-	-
FEMALE--	-	-	1	1	3	2	5	3	3	1	-	-
WISCONSIN -----	50	89	147	289	566	717	799	787	515	207	68	-
WHITE-----MALE----	25	49	63	142	293	366	417	356	179	62	16	-
FEMALE--	20	32	71	133	251	330	367	420	325	142	52	-
ALL OTHER--MALE----	3	4	7	8	12	10	5	5	5	2	-	-
FEMALE--	2	4	6	6	10	11	10	6	6	1	-	-
BLACK---MALE-----	3	4	5	7	10	8	4	5	4	2	-	-
FEMALE--	2	4	5	2	9	10	8	5	6	1	-	-
WYOMING -----	11	12	16	40	59	84	101	65	46	17	4	-
WHITE-----MALE----	6	8	10	23	27	46	60	26	20	7	-	-
FEMALE--	4	4	6	17	29	38	38	39	26	10	4	-
ALL OTHER--MALE----	1	-	-	-	3	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2278

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Influenza (J10-J11)												
UNITED STATES -	24	39	54	76	123	189	303	372	305	130	48	-
WHITE-----MALE----	12	18	23	40	59	75	112	119	83	32	6	-
FEMALE--	10	19	27	30	51	105	177	234	212	93	41	-
ALL OTHER--MALE----	2	2	1	3	4	6	3	8	3	3	-	-
FEMALE--	-	-	3	3	9	3	11	11	7	2	1	-
BLACK---MALE----	2	2	1	2	3	4	1	7	1	3	-	-
FEMALE--	-	-	3	3	8	1	7	10	7	1	1	-
ALABAMA -----	-	-	-	1	3	4	2	3	3	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	1	1	3	1	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	1	1	2	4	2	1	1	1	-
WHITE-----MALE----	-	-	-	-	1	-	2	2	1	-	-	-
FEMALE--	-	-	-	1	-	2	2	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	1	2	3	4	4	8	4	4	3	1	-
WHITE-----MALE----	-	-	-	-	1	2	2	3	2	-	-	-
FEMALE--	-	1	2	3	3	2	6	1	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
CALIFORNIA -----	1	4	2	4	7	18	31	39	39	13	3	-
WHITE-----MALE----	1	2	1	2	3	4	9	13	9	7	1	-
FEMALE--	-	2	1	1	2	13	18	26	29	6	2	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	-	1	-	-	-
FEMALE--	-	-	-	1	1	-	3	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2279

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Influenza (J10-J11)												
COLORADO -----	2	-	1	1	-	1	3	4	4	-	-	-
WHITE-----MALE----	1	-	1	1	-	1	1	1	2	-	-	-
FEMALE--	1	-	-	-	-	-	2	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	1	2	2	3	2	5	2	1	-	-
WHITE-----MALE----	-	-	-	-	1	1	1	3	-	-	-	-
FEMALE--	-	-	1	2	1	2	1	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	1	2	1	-	-	1	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	1	-
FLORIDA -----	-	2	1	5	6	4	8	10	8	6	-	-
WHITE-----MALE----	-	1	1	4	3	1	3	3	4	2	-	-
FEMALE--	-	1	-	1	3	3	5	7	4	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	1	-	-	-	3	6	7	5	3	1	-	-
WHITE-----MALE----	1	-	-	-	2	1	1	4	1	-	-	-
FEMALE--	-	-	-	-	-	4	5	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2280

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Influenza (J10-J11)												
HAWAII -----	-	-	-	-	-	2	2	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	1	-	-	3	1	1	8	3	1	-	-
WHITE-----MALE----	-	1	-	-	3	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	6	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	-	1	3	7	5	7	18	17	8	10	3	-
WHITE-----MALE----	-	-	2	5	2	3	7	7	2	3	-	-
FEMALE--	-	1	-	1	3	4	11	9	6	7	3	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
INDIANA -----	-	2	-	-	2	-	3	9	8	-	1	-
WHITE-----MALE----	-	1	-	-	1	-	2	2	1	-	-	-
FEMALE--	-	1	-	-	1	-	1	7	6	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	-	-	3	1	3	6	8	9	11	4	4	-
WHITE-----MALE----	-	-	2	1	1	2	5	5	2	-	2	-
FEMALE--	-	-	1	-	2	4	3	4	9	3	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	2	1	1	1	3	6	9	14	2	1	-
WHITE-----MALE----	-	1	-	-	1	1	1	2	3	1	-	-
FEMALE--	-	1	1	1	-	2	5	7	10	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2284

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Influenza (J10-J11)												
OHIO -----	1	3	1	2	3	9	18	14	13	3	-	-
WHITE-----MALE----	1	1	-	1	3	6	7	4	3	1	-	-
FEMALE--	-	1	1	1	-	3	10	10	10	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
OKLAHOMA -----	-	1	1	3	3	2	5	5	6	2	2	-
WHITE-----MALE----	-	-	1	3	1	2	1	1	2	-	1	-
FEMALE--	-	1	-	-	2	-	4	4	4	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	1	1	-	3	4	4	3	3	1	1	-
WHITE-----MALE----	-	-	1	-	1	1	-	1	1	-	-	-
FEMALE--	-	1	-	-	2	3	4	2	2	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	1	3	3	2	7	13	12	9	4	-	-
WHITE-----MALE----	-	1	-	-	-	5	7	6	3	2	-	-
FEMALE--	-	-	3	3	2	2	6	6	6	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	1	-	-	-	2	-	-	1	-	1	-
WHITE-----MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	3	1	3	7	12	5	2	1	-
WHITE-----MALE----	-	-	-	2	-	1	2	1	2	1	-	-
FEMALE--	-	-	-	1	1	2	4	9	3	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2285

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Influenza (J10-J11)												
SOUTH DAKOTA -----	-	-	-	-	2	1	9	5	2	3	1	-
WHITE-----MALE----	-	-	-	-	1	1	4	3	-	1	1	-
FEMALE--	-	-	-	-	1	-	5	2	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	1	1	2	4	6	5	8	8	2	-	-
WHITE-----MALE----	-	1	-	1	1	3	2	3	1	1	-	-
FEMALE--	-	-	-	1	3	3	2	3	6	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	1	-	-	-	1	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	1	-	-	-	1	1	1	-	-	-
TEXAS -----	4	1	6	6	7	15	11	15	15	5	4	-
WHITE-----MALE----	2	1	3	3	5	8	5	4	3	3	-	-
FEMALE--	2	-	3	1	2	7	6	10	12	2	4	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	1	1	1	1	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	2	-	-	3	4	2	6	4	5	-	-
WHITE-----MALE----	1	-	-	-	3	2	1	1	2	1	-	-
FEMALE--	2	2	-	-	-	1	1	3	2	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2287

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonia (J12-J18)												
UNITED STATES -	63,548	280	93	44	32	57	119	134	217	397	649	759
WHITE-----MALE----	24,385	93	26	21	14	24	50	48	87	157	288	318
FEMALE--	31,867	72	34	13	13	16	36	43	72	141	163	225
ALL OTHER--MALE----	3,609	65	24	5	3	8	14	30	34	49	122	135
FEMALE--	3,687	50	9	5	2	9	19	13	24	50	76	81
BLACK---MALE----	2,880	56	21	4	2	6	14	26	32	42	107	121
FEMALE--	3,029	45	8	3	1	8	15	11	23	43	62	71
ALABAMA -----	1,120	-	3	-	-	1	1	5	2	9	10	14
WHITE-----MALE----	385	-	1	-	-	1	-	1	-	3	4	8
FEMALE--	531	-	-	-	-	-	1	1	1	2	2	3
ALL OTHER--MALE----	92	-	-	-	-	-	-	3	-	3	1	2
FEMALE--	112	-	2	-	-	-	-	-	1	1	3	1
BLACK---MALE----	92	-	-	-	-	-	-	3	-	3	1	2
FEMALE--	110	-	2	-	-	-	-	-	1	1	3	1
ALASKA -----	44	2	-	-	-	2	-	-	-	1	3	1
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	14	1	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	13	-	-	-	-	2	-	-	-	-	2	-
FEMALE--	8	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1,208	22	7	-	2	-	3	5	6	8	24	13
WHITE-----MALE----	533	12	2	-	1	-	1	2	4	3	11	2
FEMALE--	583	8	3	-	1	-	-	2	2	3	3	5
ALL OTHER--MALE----	55	2	2	-	-	-	1	-	-	3	7	2
FEMALE--	37	-	-	-	-	-	1	1	-	-	3	4
BLACK---MALE----	18	1	2	-	-	-	1	-	-	-	2	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
ARKANSAS -----	762	2	-	1	-	2	2	1	1	2	10	6
WHITE-----MALE----	296	2	-	-	-	2	1	-	1	1	6	2
FEMALE--	385	-	-	-	-	-	1	-	-	1	1	2
ALL OTHER--MALE----	35	-	-	1	-	-	-	-	-	-	1	2
FEMALE--	46	-	-	-	-	-	-	1	-	-	2	-
BLACK---MALE----	35	-	-	1	-	-	-	-	-	-	1	2
FEMALE--	42	-	-	-	-	-	-	1	-	-	2	-
CALIFORNIA -----	8,150	32	8	3	5	7	6	15	17	45	52	81
WHITE-----MALE----	3,073	14	1	3	2	2	2	9	9	17	29	41
FEMALE--	3,996	11	2	-	2	4	3	5	6	17	12	27
ALL OTHER--MALE----	531	4	3	-	1	-	1	1	2	6	3	6
FEMALE--	550	3	2	-	-	1	-	-	-	5	8	7
BLACK---MALE----	212	1	1	-	-	-	1	-	1	5	3	4
FEMALE--	259	2	1	-	-	1	-	-	-	2	4	4

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2287

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonia (J12-J18)												
UNITED STATES -	967	1,159	1,627	2,457	4,533	7,723	11,606	13,380	11,013	4,986	1,313	3
WHITE-----MALE----	422	518	743	1,105	2,110	3,548	5,007	5,009	3,332	1,229	235	1
FEMALE--	292	377	533	855	1,719	3,300	5,487	7,315	6,853	3,374	934	-
ALL OTHER--MALE----	166	172	203	299	393	455	545	439	306	109	32	1
FEMALE--	87	92	148	198	311	420	567	617	522	274	112	1
BLACK---MALE----	146	155	169	247	319	361	407	318	218	83	25	1
FEMALE--	80	83	125	164	251	334	454	492	431	228	96	1
ALABAMA -----	14	19	39	51	92	126	215	243	178	79	19	-
WHITE-----MALE----	6	7	16	24	43	40	90	70	50	19	2	-
FEMALE--	4	4	12	18	29	65	88	143	107	44	7	-
ALL OTHER--MALE----	2	6	5	7	16	9	16	12	5	4	1	-
FEMALE--	2	2	6	2	4	12	21	18	16	12	9	-
BLACK---MALE----	2	6	5	7	16	9	16	12	5	4	1	-
FEMALE--	2	2	6	2	4	12	20	18	16	11	9	-
ALASKA -----	2	2	1	2	4	7	8	3	5	1	-	-
WHITE-----MALE----	-	1	-	1	1	-	1	-	3	-	-	-
FEMALE--	2	1	-	-	1	2	3	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	2	3	2	-	-	-	-
FEMALE--	-	-	1	-	1	3	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ARIZONA -----	30	34	35	51	89	143	214	223	200	79	20	-
WHITE-----MALE----	12	19	20	30	47	74	99	101	70	21	2	-
FEMALE--	14	12	9	15	36	62	106	114	119	54	16	-
ALL OTHER--MALE----	2	2	6	5	6	3	6	4	3	1	-	-
FEMALE--	2	1	-	1	-	4	3	4	8	3	2	-
BLACK---MALE----	-	1	1	1	4	-	2	1	2	-	-	-
FEMALE--	2	1	-	-	-	-	-	2	1	1	-	-
ARKANSAS -----	18	9	23	32	56	91	131	172	139	50	14	-
WHITE-----MALE----	9	6	13	16	27	45	53	59	41	10	2	-
FEMALE--	4	2	6	14	24	37	65	100	81	36	11	-
ALL OTHER--MALE----	3	1	2	1	3	6	5	4	3	3	-	-
FEMALE--	2	-	2	1	2	3	8	9	14	1	1	-
BLACK---MALE----	3	1	2	1	3	6	5	4	3	3	-	-
FEMALE--	2	-	2	1	2	3	7	7	13	1	1	-
CALIFORNIA -----	106	124	184	278	609	1,071	1,508	1,711	1,436	695	157	-
WHITE-----MALE----	44	59	88	118	275	467	610	637	449	165	32	-
FEMALE--	35	39	57	97	210	466	701	880	857	463	102	-
ALL OTHER--MALE----	16	18	24	41	68	71	100	85	53	23	5	-
FEMALE--	11	8	15	22	56	67	97	109	77	44	18	-
BLACK---MALE----	11	9	17	21	33	29	31	21	12	9	3	-
FEMALE--	9	5	9	8	25	31	47	48	32	22	9	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2288

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonia (J12-J18)												
COLORADO -----	590	3	1	1	-	-	2	2	1	8	8	5
WHITE-----MALE----	264	1	-	1	-	-	-	-	1	6	5	3
FEMALE--	305	1	1	-	-	-	1	2	-	2	1	2
ALL OTHER--MALE----	9	1	-	-	-	-	1	-	-	-	2	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	1	-	-	-	-	1	-	-	-	2	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	870	1	1	-	-	-	1	1	1	3	4	11
WHITE-----MALE----	358	-	1	-	-	-	-	1	1	1	1	7
FEMALE--	469	-	-	-	-	-	1	-	-	2	2	2
ALL OTHER--MALE----	25	1	-	-	-	-	-	-	-	-	1	2
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	23	1	-	-	-	-	-	-	-	-	1	2
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	227	-	-	-	-	-	1	1	-	3	4	3
WHITE-----MALE----	90	-	-	-	-	-	-	-	-	2	2	1
FEMALE--	107	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	16	-	-	-	-	-	1	1	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	15	-	-	-	-	-	1	1	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	-
DISTRICT OF COLUMBIA ---	105	1	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	30	1	-	-	-	-	-	-	-	1	1	-
FEMALE--	44	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	28	1	-	-	-	-	-	-	-	1	1	-
FEMALE--	42	-	-	-	-	-	-	-	-	-	-	1
FLORIDA -----	3,311	18	3	1	2	2	6	3	11	22	33	57
WHITE-----MALE----	1,423	6	2	1	2	-	2	1	6	9	16	30
FEMALE--	1,586	6	-	-	-	2	3	-	2	8	3	17
ALL OTHER--MALE----	153	6	-	-	-	-	1	1	3	3	5	5
FEMALE--	149	-	1	-	-	-	-	1	-	2	9	5
BLACK---MALE----	144	6	-	-	-	-	1	1	3	3	4	5
FEMALE--	144	-	1	-	-	-	-	1	-	2	8	5
GEORGIA -----	1,765	6	2	-	2	3	3	6	10	22	37	35
WHITE-----MALE----	593	1	1	-	1	-	1	3	4	7	13	6
FEMALE--	792	1	-	-	1	2	-	-	-	6	11	8
ALL OTHER--MALE----	182	2	-	-	-	-	-	2	3	1	9	15
FEMALE--	198	2	1	-	-	1	2	1	3	8	4	6
BLACK---MALE----	176	2	-	-	-	-	-	2	3	1	9	15
FEMALE--	195	2	1	-	-	1	1	1	3	8	4	6

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2288

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonia (J12-J18)												
COLORADO -----	13	8	21	13	35	55	111	107	126	56	14	-
WHITE-----MALE----	7	5	11	7	19	28	52	48	52	17	1	-
FEMALE--	3	3	10	6	14	25	55	58	72	37	12	-
ALL OTHER--MALE----	2	-	-	-	-	1	1	-	-	1	-	-
FEMALE--	1	-	-	-	2	1	3	1	2	1	1	-
BLACK---MALE-----	1	-	-	-	-	1	1	-	-	1	-	-
FEMALE--	1	-	-	-	2	-	2	1	2	1	1	-
CONNECTICUT -----	7	17	20	21	54	82	155	227	167	71	26	-
WHITE-----MALE----	4	7	12	6	30	47	75	88	53	14	10	-
FEMALE--	2	7	6	12	22	29	73	132	107	56	16	-
ALL OTHER--MALE----	1	1	1	3	2	4	5	3	1	-	-	-
FEMALE--	-	2	1	-	-	2	2	4	6	1	-	-
BLACK---MALE-----	1	1	1	3	1	4	5	2	1	-	-	-
FEMALE--	-	2	1	-	-	2	1	4	5	1	-	-
DELAWARE -----	4	2	7	16	17	23	41	60	31	12	2	-
WHITE-----MALE----	3	1	1	9	7	8	17	26	11	2	-	-
FEMALE--	-	-	2	3	7	12	22	29	18	9	2	-
ALL OTHER--MALE----	1	1	1	2	-	2	1	4	1	-	-	-
FEMALE--	-	-	3	2	3	1	1	1	1	1	-	-
BLACK---MALE-----	1	1	1	2	-	2	1	4	-	-	-	-
FEMALE--	-	-	3	2	3	1	1	1	1	1	-	-
DISTRICT OF COLUMBIA ---	-	2	4	1	4	19	18	18	23	8	4	-
WHITE-----MALE----	-	-	1	-	-	2	3	2	4	2	-	-
FEMALE--	-	-	1	-	-	2	1	2	8	2	1	-
ALL OTHER--MALE----	-	1	2	-	1	9	7	4	3	-	-	-
FEMALE--	-	1	-	1	3	6	7	10	8	4	3	-
BLACK---MALE-----	-	1	2	-	1	8	7	4	2	-	-	-
FEMALE--	-	1	-	1	3	6	7	8	8	4	3	-
FLORIDA -----	49	67	94	126	263	414	644	677	552	221	46	-
WHITE-----MALE----	25	25	37	58	123	203	316	276	204	73	8	-
FEMALE--	14	25	36	46	104	180	289	357	326	134	34	-
ALL OTHER--MALE----	6	12	14	13	19	17	20	18	5	3	2	-
FEMALE--	4	5	7	9	17	14	19	26	17	11	2	-
BLACK---MALE-----	6	12	12	12	17	16	18	18	5	3	2	-
FEMALE--	4	5	6	9	17	12	18	26	17	11	2	-
GEORGIA -----	32	51	50	92	129	229	320	342	271	99	24	-
WHITE-----MALE----	12	16	22	41	59	90	125	109	68	8	6	-
FEMALE--	9	18	14	23	39	99	148	179	151	69	14	-
ALL OTHER--MALE----	8	13	11	16	18	22	20	24	15	2	1	-
FEMALE--	3	4	3	12	13	18	27	30	37	20	3	-
BLACK---MALE-----	8	12	10	15	18	21	19	23	15	2	1	-
FEMALE--	3	4	3	10	13	18	27	30	37	20	3	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2289

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonia (J12-J18)												
HAWAII -----	215	3	-	1	-	-	-	1	-	2	1	2
WHITE-----MALE----	36	-	-	-	-	-	-	1	-	2	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	84	3	-	1	-	-	-	-	-	-	-	-
FEMALE--	74	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	270	1	-	1	-	1	1	-	3	1	-	5
WHITE-----MALE----	121	-	-	1	-	-	1	-	2	-	-	4
FEMALE--	148	1	-	-	-	1	-	-	1	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2,834	15	2	4	1	3	5	6	12	23	38	35
WHITE-----MALE----	1,067	2	2	2	-	-	1	1	4	12	17	14
FEMALE--	1,404	3	-	1	-	-	2	-	3	8	11	9
ALL OTHER--MALE----	177	1	-	1	-	1	1	2	2	2	7	7
FEMALE--	186	9	-	-	1	2	1	3	3	1	3	5
BLACK---MALE-----	162	1	-	1	-	1	1	2	2	2	7	7
FEMALE--	175	9	-	-	1	2	-	3	2	1	3	5
INDIANA -----	1,243	4	6	-	1	-	1	2	6	2	6	18
WHITE-----MALE----	528	1	-	-	-	-	-	2	2	1	3	9
FEMALE--	641	2	3	-	1	-	-	-	4	1	3	6
ALL OTHER--MALE----	31	-	3	-	-	-	-	-	-	-	-	1
FEMALE--	43	1	-	-	-	-	1	-	-	-	-	2
BLACK---MALE-----	28	-	3	-	-	-	-	-	-	-	-	1
FEMALE--	40	1	-	-	-	-	1	-	-	-	-	1
IOWA -----	885	-	1	1	1	1	1	3	2	4	3	6
WHITE-----MALE----	363	-	1	-	1	1	1	2	1	2	3	2
FEMALE--	513	-	-	1	-	-	-	1	1	2	-	4
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	702	2	-	-	1	-	3	2	1	1	5	5
WHITE-----MALE----	296	2	-	-	1	-	2	1	-	-	3	1
FEMALE--	379	-	-	-	-	-	-	1	-	1	1	4
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	9	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	15	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2289

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonia (J12-J18)												
HAWAII -----	3	5	6	9	19	33	42	36	32	16	4	-
WHITE-----MALE----	-	1	2	3	6	6	1	7	6	-	1	-
FEMALE--	-	-	-	1	1	4	3	2	5	2	2	-
ALL OTHER--MALE----	-	1	3	3	6	13	19	19	10	5	1	-
FEMALE--	3	3	1	2	6	10	19	8	11	9	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	4	7	13	13	28	46	60	57	18	9	-
WHITE-----MALE----	1	3	4	7	7	13	26	26	20	3	3	-
FEMALE--	-	1	3	6	6	15	20	34	37	15	6	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	45	43	66	94	207	319	494	596	502	259	65	-
WHITE-----MALE----	21	20	27	37	105	158	204	213	163	55	9	-
FEMALE--	10	16	18	25	69	117	241	342	297	184	48	-
ALL OTHER--MALE----	11	4	13	17	22	27	22	18	11	6	2	-
FEMALE--	3	3	8	15	11	17	27	23	31	14	6	-
BLACK---MALE-----	11	3	12	15	20	25	20	15	9	6	2	-
FEMALE--	3	3	8	14	11	15	24	20	31	14	6	-
INDIANA -----	18	23	35	57	82	151	225	252	217	105	32	-
WHITE-----MALE----	7	17	22	30	42	70	93	115	83	23	8	-
FEMALE--	7	4	12	23	32	71	123	129	121	77	22	-
ALL OTHER--MALE----	3	1	-	3	3	8	3	2	4	-	-	-
FEMALE--	1	1	1	1	5	2	6	6	9	5	2	-
BLACK---MALE-----	3	1	-	3	3	7	3	1	3	-	-	-
FEMALE--	1	1	1	1	4	2	6	6	8	5	2	-
IOWA -----	11	12	16	30	52	78	153	209	155	105	41	-
WHITE-----MALE----	6	8	8	14	31	36	74	91	50	22	9	-
FEMALE--	5	4	5	16	19	42	77	117	104	83	32	-
ALL OTHER--MALE----	-	-	2	-	-	-	1	1	1	-	-	-
FEMALE--	-	-	1	-	2	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	1	1	1	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
KANSAS -----	6	11	12	18	43	78	123	156	130	76	29	-
WHITE-----MALE----	2	9	3	12	21	41	57	67	42	26	6	-
FEMALE--	3	2	7	6	18	35	61	84	85	48	23	-
ALL OTHER--MALE----	1	-	1	-	2	2	4	3	2	1	-	-
FEMALE--	-	-	1	-	2	-	1	2	1	1	-	-
BLACK---MALE-----	1	-	1	-	2	2	4	3	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	1	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2290

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonia (J12-J18)												
KENTUCKY -----	1,138	4	1	-	1	3	5	3	6	4	14	9
WHITE-----MALE----	457	2	-	-	-	2	2	2	1	3	8	3
FEMALE--	615	-	-	-	1	1	2	1	5	1	5	3
ALL OTHER--MALE----	30	2	1	-	-	-	-	-	-	-	-	1
FEMALE--	36	-	-	-	-	-	1	-	-	-	1	2
BLACK---MALE----	29	2	1	-	-	-	-	-	-	-	-	1
FEMALE--	36	-	-	-	-	-	1	-	-	-	1	2
LOUISIANA -----	947	11	3	1	1	2	3	2	3	10	12	17
WHITE-----MALE----	286	2	-	1	1	1	1	-	-	2	4	2
FEMALE--	401	-	1	-	-	-	1	2	-	6	3	4
ALL OTHER--MALE----	139	7	2	-	-	-	1	-	2	-	4	6
FEMALE--	121	2	-	-	-	1	-	-	1	2	1	5
BLACK---MALE----	135	7	2	-	-	-	1	-	2	-	4	4
FEMALE--	118	2	-	-	-	-	-	-	1	2	1	5
MAINE -----	316	-	-	-	-	1	-	3	-	-	4	2
WHITE-----MALE----	119	-	-	-	-	-	-	2	-	-	1	1
FEMALE--	196	-	-	-	-	1	-	1	-	-	3	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,097	4	-	-	3	2	3	4	12	12	14	17
WHITE-----MALE----	391	-	-	-	-	1	1	-	3	2	4	4
FEMALE--	470	1	-	-	2	-	1	2	4	3	2	5
ALL OTHER--MALE----	127	1	-	-	1	-	1	2	3	4	5	6
FEMALE--	109	2	-	-	-	1	-	-	2	3	3	2
BLACK---MALE----	123	1	-	-	1	-	1	2	3	4	5	5
FEMALE--	102	2	-	-	-	1	-	-	2	3	3	2
MASSACHUSETTS -----	2,062	-	1	-	-	2	3	3	5	5	11	12
WHITE-----MALE----	836	-	-	-	-	1	1	1	2	3	9	5
FEMALE--	1,176	-	1	-	-	1	1	2	2	2	2	7
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	27	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	20	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1,983	18	3	2	1	1	4	12	8	16	29	32
WHITE-----MALE----	747	6	-	1	-	-	1	4	6	2	5	8
FEMALE--	943	4	1	-	-	-	-	2	-	9	6	11
ALL OTHER--MALE----	151	4	1	-	1	1	1	5	2	3	11	9
FEMALE--	142	4	1	1	-	-	2	1	-	2	7	4
BLACK---MALE----	142	4	1	-	1	1	1	5	2	3	9	9
FEMALE--	134	4	1	-	-	-	2	1	-	2	7	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2290

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonia (J12-J18)												
KENTUCKY -----	17	16	35	58	86	159	216	223	177	77	24	-
WHITE-----MALE----	8	7	21	33	38	73	93	88	49	21	3	-
FEMALE--	7	8	9	22	38	78	113	131	121	48	21	-
ALL OTHER--MALE----	1	-	2	3	5	4	4	2	3	2	-	-
FEMALE--	1	1	3	-	5	4	6	2	4	6	-	-
BLACK---MALE----	1	-	2	3	4	4	4	2	3	2	-	-
FEMALE--	1	1	3	-	5	4	6	2	4	6	-	-
LOUISIANA -----	10	23	25	34	73	108	170	190	170	57	22	-
WHITE-----MALE----	5	10	9	15	22	46	67	50	34	13	1	-
FEMALE--	-	8	7	8	30	35	64	98	94	31	9	-
ALL OTHER--MALE----	4	3	6	11	12	17	18	20	18	6	2	-
FEMALE--	1	2	3	-	9	10	21	22	24	7	10	-
BLACK---MALE----	4	2	6	11	12	17	17	20	18	6	2	-
FEMALE--	1	2	3	-	9	10	21	20	24	7	10	-
MAINE -----	-	3	5	3	21	28	62	76	65	34	9	-
WHITE-----MALE----	-	2	-	1	12	15	28	30	17	10	-	-
FEMALE--	-	1	4	2	9	13	34	46	48	24	9	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	22	28	35	61	72	150	196	195	176	75	16	-
WHITE-----MALE----	8	9	14	20	30	66	85	81	46	15	2	-
FEMALE--	3	7	7	20	20	49	80	91	113	47	13	-
ALL OTHER--MALE----	6	10	9	10	15	19	18	7	6	3	1	-
FEMALE--	5	2	5	11	7	16	13	16	11	10	-	-
BLACK---MALE----	6	10	9	10	15	19	16	6	6	3	1	-
FEMALE--	5	2	5	11	6	15	11	13	11	10	-	-
MASSACHUSETTS -----	15	24	25	62	134	245	379	458	406	206	66	-
WHITE-----MALE----	11	17	12	28	75	133	179	189	119	46	5	-
FEMALE--	3	7	12	27	54	109	190	261	280	157	58	-
ALL OTHER--MALE----	1	-	-	5	3	1	3	4	2	2	1	-
FEMALE--	-	-	1	2	2	2	7	4	5	1	2	-
BLACK---MALE----	1	-	-	2	3	1	3	4	2	2	1	-
FEMALE--	-	-	1	1	2	2	7	4	5	-	1	-
MICHIGAN -----	49	51	47	77	148	249	384	388	289	133	42	-
WHITE-----MALE----	17	19	22	29	62	108	151	159	93	47	7	-
FEMALE--	10	14	15	29	62	107	191	192	181	77	32	-
ALL OTHER--MALE----	11	12	6	10	13	18	22	11	6	3	1	-
FEMALE--	11	6	4	9	11	16	20	26	9	6	2	-
BLACK---MALE----	10	12	6	9	12	16	21	10	6	3	1	-
FEMALE--	11	5	4	9	9	15	19	26	8	6	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2291

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonia (J12-J18)												
MINNESOTA -----	8	9	14	19	47	55	133	190	162	78	24	-
WHITE-----MALE----	4	3	7	12	27	34	65	78	46	25	3	-
FEMALE--	1	6	3	7	18	20	67	107	114	52	21	-
ALL OTHER--MALE----	1	-	3	-	1	-	1	4	1	1	-	-
FEMALE--	2	-	1	-	1	-	-	1	1	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	3	-	1	-	-
FEMALE--	-	-	-	-	1	1	-	-	1	-	-	-
MISSISSIPPI -----	12	12	24	34	61	100	131	155	128	59	14	-
WHITE-----MALE----	5	3	8	14	21	42	37	57	21	17	2	-
FEMALE--	3	5	8	9	21	33	59	70	71	31	5	-
ALL OTHER--MALE----	2	4	4	8	10	12	19	8	11	3	1	-
FEMALE--	2	-	4	3	9	13	16	20	25	8	6	-
BLACK---MALE-----	2	4	4	8	10	12	19	8	11	3	1	-
FEMALE--	2	-	4	2	9	12	15	19	25	8	5	-
MISSOURI -----	11	24	38	60	94	177	288	350	277	149	30	1
WHITE-----MALE----	6	7	17	31	42	84	132	119	66	43	5	-
FEMALE--	4	8	16	21	38	79	137	211	198	98	21	-
ALL OTHER--MALE----	1	6	3	8	6	5	13	10	6	4	1	1
FEMALE--	-	3	2	-	8	9	6	10	7	4	3	-
BLACK---MALE-----	1	6	3	8	4	5	13	10	6	3	-	1
FEMALE--	-	3	2	-	7	8	5	8	7	4	3	-
MONTANA -----	2	1	5	6	17	25	37	40	34	11	4	-
WHITE-----MALE----	-	-	-	3	10	13	20	15	13	4	-	-
FEMALE--	2	-	1	1	6	12	17	24	18	7	4	-
ALL OTHER--MALE----	-	1	3	2	-	-	-	1	1	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	2	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	4	3	10	13	24	43	63	101	68	50	5	-
WHITE-----MALE----	3	2	5	8	13	28	22	42	24	18	-	-
FEMALE--	1	1	3	3	8	13	40	59	44	31	4	-
ALL OTHER--MALE----	-	-	2	1	2	2	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	1	1	-
BLACK---MALE-----	-	-	1	1	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	1	1	-
NEVADA -----	5	10	19	18	33	58	56	51	30	14	1	-
WHITE-----MALE----	4	6	14	8	16	32	26	30	10	2	-	-
FEMALE--	-	4	2	10	15	24	27	19	16	11	1	-
ALL OTHER--MALE----	-	-	3	-	2	1	1	-	1	1	-	-
FEMALE--	1	-	-	-	-	1	2	2	3	-	-	-
BLACK---MALE-----	-	-	2	-	-	-	1	-	1	1	-	-
FEMALE--	1	-	-	-	-	-	1	1	3	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2293

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonia (J12-J18)												
OHIO -----	2,464	11	2	1	-	2	5	2	8	12	28	31
WHITE-----MALE----	944	5	-	1	-	2	4	-	3	7	14	16
FEMALE--	1,311	1	1	-	-	-	1	1	3	3	10	11
ALL OTHER--MALE----	110	3	-	-	-	-	-	1	1	1	2	3
FEMALE--	99	2	1	-	-	-	-	-	1	1	2	1
BLACK---MALE----	108	3	-	-	-	-	-	1	1	1	2	2
FEMALE--	93	2	1	-	-	-	-	-	1	1	2	1
OKLAHOMA -----	852	2	-	2	1	-	4	3	3	9	8	13
WHITE-----MALE----	321	1	-	2	-	-	1	2	1	3	6	7
FEMALE--	445	1	-	-	1	-	3	-	2	2	1	3
ALL OTHER--MALE----	41	-	-	-	-	-	-	1	-	2	-	3
FEMALE--	45	-	-	-	-	-	-	-	-	2	1	-
BLACK---MALE----	21	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	620	1	2	-	-	-	1	-	1	2	2	6
WHITE-----MALE----	246	-	-	-	-	-	1	-	1	1	1	4
FEMALE--	354	-	2	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	9	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3,014	16	2	2	-	2	3	3	8	14	30	40
WHITE-----MALE----	1,222	5	1	-	-	1	-	-	5	8	16	18
FEMALE--	1,549	6	1	2	-	1	3	1	1	3	3	9
ALL OTHER--MALE----	118	5	-	-	-	-	-	1	2	1	7	7
FEMALE--	125	-	-	-	-	-	-	1	-	2	4	6
BLACK---MALE----	117	5	-	-	-	-	-	1	2	1	7	7
FEMALE--	117	-	-	-	-	-	-	1	-	2	4	6
RHODE ISLAND -----	336	-	1	-	-	-	-	1	-	-	2	3
WHITE-----MALE----	133	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	191	-	1	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	7	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	665	1	2	2	-	-	1	1	3	8	10	15
WHITE-----MALE----	213	-	-	-	-	-	-	-	1	4	5	4
FEMALE--	282	-	1	-	-	-	-	1	1	1	2	3
ALL OTHER--MALE----	72	1	1	1	-	-	1	-	1	1	3	5
FEMALE--	98	-	-	1	-	-	-	-	-	2	-	3
BLACK---MALE----	72	1	1	1	-	-	1	-	1	1	3	5
FEMALE--	98	-	-	1	-	-	-	-	-	2	-	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2293

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonia (J12-J18)												
OHIO -----	36	32	66	109	195	299	426	525	443	182	49	-
WHITE-----MALE----	16	12	35	48	90	135	182	175	136	44	19	-
FEMALE--	16	12	20	40	88	141	210	314	283	129	27	-
ALL OTHER--MALE----	2	5	6	12	14	11	20	15	11	2	1	-
FEMALE--	2	3	5	9	3	12	14	21	13	7	2	-
BLACK---MALE-----	2	5	6	12	14	11	20	15	10	2	1	-
FEMALE--	2	3	4	9	2	12	13	20	13	5	2	-
OKLAHOMA -----	15	24	25	37	60	97	140	179	153	67	10	-
WHITE-----MALE----	4	9	17	21	24	50	56	59	42	14	2	-
FEMALE--	5	13	6	13	26	41	74	106	91	49	8	-
ALL OTHER--MALE----	5	1	1	2	4	2	7	5	6	2	-	-
FEMALE--	1	1	1	1	6	4	3	9	14	2	-	-
BLACK---MALE-----	3	1	1	-	3	-	5	3	3	1	-	-
FEMALE--	1	1	1	1	5	3	1	3	7	1	-	-
OREGON -----	7	9	11	19	43	60	132	137	102	62	23	-
WHITE-----MALE----	5	5	5	12	18	28	60	54	29	16	6	-
FEMALE--	1	3	5	5	21	31	68	82	71	45	16	-
ALL OTHER--MALE----	1	1	1	1	2	-	-	1	1	-	-	-
FEMALE--	-	-	-	1	2	1	4	-	1	1	1	-
BLACK---MALE-----	1	1	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	1	-
PENNSYLVANIA -----	42	47	66	100	192	384	570	687	518	245	43	-
WHITE-----MALE----	22	22	33	53	95	181	267	252	173	61	9	-
FEMALE--	9	11	27	34	70	174	280	398	319	165	32	-
ALL OTHER--MALE----	7	11	2	8	15	15	10	11	11	5	-	-
FEMALE--	4	3	4	5	12	14	13	26	15	14	2	-
BLACK---MALE-----	6	11	2	8	15	15	10	11	11	5	-	-
FEMALE--	4	3	3	5	12	13	11	25	14	12	2	-
RHODE ISLAND -----	2	5	3	8	18	32	79	74	63	29	16	-
WHITE-----MALE----	1	2	2	3	10	14	41	27	27	5	-	-
FEMALE--	1	2	1	5	7	16	37	45	35	22	15	-
ALL OTHER--MALE----	-	1	-	-	1	2	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	1	1	-
BLACK---MALE-----	-	1	-	-	1	2	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	1	1	-
SOUTH CAROLINA -----	22	15	18	33	48	92	130	118	99	35	11	1
WHITE-----MALE----	9	6	8	13	23	37	45	34	20	3	1	-
FEMALE--	6	6	3	8	12	36	49	60	58	28	7	-
ALL OTHER--MALE----	6	2	3	5	6	7	11	10	6	2	-	-
FEMALE--	1	1	4	7	7	12	25	14	15	2	3	1
BLACK---MALE-----	6	2	3	5	6	7	11	10	6	2	-	-
FEMALE--	1	1	4	7	7	12	25	14	15	2	3	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2294

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonia (J12-J18)												
SOUTH DAKOTA -----	189	-	-	2	-	-	1	-	-	-	-	4
WHITE-----MALE----	82	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	96	-	-	1	-	-	1	-	-	-	-	3
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,630	9	3	-	-	2	4	8	4	9	13	13
WHITE-----MALE----	593	2	1	-	-	1	1	2	2	5	3	7
FEMALE--	852	3	1	-	-	-	-	2	2	2	5	2
ALL OTHER--MALE----	77	1	1	-	-	1	1	2	-	1	5	2
FEMALE--	108	3	-	-	-	-	2	2	-	1	-	2
BLACK---MALE----	77	1	1	-	-	1	1	2	-	1	5	2
FEMALE--	107	3	-	-	-	-	2	2	-	1	-	2
TEXAS -----	3,608	22	12	7	2	2	13	10	18	31	51	51
WHITE-----MALE----	1,351	8	4	3	2	1	7	3	5	14	20	20
FEMALE--	1,880	7	6	4	-	-	3	6	8	11	19	17
ALL OTHER--MALE----	190	3	2	-	-	-	1	1	2	3	10	8
FEMALE--	187	4	-	-	-	1	2	-	3	3	2	6
BLACK---MALE----	173	3	2	-	-	-	1	1	2	2	10	7
FEMALE--	173	4	-	-	-	1	2	-	3	3	1	6
UTAH -----	385	1	2	-	-	1	-	2	1	4	6	6
WHITE-----MALE----	179	-	2	-	-	-	-	-	-	2	2	1
FEMALE--	196	1	-	-	-	1	-	1	1	2	4	5
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	112	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	41	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	71	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,478	3	2	2	-	1	3	1	8	6	13	14
WHITE-----MALE----	528	2	-	1	-	-	1	-	1	3	6	5
FEMALE--	710	1	1	1	-	-	-	1	2	3	2	4
ALL OTHER--MALE----	113	-	1	-	-	1	1	-	2	-	2	4
FEMALE--	127	-	-	-	-	-	1	-	3	-	3	1
BLACK---MALE----	108	-	1	-	-	1	1	-	2	-	2	4
FEMALE--	120	-	-	-	-	-	1	-	3	-	3	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2294

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonia (J12-J18)												
SOUTH DAKOTA -----	2	2	4	7	10	23	28	42	33	23	8	-
WHITE-----MALE----	-	2	2	4	6	12	12	20	12	8	3	-
FEMALE--	-	-	2	2	3	9	14	21	20	15	5	-
ALL OTHER--MALE----	2	-	-	1	1	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	27	41	49	62	132	205	292	329	269	131	28	-
WHITE-----MALE----	9	19	28	22	63	99	123	117	59	25	5	-
FEMALE--	13	11	13	29	54	86	149	189	187	88	16	-
ALL OTHER--MALE----	3	8	1	5	5	7	9	12	9	3	1	-
FEMALE--	2	3	7	6	10	13	11	11	14	15	6	-
BLACK---MALE-----	3	8	1	5	5	7	9	12	9	3	1	-
FEMALE--	2	3	6	6	10	13	11	11	14	15	6	-
TEXAS -----	75	74	106	148	243	445	634	754	600	248	62	-
WHITE-----MALE----	32	36	48	60	106	200	277	266	180	49	10	-
FEMALE--	28	25	40	56	101	211	298	432	382	182	44	-
ALL OTHER--MALE----	11	9	12	17	20	15	26	19	22	6	3	-
FEMALE--	4	4	6	15	16	19	33	37	16	11	5	-
BLACK---MALE-----	10	8	12	16	19	14	21	17	19	6	3	-
FEMALE--	4	4	6	13	14	17	33	33	13	11	5	-
UTAH -----	5	3	7	14	21	39	78	96	75	19	4	1
WHITE-----MALE----	1	3	3	9	11	19	41	47	31	6	-	1
FEMALE--	4	-	3	5	9	20	36	46	41	13	4	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	1	2	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
VERMONT -----	-	2	7	1	5	19	16	18	27	15	2	-
WHITE-----MALE----	-	-	5	-	2	9	6	6	11	2	-	-
FEMALE--	-	2	2	1	3	10	10	12	16	13	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	17	24	45	74	110	210	288	296	241	94	26	-
WHITE-----MALE----	9	11	19	35	44	88	118	89	63	30	3	-
FEMALE--	6	10	16	21	38	87	122	164	154	58	19	-
ALL OTHER--MALE----	2	2	3	12	12	17	25	15	9	2	3	-
FEMALE--	-	1	7	6	16	18	23	28	15	4	1	-
BLACK---MALE-----	2	2	3	12	12	16	22	14	9	2	3	-
FEMALE--	-	1	7	6	15	15	22	26	15	4	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2295

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonia (J12-J18)												
WASHINGTON -----	10	13	16	37	52	107	159	230	193	98	31	-
WHITE-----MALE----	5	8	6	18	30	51	80	101	57	27	3	-
FEMALE--	5	3	9	15	18	47	75	120	131	70	25	-
ALL OTHER--MALE----	-	1	-	2	2	6	2	5	3	-	2	-
FEMALE--	-	1	1	2	2	3	2	4	2	1	1	-
BLACK---MALE-----	-	1	-	1	1	2	1	2	1	-	1	-
FEMALE--	-	-	-	1	-	1	1	-	2	1	-	-
WEST VIRGINIA -----	7	9	12	14	36	57	92	94	61	27	8	-
WHITE-----MALE----	4	6	6	5	21	27	33	33	16	7	2	-
FEMALE--	3	3	6	9	15	30	56	59	43	19	6	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	2	2	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	2	2	1	-	-
WISCONSIN -----	11	17	23	36	79	144	173	248	236	115	45	-
WHITE-----MALE----	6	10	9	20	40	73	86	102	70	36	11	-
FEMALE--	4	6	10	16	37	66	84	142	163	79	34	-
ALL OTHER--MALE----	1	1	2	-	2	1	-	2	1	-	-	-
FEMALE--	-	-	2	-	-	4	3	2	2	-	-	-
BLACK---MALE-----	1	1	1	-	2	1	-	2	1	-	-	-
FEMALE--	-	-	1	-	-	4	3	2	2	-	-	-
WYOMING -----	1	2	3	2	6	15	26	26	26	8	2	-
WHITE-----MALE----	1	2	2	-	2	10	13	11	10	2	-	-
FEMALE--	-	-	1	2	3	5	11	15	16	6	2	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2296

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Viral pneumonia, not elsewhere classified (J12)												
UNITED STATES -	11	14	12	23	24	41	50	53	41	23	4	-
WHITE-----MALE----	5	8	4	12	6	20	18	15	9	6	-	-
FEMALE--	4	5	5	10	15	20	28	35	32	17	3	-
ALL OTHER--MALE----	2	1	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	2	1	1	1	4	3	-	-	1	-
BLACK---MALE-----	1	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	1	-	-	-	1	-
ALABAMA -----	-	-	2	-	-	-	2	3	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	-	-	-	-	-	2	-	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1	4	2	4	3	11	14	15	12	9	-	-
WHITE-----MALE----	1	2	-	3	-	4	5	4	3	1	-	-
FEMALE--	-	2	1	1	2	7	7	9	9	8	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	2	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2297

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Viral pneumonia, not elsewhere classified (J12)												
COLORADO -----	2	1	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	26	5	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	10	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	5	2	-	-	1	-	1	-	-	1	-	-
WHITE-----MALE----	2	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2305

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Bacterial pneumonia (J13-J15)												
UNITED STATES -	4,486	31	12	10	2	3	14	19	28	68	106	115
WHITE-----MALE----	1,983	10	4	6	1	2	6	3	13	28	55	46
FEMALE--	1,874	5	5	2	1	-	6	11	11	25	26	37
ALL OTHER--MALE----	343	12	3	1	-	1	-	4	3	8	9	17
FEMALE--	286	4	-	1	-	-	2	1	1	7	16	15
BLACK---MALE-----	260	11	2	1	-	1	-	3	2	7	8	11
FEMALE--	221	3	-	1	-	-	2	1	1	5	9	13
ALABAMA -----	65	-	-	-	-	-	1	-	-	2	3	1
WHITE-----MALE----	25	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	29	-	-	-	-	-	1	-	-	-	1	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
ALASKA -----	4	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	117	-	1	-	-	-	-	1	2	3	8	3
WHITE-----MALE----	62	-	1	-	-	-	-	-	2	1	6	-
FEMALE--	41	-	-	-	-	-	-	1	-	1	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ARKANSAS -----	45	-	-	-	-	-	-	1	1	-	1	-
WHITE-----MALE----	21	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	1	-
CALIFORNIA -----	994	4	2	2	1	1	-	3	6	11	21	20
WHITE-----MALE----	430	3	-	2	-	1	-	2	2	3	14	9
FEMALE--	430	1	-	-	1	-	-	1	3	4	4	6
ALL OTHER--MALE----	77	-	2	-	-	-	-	-	1	2	-	2
FEMALE--	57	-	-	-	-	-	-	-	-	2	3	3
BLACK---MALE-----	38	-	1	-	-	-	-	-	-	2	-	2
FEMALE--	30	-	-	-	-	-	-	-	-	1	1	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2305

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Bacterial pneumonia (J13-J15)												
UNITED STATES -	137	170	209	255	433	600	759	763	501	213	38	-
WHITE-----MALE----	64	76	95	117	214	314	362	313	180	68	6	-
FEMALE--	44	61	77	87	155	213	310	377	266	130	25	-
ALL OTHER--MALE----	17	20	23	28	37	48	37	41	28	5	1	-
FEMALE--	12	13	14	23	27	25	50	32	27	10	6	-
BLACK---MALE----	13	17	20	21	32	34	25	23	23	5	1	-
FEMALE--	11	10	11	21	21	16	37	24	21	8	6	-
ALABAMA -----	-	1	7	3	9	7	9	9	8	4	1	-
WHITE-----MALE----	-	1	3	2	3	4	4	2	2	1	-	-
FEMALE--	-	-	2	1	4	2	3	6	4	3	1	-
ALL OTHER--MALE----	-	-	1	-	2	1	1	1	1	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	1	-	2	1	1	1	1	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	1	-	-	-
ALASKA -----	-	1	-	-	-	1	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	6	7	5	7	14	13	22	15	8	1	1	-
WHITE-----MALE----	2	3	4	6	4	8	13	7	4	1	-	-
FEMALE--	4	3	1	1	7	3	7	7	4	-	1	-
ALL OTHER--MALE----	-	-	-	-	3	2	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	4	1	-	3	3	3	5	11	9	2	1	-
WHITE-----MALE----	2	-	-	2	1	1	5	4	4	1	-	-
FEMALE--	2	-	-	1	2	2	-	4	3	-	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	3	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
CALIFORNIA -----	23	23	34	43	91	124	176	194	136	69	10	-
WHITE-----MALE----	12	9	15	15	47	60	83	72	56	22	3	-
FEMALE--	5	8	16	17	22	47	73	104	68	45	5	-
ALL OTHER--MALE----	4	5	3	7	13	10	9	11	7	1	-	-
FEMALE--	2	1	-	4	9	7	11	7	5	1	2	-
BLACK---MALE----	2	3	3	3	10	4	2	2	3	1	-	-
FEMALE--	2	-	-	2	5	1	6	4	3	1	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2306

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Bacterial pneumonia (J13-J15)												
COLORADO -----	39	1	-	-	-	-	-	2	-	-	1	4
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	15	-	-	-	-	-	-	2	-	-	-	1
ALL OTHER--MALE----	4	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	41	-	-	-	-	-	-	-	-	1	1	2
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	18	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	19	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	8	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	299	3	-	1	-	-	-	-	1	3	5	4
WHITE-----MALE----	150	1	-	1	-	-	-	-	1	2	4	3
FEMALE--	117	1	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	18	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	18	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	135	1	1	-	-	-	-	-	1	3	6	7
WHITE-----MALE----	57	-	1	-	-	-	-	-	1	1	1	1
FEMALE--	49	-	-	-	-	-	-	-	-	1	2	2
ALL OTHER--MALE----	17	1	-	-	-	-	-	-	-	-	2	3
FEMALE--	12	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE-----	17	1	-	-	-	-	-	-	-	-	2	3
FEMALE--	12	-	-	-	-	-	-	-	-	1	1	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2306

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Bacterial pneumonia (J13-J15)												
COLORADO -----	1	3	5	1	3	4	8	4	-	2	-	-
WHITE-----MALE----	-	1	2	1	2	3	4	3	-	1	-	-
FEMALE--	-	2	3	-	1	-	4	1	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	2	-	2	4	5	10	9	3	2	-	-
WHITE-----MALE----	-	-	-	-	1	4	7	4	1	2	-	-
FEMALE--	-	2	-	2	3	1	1	5	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	5	2	3	6	1	1	-	-	-
WHITE-----MALE----	-	-	-	3	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	4	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	1	-	-	2	2	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	-	-	-
FLORIDA -----	11	7	15	17	33	51	51	49	32	15	1	-
WHITE-----MALE----	6	3	6	5	19	28	24	23	17	7	-	-
FEMALE--	3	3	6	7	11	22	20	21	13	7	1	-
ALL OTHER--MALE----	1	1	2	2	2	1	5	2	1	-	-	-
FEMALE--	1	-	1	3	1	-	2	3	1	1	-	-
BLACK---MALE----	1	1	2	2	2	1	5	2	1	-	-	-
FEMALE--	1	-	1	3	1	-	1	3	1	1	-	-
GEORGIA -----	4	12	10	4	15	14	21	18	13	4	1	-
WHITE-----MALE----	2	5	5	2	11	10	7	4	5	1	-	-
FEMALE--	-	5	4	1	-	3	10	14	5	2	-	-
ALL OTHER--MALE----	1	2	-	1	3	1	2	-	1	-	-	-
FEMALE--	1	-	1	-	1	-	2	-	2	1	1	-
BLACK---MALE----	1	2	-	1	3	1	2	-	1	-	-	-
FEMALE--	1	-	1	-	1	-	2	-	2	1	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2308

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Bacterial pneumonia (J13-J15)												
KENTUCKY -----	3	2	2	7	2	11	7	11	6	3	-	-
WHITE-----MALE----	1	-	2	3	-	6	1	3	3	2	-	-
FEMALE--	2	2	-	3	2	5	6	8	3	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	-	2	1	3	7	10	4	2	1	1	-
WHITE-----MALE----	1	-	-	1	2	4	2	1	-	-	-	-
FEMALE--	-	-	1	-	-	2	3	2	1	1	-	-
ALL OTHER--MALE----	-	-	1	-	1	1	3	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	-	1	-
BLACK---MALE----	-	-	1	-	1	1	3	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	-	1	-
MAINE -----	-	1	2	1	3	1	3	3	2	-	-	-
WHITE-----MALE----	-	1	-	-	3	1	1	2	1	-	-	-
FEMALE--	-	-	2	1	-	-	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	2	2	7	9	12	11	9	5	3	-	-
WHITE-----MALE----	-	1	-	1	4	4	5	2	2	-	-	-
FEMALE--	1	-	-	1	3	4	4	7	3	2	-	-
ALL OTHER--MALE----	-	-	-	3	1	2	-	-	-	-	-	-
FEMALE--	1	1	2	2	1	2	2	-	-	1	-	-
BLACK---MALE----	-	-	-	3	1	2	-	-	-	-	-	-
FEMALE--	1	1	2	2	1	1	1	-	-	1	-	-
MASSACHUSETTS -----	2	3	2	5	8	23	17	17	17	4	2	-
WHITE-----MALE----	1	1	1	3	5	15	10	8	5	2	-	-
FEMALE--	1	2	1	2	3	8	7	9	12	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
MICHIGAN -----	5	3	7	4	11	14	17	11	7	1	-	-
WHITE-----MALE----	1	2	3	3	4	4	5	5	3	1	-	-
FEMALE--	2	1	4	1	6	9	8	4	4	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	1	1	3	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	3	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2311

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Bacterial pneumonia (J13-J15)												
OHIO -----	137	2	-	-	-	1	1	1	1	4	2	4
WHITE-----MALE----	56	-	-	-	-	1	1	-	1	1	1	2
FEMALE--	59	-	-	-	-	-	-	-	-	2	-	2
ALL OTHER--MALE----	13	2	-	-	-	-	-	1	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE-----	13	2	-	-	-	-	-	1	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	1	-
OKLAHOMA -----	73	-	-	-	-	-	1	1	1	3	1	4
WHITE-----MALE----	31	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	31	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	1	-	-	-	3
FEMALE--	4	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	43	1	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	22	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	112	1	1	-	-	-	-	-	-	1	4	2
WHITE-----MALE----	56	1	1	-	-	-	-	-	-	-	2	1
FEMALE--	47	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
RHODE ISLAND -----	25	-	1	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	87	-	1	-	-	-	-	-	-	3	2	3
WHITE-----MALE----	44	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	30	-	1	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2311

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Bacterial pneumonia (J13-J15)												
OHIO -----	7	4	10	10	9	19	17	25	15	4	1	-
WHITE-----MALE----	2	2	4	5	6	8	10	8	4	-	-	-
FEMALE--	4	1	2	3	3	10	5	14	10	2	1	-
ALL OTHER--MALE----	-	1	2	2	-	1	-	3	-	1	-	-
FEMALE--	1	-	2	-	-	-	2	-	1	1	-	-
BLACK---MALE-----	-	1	2	2	-	1	-	3	-	1	-	-
FEMALE--	1	-	2	-	-	-	2	-	1	-	-	-
OKLAHOMA -----	2	5	4	5	5	15	7	10	5	3	1	-
WHITE-----MALE----	1	1	2	5	4	10	-	4	1	-	1	-
FEMALE--	1	3	1	-	1	4	7	4	4	3	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	2	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	-	2	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
OREGON -----	2	5	-	1	3	4	8	8	7	2	-	-
WHITE-----MALE----	2	3	-	-	-	3	4	5	2	2	-	-
FEMALE--	-	1	-	-	3	1	4	3	5	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	4	5	7	5	11	25	20	12	12	2	-	-
WHITE-----MALE----	2	2	3	4	6	15	10	4	4	1	-	-
FEMALE--	-	3	4	1	5	9	9	8	5	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE-----	1	-	-	-	-	1	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
RHODE ISLAND -----	-	1	-	2	2	1	6	2	4	3	2	-
WHITE-----MALE----	-	1	-	-	1	1	3	1	2	-	-	-
FEMALE--	-	-	-	2	1	-	3	1	2	3	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	4	5	5	7	14	13	10	9	5	6	-	-
WHITE-----MALE----	3	1	3	4	8	7	6	5	3	1	-	-
FEMALE--	1	3	1	1	5	4	3	3	1	5	-	-
ALL OTHER--MALE----	-	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	1	1	1	-	-	-
BLACK---MALE-----	-	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	1	1	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2312

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Bacterial pneumonia (J13-J15)												
SOUTH DAKOTA -----	10	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	137	-	-	-	-	-	-	-	1	3	3	3
WHITE-----MALE----	53	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	70	-	-	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	7	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	238	2	-	2	-	-	3	-	2	7	10	5
WHITE-----MALE----	94	1	-	1	-	-	2	-	-	5	4	2
FEMALE--	121	1	-	1	-	-	1	-	2	2	5	3
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	10	-	-	-	-	-	-	-	-	-	2	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	7	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	69	1	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	35	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	26	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2312

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Bacterial pneumonia (J13-J15)												
SOUTH DAKOTA -----	-	-	1	-	2	-	1	4	1	-	-	-
WHITE-----MALE----	-	-	1	-	2	-	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	6	5	9	19	12	28	20	15	8	1	-
WHITE-----MALE----	2	2	3	5	7	7	15	6	1	-	-	-
FEMALE--	2	3	2	3	10	4	12	13	10	7	1	-
ALL OTHER--MALE----	-	1	-	-	2	-	-	-	2	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	2	1	-	-
BLACK---MALE----	-	1	-	-	2	-	-	-	2	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	2	1	-	-
TEXAS -----	9	9	12	17	21	30	29	44	28	6	2	-
WHITE-----MALE----	7	4	4	7	5	10	17	15	8	2	-	-
FEMALE--	1	5	6	7	12	17	10	26	17	4	1	-
ALL OTHER--MALE----	1	-	2	3	2	2	-	1	3	-	1	-
FEMALE--	-	-	-	-	2	1	2	2	-	-	-	-
BLACK---MALE----	1	-	2	2	2	1	-	1	3	-	1	-
FEMALE--	-	-	-	-	2	1	2	2	-	-	-	-
UTAH -----	1	1	-	-	-	2	1	1	1	1	-	-
WHITE-----MALE----	-	1	-	-	-	1	1	-	1	1	-	-
FEMALE--	1	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	3	-	-	-	1	2	-	1	-	-
WHITE-----MALE----	-	-	3	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	1	2	4	6	17	13	11	7	2	-	-
WHITE-----MALE----	2	-	-	4	4	8	5	7	2	2	-	-
FEMALE--	1	1	1	-	1	6	6	4	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2314

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonia due to other or unspecified organisms (J16,J18)												
UNITED STATES -	58,670	194	63	33	28	50	103	113	186	325	542	640
WHITE-----MALE----	22,269	65	17	14	13	20	43	45	73	128	233	271
FEMALE--	29,785	51	22	11	10	16	30	30	59	114	137	185
ALL OTHER--MALE----	3,238	38	15	4	3	7	14	26	31	40	113	118
FEMALE--	3,378	40	9	4	2	7	16	12	23	43	59	66
BLACK---MALE----	2,597	33	13	3	2	5	14	23	30	34	99	110
FEMALE--	2,793	36	8	2	1	6	12	10	22	38	52	58
ALABAMA -----	1,045	-	2	-	-	1	-	5	2	6	7	13
WHITE-----MALE----	358	-	-	-	-	1	-	1	-	2	2	8
FEMALE--	495	-	-	-	-	-	-	1	1	1	1	2
ALL OTHER--MALE----	85	-	-	-	-	-	-	3	-	3	1	2
FEMALE--	107	-	2	-	-	-	-	-	1	-	3	1
BLACK---MALE----	85	-	-	-	-	-	-	3	-	3	1	2
FEMALE--	105	-	2	-	-	-	-	-	1	-	3	1
ALASKA -----	39	2	-	-	-	2	-	-	-	1	2	1
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	11	1	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	11	-	-	-	-	2	-	-	-	-	1	-
FEMALE--	8	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1,080	16	6	-	2	-	3	4	4	5	16	10
WHITE-----MALE----	465	8	1	-	1	-	1	2	2	2	5	2
FEMALE--	539	8	3	-	1	-	-	1	2	1	3	4
ALL OTHER--MALE----	45	-	2	-	-	-	1	-	-	2	7	1
FEMALE--	31	-	-	-	-	-	1	1	-	-	1	3
BLACK---MALE----	15	-	2	-	-	-	1	-	-	-	2	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	714	2	-	1	-	2	2	-	-	2	9	6
WHITE-----MALE----	273	2	-	-	-	2	1	-	-	1	6	2
FEMALE--	369	-	-	-	-	-	1	-	-	1	1	2
ALL OTHER--MALE----	32	-	-	1	-	-	-	-	-	-	1	2
FEMALE--	40	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	32	-	-	1	-	-	-	-	-	-	1	2
FEMALE--	39	-	-	-	-	-	-	-	-	-	1	-
CALIFORNIA -----	7,069	21	6	1	3	5	6	11	11	34	31	59
WHITE-----MALE----	2,615	8	1	1	2	-	2	7	7	14	15	31
FEMALE--	3,516	9	2	-	-	4	3	3	3	13	8	20
ALL OTHER--MALE----	450	2	1	-	1	-	1	1	1	4	3	4
FEMALE--	488	2	2	-	-	1	-	-	-	3	5	4
BLACK---MALE----	173	1	-	-	-	-	1	-	1	3	3	2
FEMALE--	227	1	1	-	-	1	-	-	-	1	3	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2314

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonia due to other or unspecified organisms (J16,J18)												
UNITED STATES -	819	975	1,406	2,179	4,076	7,082	10,797	12,564	10,471	4,750	1,271	3
WHITE-----MALE----	353	434	644	976	1,890	3,214	4,627	4,681	3,143	1,155	229	1
FEMALE--	244	311	451	758	1,549	3,067	5,149	6,903	6,555	3,227	906	-
ALL OTHER--MALE----	147	151	179	271	354	407	508	398	278	104	31	1
FEMALE--	75	79	132	174	283	394	513	582	495	264	105	1
BLACK---MALE----	132	137	148	226	286	327	382	295	195	78	24	1
FEMALE--	69	73	113	142	229	318	416	468	410	220	89	1
ALABAMA -----	14	18	30	48	83	119	204	231	169	75	18	-
WHITE-----MALE----	6	6	13	22	40	36	86	67	48	18	2	-
FEMALE--	4	4	9	17	25	63	83	135	102	41	6	-
ALL OTHER--MALE----	2	6	4	7	14	8	15	11	4	4	1	-
FEMALE--	2	2	4	2	4	12	20	18	15	12	9	-
BLACK---MALE----	2	6	4	7	14	8	15	11	4	4	1	-
FEMALE--	2	2	4	2	4	12	19	18	15	11	9	-
ALASKA -----	2	1	1	2	4	6	8	3	4	-	-	-
WHITE-----MALE----	-	1	-	1	1	-	1	-	3	-	-	-
FEMALE--	2	-	-	-	1	2	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	3	2	-	-	-	-
FEMALE--	-	-	1	-	1	3	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ARIZONA -----	23	27	30	44	75	130	190	208	191	77	19	-
WHITE-----MALE----	10	16	16	24	43	66	85	94	66	19	2	-
FEMALE--	9	9	8	14	29	59	98	107	114	54	15	-
ALL OTHER--MALE----	2	2	6	5	3	1	6	3	3	1	-	-
FEMALE--	2	-	-	1	-	4	1	4	8	3	2	-
BLACK---MALE----	-	1	1	1	2	-	2	1	2	-	-	-
FEMALE--	2	-	-	-	-	-	-	2	1	1	-	-
ARKANSAS -----	14	8	23	29	53	88	124	160	130	48	13	-
WHITE-----MALE----	7	6	13	14	26	44	47	54	37	9	2	-
FEMALE--	2	2	6	13	22	35	64	96	78	36	10	-
ALL OTHER--MALE----	3	-	2	1	3	6	5	4	2	2	-	-
FEMALE--	2	-	2	1	2	3	8	6	13	1	1	-
BLACK---MALE----	3	-	2	1	3	6	5	4	2	2	-	-
FEMALE--	2	-	2	1	2	3	7	6	13	1	1	-
CALIFORNIA -----	82	97	148	231	515	936	1,318	1,502	1,288	617	147	-
WHITE-----MALE----	31	48	73	100	228	403	522	561	390	142	29	-
FEMALE--	30	29	40	79	186	412	621	767	780	410	97	-
ALL OTHER--MALE----	12	13	20	34	54	61	91	74	46	22	5	-
FEMALE--	9	7	15	18	47	60	84	100	72	43	16	-
BLACK---MALE----	9	6	13	18	23	25	29	19	9	8	3	-
FEMALE--	7	5	9	6	20	30	40	44	29	21	7	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2315

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonia due to other or unspecified organisms (J16,J18)												
COLORADO -----	549	1	1	-	-	-	2	-	1	8	7	1
WHITE-----MALE----	243	1	-	-	-	-	-	-	1	6	5	-
FEMALE--	289	-	1	-	-	-	1	-	-	2	1	1
ALL OTHER--MALE----	5	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	5	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	828	1	1	-	-	-	1	1	1	2	3	9
WHITE-----MALE----	336	-	1	-	-	-	-	1	1	1	1	5
FEMALE--	451	-	-	-	-	-	1	-	-	1	1	2
ALL OTHER--MALE----	24	1	-	-	-	-	-	-	-	-	1	2
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	22	1	-	-	-	-	-	-	-	-	1	2
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	207	-	-	-	-	-	1	1	-	3	4	2
WHITE-----MALE----	82	-	-	-	-	-	-	-	-	2	2	1
FEMALE--	99	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	13	-	-	-	-	-	1	1	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	12	-	-	-	-	-	1	1	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	1	-
DISTRICT OF COLUMBIA ---	97	1	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	26	1	-	-	-	-	-	-	-	1	1	-
FEMALE--	41	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	25	1	-	-	-	-	-	-	-	1	1	-
FEMALE--	39	-	-	-	-	-	-	-	-	-	-	1
FLORIDA -----	2,986	10	3	-	2	2	6	3	10	19	28	53
WHITE-----MALE----	1,263	3	2	-	2	-	2	1	5	7	12	27
FEMALE--	1,456	3	-	-	-	2	3	-	2	7	3	16
ALL OTHER--MALE----	132	4	-	-	-	-	1	1	3	3	5	5
FEMALE--	135	-	1	-	-	-	-	1	-	2	8	5
BLACK---MALE-----	123	4	-	-	-	-	1	1	3	3	4	5
FEMALE--	132	-	1	-	-	-	-	1	-	2	8	5
GEORGIA -----	1,625	3	1	-	1	3	2	6	9	18	31	28
WHITE-----MALE----	534	-	-	-	1	-	1	3	3	5	12	5
FEMALE--	742	1	-	-	-	2	-	-	-	5	9	6
ALL OTHER--MALE----	164	-	-	-	-	-	-	2	3	1	7	12
FEMALE--	185	2	1	-	-	1	1	3	3	7	3	5
BLACK---MALE-----	158	-	-	-	-	-	-	2	3	1	7	12
FEMALE--	182	2	1	-	-	1	-	1	3	7	3	5

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2315

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonia due to other or unspecified organisms (J16,J18)												
COLORADO -----	12	5	16	12	32	51	103	103	126	54	14	-
WHITE-----MALE----	7	4	9	6	17	25	48	45	52	16	1	-
FEMALE--	3	1	7	6	13	25	51	57	72	36	12	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	1	-	-	-	2	1	3	1	2	1	1	-
BLACK---MALE-----	1	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	1	-	-	-	2	-	2	1	2	1	1	-
CONNECTICUT -----	7	15	20	19	49	77	145	218	164	69	26	-
WHITE-----MALE----	4	7	12	6	28	43	68	84	52	12	10	-
FEMALE--	2	5	6	10	19	28	72	127	105	56	16	-
ALL OTHER--MALE----	1	1	1	3	2	4	4	3	1	-	-	-
FEMALE--	-	2	1	-	-	2	1	4	6	1	-	-
BLACK---MALE-----	1	1	1	3	1	4	4	2	1	-	-	-
FEMALE--	-	2	1	-	-	2	1	4	5	1	-	-
DELAWARE -----	4	2	7	11	14	20	35	59	30	12	2	-
WHITE-----MALE----	3	1	1	6	5	7	15	26	11	2	-	-
FEMALE--	-	-	2	3	6	12	18	28	17	9	2	-
ALL OTHER--MALE----	1	1	1	1	-	-	1	4	1	-	-	-
FEMALE--	-	-	3	1	3	1	1	1	1	1	-	-
BLACK---MALE-----	1	1	1	1	-	-	1	4	-	-	-	-
FEMALE--	-	-	3	1	3	1	1	1	1	1	-	-
DISTRICT OF COLUMBIA ---	-	2	3	1	4	17	16	16	22	8	4	-
WHITE-----MALE----	-	-	1	-	-	2	3	2	4	2	-	-
FEMALE--	-	-	-	-	2	1	2	8	2	1	-	-
ALL OTHER--MALE----	-	1	2	-	1	7	7	3	2	-	-	-
FEMALE--	-	1	-	1	3	6	5	9	8	4	3	-
BLACK---MALE-----	-	1	2	-	1	6	7	3	2	-	-	-
FEMALE--	-	1	-	1	3	6	5	7	8	4	3	-
FLORIDA -----	38	59	79	107	227	360	590	624	516	206	44	-
WHITE-----MALE----	19	22	31	51	104	172	292	252	185	66	8	-
FEMALE--	11	22	30	39	91	158	266	333	311	127	32	-
ALL OTHER--MALE----	5	10	12	11	16	16	15	16	4	3	2	-
FEMALE--	3	5	6	6	16	14	17	23	16	10	2	-
BLACK---MALE-----	5	10	10	10	14	15	13	16	4	3	2	-
FEMALE--	3	5	5	6	16	12	17	23	16	10	2	-
GEORGIA -----	28	39	40	88	114	215	299	324	258	95	23	-
WHITE-----MALE----	10	11	17	39	48	80	118	105	63	7	6	-
FEMALE--	9	13	10	22	39	96	138	165	146	67	14	-
ALL OTHER--MALE----	7	11	11	15	15	21	18	24	14	2	1	-
FEMALE--	2	4	2	12	12	18	25	30	35	19	2	-
BLACK---MALE-----	7	10	10	14	15	20	17	23	14	2	1	-
FEMALE--	2	4	2	10	12	18	25	30	35	19	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2316

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonia due to other or unspecified organisms (J16,J18)												
HAWAII -----	189	2	-	1	-	-	-	1	-	1	1	2
WHITE-----MALE----	29	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	74	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	67	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	249	-	-	1	-	1	1	-	2	1	-	4
WHITE-----MALE----	109	-	-	1	-	-	1	-	1	-	-	3
FEMALE--	139	-	-	-	-	1	-	-	1	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2,711	13	-	3	1	2	3	6	12	20	36	29
WHITE-----MALE----	1,011	2	-	1	-	-	-	1	4	9	15	11
FEMALE--	1,354	2	-	1	-	-	1	-	3	8	11	6
ALL OTHER--MALE----	169	-	-	1	-	1	1	2	2	2	7	7
FEMALE--	177	9	-	-	1	1	1	3	3	1	3	5
BLACK---MALE-----	155	-	-	1	-	1	1	2	2	2	7	7
FEMALE--	168	9	-	-	1	1	-	3	2	1	3	5
INDIANA -----	1,160	3	5	-	1	-	1	2	5	2	6	14
WHITE-----MALE----	478	1	-	-	-	-	-	2	1	1	3	8
FEMALE--	615	1	2	-	1	-	-	-	4	1	3	3
ALL OTHER--MALE----	29	-	3	-	-	-	-	-	-	-	-	1
FEMALE--	38	1	-	-	-	-	1	-	-	-	-	2
BLACK---MALE-----	26	-	3	-	-	-	-	-	-	-	-	1
FEMALE--	35	1	-	-	-	-	1	-	-	-	-	1
IOWA -----	820	-	1	1	1	1	1	2	2	4	3	5
WHITE-----MALE----	333	-	1	-	1	1	1	2	1	2	3	2
FEMALE--	478	-	-	1	-	-	-	-	1	2	-	3
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	649	2	-	-	-	-	3	2	1	1	3	4
WHITE-----MALE----	267	2	-	-	-	-	2	1	-	-	2	1
FEMALE--	357	-	-	-	-	-	-	1	-	1	-	3
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	9	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	13	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2316

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonia due to other or unspecified organisms (J16,J18)												
HAWAII -----	3	5	3	8	18	28	37	32	29	15	3	-
WHITE-----MALE----	-	1	1	2	6	4	1	6	6	-	-	-
FEMALE--	-	-	-	1	1	3	2	2	5	2	2	-
ALL OTHER--MALE----	-	1	2	3	6	11	16	16	10	5	1	-
FEMALE--	3	3	-	2	5	10	18	8	8	8	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	3	5	11	12	24	44	56	55	18	9	-
WHITE-----MALE----	1	2	3	6	7	10	25	24	19	3	3	-
FEMALE--	-	1	2	5	5	14	19	32	36	15	6	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	43	36	63	87	196	304	471	582	487	253	64	-
WHITE-----MALE----	21	17	24	36	103	150	191	206	157	54	9	-
FEMALE--	8	15	18	20	61	112	234	337	290	180	47	-
ALL OTHER--MALE----	11	2	13	17	21	27	20	17	10	6	2	-
FEMALE--	3	2	8	14	11	15	26	22	30	13	6	-
BLACK---MALE-----	11	2	12	15	19	25	18	14	8	6	2	-
FEMALE--	3	2	8	13	11	14	23	20	30	13	6	-
INDIANA -----	15	16	26	50	72	145	211	243	208	104	31	-
WHITE-----MALE----	5	12	17	24	35	67	84	108	79	23	8	-
FEMALE--	6	4	8	22	30	68	120	127	118	76	21	-
ALL OTHER--MALE----	3	-	-	3	3	8	3	2	3	-	-	-
FEMALE--	1	-	1	1	4	2	4	6	8	5	2	-
BLACK---MALE-----	3	-	-	3	3	7	3	1	2	-	-	-
FEMALE--	1	-	1	1	3	2	4	6	7	5	2	-
IOWA -----	9	9	14	26	47	73	137	195	150	100	39	-
WHITE-----MALE----	5	5	7	13	28	35	65	83	48	21	9	-
FEMALE--	4	4	4	13	17	38	70	111	101	79	30	-
ALL OTHER--MALE----	-	-	2	-	-	-	1	1	1	-	-	-
FEMALE--	-	-	1	-	2	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	1	1	1	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
KANSAS -----	6	7	11	18	36	70	114	146	125	73	27	-
WHITE-----MALE----	2	5	2	12	16	34	53	61	42	26	6	-
FEMALE--	3	2	7	6	16	35	56	81	80	45	21	-
ALL OTHER--MALE----	1	-	1	-	2	1	4	2	2	1	-	-
FEMALE--	-	-	1	-	2	-	1	2	1	1	-	-
BLACK---MALE-----	1	-	1	-	2	1	4	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	1	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2317

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonia due to other or unspecified organisms (J16,J18)												
KENTUCKY -----	1,072	3	1	-	1	3	3	3	6	4	13	6
WHITE-----MALE----	434	2	-	-	-	2	1	2	1	3	7	3
FEMALE--	575	-	-	-	1	1	1	1	5	1	5	1
ALL OTHER--MALE----	28	1	1	-	-	-	-	-	-	-	-	1
FEMALE--	35	-	-	-	-	-	1	-	-	-	1	1
BLACK---MALE----	27	1	1	-	-	-	-	-	-	-	-	1
FEMALE--	35	-	-	-	-	-	1	-	-	-	1	1
LOUISIANA -----	900	9	1	1	1	2	3	1	3	9	12	15
WHITE-----MALE----	271	2	-	1	1	1	1	-	-	2	4	2
FEMALE--	386	-	1	-	-	-	1	1	-	5	3	3
ALL OTHER--MALE----	128	5	-	-	-	-	1	-	2	-	4	6
FEMALE--	115	2	-	-	-	1	-	-	1	2	1	4
BLACK---MALE----	124	5	-	-	-	-	1	-	2	-	4	4
FEMALE--	112	2	-	-	-	-	-	-	1	2	1	4
MAINE -----	297	-	-	-	-	1	-	3	-	-	3	2
WHITE-----MALE----	109	-	-	-	-	-	-	2	-	-	1	1
FEMALE--	187	-	-	-	-	1	-	1	-	-	2	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,026	4	-	-	3	2	3	1	11	11	14	17
WHITE-----MALE----	369	-	-	-	-	1	1	-	3	1	4	4
FEMALE--	441	1	-	-	2	-	1	-	4	3	2	5
ALL OTHER--MALE----	119	1	-	-	1	-	1	1	2	4	5	6
FEMALE--	97	2	-	-	-	1	-	-	2	3	3	2
BLACK---MALE----	115	1	-	-	1	-	1	1	2	4	5	5
FEMALE--	92	2	-	-	-	1	-	-	2	3	3	2
MASSACHUSETTS -----	1,949	-	-	-	-	2	3	2	4	4	8	8
WHITE-----MALE----	778	-	-	-	-	1	1	-	2	3	6	3
FEMALE--	1,122	-	-	-	-	1	1	2	1	1	2	5
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	26	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	20	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1,880	14	3	2	1	1	4	10	7	14	26	30
WHITE-----MALE----	706	4	-	1	-	-	1	4	5	2	4	7
FEMALE--	895	3	1	-	-	-	-	-	-	8	5	11
ALL OTHER--MALE----	147	4	1	-	1	1	1	5	2	2	11	9
FEMALE--	132	3	1	1	-	-	2	1	-	2	6	3
BLACK---MALE----	138	4	1	-	1	1	1	5	2	2	9	9
FEMALE--	125	3	1	-	-	-	2	1	-	2	6	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2317

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonia due to other or unspecified organisms (J16,J18)												
KENTUCKY -----	14	14	33	50	83	148	209	210	171	73	24	-
WHITE-----MALE----	7	7	19	30	38	67	92	85	46	19	3	-
FEMALE--	5	6	9	18	35	73	107	121	118	46	21	-
ALL OTHER--MALE----	1	-	2	2	5	4	4	2	3	2	-	-
FEMALE--	1	1	3	-	5	4	6	2	4	6	-	-
BLACK---MALE----	1	-	2	2	4	4	4	2	3	2	-	-
FEMALE--	1	1	3	-	5	4	6	2	4	6	-	-
LOUISIANA -----	9	21	23	33	69	101	159	185	166	56	21	-
WHITE-----MALE----	4	8	9	14	20	42	64	48	34	13	1	-
FEMALE--	-	8	6	8	30	33	61	96	91	30	9	-
ALL OTHER--MALE----	4	3	5	11	11	16	15	20	17	6	2	-
FEMALE--	1	2	3	-	8	10	19	21	24	7	9	-
BLACK---MALE----	4	2	5	11	11	16	14	20	17	6	2	-
FEMALE--	1	2	3	-	8	10	19	19	24	7	9	-
MAINE -----	-	2	3	2	18	27	58	73	62	34	9	-
WHITE-----MALE----	-	1	-	1	9	14	26	28	16	10	-	-
FEMALE--	-	1	2	1	9	13	32	45	46	24	9	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	20	26	33	53	63	138	185	185	170	71	16	-
WHITE-----MALE----	8	8	14	19	26	62	80	78	43	15	2	-
FEMALE--	2	7	7	18	17	45	76	84	110	44	13	-
ALL OTHER--MALE----	6	10	9	7	14	17	18	7	6	3	1	-
FEMALE--	4	1	3	9	6	14	11	16	11	9	-	-
BLACK---MALE----	6	10	9	7	14	17	16	6	6	3	1	-
FEMALE--	4	1	3	9	5	14	10	13	11	9	-	-
MASSACHUSETTS -----	13	21	23	57	126	221	362	441	389	201	64	-
WHITE-----MALE----	10	16	11	25	70	117	169	181	114	44	5	-
FEMALE--	2	5	11	25	51	101	183	252	268	154	57	-
ALL OTHER--MALE----	1	-	-	5	3	1	3	4	2	2	1	-
FEMALE--	-	-	1	2	2	2	7	4	5	1	1	-
BLACK---MALE----	1	-	-	2	3	1	3	4	2	2	1	-
FEMALE--	-	-	1	1	2	2	7	4	5	-	-	-
MICHIGAN -----	44	48	40	72	137	231	365	377	280	132	42	-
WHITE-----MALE----	16	17	19	25	58	102	145	154	89	46	7	-
FEMALE--	8	13	11	28	56	96	182	188	176	77	32	-
ALL OTHER--MALE----	10	12	6	10	13	18	21	10	6	3	1	-
FEMALE--	10	6	4	9	10	15	17	25	9	6	2	-
BLACK---MALE----	9	12	6	9	12	16	20	9	6	3	1	-
FEMALE--	10	5	4	9	9	14	16	25	8	6	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2318

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonia due to other or unspecified organisms (J16,J18)												
MINNESOTA -----	6	9	11	14	46	55	126	183	157	77	24	-
WHITE-----MALE----	3	3	5	7	27	34	59	74	45	25	3	-
FEMALE--	1	6	2	7	17	20	66	104	110	51	21	-
ALL OTHER--MALE----	1	-	3	-	1	-	1	4	1	1	-	-
FEMALE--	1	-	1	-	1	1	-	1	1	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	3	-	1	-	-
FEMALE--	-	-	-	-	1	1	-	-	1	-	-	-
MISSISSIPPI -----	10	12	24	29	56	94	122	148	119	58	14	-
WHITE-----MALE----	5	3	8	12	20	40	34	54	17	17	2	-
FEMALE--	2	5	8	7	18	31	57	67	68	30	5	-
ALL OTHER--MALE----	2	4	4	7	10	10	17	7	10	3	1	-
FEMALE--	1	-	4	3	8	13	14	20	24	8	6	-
BLACK---MALE-----	2	4	4	7	10	10	17	7	10	3	1	-
FEMALE--	1	-	4	2	8	12	13	19	24	8	5	-
MISSOURI -----	10	22	34	53	88	168	271	340	267	146	29	1
WHITE-----MALE----	6	7	15	28	37	79	122	115	63	42	5	-
FEMALE--	3	7	15	18	37	76	131	206	192	96	20	-
ALL OTHER--MALE----	1	6	2	7	6	4	13	9	5	4	1	1
FEMALE--	-	2	2	-	8	9	5	10	7	4	3	-
BLACK---MALE-----	1	6	2	7	4	4	13	9	5	3	-	1
FEMALE--	-	2	2	-	7	8	5	8	7	4	3	-
MONTANA -----	2	1	3	5	13	22	36	40	34	11	4	-
WHITE-----MALE----	-	-	-	3	8	12	19	15	13	4	-	-
FEMALE--	2	-	1	1	4	10	17	24	18	7	4	-
ALL OTHER--MALE----	-	1	2	1	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	2	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	2	3	10	13	22	40	62	99	66	49	5	-
WHITE-----MALE----	1	2	5	8	12	26	21	41	23	18	-	-
FEMALE--	1	1	3	3	7	12	40	58	43	30	4	-
ALL OTHER--MALE----	-	-	2	1	2	2	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	1	1	-
BLACK---MALE-----	-	-	1	1	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	1	1	-
NEVADA -----	5	8	17	18	30	57	51	48	29	13	1	-
WHITE-----MALE----	4	5	12	8	14	31	22	30	9	2	-	-
FEMALE--	-	3	2	10	14	24	26	16	16	10	1	-
ALL OTHER--MALE----	-	-	3	-	2	1	1	-	1	1	-	-
FEMALE--	1	-	-	-	-	1	2	2	3	-	-	-
BLACK---MALE-----	-	-	2	-	-	-	1	-	1	1	-	-
FEMALE--	1	-	-	-	-	-	1	1	3	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2320

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonia due to other or unspecified organisms (J16,J18)												
OHIO -----	2,314	6	2	1	-	1	4	1	7	8	26	27
WHITE-----MALE----	883	4	-	1	-	1	3	-	2	6	13	14
FEMALE--	1,246	1	1	-	-	-	1	1	3	1	10	9
ALL OTHER--MALE----	96	-	-	-	-	-	-	-	1	1	2	3
FEMALE--	89	1	1	-	-	-	-	-	1	-	1	1
BLACK---MALE----	94	-	-	-	-	-	-	-	1	1	2	2
FEMALE--	84	1	1	-	-	-	-	-	1	-	1	1
OKLAHOMA -----	775	1	-	2	1	-	3	2	2	6	7	9
WHITE-----MALE----	288	-	-	2	-	-	-	2	1	2	6	7
FEMALE--	413	1	-	-	1	-	3	-	1	1	1	2
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	40	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	18	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	571	-	1	-	-	-	1	-	-	2	2	5
WHITE-----MALE----	223	-	-	-	-	-	1	-	-	1	1	4
FEMALE--	331	-	1	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2,893	14	1	2	-	2	3	3	7	13	26	38
WHITE-----MALE----	1,164	3	-	-	-	1	-	-	5	8	14	17
FEMALE--	1,495	6	1	2	-	1	3	1	-	2	2	9
ALL OTHER--MALE----	112	5	-	-	-	-	-	1	2	1	6	7
FEMALE--	122	-	-	-	-	-	-	1	-	2	4	5
BLACK---MALE----	112	5	-	-	-	-	-	1	2	1	6	7
FEMALE--	114	-	-	-	-	-	-	1	-	2	4	5
RHODE ISLAND -----	311	-	-	-	-	-	-	1	-	-	2	2
WHITE-----MALE----	124	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	175	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	577	1	-	2	-	-	1	1	3	5	8	12
WHITE-----MALE----	169	-	-	-	-	-	-	-	1	3	3	4
FEMALE--	252	-	-	-	-	-	-	1	1	-	2	2
ALL OTHER--MALE----	67	1	-	1	-	-	1	-	1	1	3	5
FEMALE--	89	-	-	1	-	-	-	-	-	1	-	1
BLACK---MALE----	67	1	-	1	-	-	1	-	1	1	3	5
FEMALE--	89	-	-	1	-	-	-	-	-	1	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2320

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonia due to other or unspecified organisms (J16,J18)												
OHIO -----	29	27	56	98	185	279	407	498	428	176	48	-
WHITE-----MALE----	14	10	31	42	83	127	171	166	132	44	19	-
FEMALE--	12	10	18	37	85	130	204	299	273	125	26	-
ALL OTHER--MALE----	2	4	4	10	14	10	20	12	11	1	1	-
FEMALE--	1	3	3	9	3	12	12	21	12	6	2	-
BLACK---MALE----	2	4	4	10	14	10	20	12	10	1	1	-
FEMALE--	1	3	2	9	2	12	11	20	12	5	2	-
OKLAHOMA -----	13	19	21	31	55	81	132	169	148	64	9	-
WHITE-----MALE----	3	8	15	15	20	40	56	55	41	14	1	-
FEMALE--	4	10	5	13	25	36	67	102	87	46	8	-
ALL OTHER--MALE----	5	1	-	2	4	2	7	3	6	2	-	-
FEMALE--	1	-	1	1	6	3	2	9	14	2	-	-
BLACK---MALE----	3	1	-	-	3	-	5	1	3	1	-	-
FEMALE--	1	-	1	1	5	2	1	3	7	1	-	-
OREGON -----	5	4	10	18	39	56	123	127	95	60	23	-
WHITE-----MALE----	3	2	4	12	18	25	56	49	27	14	6	-
FEMALE--	1	2	5	5	17	30	63	77	66	45	16	-
ALL OTHER--MALE----	1	-	1	-	2	-	-	1	1	-	-	-
FEMALE--	-	-	-	1	2	1	4	-	1	1	1	-
BLACK---MALE----	1	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	1	-
PENNSYLVANIA -----	37	42	59	95	181	357	549	673	505	243	43	-
WHITE-----MALE----	20	20	30	49	89	165	257	248	169	60	9	-
FEMALE--	8	8	23	33	65	164	270	388	313	164	32	-
ALL OTHER--MALE----	5	11	2	8	15	14	10	11	9	5	-	-
FEMALE--	4	3	4	5	12	14	12	26	14	14	2	-
BLACK---MALE----	5	11	2	8	15	14	10	11	9	5	-	-
FEMALE--	4	3	3	5	12	13	10	25	13	12	2	-
RHODE ISLAND -----	2	4	3	6	16	31	73	72	59	26	14	-
WHITE-----MALE----	1	1	2	3	9	13	38	26	25	5	-	-
FEMALE--	1	2	1	3	6	16	34	44	33	19	13	-
ALL OTHER--MALE----	-	1	-	-	1	2	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	1	1	-
BLACK---MALE----	-	1	-	-	1	2	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	1	1	-
SOUTH CAROLINA -----	18	10	13	26	34	79	120	109	94	29	11	1
WHITE-----MALE----	6	5	5	9	15	30	39	29	17	2	1	-
FEMALE--	5	3	2	7	7	32	46	57	57	23	7	-
ALL OTHER--MALE----	6	1	2	5	5	6	11	10	6	2	-	-
FEMALE--	1	1	4	5	7	11	24	13	14	2	3	1
BLACK---MALE----	6	1	2	5	5	6	11	10	6	2	-	-
FEMALE--	1	1	4	5	7	11	24	13	14	2	3	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2321

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonia due to other or unspecified organisms (J16,J18)												
SOUTH DAKOTA -----	178	-	-	2	-	-	1	-	-	-	-	3
WHITE-----MALE----	76	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	91	-	-	1	-	-	1	-	-	-	-	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,479	5	2	-	-	2	4	8	3	6	10	10
WHITE-----MALE----	537	1	1	-	-	1	1	2	2	3	2	5
FEMALE--	772	-	-	-	-	-	-	2	1	1	4	2
ALL OTHER--MALE----	70	1	1	-	-	1	1	2	-	1	4	1
FEMALE--	100	3	-	-	-	-	2	2	-	1	-	2
BLACK---MALE-----	70	1	1	-	-	1	1	2	-	1	4	1
FEMALE--	99	3	-	-	-	-	2	2	-	1	-	2
TEXAS -----	3,338	14	7	5	2	2	10	10	15	24	41	46
WHITE-----MALE----	1,249	6	2	2	2	1	5	3	5	9	16	18
FEMALE--	1,738	3	4	3	-	-	2	6	5	9	14	14
ALL OTHER--MALE----	173	2	1	-	-	-	1	1	2	3	10	8
FEMALE--	178	3	-	-	-	1	2	-	3	3	1	6
BLACK---MALE-----	158	2	1	-	-	-	1	1	2	2	10	7
FEMALE--	165	3	-	-	-	1	2	-	3	3	1	6
UTAH -----	374	1	2	-	-	1	-	2	1	4	4	6
WHITE-----MALE----	174	-	2	-	-	-	-	-	-	2	2	1
FEMALE--	190	1	-	-	-	1	-	1	1	2	2	5
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	104	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	37	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	67	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,404	1	1	2	-	1	3	1	7	6	12	14
WHITE-----MALE----	491	1	-	1	-	-	1	-	1	3	5	5
FEMALE--	681	-	-	1	-	-	-	1	2	3	2	4
ALL OTHER--MALE----	109	-	1	-	-	1	1	-	2	-	2	4
FEMALE--	123	-	-	-	-	-	1	-	2	-	3	1
BLACK---MALE-----	104	-	1	-	-	1	1	-	2	-	2	4
FEMALE--	116	-	-	-	-	-	1	-	2	-	3	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2321

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonia due to other or unspecified organisms (J16,J18)												
SOUTH DAKOTA -----	2	2	3	7	8	23	27	38	31	23	8	-
WHITE-----MALE----	-	2	1	4	4	12	11	18	12	8	3	-
FEMALE--	-	-	2	2	3	9	14	19	18	15	5	-
ALL OTHER--MALE----	2	-	-	1	1	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	22	35	42	52	112	192	264	307	254	123	26	-
WHITE-----MALE----	7	17	24	17	55	92	108	111	58	25	5	-
FEMALE--	10	8	10	25	44	81	137	174	177	81	15	-
ALL OTHER--MALE----	3	7	1	5	3	7	9	12	7	3	1	-
FEMALE--	2	3	7	5	10	12	10	10	12	14	5	-
BLACK---MALE-----	3	7	1	5	3	7	9	12	7	3	1	-
FEMALE--	2	3	6	5	10	12	10	10	12	14	5	-
TEXAS -----	64	65	93	129	219	412	600	708	571	242	59	-
WHITE-----MALE----	23	32	44	53	101	189	259	250	172	47	10	-
FEMALE--	27	20	33	47	86	192	284	405	364	178	42	-
ALL OTHER--MALE----	10	9	10	14	18	13	26	18	19	6	2	-
FEMALE--	4	4	6	15	14	18	31	35	16	11	5	-
BLACK---MALE-----	9	8	10	14	17	13	21	16	16	6	2	-
FEMALE--	4	4	6	13	12	16	31	31	13	11	5	-
UTAH -----	4	2	7	14	21	37	77	95	73	18	4	1
WHITE-----MALE----	1	2	3	9	11	18	40	47	30	5	-	1
FEMALE--	3	-	3	5	9	19	36	45	40	13	4	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	1	2	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
VERMONT -----	-	2	4	1	5	18	15	16	27	14	2	-
WHITE-----MALE----	-	-	2	-	2	9	6	5	11	2	-	-
FEMALE--	-	2	2	1	3	9	9	11	16	12	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	14	23	43	70	104	192	275	284	233	92	26	-
WHITE-----MALE----	7	11	19	31	40	79	113	82	61	28	3	-
FEMALE--	5	9	15	21	37	81	116	159	148	58	19	-
ALL OTHER--MALE----	2	2	3	12	11	16	23	15	9	2	3	-
FEMALE--	-	1	6	6	16	16	23	28	15	4	1	-
BLACK---MALE-----	2	2	3	12	11	15	20	14	9	2	3	-
FEMALE--	-	1	6	6	15	13	22	26	15	4	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2322

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonia due to other or unspecified organisms (J16,J18)												
WASHINGTON -----	8	6	13	33	46	97	145	212	186	94	31	-
WHITE-----MALE----	3	4	5	17	28	46	72	90	56	24	3	-
FEMALE--	5	2	8	12	15	44	69	114	125	69	25	-
ALL OTHER--MALE----	-	-	-	2	1	4	2	5	3	-	2	-
FEMALE--	-	-	-	2	2	3	2	3	2	1	1	-
BLACK---MALE-----	-	-	-	1	1	2	1	2	1	-	1	-
FEMALE--	-	-	-	1	-	1	1	-	2	1	-	-
WEST VIRGINIA -----	7	9	10	13	32	52	88	90	61	26	8	-
WHITE-----MALE----	4	6	6	4	18	25	32	31	16	6	2	-
FEMALE--	3	3	4	9	14	27	53	57	43	19	6	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	2	2	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	2	2	1	-	-
WISCONSIN -----	11	11	21	32	72	137	168	241	230	112	45	-
WHITE-----MALE----	6	6	7	19	36	70	84	98	69	36	11	-
FEMALE--	4	4	10	13	34	62	81	139	158	76	34	-
ALL OTHER--MALE----	1	1	2	-	2	1	-	2	1	-	-	-
FEMALE--	-	-	2	-	-	4	3	2	2	-	-	-
BLACK---MALE-----	1	1	1	-	2	1	-	2	1	-	-	-
FEMALE--	-	-	1	-	-	4	3	2	2	-	-	-
WYOMING -----	1	-	3	2	5	15	25	26	24	7	2	-
WHITE-----MALE----	1	-	2	-	1	10	12	11	9	2	-	-
FEMALE--	-	-	1	2	3	5	11	15	15	5	2	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2323

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other acute lower respiratory infections (J20-J22)												
UNITED STATES -	425	43	11	3	4	4	1	5	3	3	9	8
WHITE-----MALE----	134	12	4	2	-	4	-	4	-	1	5	2
FEMALE--	238	13	4	-	1	-	1	-	1	1	1	3
ALL OTHER--MALE----	26	13	-	-	1	-	-	1	1	-	1	-
FEMALE--	27	5	3	1	2	-	-	-	1	1	2	3
BLACK---MALE-----	22	10	-	-	1	-	-	1	1	-	1	-
FEMALE--	24	4	3	-	2	-	-	-	-	1	2	3
ALABAMA -----	3	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	7	2	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	3	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	8	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	33	5	-	-	-	1	-	-	1	1	-	2
WHITE-----MALE----	14	2	-	-	-	1	-	-	-	-	-	1
FEMALE--	16	2	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2330

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other acute lower respiratory infections (J20-J22)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	2	1	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	-	-	1	-	1	3	-	3	3	-	1	-
WHITE-----MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	3	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	-	1	1	1	-	4	1	2	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	3	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2332

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute bronchitis and bronchiolitis (J20-J21)												
UNITED STATES -	290	42	11	2	4	3	1	3	3	2	8	8
WHITE-----MALE----	98	12	4	1	-	3	-	2	-	1	4	2
FEMALE--	146	13	4	-	1	-	1	-	1	-	1	3
ALL OTHER--MALE----	21	12	-	-	1	-	-	1	1	-	1	-
FEMALE--	25	5	3	1	2	-	-	-	1	1	2	3
BLACK---MALE-----	18	9	-	-	1	-	-	1	1	-	1	-
FEMALE--	22	4	3	-	2	-	-	-	-	1	2	3
ALABAMA -----	2	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5	2	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	6	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	26	5	-	-	-	1	-	-	1	1	-	2
WHITE-----MALE----	12	2	-	-	-	1	-	-	-	-	-	1
FEMALE--	11	2	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2339

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute bronchitis and bronchiolitis (J20-J21)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	2	1	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	-	-	1	-	1	3	-	2	2	-	1	-
WHITE-----MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	2	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	-	1	1	1	-	3	1	1	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2351

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of upper respiratory tract (J30-J39)												
COLORADO -----	8	1	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	1	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	5	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	24	-	-	-	-	1	-	-	-	1	-	-
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	19	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2351

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of upper respiratory tract (J30-J39)												
COLORADO -----	-	1	-	-	1	2	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	-	1	-	-	-	-	1	1	-	-
WHITE-----MALE----	-	1	-	1	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
FLORIDA -----	-	2	-	4	3	4	6	2	1	-	-	-
WHITE-----MALE----	-	-	-	3	2	-	3	1	1	-	-	-
FEMALE--	-	2	-	-	1	4	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	2	-	1	2	5	2	3	2	-	-	-	-
WHITE-----MALE----	1	-	1	1	2	-	2	-	-	-	-	-
FEMALE--	1	-	-	-	2	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2356

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of upper respiratory tract (J30-J39)												
OHIO -----	3	-	2	3	5	1	2	1	-	1	-	-
WHITE-----MALE----	1	-	-	1	1	-	1	-	-	1	-	-
FEMALE--	2	-	1	1	2	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
OKLAHOMA -----	-	-	-	-	-	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	2	-	-	1	1	1	2	-	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	-	-	1	3	3	1	3	1	-	-	-
WHITE-----MALE----	1	-	-	1	2	2	-	2	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	1	1	3	1	5	2	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	2	1	1	-	-	-	-
FEMALE--	-	-	-	2	-	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	2	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	2	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2359

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Chronic lower respiratory diseases (J40-J47)												
UNITED STATES -	122,009	36	51	48	91	86	104	125	171	310	620	1,174
WHITE-----MALE----	54,816	16	13	12	21	26	39	36	48	85	207	472
FEMALE--	58,024	7	15	11	19	14	24	31	51	109	223	410
ALL OTHER--MALE----	5,188	7	15	14	33	32	23	36	45	60	85	145
FEMALE--	3,981	6	8	11	18	14	18	22	27	56	105	147
BLACK---MALE----	4,238	6	14	14	29	31	20	31	41	52	78	125
FEMALE--	3,369	5	7	10	17	13	17	20	24	52	93	134
ALABAMA -----	2,057	-	-	-	-	3	2	-	1	5	12	19
WHITE-----MALE----	979	-	-	-	-	-	2	-	1	2	2	7
FEMALE--	853	-	-	-	-	-	-	-	-	2	5	7
ALL OTHER--MALE----	147	-	-	-	-	3	-	-	-	-	3	3
FEMALE--	78	-	-	-	-	-	-	-	-	1	2	2
BLACK---MALE----	146	-	-	-	-	3	-	-	-	-	3	3
FEMALE--	77	-	-	-	-	-	-	-	-	1	2	2
ALASKA -----	132	-	1	-	-	-	-	1	-	1	3	2
WHITE-----MALE----	53	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	47	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	20	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2,508	-	1	1	-	1	2	2	-	3	15	17
WHITE-----MALE----	1,232	-	1	-	-	1	-	-	-	1	9	9
FEMALE--	1,219	-	-	1	-	-	1	1	-	1	5	8
ALL OTHER--MALE----	26	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	31	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	14	-	-	-	-	-	1	-	-	-	-	-
ARKANSAS -----	1,405	2	4	1	1	1	-	1	-	6	4	17
WHITE-----MALE----	719	1	-	-	-	1	-	1	-	1	1	7
FEMALE--	603	1	3	-	-	-	-	-	-	3	1	5
ALL OTHER--MALE----	51	-	-	1	1	-	-	-	-	1	1	2
FEMALE--	32	-	1	-	-	-	-	-	-	1	1	3
BLACK---MALE----	49	-	-	1	1	-	-	-	-	1	1	2
FEMALE--	30	-	1	-	-	-	-	-	-	1	1	3
CALIFORNIA -----	12,756	6	6	6	14	4	7	13	16	30	82	147
WHITE-----MALE----	5,347	2	2	2	4	1	2	3	7	12	23	56
FEMALE--	6,138	2	3	2	3	1	4	5	5	6	26	58
ALL OTHER--MALE----	761	1	1	2	5	2	-	4	3	8	15	22
FEMALE--	510	1	-	2	-	-	1	1	1	4	18	11
BLACK---MALE----	352	1	1	2	3	2	-	3	2	6	12	12
FEMALE--	268	-	-	-	1	-	1	1	-	3	14	7

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2359

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Chronic lower respiratory diseases (J40-J47)												
UNITED STATES -	2,077	3,985	6,754	11,833	19,324	24,309	23,413	17,085	7,823	2,238	350	2
WHITE-----MALE----	849	1,791	3,102	5,523	9,263	11,418	10,836	7,340	2,938	702	78	1
FEMALE--	853	1,678	2,961	5,270	8,709	11,414	11,357	8,846	4,422	1,368	232	-
ALL OTHER--MALE----	195	281	390	626	798	887	697	503	227	74	14	1
FEMALE--	180	235	301	414	554	590	523	396	236	94	26	-
BLACK---MALE----	169	240	355	532	677	691	532	360	173	60	8	-
FEMALE--	171	205	273	349	456	500	429	311	187	73	23	-
ALABAMA -----	48	101	136	238	373	408	340	205	125	34	7	-
WHITE-----MALE----	18	49	70	111	189	209	172	88	44	14	1	-
FEMALE--	21	35	56	102	135	160	142	105	64	16	3	-
ALL OTHER--MALE----	5	10	6	16	35	26	17	9	9	4	1	-
FEMALE--	4	7	4	9	14	13	9	3	8	-	2	-
BLACK---MALE----	5	10	6	16	34	26	17	9	9	4	1	-
FEMALE--	4	7	4	9	13	13	9	3	8	-	2	-
ALASKA -----	2	5	6	19	22	31	25	12	2	-	-	-
WHITE-----MALE----	-	2	3	7	7	11	12	8	-	-	-	-
FEMALE--	1	1	2	6	10	11	11	1	2	-	-	-
ALL OTHER--MALE----	1	2	1	3	4	5	2	1	-	-	-	-
FEMALE--	-	-	-	3	1	4	-	2	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	29	79	138	269	406	540	501	329	133	38	4	-
WHITE-----MALE----	15	45	73	135	219	272	237	154	43	15	3	-
FEMALE--	13	31	60	126	177	260	259	166	86	23	1	-
ALL OTHER--MALE----	-	1	3	2	3	5	3	4	3	-	-	-
FEMALE--	1	2	2	6	7	3	2	5	1	-	-	-
BLACK---MALE----	-	-	3	-	1	3	2	2	-	-	-	-
FEMALE--	-	2	-	3	4	1	-	2	1	-	-	-
ARKANSAS -----	21	67	90	169	230	280	251	166	66	25	3	-
WHITE-----MALE----	8	33	43	99	110	158	136	77	32	10	1	-
FEMALE--	8	31	41	60	111	114	98	82	32	11	2	-
ALL OTHER--MALE----	2	3	4	8	6	5	10	6	1	-	-	-
FEMALE--	3	-	2	2	3	3	7	1	1	4	-	-
BLACK---MALE----	2	3	3	8	6	5	10	5	1	-	-	-
FEMALE--	3	-	2	2	2	3	6	1	1	4	-	-
CALIFORNIA -----	228	371	644	1,114	1,822	2,595	2,524	1,902	914	266	43	2
WHITE-----MALE----	91	142	282	487	837	1,108	1,111	752	340	73	9	1
FEMALE--	84	167	289	492	819	1,274	1,234	981	496	158	29	-
ALL OTHER--MALE----	32	38	38	85	107	128	108	108	37	14	2	1
FEMALE--	21	24	35	50	59	85	71	61	41	21	3	-
BLACK---MALE----	19	23	27	51	53	58	30	28	12	7	-	-
FEMALE--	18	18	25	27	25	53	28	26	12	8	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2360

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Chronic lower respiratory diseases (J40-J47)												
COLORADO -----	1,787	-	1	-	1	1	1	2	4	9	8	22
WHITE-----MALE----	883	-	-	-	-	1	1	-	3	2	1	11
FEMALE--	842	-	1	-	1	-	-	1	1	6	4	9
ALL OTHER--MALE----	40	-	-	-	-	-	-	1	-	1	2	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	31	-	-	-	-	-	-	1	-	1	2	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	1	2
CONNECTICUT -----	1,533	-	-	1	1	1	2	3	3	3	11	11
WHITE-----MALE----	628	-	-	-	-	-	1	1	2	2	6	5
FEMALE--	847	-	-	1	1	1	1	-	-	-	3	5
ALL OTHER--MALE----	35	-	-	-	-	-	-	1	1	-	2	1
FEMALE--	23	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	32	-	-	-	-	-	-	1	1	-	2	1
FEMALE--	20	-	-	-	-	-	-	-	-	1	-	-
DELAWARE -----	341	-	-	1	1	1	1	-	1	2	3	4
WHITE-----MALE----	130	-	-	-	1	-	-	-	-	-	2	1
FEMALE--	167	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	32	-	-	1	-	1	1	-	1	1	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	31	-	-	1	-	1	1	-	1	1	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	1	1
DISTRICT OF COLUMBIA ---	175	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	68	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	52	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	68	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	51	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	8,645	3	3	3	3	1	1	4	9	12	26	84
WHITE-----MALE----	3,909	1	-	1	-	-	-	1	3	4	14	43
FEMALE--	4,291	-	-	1	-	-	1	1	1	4	7	25
ALL OTHER--MALE----	256	2	2	-	3	1	-	-	3	2	2	4
FEMALE--	189	-	1	1	-	-	-	2	2	2	3	12
BLACK---MALE----	248	2	2	-	3	1	-	-	3	2	2	4
FEMALE--	180	-	1	1	-	-	-	2	2	2	3	11
GEORGIA -----	3,067	2	2	2	1	2	4	4	8	10	19	32
WHITE-----MALE----	1,351	2	1	1	-	1	-	-	1	-	9	9
FEMALE--	1,330	-	-	-	-	-	2	-	1	2	5	13
ALL OTHER--MALE----	220	-	1	1	1	1	1	2	4	2	1	3
FEMALE--	166	-	-	-	-	-	1	2	2	6	4	7
BLACK---MALE----	215	-	1	1	1	1	1	2	3	2	1	3
FEMALE--	162	-	-	-	-	-	1	2	2	6	4	7

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2360

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Chronic lower respiratory diseases (J40-J47)												
COLORADO -----	26	58	102	178	295	357	328	230	131	31	2	-
WHITE-----MALE----	10	31	55	77	153	187	175	103	58	13	2	-
FEMALE--	14	22	41	94	131	161	144	123	71	18	-	-
ALL OTHER--MALE----	2	2	3	4	8	7	6	2	2	-	-	-
FEMALE--	-	3	3	3	3	2	3	2	-	-	-	-
BLACK---MALE----	2	2	3	3	7	5	4	1	-	-	-	-
FEMALE--	-	3	3	-	3	1	3	2	-	-	-	-
CONNECTICUT -----	17	39	73	121	208	285	322	255	128	44	5	-
WHITE-----MALE----	8	16	28	54	97	134	134	97	33	10	-	-
FEMALE--	4	21	40	62	102	143	182	152	93	31	5	-
ALL OTHER--MALE----	2	1	3	4	5	5	4	2	1	3	-	-
FEMALE--	3	1	2	1	4	3	2	4	1	-	-	-
BLACK---MALE----	2	1	3	4	4	3	4	2	1	3	-	-
FEMALE--	3	1	2	1	3	2	2	4	1	-	-	-
DELAWARE -----	9	14	24	32	52	67	58	45	19	6	1	-
WHITE-----MALE----	2	2	11	16	23	22	25	15	7	2	1	-
FEMALE--	7	9	5	7	24	42	30	25	12	4	-	-
ALL OTHER--MALE----	-	3	8	7	3	1	2	2	-	-	-	-
FEMALE--	-	-	-	2	2	2	1	3	-	-	-	-
BLACK---MALE----	-	3	8	6	3	1	2	2	-	-	-	-
FEMALE--	-	-	-	2	2	2	1	3	-	-	-	-
DISTRICT OF COLUMBIA ---	3	4	8	20	32	36	26	22	16	3	3	-
WHITE-----MALE----	-	-	-	-	3	6	7	5	1	-	1	-
FEMALE--	-	-	-	2	5	10	3	7	4	1	-	-
ALL OTHER--MALE----	2	1	8	9	16	13	10	2	5	-	-	-
FEMALE--	1	3	-	9	8	7	6	8	6	2	2	-
BLACK---MALE----	2	1	8	9	16	13	10	2	5	-	-	-
FEMALE--	1	3	-	9	8	7	5	8	6	2	2	-
FLORIDA -----	129	263	457	789	1,350	1,718	1,703	1,335	583	155	14	-
WHITE-----MALE----	68	119	239	371	648	793	773	554	225	48	4	-
FEMALE--	40	111	173	357	624	856	886	753	340	101	10	-
ALL OTHER--MALE----	13	18	29	41	46	41	24	14	8	3	-	-
FEMALE--	8	15	16	20	32	28	20	14	10	3	-	-
BLACK---MALE----	13	18	29	39	44	38	23	14	8	3	-	-
FEMALE--	8	14	16	20	28	27	18	14	10	3	-	-
GEORGIA -----	78	136	240	350	553	599	513	322	146	37	7	-
WHITE-----MALE----	31	56	110	170	251	282	231	138	49	9	-	-
FEMALE--	25	54	79	125	247	276	250	142	84	22	3	-
ALL OTHER--MALE----	11	15	35	32	33	22	21	19	12	2	1	-
FEMALE--	11	11	16	23	22	19	11	23	1	4	3	-
BLACK---MALE----	10	15	34	32	32	22	21	18	12	2	1	-
FEMALE--	10	11	16	23	20	19	11	22	1	4	3	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2361

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Chronic lower respiratory diseases (J40-J47)												
HAWAII -----	278	-	-	1	-	-	-	-	2	2	4	6
WHITE-----MALE----	49	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	50	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	117	-	-	-	-	-	-	-	1	2	1	2
FEMALE--	62	-	-	1	-	-	-	-	1	-	3	2
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	569	-	-	-	-	-	1	-	-	-	3	6
WHITE-----MALE----	323	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	238	-	-	-	-	-	1	-	-	-	2	4
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	4,768	-	3	4	13	9	10	16	12	22	32	40
WHITE-----MALE----	2,060	-	-	1	4	3	3	4	3	4	6	14
FEMALE--	2,244	-	-	-	-	1	-	3	2	3	9	8
ALL OTHER--MALE----	247	-	2	2	4	3	4	5	5	10	8	8
FEMALE--	217	-	1	1	5	2	3	4	2	5	9	10
BLACK---MALE-----	230	-	2	2	4	3	4	5	5	10	8	8
FEMALE--	210	-	1	1	5	2	3	4	2	5	9	10
INDIANA -----	3,052	-	1	1	3	6	2	1	3	10	14	42
WHITE-----MALE----	1,470	-	1	-	1	2	-	1	-	2	5	22
FEMALE--	1,452	-	-	-	-	-	1	-	1	5	6	14
ALL OTHER--MALE----	75	-	-	-	2	3	1	-	1	2	-	3
FEMALE--	55	-	-	1	-	1	-	-	1	1	3	3
BLACK---MALE-----	73	-	-	-	2	3	1	-	-	2	-	3
FEMALE--	53	-	-	1	-	1	-	-	1	1	3	3
IOWA -----	1,512	-	-	1	2	1	3	1	1	3	6	7
WHITE-----MALE----	772	-	-	1	-	-	2	-	-	1	1	3
FEMALE--	723	-	-	-	-	1	-	1	1	2	5	3
ALL OTHER--MALE----	10	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	7	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE-----	9	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	7	-	-	-	2	-	-	-	-	-	-	-
KANSAS -----	1,411	-	1	-	1	-	1	1	-	2	6	7
WHITE-----MALE----	712	-	-	-	-	-	-	-	-	1	3	3
FEMALE--	653	-	-	-	1	-	1	-	-	1	3	1
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	19	-	1	-	-	-	-	1	-	-	-	1
BLACK---MALE-----	25	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	17	-	-	-	-	-	-	1	-	-	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2361

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Chronic lower respiratory diseases (J40-J47)												
HAWAII -----	8	12	10	23	35	61	53	40	17	3	1	-
WHITE-----MALE----	1	5	2	5	9	6	7	7	5	-	-	-
FEMALE--	2	2	3	5	7	10	10	7	4	-	-	-
ALL OTHER--MALE----	5	5	1	11	9	35	21	15	6	3	-	-
FEMALE--	-	-	4	2	10	10	15	11	2	-	1	-
BLACK---MALE----	1	-	-	-	-	-	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	6	20	32	66	104	115	98	69	43	5	1	-
WHITE-----MALE----	4	11	16	44	60	72	54	36	19	3	1	-
FEMALE--	2	8	15	18	44	41	44	33	24	2	-	-
ALL OTHER--MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	3	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ILLINOIS -----	71	126	267	429	738	908	944	685	333	94	12	-
WHITE-----MALE----	35	55	129	191	352	425	392	287	116	31	5	-
FEMALE--	22	49	93	191	325	400	516	364	194	57	7	-
ALL OTHER--MALE----	2	12	25	26	31	46	24	16	12	2	-	-
FEMALE--	12	10	20	21	30	37	12	18	11	4	-	-
BLACK---MALE----	2	12	23	23	28	43	21	14	11	2	-	-
FEMALE--	12	10	20	21	29	36	12	15	10	3	-	-
INDIANA -----	56	110	177	312	499	632	548	401	183	42	9	-
WHITE-----MALE----	26	59	76	148	268	325	270	178	74	10	2	-
FEMALE--	25	43	91	148	215	283	267	213	102	32	6	-
ALL OTHER--MALE----	4	5	8	11	8	13	6	6	2	-	-	-
FEMALE--	1	3	2	5	8	11	5	4	5	-	1	-
BLACK---MALE----	4	5	8	11	8	12	6	6	2	-	-	-
FEMALE--	1	3	2	4	7	11	5	4	5	-	1	-
IOWA -----	16	41	72	134	222	278	326	255	106	32	5	-
WHITE-----MALE----	6	19	34	73	119	153	172	124	52	12	-	-
FEMALE--	9	22	37	59	101	121	153	131	52	20	5	-
ALL OTHER--MALE----	-	-	1	1	2	2	1	-	1	-	-	-
FEMALE--	1	-	-	1	-	2	-	-	1	-	-	-
BLACK---MALE----	-	-	1	1	2	2	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	2	-	-	1	-	-	-
KANSAS -----	26	33	74	125	221	314	247	224	100	23	5	-
WHITE-----MALE----	8	20	41	64	112	155	125	127	45	7	1	-
FEMALE--	15	12	31	55	104	145	115	95	55	15	4	-
ALL OTHER--MALE----	1	1	2	3	4	7	5	2	-	-	-	-
FEMALE--	2	-	-	3	1	7	2	-	-	1	-	-
BLACK---MALE----	1	-	2	3	4	7	4	2	-	-	-	-
FEMALE--	2	-	-	3	1	6	2	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2362

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Chronic lower respiratory diseases (J40-J47)												
KENTUCKY -----	2,170	1	1	-	3	1	1	-	4	5	11	18
WHITE-----MALE----	1,028	1	-	-	-	-	1	-	1	1	6	8
FEMALE--	1,058	-	1	-	1	-	-	-	2	3	3	9
ALL OTHER--MALE----	42	-	-	-	1	1	-	-	1	1	1	-
FEMALE--	42	-	-	-	1	-	-	-	-	-	1	1
BLACK---MALE----	42	-	-	-	1	1	-	-	1	1	1	-
FEMALE--	40	-	-	-	1	-	-	-	-	-	1	1
LOUISIANA -----	1,684	3	-	1	1	1	4	3	3	10	11	20
WHITE-----MALE----	672	2	-	1	-	-	-	-	-	-	6	2
FEMALE--	700	-	-	-	-	-	2	1	-	2	2	7
ALL OTHER--MALE----	184	1	-	-	1	1	1	1	2	3	2	7
FEMALE--	128	-	-	-	-	-	1	1	1	5	1	4
BLACK---MALE----	182	1	-	-	1	1	1	1	2	3	2	7
FEMALE--	125	-	-	-	-	-	1	1	1	5	1	4
MAINE -----	768	-	-	-	-	-	-	-	-	1	2	10
WHITE-----MALE----	374	-	-	-	-	-	-	-	-	1	-	5
FEMALE--	392	-	-	-	-	-	-	-	-	-	2	5
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,927	-	-	3	2	2	2	3	4	10	8	24
WHITE-----MALE----	706	-	-	-	-	1	-	-	1	2	2	5
FEMALE--	951	-	-	-	-	-	-	-	1	2	1	6
ALL OTHER--MALE----	127	-	-	1	-	1	1	2	2	1	3	5
FEMALE--	143	-	-	2	2	-	1	1	-	5	2	8
BLACK---MALE----	123	-	-	1	-	1	1	2	2	1	3	5
FEMALE--	137	-	-	2	2	-	1	1	-	5	2	8
MASSACHUSETTS -----	2,925	-	2	-	1	1	1	1	4	5	10	21
WHITE-----MALE----	1,256	-	2	-	-	-	1	1	2	2	2	9
FEMALE--	1,603	-	-	-	-	1	-	-	1	3	6	9
ALL OTHER--MALE----	35	-	-	-	1	-	-	-	-	-	1	1
FEMALE--	31	-	-	-	-	-	-	-	1	-	1	2
BLACK---MALE----	26	-	-	-	1	-	-	-	-	-	1	1
FEMALE--	26	-	-	-	-	-	-	-	1	-	1	1
MICHIGAN -----	4,352	-	2	3	3	4	3	11	6	12	31	47
WHITE-----MALE----	1,903	-	-	-	1	1	1	5	-	4	11	16
FEMALE--	2,093	-	-	-	1	1	-	2	2	4	12	14
ALL OTHER--MALE----	190	-	2	1	1	2	2	3	1	2	3	11
FEMALE--	166	-	-	2	-	-	-	1	3	2	5	6
BLACK---MALE----	170	-	2	1	1	2	1	3	1	2	3	10
FEMALE--	152	-	-	2	-	-	-	1	3	2	5	6

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2362

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Chronic lower respiratory diseases (J40-J47)												
KENTUCKY -----	46	82	142	274	356	425	381	264	120	33	2	-
WHITE-----MALE----	23	39	70	136	174	198	192	121	51	6	-	-
FEMALE--	21	38	68	125	170	212	178	136	67	22	2	-
ALL OTHER--MALE----	1	1	-	10	6	8	6	2	1	2	-	-
FEMALE--	1	4	4	3	6	7	5	5	1	3	-	-
BLACK---MALE----	1	1	-	10	6	8	6	2	1	2	-	-
FEMALE--	1	4	4	3	6	6	5	5	1	2	-	-
LOUISIANA -----	31	75	94	171	277	323	306	205	100	38	7	-
WHITE-----MALE----	10	31	39	70	107	140	143	67	37	15	2	-
FEMALE--	8	27	32	65	127	145	118	103	42	15	4	-
ALL OTHER--MALE----	10	8	14	20	28	22	27	22	11	3	-	-
FEMALE--	3	9	9	16	15	16	18	13	10	5	1	-
BLACK---MALE----	10	8	14	20	27	22	27	22	11	2	-	-
FEMALE--	3	9	9	16	13	15	18	13	10	5	1	-
MAINE -----	12	21	50	89	111	140	147	121	49	13	2	-
WHITE-----MALE----	6	12	22	35	58	75	78	56	21	5	-	-
FEMALE--	6	9	28	54	52	65	68	65	28	8	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	27	67	81	150	297	379	400	287	136	39	6	-
WHITE-----MALE----	8	25	24	60	119	149	146	107	47	8	2	-
FEMALE--	8	31	46	63	127	194	210	157	76	25	4	-
ALL OTHER--MALE----	4	6	7	13	24	20	14	13	9	1	-	-
FEMALE--	7	5	4	14	27	16	30	10	4	5	-	-
BLACK---MALE----	4	6	7	12	24	19	13	12	9	1	-	-
FEMALE--	7	4	4	13	25	15	29	10	4	5	-	-
MASSACHUSETTS -----	46	79	122	228	450	562	616	435	247	79	15	-
WHITE-----MALE----	20	45	55	102	204	244	276	175	87	27	2	-
FEMALE--	25	32	61	122	239	307	329	252	152	51	13	-
ALL OTHER--MALE----	-	2	4	2	4	6	6	4	4	-	-	-
FEMALE--	1	-	2	2	3	5	5	4	4	1	-	-
BLACK---MALE----	-	1	4	2	2	3	5	3	3	-	-	-
FEMALE--	1	-	2	2	3	4	5	2	3	1	-	-
MICHIGAN -----	88	125	232	452	745	847	832	566	251	80	12	-
WHITE-----MALE----	27	58	115	199	327	384	362	255	106	28	3	-
FEMALE--	44	51	90	215	354	419	417	283	130	47	7	-
ALL OTHER--MALE----	8	6	15	24	31	30	26	13	6	2	1	-
FEMALE--	9	10	12	14	33	14	27	15	9	3	1	-
BLACK---MALE----	8	4	13	21	30	26	24	10	6	2	-	-
FEMALE--	8	9	12	14	28	12	26	12	9	2	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2363

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Chronic lower respiratory diseases (J40-J47)												
MINNESOTA -----	1,902	2	-	2	1	1	4	1	3	6	6	10
WHITE-----MALE----	934	-	-	-	1	1	-	-	1	4	3	8
FEMALE--	918	-	-	2	-	-	2	1	1	1	1	-
ALL OTHER--MALE----	27	2	-	-	-	-	-	-	1	1	1	2
FEMALE--	23	-	-	-	-	-	2	-	-	-	1	-
BLACK---MALE----	14	1	-	-	-	-	-	-	1	1	1	1
FEMALE--	7	-	-	-	-	-	1	-	-	-	-	-
MISSISSIPPI -----	1,257	1	-	-	-	1	2	3	2	7	5	11
WHITE-----MALE----	568	1	-	-	-	1	1	1	2	1	-	4
FEMALE--	486	-	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	120	-	-	-	-	-	-	2	-	2	2	4
FEMALE--	83	-	-	-	-	-	1	-	-	3	1	2
BLACK---MALE----	119	-	-	-	-	-	-	2	-	2	2	4
FEMALE--	82	-	-	-	-	-	1	-	-	3	1	2
MISSOURI -----	2,802	1	2	-	5	4	6	3	4	4	15	37
WHITE-----MALE----	1,338	1	2	-	-	1	5	2	1	-	5	19
FEMALE--	1,299	-	-	-	1	-	-	1	1	3	7	13
ALL OTHER--MALE----	80	-	-	-	3	1	-	-	2	-	2	3
FEMALE--	85	-	-	-	1	2	1	-	-	1	1	2
BLACK---MALE----	72	-	-	-	3	1	-	-	2	-	2	3
FEMALE--	81	-	-	-	1	2	1	-	-	1	1	2
MONTANA -----	517	-	-	-	-	-	-	-	-	-	1	3
WHITE-----MALE----	253	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	242	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	838	-	-	-	-	2	1	2	-	2	1	4
WHITE-----MALE----	444	-	-	-	-	1	-	2	-	2	-	-
FEMALE--	366	-	-	-	-	-	1	-	-	-	1	4
ALL OTHER--MALE----	15	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	989	-	1	-	1	-	-	1	4	2	6	10
WHITE-----MALE----	451	-	-	-	-	-	-	-	2	-	2	4
FEMALE--	481	-	1	-	-	-	-	-	1	1	3	2
ALL OTHER--MALE----	30	-	-	-	1	-	-	-	-	-	-	2
FEMALE--	27	-	-	-	-	-	-	1	1	1	1	2
BLACK---MALE----	19	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	17	-	-	-	-	-	-	1	1	-	1	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2363

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Chronic lower respiratory diseases (J40-J47)												
MINNESOTA -----	28	40	76	166	259	349	395	348	152	45	8	-
WHITE-----MALE----	18	19	32	82	132	179	198	174	62	18	2	-
FEMALE--	10	19	41	79	119	163	186	171	89	27	6	-
ALL OTHER--MALE----	-	-	1	2	4	3	8	2	-	-	-	-
FEMALE--	-	2	2	3	4	4	3	1	1	-	-	-
BLACK---MALE----	-	-	-	1	1	1	5	1	-	-	-	-
FEMALE--	-	-	-	2	3	1	-	-	-	-	-	-
MISSISSIPPI -----	23	53	87	144	207	234	217	162	77	18	3	-
WHITE-----MALE----	8	18	40	70	100	108	115	73	24	1	-	-
FEMALE--	7	23	35	53	70	94	77	70	42	9	2	-
ALL OTHER--MALE----	4	5	6	10	27	17	15	12	8	6	-	-
FEMALE--	4	7	6	11	10	15	10	7	3	2	1	-
BLACK---MALE----	4	5	6	9	27	17	15	12	8	6	-	-
FEMALE--	4	7	6	11	10	15	9	7	3	2	1	-
MISSOURI -----	43	100	197	263	463	530	513	387	181	39	5	-
WHITE-----MALE----	15	43	82	140	225	266	258	187	70	16	-	-
FEMALE--	23	41	94	109	215	246	233	183	102	22	5	-
ALL OTHER--MALE----	1	8	8	5	11	10	12	9	4	1	-	-
FEMALE--	4	8	13	9	12	8	10	8	5	-	-	-
BLACK---MALE----	1	7	7	4	9	9	12	8	4	-	-	-
FEMALE--	4	8	12	9	10	8	10	8	4	-	-	-
MONTANA -----	5	13	22	57	87	106	100	73	37	11	2	-
WHITE-----MALE----	3	4	8	29	51	47	52	36	18	2	1	-
FEMALE--	2	9	12	24	32	56	45	33	17	9	1	-
ALL OTHER--MALE----	-	-	2	3	2	2	3	3	-	-	-	-
FEMALE--	-	-	-	1	2	1	-	1	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	10	25	40	89	129	158	181	119	52	22	1	-
WHITE-----MALE----	4	11	22	49	69	86	104	60	24	10	-	-
FEMALE--	4	12	17	36	58	66	71	56	28	11	1	-
ALL OTHER--MALE----	2	-	1	1	1	2	5	1	-	1	-	-
FEMALE--	-	2	-	3	1	4	1	2	-	-	-	-
BLACK---MALE----	-	-	1	1	1	2	3	1	-	1	-	-
FEMALE--	-	1	-	2	1	3	1	2	-	-	-	-
NEVADA -----	21	25	74	108	189	218	161	118	38	10	2	-
WHITE-----MALE----	6	12	35	50	95	112	67	51	13	2	-	-
FEMALE--	12	11	33	52	86	94	87	64	25	8	1	-
ALL OTHER--MALE----	2	2	2	4	4	7	4	2	-	-	-	-
FEMALE--	1	-	4	2	4	5	3	1	-	-	1	-
BLACK---MALE----	-	2	2	4	4	1	3	1	-	-	-	-
FEMALE--	1	-	4	1	-	3	3	-	-	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2365

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Chronic lower respiratory diseases (J40-J47)												
OHIO -----	106	212	320	534	975	1,227	1,182	807	357	119	18	-
WHITE-----MALE----	45	103	145	262	493	551	540	329	129	32	5	-
FEMALE--	52	88	149	237	420	602	592	441	204	78	11	-
ALL OTHER--MALE----	4	8	8	16	36	46	24	15	6	6	1	-
FEMALE--	5	13	18	19	26	28	26	22	18	3	1	-
BLACK---MALE----	4	8	8	16	35	45	24	15	5	6	1	-
FEMALE--	5	12	18	19	26	27	24	21	17	2	1	-
OKLAHOMA -----	41	82	149	217	353	382	333	227	115	33	7	-
WHITE-----MALE----	19	33	68	107	196	179	186	104	44	13	1	-
FEMALE--	20	38	70	92	143	186	132	105	64	17	6	-
ALL OTHER--MALE----	1	3	7	8	11	11	10	11	3	2	-	-
FEMALE--	1	8	4	10	3	6	5	7	4	1	-	-
BLACK---MALE----	1	2	3	4	8	7	4	4	2	2	-	-
FEMALE--	1	1	2	6	1	3	4	4	4	1	-	-
OREGON -----	22	55	86	171	263	386	336	221	92	18	5	-
WHITE-----MALE----	8	19	38	70	124	201	180	115	38	4	1	-
FEMALE--	11	32	46	93	133	180	151	106	52	14	3	-
ALL OTHER--MALE----	-	2	1	4	4	2	3	-	1	-	1	-
FEMALE--	3	2	1	4	2	3	2	-	1	-	-	-
BLACK---MALE----	-	1	-	3	1	-	1	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	1	-	-	-	-	-
PENNSYLVANIA -----	92	176	274	461	898	1,294	1,270	940	419	108	27	-
WHITE-----MALE----	45	85	135	208	444	607	559	406	153	35	6	-
FEMALE--	35	71	121	219	398	611	660	490	249	68	16	-
ALL OTHER--MALE----	5	13	8	22	35	42	19	22	6	1	3	-
FEMALE--	7	7	10	12	21	34	32	22	11	4	2	-
BLACK---MALE----	5	12	8	20	34	39	18	21	5	1	3	-
FEMALE--	7	7	9	12	19	34	31	21	10	4	2	-
RHODE ISLAND -----	6	13	9	37	71	109	112	93	31	8	1	-
WHITE-----MALE----	1	2	3	13	29	58	43	44	11	3	-	-
FEMALE--	4	9	5	22	42	51	69	45	20	5	1	-
ALL OTHER--MALE----	1	1	1	1	-	-	-	4	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	38	87	115	201	293	349	313	185	80	20	3	-
WHITE-----MALE----	12	40	61	98	137	175	149	78	23	5	1	-
FEMALE--	14	24	43	73	128	131	119	77	50	14	1	-
ALL OTHER--MALE----	6	14	9	19	19	29	34	22	4	1	-	-
FEMALE--	6	9	2	11	9	14	11	8	3	-	1	-
BLACK---MALE----	5	14	9	19	19	28	33	22	4	1	-	-
FEMALE--	6	9	2	10	8	14	11	8	3	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2366

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Chronic lower respiratory diseases (J40-J47)												
SOUTH DAKOTA -----	383	-	-	-	-	-	1	-	-	1	1	1
WHITE-----MALE----	207	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	160	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	10	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2,887	2	2	-	2	4	1	-	4	8	18	28
WHITE-----MALE----	1,382	2	1	-	2	-	-	-	1	3	5	11
FEMALE--	1,282	-	1	-	-	1	-	-	3	4	9	10
ALL OTHER--MALE----	131	-	-	-	-	1	1	-	-	1	4	6
FEMALE--	92	-	-	-	-	2	-	-	-	-	-	1
BLACK---MALE----	126	-	-	-	-	1	1	-	-	1	4	6
FEMALE--	87	-	-	-	-	2	-	-	-	-	-	1
TEXAS -----	7,286	2	2	3	7	4	5	6	7	18	43	62
WHITE-----MALE----	3,318	1	1	3	1	2	1	2	2	3	12	23
FEMALE--	3,420	1	-	-	4	-	2	3	4	10	15	22
ALL OTHER--MALE----	314	-	1	-	2	1	1	1	1	3	9	8
FEMALE--	234	-	-	-	-	1	1	-	-	2	7	9
BLACK---MALE----	296	-	1	-	2	-	-	1	1	3	9	8
FEMALE--	224	-	-	-	-	-	1	-	-	2	7	9
UTAH -----	524	-	-	-	-	-	-	-	3	1	3	6
WHITE-----MALE----	279	-	-	-	-	-	-	-	1	1	-	3
FEMALE--	239	-	-	-	-	-	-	-	2	-	3	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	312	-	1	-	1	-	-	-	-	1	1	2
WHITE-----MALE----	158	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	154	-	1	-	1	-	-	-	-	1	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2,820	-	1	1	3	3	3	2	5	12	17	34
WHITE-----MALE----	1,116	-	-	-	-	-	1	1	-	2	5	11
FEMALE--	1,337	-	1	-	1	-	1	-	1	5	6	12
ALL OTHER--MALE----	205	-	-	1	1	1	1	1	3	2	2	7
FEMALE--	162	-	-	-	1	2	-	-	1	3	4	4
BLACK---MALE----	190	-	-	1	1	1	1	1	3	2	2	6
FEMALE--	154	-	-	-	1	2	-	-	1	3	3	4

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2366

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Chronic lower respiratory diseases (J40-J47)												
SOUTH DAKOTA -----	5	7	13	36	55	69	87	66	26	14	1	-
WHITE-----MALE----	3	4	3	20	24	45	47	42	14	5	-	-
FEMALE--	2	2	9	14	31	20	37	21	11	9	1	-
ALL OTHER--MALE----	-	1	1	-	-	3	2	2	-	-	-	-
FEMALE--	-	-	-	2	-	1	1	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	67	125	211	349	476	567	504	332	144	39	4	-
WHITE-----MALE----	33	53	93	169	241	284	259	149	56	19	1	-
FEMALE--	23	57	97	155	200	246	211	167	75	20	3	-
ALL OTHER--MALE----	5	6	8	19	19	19	22	12	8	-	-	-
FEMALE--	6	9	13	6	16	18	12	4	5	-	-	-
BLACK---MALE----	5	5	8	19	19	18	21	10	8	-	-	-
FEMALE--	6	8	12	6	15	16	12	4	5	-	-	-
TEXAS -----	122	248	430	804	1,234	1,429	1,257	1,033	437	115	18	-
WHITE-----MALE----	47	118	198	387	570	701	579	456	167	41	3	-
FEMALE--	46	105	182	349	577	647	604	523	245	67	14	-
ALL OTHER--MALE----	16	15	29	38	54	54	38	32	7	4	-	-
FEMALE--	13	10	21	30	33	27	36	22	18	3	1	-
BLACK---MALE----	16	13	28	36	51	50	37	29	7	4	-	-
FEMALE--	13	9	21	29	32	27	32	21	17	3	1	-
UTAH -----	10	20	38	56	88	96	98	67	33	4	1	-
WHITE-----MALE----	5	7	18	30	47	58	59	34	14	2	-	-
FEMALE--	5	12	20	25	39	38	38	33	19	2	1	-
ALL OTHER--MALE----	-	-	-	1	2	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	5	6	14	30	45	64	70	43	23	6	-	-
WHITE-----MALE----	1	3	9	16	26	34	37	18	10	3	-	-
FEMALE--	4	3	5	14	19	30	33	25	13	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	48	114	174	305	453	551	526	349	163	47	9	-
WHITE-----MALE----	18	53	69	115	196	233	197	138	57	16	4	-
FEMALE--	23	38	82	152	198	256	264	180	86	26	5	-
ALL OTHER--MALE----	4	14	5	30	27	38	40	17	11	-	-	-
FEMALE--	3	9	18	8	32	24	25	14	9	5	-	-
BLACK---MALE----	4	12	5	29	23	36	36	17	10	-	-	-
FEMALE--	3	8	17	8	31	23	24	14	8	4	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2368

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)												
UNITED STATES -	121,058	36	51	46	91	84	103	122	169	306	610	1,165
WHITE-----MALE----	54,575	16	13	10	21	26	39	34	48	84	203	465
FEMALE--	57,389	7	15	11	19	13	23	30	50	107	220	410
ALL OTHER--MALE----	5,163	7	15	14	33	31	23	36	45	60	85	144
FEMALE--	3,931	6	8	11	18	14	18	22	26	55	102	146
BLACK---MALE----	4,222	6	14	14	29	30	20	31	41	52	78	124
FEMALE--	3,350	5	7	10	17	13	17	20	23	51	92	134
ALABAMA -----	2,038	-	-	-	-	3	2	-	1	5	12	19
WHITE-----MALE----	972	-	-	-	-	-	2	-	1	2	2	7
FEMALE--	842	-	-	-	-	-	-	-	-	2	5	7
ALL OTHER--MALE----	147	-	-	-	-	3	-	-	-	-	3	3
FEMALE--	77	-	-	-	-	-	-	-	-	1	2	2
BLACK---MALE----	146	-	-	-	-	3	-	-	-	-	3	3
FEMALE--	76	-	-	-	-	-	-	-	-	1	2	2
ALASKA -----	132	-	1	-	-	-	-	1	-	1	3	2
WHITE-----MALE----	53	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	47	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	20	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2,485	-	1	1	-	1	2	2	-	3	15	17
WHITE-----MALE----	1,224	-	1	-	-	1	-	-	-	1	9	9
FEMALE--	1,206	-	-	1	-	-	1	1	-	1	5	8
ALL OTHER--MALE----	26	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	29	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	14	-	-	-	-	-	1	-	-	-	-	-
ARKANSAS -----	1,397	2	4	1	1	1	-	1	-	6	4	17
WHITE-----MALE----	718	1	-	-	-	1	-	1	-	1	1	7
FEMALE--	596	1	3	-	-	-	-	-	-	3	1	5
ALL OTHER--MALE----	51	-	-	1	1	-	-	-	-	1	1	2
FEMALE--	32	-	1	-	-	-	-	-	-	1	1	3
BLACK---MALE----	49	-	-	1	1	-	-	-	-	1	1	2
FEMALE--	30	-	1	-	-	-	-	-	-	1	1	3
CALIFORNIA -----	12,648	6	6	6	14	4	7	13	16	30	79	146
WHITE-----MALE----	5,324	2	2	2	4	1	2	3	7	12	22	56
FEMALE--	6,072	2	3	2	3	1	4	5	5	6	24	58
ALL OTHER--MALE----	756	1	1	2	5	2	-	4	3	8	15	21
FEMALE--	496	1	-	2	-	-	1	1	1	4	18	11
BLACK---MALE----	350	1	1	2	3	2	-	3	2	6	12	11
FEMALE--	266	-	-	-	1	-	1	1	-	3	14	7

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2368

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)												
UNITED STATES -	2,067	3,951	6,719	11,768	19,215	24,132	23,185	16,922	7,745	2,221	348	2
WHITE-----MALE----	848	1,778	3,091	5,509	9,228	11,376	10,778	7,313	2,920	696	78	1
FEMALE--	845	1,664	2,941	5,228	8,652	11,290	11,197	8,715	4,363	1,358	231	-
ALL OTHER--MALE----	195	280	388	619	793	881	697	503	226	74	13	1
FEMALE--	179	229	299	412	542	585	513	391	236	93	26	-
BLACK---MALE----	169	240	353	527	673	688	532	360	173	60	8	-
FEMALE--	170	200	272	347	454	500	426	309	187	73	23	-
ALABAMA -----	47	101	134	234	371	405	338	203	123	33	7	-
WHITE-----MALE----	17	49	69	110	188	208	171	88	44	13	1	-
FEMALE--	21	35	56	99	134	158	141	103	62	16	3	-
ALL OTHER--MALE----	5	10	6	16	35	26	17	9	9	4	1	-
FEMALE--	4	7	3	9	14	13	9	3	8	-	2	-
BLACK---MALE----	5	10	6	16	34	26	17	9	9	4	1	-
FEMALE--	4	7	3	9	13	13	9	3	8	-	2	-
ALASKA -----	2	5	6	19	22	31	25	12	2	-	-	-
WHITE-----MALE----	-	2	3	7	7	11	12	8	-	-	-	-
FEMALE--	1	1	2	6	10	11	11	1	2	-	-	-
ALL OTHER--MALE----	1	2	1	3	4	5	2	1	-	-	-	-
FEMALE--	-	-	-	3	1	4	-	2	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	29	78	137	268	403	533	494	327	132	38	4	-
WHITE-----MALE----	15	45	73	135	218	268	235	154	42	15	3	-
FEMALE--	13	30	60	125	175	257	255	164	86	23	1	-
ALL OTHER--MALE----	-	1	3	2	3	5	3	4	3	-	-	-
FEMALE--	1	2	1	6	7	3	1	5	1	-	-	-
BLACK---MALE----	-	-	3	-	1	3	2	2	-	-	-	-
FEMALE--	-	2	-	3	4	1	-	2	1	-	-	-
ARKANSAS -----	21	67	89	168	230	279	250	162	66	25	3	-
WHITE-----MALE----	8	33	43	99	110	158	136	76	32	10	1	-
FEMALE--	8	31	40	59	111	113	97	79	32	11	2	-
ALL OTHER--MALE----	2	3	4	8	6	5	10	6	1	-	-	-
FEMALE--	3	-	2	2	3	3	7	1	1	4	-	-
BLACK---MALE----	2	3	3	8	6	5	10	5	1	-	-	-
FEMALE--	3	-	2	2	2	3	6	1	1	4	-	-
CALIFORNIA -----	226	369	642	1,107	1,804	2,583	2,499	1,882	902	263	42	2
WHITE-----MALE----	91	142	281	485	833	1,108	1,106	748	335	72	9	1
FEMALE--	82	167	288	488	810	1,264	1,218	967	490	157	28	-
ALL OTHER--MALE----	32	38	38	84	107	126	108	108	36	14	2	1
FEMALE--	21	22	35	50	54	85	67	59	41	20	3	-
BLACK---MALE----	19	23	27	51	53	57	30	28	12	7	-	-
FEMALE--	18	17	25	27	25	53	28	25	12	8	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2369

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)												
COLORADO -----	1,778	-	1	-	1	1	1	2	4	9	8	22
WHITE-----MALE----	878	-	-	-	-	1	1	-	3	2	1	11
FEMALE--	839	-	1	-	1	-	-	1	1	6	4	9
ALL OTHER--MALE----	40	-	-	-	-	-	-	1	-	1	2	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	31	-	-	-	-	-	-	1	-	1	2	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	1	2
CONNECTICUT -----	1,527	-	-	1	1	1	2	3	3	3	10	11
WHITE-----MALE----	626	-	-	-	-	-	1	1	2	2	5	5
FEMALE--	843	-	-	1	1	1	1	-	-	-	3	5
ALL OTHER--MALE----	35	-	-	-	-	-	-	1	1	-	2	1
FEMALE--	23	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	32	-	-	-	-	-	-	1	1	-	2	1
FEMALE--	20	-	-	-	-	-	-	-	-	1	-	-
DELAWARE -----	339	-	-	1	1	1	1	-	1	2	3	4
WHITE-----MALE----	130	-	-	-	1	-	-	-	-	-	2	1
FEMALE--	166	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	31	-	-	1	-	1	1	-	1	1	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	30	-	-	1	-	1	1	-	1	1	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	1	1
DISTRICT OF COLUMBIA ---	173	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	68	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	51	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	68	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	50	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	8,565	3	3	3	3	1	1	4	9	12	26	82
WHITE-----MALE----	3,888	1	-	1	-	-	-	1	3	4	14	42
FEMALE--	4,234	-	-	1	-	-	1	1	1	4	7	25
ALL OTHER--MALE----	255	2	2	-	3	1	-	-	3	2	2	4
FEMALE--	188	-	1	1	-	-	-	2	2	2	3	11
BLACK---MALE----	247	2	2	-	3	1	-	-	3	2	2	4
FEMALE--	180	-	1	1	-	-	-	2	2	2	3	11
GEORGIA -----	3,044	2	2	1	1	2	4	4	8	10	18	32
WHITE-----MALE----	1,347	2	1	-	-	1	-	-	1	-	9	9
FEMALE--	1,313	-	-	-	-	-	2	-	1	2	5	13
ALL OTHER--MALE----	220	-	1	1	1	1	1	2	4	2	1	3
FEMALE--	164	-	-	-	-	-	1	2	2	6	3	7
BLACK---MALE----	215	-	1	1	1	1	1	2	3	2	1	3
FEMALE--	161	-	-	-	-	-	1	2	2	6	3	7

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2369

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)												
COLORADO -----	26	57	102	177	295	355	327	228	129	31	2	-
WHITE-----MALE----	10	31	55	77	153	186	174	101	57	13	2	-
FEMALE--	14	22	41	93	131	160	144	123	70	18	-	-
ALL OTHER--MALE----	2	2	3	4	8	7	6	2	2	-	-	-
FEMALE--	-	2	3	3	3	2	3	2	-	-	-	-
BLACK---MALE----	2	2	3	3	7	5	4	1	-	-	-	-
FEMALE--	-	2	3	-	3	1	3	2	-	-	-	-
CONNECTICUT -----	17	39	73	121	207	285	321	253	127	44	5	-
WHITE-----MALE----	8	16	28	54	97	134	134	96	33	10	-	-
FEMALE--	4	21	40	62	101	143	181	151	92	31	5	-
ALL OTHER--MALE----	2	1	3	4	5	5	4	2	1	3	-	-
FEMALE--	3	1	2	1	4	3	2	4	1	-	-	-
BLACK---MALE----	2	1	3	4	4	3	4	2	1	3	-	-
FEMALE--	3	1	2	1	3	2	2	4	1	-	-	-
DELAWARE -----	9	14	23	32	52	66	58	45	19	6	1	-
WHITE-----MALE----	2	2	11	16	23	22	25	15	7	2	1	-
FEMALE--	7	9	5	7	24	41	30	25	12	4	-	-
ALL OTHER--MALE----	-	3	7	7	3	1	2	2	-	-	-	-
FEMALE--	-	-	-	2	2	2	1	3	-	-	-	-
BLACK---MALE----	-	3	7	6	3	1	2	2	-	-	-	-
FEMALE--	-	-	-	2	2	2	1	3	-	-	-	-
DISTRICT OF COLUMBIA ---	3	4	8	20	32	35	25	22	16	3	3	-
WHITE-----MALE----	-	-	-	-	3	6	7	5	1	-	1	-
FEMALE--	-	-	-	2	5	9	3	7	4	1	-	-
ALL OTHER--MALE----	2	1	8	9	16	13	10	2	5	-	-	-
FEMALE--	1	3	-	9	8	7	5	8	6	2	2	-
BLACK---MALE----	2	1	8	9	16	13	10	2	5	-	-	-
FEMALE--	1	3	-	9	8	7	4	8	6	2	2	-
FLORIDA -----	128	261	454	786	1,345	1,707	1,678	1,321	571	153	14	-
WHITE-----MALE----	68	119	238	371	646	786	767	551	225	47	4	-
FEMALE--	39	109	172	354	621	852	867	742	328	100	10	-
ALL OTHER--MALE----	13	18	28	41	46	41	24	14	8	3	-	-
FEMALE--	8	15	16	20	32	28	20	14	10	3	-	-
BLACK---MALE----	13	18	28	39	44	38	23	14	8	3	-	-
FEMALE--	8	14	16	20	28	27	18	14	10	3	-	-
GEORGIA -----	78	136	240	347	549	595	509	317	146	36	7	-
WHITE-----MALE----	31	56	110	170	249	281	231	138	49	9	-	-
FEMALE--	25	54	79	122	246	273	246	137	84	21	3	-
ALL OTHER--MALE----	11	15	35	32	33	22	21	19	12	2	1	-
FEMALE--	11	11	16	23	21	19	11	23	1	4	3	-
BLACK---MALE----	10	15	34	32	32	22	21	18	12	2	1	-
FEMALE--	10	11	16	23	20	19	11	22	1	4	3	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2370

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)												
HAWAII -----	268	-	-	1	-	-	-	-	2	2	4	6
WHITE-----MALE----	49	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	49	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	116	-	-	-	-	-	-	-	1	2	1	2
FEMALE--	54	-	-	1	-	-	-	-	1	-	3	2
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	565	-	-	-	-	-	-	-	-	-	3	6
WHITE-----MALE----	322	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	235	-	-	-	-	-	-	-	-	-	2	4
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	4,733	-	3	4	13	9	10	16	12	22	32	40
WHITE-----MALE----	2,051	-	-	1	4	3	3	4	3	4	6	14
FEMALE--	2,221	-	-	-	-	1	-	3	2	3	9	8
ALL OTHER--MALE----	245	-	2	2	4	3	4	5	5	10	8	8
FEMALE--	216	-	1	1	5	2	3	4	2	5	9	10
BLACK---MALE-----	228	-	2	2	4	3	4	5	5	10	8	8
FEMALE--	210	-	1	1	5	2	3	4	2	5	9	10
INDIANA -----	3,029	-	1	1	3	6	2	1	3	10	13	42
WHITE-----MALE----	1,464	-	1	-	1	2	-	1	-	2	5	22
FEMALE--	1,435	-	-	-	-	-	1	-	1	5	5	14
ALL OTHER--MALE----	75	-	-	-	2	3	1	-	1	2	-	3
FEMALE--	55	-	-	1	-	1	-	-	1	1	3	3
BLACK---MALE-----	73	-	-	-	2	3	1	-	-	2	-	3
FEMALE--	53	-	-	1	-	1	-	-	1	1	3	3
IOWA -----	1,492	-	-	1	2	1	3	1	1	3	6	7
WHITE-----MALE----	765	-	-	1	-	-	2	-	-	1	1	3
FEMALE--	710	-	-	-	-	1	-	1	1	2	5	3
ALL OTHER--MALE----	10	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	7	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE-----	9	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	7	-	-	-	2	-	-	-	-	-	-	-
KANSAS -----	1,396	-	1	-	1	-	1	1	-	2	6	7
WHITE-----MALE----	709	-	-	-	-	-	-	-	-	1	3	3
FEMALE--	641	-	-	-	1	-	1	-	-	1	3	1
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	19	-	1	-	-	-	-	1	-	-	-	1
BLACK---MALE-----	25	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	17	-	-	-	-	-	-	1	-	-	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2370

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)												
HAWAII -----	8	12	10	23	32	58	51	38	17	3	1	-
WHITE-----MALE----	1	5	2	5	9	6	7	7	5	-	-	-
FEMALE--	2	2	3	5	6	10	10	7	4	-	-	-
ALL OTHER--MALE----	5	5	1	11	9	34	21	15	6	3	-	-
FEMALE--	-	-	4	2	8	8	13	9	2	-	1	-
BLACK---MALE----	1	-	-	-	-	-	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	6	20	32	65	104	114	98	69	42	5	1	-
WHITE-----MALE----	4	11	16	43	60	72	54	36	19	3	1	-
FEMALE--	2	8	15	18	44	40	44	33	23	2	-	-
ALL OTHER--MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	3	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ILLINOIS -----	71	126	265	426	734	905	938	675	327	93	12	-
WHITE-----MALE----	35	55	129	190	349	425	391	285	114	31	5	-
FEMALE--	22	49	91	191	325	397	511	356	190	56	7	-
ALL OTHER--MALE----	2	12	25	24	31	46	24	16	12	2	-	-
FEMALE--	12	10	20	21	29	37	12	18	11	4	-	-
BLACK---MALE----	2	12	23	21	28	43	21	14	11	2	-	-
FEMALE--	12	10	20	21	29	36	12	15	10	3	-	-
INDIANA -----	56	110	175	310	496	626	544	399	180	42	9	-
WHITE-----MALE----	26	59	76	148	265	323	269	178	74	10	2	-
FEMALE--	25	43	89	146	215	279	264	211	99	32	6	-
ALL OTHER--MALE----	4	5	8	11	8	13	6	6	2	-	-	-
FEMALE--	1	3	2	5	8	11	5	4	5	-	1	-
BLACK---MALE----	4	5	8	11	8	12	6	6	2	-	-	-
FEMALE--	1	3	2	4	7	11	5	4	5	-	1	-
IOWA -----	16	40	71	133	219	275	321	250	106	31	5	-
WHITE-----MALE----	6	19	34	73	118	151	170	122	52	12	-	-
FEMALE--	9	21	36	58	99	120	150	128	52	19	5	-
ALL OTHER--MALE----	-	-	1	1	2	2	1	-	1	-	-	-
FEMALE--	1	-	-	1	-	2	-	-	1	-	-	-
BLACK---MALE----	-	-	1	1	2	2	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	2	-	-	1	-	-	-
KANSAS -----	26	33	73	124	220	313	242	221	97	23	5	-
WHITE-----MALE----	8	20	41	63	112	155	124	126	45	7	1	-
FEMALE--	15	12	30	55	103	144	111	93	52	15	4	-
ALL OTHER--MALE----	1	1	2	3	4	7	5	2	-	-	-	-
FEMALE--	2	-	-	3	1	7	2	-	-	1	-	-
BLACK---MALE----	1	-	2	3	4	7	4	2	-	-	-	-
FEMALE--	2	-	-	3	1	6	2	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2371

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)												
KENTUCKY -----	2,155	1	1	-	3	1	1	-	4	5	11	18
WHITE-----MALE----	1,026	1	-	-	-	-	1	-	1	1	6	8
FEMALE--	1,045	-	1	-	1	-	-	-	2	3	3	9
ALL OTHER--MALE----	42	-	-	-	1	1	-	-	1	1	1	-
FEMALE--	42	-	-	-	1	-	-	-	-	-	1	1
BLACK---MALE----	42	-	-	-	1	1	-	-	1	1	1	-
FEMALE--	40	-	-	-	1	-	-	-	-	-	1	1
LOUISIANA -----	1,672	3	-	1	1	1	4	3	3	10	11	20
WHITE-----MALE----	667	2	-	1	-	-	-	-	-	-	6	2
FEMALE--	693	-	-	-	-	-	2	1	-	2	2	7
ALL OTHER--MALE----	184	1	-	-	1	1	1	1	2	3	2	7
FEMALE--	128	-	-	-	-	-	1	1	1	5	1	4
BLACK---MALE----	182	1	-	-	1	1	1	1	2	3	2	7
FEMALE--	125	-	-	-	-	-	1	1	1	5	1	4
MAINE -----	765	-	-	-	-	-	-	-	-	1	2	10
WHITE-----MALE----	372	-	-	-	-	-	-	-	-	1	-	5
FEMALE--	391	-	-	-	-	-	-	-	-	-	2	5
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,912	-	-	3	2	2	2	3	4	10	8	24
WHITE-----MALE----	703	-	-	-	-	1	-	-	1	2	2	5
FEMALE--	941	-	-	-	-	-	-	-	1	2	1	6
ALL OTHER--MALE----	125	-	-	1	-	1	1	2	2	1	3	5
FEMALE--	143	-	-	2	2	-	1	1	-	5	2	8
BLACK---MALE----	121	-	-	1	-	1	1	2	2	1	3	5
FEMALE--	137	-	-	2	2	-	1	1	-	5	2	8
MASSACHUSETTS -----	2,906	-	2	-	1	1	1	1	4	5	10	21
WHITE-----MALE----	1,255	-	2	-	-	-	1	1	2	2	2	9
FEMALE--	1,585	-	-	-	-	1	-	-	1	3	6	9
ALL OTHER--MALE----	35	-	-	-	1	-	-	-	-	-	1	1
FEMALE--	31	-	-	-	-	-	-	-	1	-	1	2
BLACK---MALE----	26	-	-	-	1	-	-	-	-	-	1	1
FEMALE--	26	-	-	-	-	-	-	-	1	-	1	1
MICHIGAN -----	4,322	-	2	3	3	4	3	11	6	12	31	46
WHITE-----MALE----	1,896	-	-	-	1	1	1	5	-	4	11	15
FEMALE--	2,073	-	-	-	1	1	-	2	2	4	12	14
ALL OTHER--MALE----	189	-	2	1	1	2	2	3	1	2	3	11
FEMALE--	164	-	-	2	-	-	-	1	3	2	5	6
BLACK---MALE----	169	-	2	1	1	2	1	3	1	2	3	10
FEMALE--	150	-	-	2	-	-	-	1	3	2	5	6

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2371

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)												
KENTUCKY -----	46	81	142	273	354	421	379	259	120	33	2	-
WHITE-----MALE----	23	38	70	136	173	198	192	121	51	6	-	-
FEMALE--	21	38	68	124	169	208	176	131	67	22	2	-
ALL OTHER--MALE----	1	1	-	10	6	8	6	2	1	2	-	-
FEMALE--	1	4	4	3	6	7	5	5	1	3	-	-
BLACK---MALE----	1	1	-	10	6	8	6	2	1	2	-	-
FEMALE--	1	4	4	3	6	6	5	5	1	2	-	-
LOUISIANA -----	31	74	94	169	275	323	303	203	98	38	7	-
WHITE-----MALE----	10	30	39	68	107	140	141	67	37	15	2	-
FEMALE--	8	27	32	65	125	145	117	101	40	15	4	-
ALL OTHER--MALE----	10	8	14	20	28	22	27	22	11	3	-	-
FEMALE--	3	9	9	16	15	16	18	13	10	5	1	-
BLACK---MALE----	10	8	14	20	27	22	27	22	11	2	-	-
FEMALE--	3	9	9	16	13	15	18	13	10	5	1	-
MAINE -----	12	21	50	89	111	139	145	121	49	13	2	-
WHITE-----MALE----	6	12	22	35	58	74	77	56	21	5	-	-
FEMALE--	6	9	28	54	52	65	67	65	28	8	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	27	67	80	150	296	376	397	283	133	39	6	-
WHITE-----MALE----	8	25	24	60	119	148	144	107	47	8	2	-
FEMALE--	8	31	45	63	127	193	209	153	73	25	4	-
ALL OTHER--MALE----	4	6	7	13	23	19	14	13	9	1	-	-
FEMALE--	7	5	4	14	27	16	30	10	4	5	-	-
BLACK---MALE----	4	6	7	12	23	18	13	12	9	1	-	-
FEMALE--	7	4	4	13	25	15	29	10	4	5	-	-
MASSACHUSETTS -----	45	79	122	227	446	559	610	431	247	79	15	-
WHITE-----MALE----	20	45	55	102	204	244	275	175	87	27	2	-
FEMALE--	24	32	61	121	235	304	324	248	152	51	13	-
ALL OTHER--MALE----	-	2	4	2	4	6	6	4	4	-	-	-
FEMALE--	1	-	2	2	3	5	5	4	4	1	-	-
BLACK---MALE----	-	1	4	2	2	3	5	3	3	-	-	-
FEMALE--	1	-	2	2	3	4	5	2	3	1	-	-
MICHIGAN -----	87	123	232	450	744	838	825	562	250	78	12	-
WHITE-----MALE----	27	58	115	198	327	383	360	255	106	26	3	-
FEMALE--	44	50	90	214	354	411	412	279	129	47	7	-
ALL OTHER--MALE----	8	6	15	24	30	30	26	13	6	2	1	-
FEMALE--	8	9	12	14	33	14	27	15	9	3	1	-
BLACK---MALE----	8	4	13	21	29	26	24	10	6	2	-	-
FEMALE--	7	8	12	14	28	12	26	12	9	2	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2372

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)												
MINNESOTA -----	1,887	2	-	2	1	1	4	1	3	6	6	10
WHITE-----MALE----	931	-	-	-	1	1	-	-	1	4	3	8
FEMALE--	906	-	-	2	-	-	2	1	1	1	1	-
ALL OTHER--MALE----	27	2	-	-	-	-	-	-	1	1	1	2
FEMALE--	23	-	-	-	-	-	2	-	-	-	1	-
BLACK---MALE----	14	1	-	-	-	-	-	-	1	1	1	1
FEMALE--	7	-	-	-	-	-	1	-	-	-	-	-
MISSISSIPPI -----	1,250	1	-	-	-	1	2	2	2	7	5	11
WHITE-----MALE----	564	1	-	-	-	1	1	-	2	1	-	4
FEMALE--	483	-	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	120	-	-	-	-	-	-	2	-	2	2	4
FEMALE--	83	-	-	-	-	-	1	-	-	3	1	2
BLACK---MALE----	119	-	-	-	-	-	-	2	-	2	2	4
FEMALE--	82	-	-	-	-	-	1	-	-	3	1	2
MISSOURI -----	2,783	1	2	-	5	4	6	3	4	4	15	36
WHITE-----MALE----	1,333	1	2	-	-	1	5	2	1	-	5	18
FEMALE--	1,285	-	-	-	1	-	-	1	1	3	7	13
ALL OTHER--MALE----	80	-	-	-	3	1	-	-	2	-	2	3
FEMALE--	85	-	-	-	1	2	1	-	-	1	1	2
BLACK---MALE----	72	-	-	-	3	1	-	-	2	-	2	3
FEMALE--	81	-	-	-	1	2	1	-	-	1	1	2
MONTANA -----	513	-	-	-	-	-	-	-	-	-	1	3
WHITE-----MALE----	252	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	239	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	831	-	-	-	-	2	1	2	-	2	1	4
WHITE-----MALE----	442	-	-	-	-	1	-	2	-	2	-	-
FEMALE--	361	-	-	-	-	-	1	-	-	-	1	4
ALL OTHER--MALE----	15	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	986	-	1	-	1	-	-	1	4	2	6	10
WHITE-----MALE----	449	-	-	-	-	-	-	-	2	-	2	4
FEMALE--	480	-	1	-	-	-	-	-	1	1	3	2
ALL OTHER--MALE----	30	-	-	-	1	-	-	-	-	-	-	2
FEMALE--	27	-	-	-	-	-	-	1	1	1	1	2
BLACK---MALE----	19	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	17	-	-	-	-	-	-	1	1	-	1	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2372

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)												
MINNESOTA -----	28	39	74	164	259	345	391	348	151	44	8	-
WHITE-----MALE----	18	18	31	82	132	178	198	174	62	18	2	-
FEMALE--	10	19	40	77	119	160	182	171	88	26	6	-
ALL OTHER--MALE----	-	-	1	2	4	3	8	2	-	-	-	-
FEMALE--	-	2	2	3	4	4	3	1	1	-	-	-
BLACK---MALE----	-	-	-	1	1	1	5	1	-	-	-	-
FEMALE--	-	-	-	2	3	1	-	-	-	-	-	-
MISSISSIPPI -----	23	51	86	144	206	234	217	160	77	18	3	-
WHITE-----MALE----	8	16	40	70	100	108	115	72	24	1	-	-
FEMALE--	7	23	34	53	69	94	77	69	42	9	2	-
ALL OTHER--MALE----	4	5	6	10	27	17	15	12	8	6	-	-
FEMALE--	4	7	6	11	10	15	10	7	3	2	1	-
BLACK---MALE----	4	5	6	9	27	17	15	12	8	6	-	-
FEMALE--	4	7	6	11	10	15	9	7	3	2	1	-
MISSOURI -----	43	100	197	261	462	525	509	384	178	39	5	-
WHITE-----MALE----	15	43	82	139	224	266	257	186	70	16	-	-
FEMALE--	23	41	94	108	215	241	230	181	99	22	5	-
ALL OTHER--MALE----	1	8	8	5	11	10	12	9	4	1	-	-
FEMALE--	4	8	13	9	12	8	10	8	5	-	-	-
BLACK---MALE----	1	7	7	4	9	9	12	8	4	-	-	-
FEMALE--	4	8	12	9	10	8	10	8	4	-	-	-
MONTANA -----	5	13	21	57	86	106	99	72	37	11	2	-
WHITE-----MALE----	3	4	7	29	51	47	52	36	18	2	1	-
FEMALE--	2	9	12	24	31	56	44	32	17	9	1	-
ALL OTHER--MALE----	-	-	2	3	2	2	3	3	-	-	-	-
FEMALE--	-	-	-	1	2	1	-	1	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	10	25	40	88	129	156	180	118	50	22	1	-
WHITE-----MALE----	4	11	22	49	69	85	104	60	23	10	-	-
FEMALE--	4	12	17	35	58	65	70	55	27	11	1	-
ALL OTHER--MALE----	2	-	1	1	1	2	5	1	-	1	-	-
FEMALE--	-	2	-	3	1	4	1	2	-	-	-	-
BLACK---MALE----	-	-	1	1	1	2	3	1	-	1	-	-
FEMALE--	-	1	-	2	1	3	1	2	-	-	-	-
NEVADA -----	21	25	74	107	189	218	160	117	38	10	2	-
WHITE-----MALE----	6	12	35	49	95	112	67	50	13	2	-	-
FEMALE--	12	11	33	52	86	94	86	64	25	8	1	-
ALL OTHER--MALE----	2	2	2	4	4	7	4	2	-	-	-	-
FEMALE--	1	-	4	2	4	5	3	1	-	-	1	-
BLACK---MALE----	-	2	2	4	4	1	3	1	-	-	-	-
FEMALE--	1	-	4	1	-	3	3	-	-	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2374

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)												
OHIO -----	104	208	320	533	971	1,219	1,174	801	356	119	18	-
WHITE-----MALE----	45	102	145	261	493	551	539	327	128	32	5	-
FEMALE--	50	85	149	237	417	594	585	437	204	78	11	-
ALL OTHER--MALE----	4	8	8	16	35	46	24	15	6	6	1	-
FEMALE--	5	13	18	19	26	28	26	22	18	3	1	-
BLACK---MALE----	4	8	8	16	34	45	24	15	5	6	1	-
FEMALE--	5	12	18	19	26	27	24	21	17	2	1	-
OKLAHOMA -----	41	82	148	214	351	380	331	225	113	33	7	-
WHITE-----MALE----	19	33	67	107	196	178	184	104	44	13	1	-
FEMALE--	20	38	70	91	141	186	132	103	62	17	6	-
ALL OTHER--MALE----	1	3	7	8	11	11	10	11	3	2	-	-
FEMALE--	1	8	4	8	3	5	5	7	4	1	-	-
BLACK---MALE----	1	2	3	4	8	7	4	4	2	2	-	-
FEMALE--	1	1	2	4	1	3	4	4	4	1	-	-
OREGON -----	22	54	85	171	261	384	329	218	90	18	5	-
WHITE-----MALE----	8	18	38	70	123	200	177	115	38	4	1	-
FEMALE--	11	32	45	93	132	180	147	103	50	14	3	-
ALL OTHER--MALE----	-	2	1	4	4	2	3	-	1	-	1	-
FEMALE--	3	2	1	4	2	2	2	-	1	-	-	-
BLACK---MALE----	-	1	-	3	1	-	1	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	1	-	-	-	-	-
PENNSYLVANIA -----	92	172	273	460	894	1,286	1,264	930	415	108	27	-
WHITE-----MALE----	45	84	134	208	443	604	557	405	151	35	6	-
FEMALE--	35	69	121	218	395	606	656	481	247	68	16	-
ALL OTHER--MALE----	5	13	8	22	35	42	19	22	6	1	3	-
FEMALE--	7	6	10	12	21	34	32	22	11	4	2	-
BLACK---MALE----	5	12	8	20	34	39	18	21	5	1	3	-
FEMALE--	7	6	9	12	19	34	31	21	10	4	2	-
RHODE ISLAND -----	6	13	9	37	71	108	112	93	31	8	1	-
WHITE-----MALE----	1	2	3	13	29	58	43	44	11	3	-	-
FEMALE--	4	9	5	22	42	50	69	45	20	5	1	-
ALL OTHER--MALE----	1	1	1	1	-	-	-	4	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	1	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	38	86	112	201	291	347	311	185	80	20	3	-
WHITE-----MALE----	12	39	60	98	136	174	148	78	23	5	1	-
FEMALE--	14	24	41	73	127	130	118	77	50	14	1	-
ALL OTHER--MALE----	6	14	9	19	19	29	34	22	4	1	-	-
FEMALE--	6	9	2	11	9	14	11	8	3	-	1	-
BLACK---MALE----	5	14	9	19	19	28	33	22	4	1	-	-
FEMALE--	6	9	2	10	8	14	11	8	3	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2375

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)												
SOUTH DAKOTA -----	379	-	-	-	-	-	1	-	-	1	1	1
WHITE-----MALE----	207	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	157	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	9	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2,866	2	2	-	2	4	1	-	4	8	18	28
WHITE-----MALE----	1,376	2	1	-	2	-	-	-	1	3	5	11
FEMALE--	1,267	-	1	-	-	1	-	-	3	4	9	10
ALL OTHER--MALE----	131	-	-	-	-	1	1	-	-	1	4	6
FEMALE--	92	-	-	-	-	2	-	-	-	-	-	1
BLACK---MALE----	126	-	-	-	-	1	1	-	-	1	4	6
FEMALE--	87	-	-	-	-	2	-	-	-	-	-	1
TEXAS -----	7,225	2	2	2	7	4	5	5	7	16	43	61
WHITE-----MALE----	3,306	1	1	2	1	2	1	2	2	3	12	22
FEMALE--	3,375	1	-	-	4	-	2	2	4	9	15	22
ALL OTHER--MALE----	313	-	1	-	2	1	1	1	1	3	9	8
FEMALE--	231	-	-	-	-	1	1	-	-	1	7	9
BLACK---MALE----	295	-	1	-	2	-	-	1	1	3	9	8
FEMALE--	221	-	-	-	-	-	1	-	-	1	7	9
UTAH -----	512	-	-	-	-	-	-	-	3	1	3	6
WHITE-----MALE----	275	-	-	-	-	-	-	-	1	1	-	3
FEMALE--	232	-	-	-	-	-	-	-	2	-	3	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	310	-	1	-	1	-	-	-	-	1	1	2
WHITE-----MALE----	157	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	153	-	1	-	1	-	-	-	-	1	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2,796	-	1	1	3	3	3	2	5	11	16	34
WHITE-----MALE----	1,115	-	-	-	-	-	1	1	-	2	5	11
FEMALE--	1,318	-	1	-	1	-	1	-	1	4	6	12
ALL OTHER--MALE----	203	-	-	1	1	1	1	1	3	2	2	7
FEMALE--	160	-	-	-	1	2	-	-	1	3	3	4
BLACK---MALE----	189	-	-	1	1	1	1	1	3	2	2	6
FEMALE--	153	-	-	-	1	2	-	-	1	3	3	4

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2375

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Bronchitis, chronic and unspecified, emphysema and asthma (J40-J46)												
SOUTH DAKOTA -----	5	6	13	36	55	68	86	65	26	14	1	-
WHITE-----MALE----	3	4	3	20	24	45	47	42	14	5	-	-
FEMALE--	2	2	9	14	31	19	36	20	11	9	1	-
ALL OTHER--MALE----	-	-	1	-	-	3	2	2	-	-	-	-
FEMALE--	-	-	-	2	-	1	1	1	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	66	124	211	349	474	562	498	327	143	39	4	-
WHITE-----MALE----	33	52	93	169	241	283	255	149	56	19	1	-
FEMALE--	22	57	97	155	198	242	209	162	74	20	3	-
ALL OTHER--MALE----	5	6	8	19	19	19	22	12	8	-	-	-
FEMALE--	6	9	13	6	16	18	12	4	5	-	-	-
BLACK---MALE-----	5	5	8	19	19	18	21	10	8	-	-	-
FEMALE--	6	8	12	6	15	16	12	4	5	-	-	-
TEXAS -----	121	245	428	800	1,230	1,414	1,244	1,022	434	115	18	-
WHITE-----MALE----	47	118	197	387	570	698	576	454	166	41	3	-
FEMALE--	45	103	181	345	573	636	594	515	243	67	14	-
ALL OTHER--MALE----	16	15	29	38	54	53	38	32	7	4	-	-
FEMALE--	13	9	21	30	33	27	36	21	18	3	1	-
BLACK---MALE-----	16	13	28	36	51	49	37	29	7	4	-	-
FEMALE--	13	8	21	29	32	27	32	20	17	3	1	-
UTAH -----	10	20	37	55	88	93	95	66	31	3	1	-
WHITE-----MALE----	5	7	17	30	47	58	57	34	13	2	-	-
FEMALE--	5	12	20	25	39	35	37	32	18	1	1	-
ALL OTHER--MALE----	-	-	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	5	6	14	28	45	64	70	43	23	6	-	-
WHITE-----MALE----	1	3	9	15	26	34	37	18	10	3	-	-
FEMALE--	4	3	5	13	19	30	33	25	13	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	48	114	172	303	450	547	519	345	163	47	9	-
WHITE-----MALE----	18	53	69	115	196	233	196	138	57	16	4	-
FEMALE--	23	38	80	151	196	252	259	176	86	26	5	-
ALL OTHER--MALE----	4	14	5	29	26	38	40	17	11	-	-	-
FEMALE--	3	9	18	8	32	24	24	14	9	5	-	-
BLACK---MALE-----	4	12	5	28	23	36	36	17	10	-	-	-
FEMALE--	3	8	17	8	31	23	23	14	8	4	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2380

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Bronchitis, not specified as acute or chronic (J40)												
KENTUCKY -----	-	-	-	2	1	1	-	5	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	2	1	1	-	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	1	-	-	1	-	1	5	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	2	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	1	-	-	-	-	1	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	1	-	-	2	-	3	1	2	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	-	2	1	2	3	1	3	2	1	-
WHITE-----MALE----	-	-	-	-	1	1	1	1	2	-	-	-
FEMALE--	-	-	-	1	-	1	2	-	1	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MICHIGAN -----	-	-	3	1	2	5	3	4	3	1	1	-
WHITE-----MALE----	-	-	2	1	-	2	2	2	1	-	-	-
FEMALE--	-	-	1	-	1	3	1	2	2	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2383

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX		50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Bronchitis, not specified as acute or chronic (J40)													
OHIO -----		-	1	1	1	4	4	8	9	5	3	1	-
WHITE-----MALE----		-	-	-	1	2	2	6	3	1	2	-	-
FEMALE--		-	1	1	-	2	2	2	5	4	1	1	-
ALL OTHER--MALE----		-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--		-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----		-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--		-	-	-	-	-	-	-	1	-	-	-	-
OKLAHOMA -----		-	-	-	-	-	-	1	-	2	-	1	-
WHITE-----MALE----		-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--		-	-	-	-	-	-	1	-	1	-	1	-
ALL OTHER--MALE----		-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--		-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----		-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--		-	-	-	-	-	-	-	-	1	-	-	-
OREGON -----		-	-	-	-	-	-	2	2	3	1	1	-
WHITE-----MALE----		-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--		-	-	-	-	-	-	2	2	3	1	1	-
ALL OTHER--MALE----		-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--		-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----		-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--		-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----		1	1	3	1	2	11	5	8	2	1	2	-
WHITE-----MALE----		-	-	1	-	1	5	4	2	1	-	1	-
FEMALE--		1	1	1	1	1	5	1	6	1	1	1	-
ALL OTHER--MALE----		-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--		-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----		-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--		-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----		-	-	-	-	-	1	1	3	2	-	-	-
WHITE-----MALE----		-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--		-	-	-	-	-	1	-	3	1	-	-	-
ALL OTHER--MALE----		-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--		-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----		-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--		-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----		2	1	1	1	1	1	2	2	-	2	-	-
WHITE-----MALE----		1	1	-	1	1	-	1	1	-	-	-	-
FEMALE--		-	-	1	-	-	1	1	-	-	2	-	-
ALL OTHER--MALE----		-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--		1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----		-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--		1	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2387

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Chronic bronchitis (J41-J42)												
COLORADO -----	-	-	-	-	-	-	2	-	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	2	-	-	2	1	1	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	1	-	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
FLORIDA -----	-	-	-	5	5	7	9	11	4	1	1	-
WHITE-----MALE----	-	-	-	2	1	4	5	5	-	1	-	-
FEMALE--	-	-	-	2	4	3	4	6	4	-	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	-	-	-	1	1	3	3	1	2	1	-	-
WHITE-----MALE----	-	-	-	1	-	2	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2392

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Chronic bronchitis (J41-J42)												
OHIO -----	1	-	2	1	1	4	4	5	1	1	-	-
WHITE-----MALE----	-	-	1	-	1	2	1	2	-	-	-	-
FEMALE--	1	-	1	1	-	2	3	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	1	-	1	-	-	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	2	2	1	2	2	1	1	2	-	-
WHITE-----MALE----	-	-	1	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	1	1	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	1	1	2	3	6	2	3	7	-	-	-
WHITE-----MALE----	1	1	-	2	1	3	1	2	1	-	-	-
FEMALE--	-	-	1	-	2	3	1	1	6	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	1	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	1	-	1	1	3	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2395

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Emphysema (J43)												
UNITED STATES -	312	680	1,127	1,976	3,144	3,522	2,989	1,832	685	150	18	-
WHITE-----MALE----	146	325	522	966	1,553	1,735	1,453	827	293	47	3	-
FEMALE--	116	284	514	853	1,411	1,607	1,398	904	351	87	13	-
ALL OTHER--MALE----	33	41	55	111	108	104	81	71	24	11	2	-
FEMALE--	17	30	36	46	72	76	57	30	17	5	-	-
BLACK---MALE----	30	36	52	97	90	74	63	47	20	9	-	-
FEMALE--	17	27	32	38	56	64	46	27	11	5	-	-
ALABAMA -----	5	16	21	30	49	53	39	24	11	2	-	-
WHITE-----MALE----	1	11	13	15	24	28	23	9	5	-	-	-
FEMALE--	3	3	7	13	17	21	13	13	6	1	-	-
ALL OTHER--MALE----	1	1	1	2	7	1	1	2	-	1	-	-
FEMALE--	-	1	-	-	1	3	2	-	-	-	-	-
BLACK---MALE----	1	1	1	2	6	1	1	2	-	1	-	-
FEMALE--	-	1	-	-	1	3	2	-	-	-	-	-
ALASKA -----	1	-	-	2	2	4	4	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	3	1	1	-	-	-	-
FEMALE--	1	-	-	1	1	1	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	7	11	21	46	100	125	89	55	26	2	-	-
WHITE-----MALE----	3	6	10	27	61	72	40	27	11	2	-	-
FEMALE--	4	5	11	17	37	51	48	26	14	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	1	1	-	-	-
FEMALE--	-	-	-	2	1	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ARKANSAS -----	11	18	23	39	63	64	35	16	6	-	-	-
WHITE-----MALE----	5	13	7	21	31	38	19	5	4	-	-	-
FEMALE--	5	5	14	16	31	25	11	10	1	-	-	-
ALL OTHER--MALE----	-	-	2	1	1	1	3	1	-	-	-	-
FEMALE--	1	-	-	1	-	-	2	-	1	-	-	-
BLACK---MALE----	-	-	2	1	1	1	3	1	-	-	-	-
FEMALE--	1	-	-	1	-	-	2	-	1	-	-	-
CALIFORNIA -----	32	59	105	173	282	410	382	208	90	23	5	-
WHITE-----MALE----	13	28	52	89	138	183	185	87	39	9	1	-
FEMALE--	10	22	47	62	130	205	172	99	45	12	3	-
ALL OTHER--MALE----	7	7	3	16	7	17	15	19	2	-	1	-
FEMALE--	2	2	3	6	7	5	10	3	4	2	-	-
BLACK---MALE----	5	3	3	11	2	7	6	5	-	-	-	-
FEMALE--	2	1	2	4	1	2	3	1	-	2	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2396

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Emphysema (J43)												
COLORADO -----	3	8	12	36	45	51	32	13	8	-	-	-
WHITE-----MALE----	1	6	4	17	24	27	21	5	6	-	-	-
FEMALE--	1	1	7	17	19	24	11	7	2	-	-	-
ALL OTHER--MALE----	1	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	1	-	-	-	-
CONNECTICUT -----	1	8	8	14	37	37	46	33	12	3	-	-
WHITE-----MALE----	-	4	3	8	14	14	17	12	4	1	-	-
FEMALE--	1	3	5	6	21	23	29	21	8	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	3	2	3	11	10	7	4	1	-	-	-
WHITE-----MALE----	-	-	-	3	5	3	3	2	1	-	-	-
FEMALE--	-	2	-	-	6	6	4	2	-	-	-	-
ALL OTHER--MALE----	-	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	2	3	2	9	8	8	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	4	5	1	-	1	-	-	-
ALL OTHER--MALE----	1	-	3	1	3	2	3	-	-	-	-	-
FEMALE--	-	2	-	1	1	-	2	1	-	-	-	-
BLACK---MALE----	1	-	3	1	3	2	3	-	-	-	-	-
FEMALE--	-	2	-	1	1	-	2	1	-	-	-	-
FLORIDA -----	18	43	85	135	216	258	219	157	52	9	-	-
WHITE-----MALE----	11	18	45	73	107	144	109	71	20	2	-	-
FEMALE--	6	18	32	55	98	108	106	83	30	6	-	-
ALL OTHER--MALE----	1	4	6	6	6	3	1	1	1	1	-	-
FEMALE--	-	3	2	1	5	3	3	2	1	-	-	-
BLACK---MALE----	1	4	6	6	5	2	1	1	1	1	-	-
FEMALE--	-	2	2	1	4	3	3	2	1	-	-	-
GEORGIA -----	8	29	56	81	113	117	76	50	13	1	-	-
WHITE-----MALE----	3	13	27	39	51	49	42	22	2	-	-	-
FEMALE--	4	14	19	33	56	63	31	25	10	1	-	-
ALL OTHER--MALE----	1	-	6	8	5	2	2	2	1	-	-	-
FEMALE--	-	2	4	1	1	3	1	1	-	-	-	-
BLACK---MALE----	1	-	6	8	5	2	2	2	1	-	-	-
FEMALE--	-	2	4	1	1	3	1	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2398

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Emphysema (J43)												
KENTUCKY -----	5	14	23	39	62	67	43	24	9	2	-	-
WHITE-----MALE----	4	9	9	21	29	26	27	14	3	-	-	-
FEMALE--	1	5	14	17	32	39	16	9	6	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	2	-	-	-	-	-	-
LOUISIANA -----	9	12	17	32	52	60	53	19	8	5	-	-
WHITE-----MALE----	1	8	6	12	21	27	25	6	3	2	-	-
FEMALE--	1	2	7	10	23	26	21	10	3	-	-	-
ALL OTHER--MALE----	7	1	2	6	6	2	6	2	2	2	-	-
FEMALE--	-	1	2	4	2	5	1	1	-	1	-	-
BLACK---MALE----	7	1	2	6	6	2	6	2	2	1	-	-
FEMALE--	-	1	2	4	2	4	1	1	-	1	-	-
MAINE -----	1	2	7	18	13	19	8	14	3	-	-	-
WHITE-----MALE----	1	2	4	7	7	10	2	7	2	-	-	-
FEMALE--	-	-	3	11	6	9	6	7	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	8	15	28	45	52	52	32	14	5	-	-
WHITE-----MALE----	-	2	6	10	22	26	24	13	6	2	-	-
FEMALE--	-	5	6	10	18	25	23	15	4	3	-	-
ALL OTHER--MALE----	-	1	2	5	4	1	1	2	3	-	-	-
FEMALE--	1	-	1	3	1	-	4	2	1	-	-	-
BLACK---MALE----	-	1	2	5	4	1	1	2	3	-	-	-
FEMALE--	1	-	1	3	1	-	4	2	1	-	-	-
MASSACHUSETTS -----	6	15	22	37	68	84	81	54	19	4	2	-
WHITE-----MALE----	4	6	7	14	32	36	31	29	5	-	1	-
FEMALE--	2	9	14	23	35	47	49	25	13	4	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
MICHIGAN -----	19	27	44	88	149	135	139	80	25	5	1	-
WHITE-----MALE----	7	13	25	42	66	63	62	28	14	3	-	-
FEMALE--	7	9	16	40	68	66	72	48	9	2	-	-
ALL OTHER--MALE----	2	3	3	3	5	5	3	3	2	-	1	-
FEMALE--	3	2	-	3	10	1	2	1	-	-	-	-
BLACK---MALE----	2	2	3	3	4	2	3	2	2	-	-	-
FEMALE--	3	2	-	3	8	1	2	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2401

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Emphysema (J43)												
OHIO -----	25	42	56	88	154	160	125	91	26	7	3	-
WHITE-----MALE----	13	21	28	37	79	66	67	42	9	3	-	-
FEMALE--	10	18	26	43	67	75	55	47	15	3	3	-
ALL OTHER--MALE----	1	1	-	4	4	12	1	1	-	1	-	-
FEMALE--	1	2	2	4	4	7	2	1	2	-	-	-
BLACK---MALE----	1	1	-	4	4	11	1	1	-	1	-	-
FEMALE--	1	2	2	4	4	7	2	1	2	-	-	-
OKLAHOMA -----	7	6	21	19	60	51	26	16	5	4	1	-
WHITE-----MALE----	2	1	8	12	40	22	15	6	3	1	1	-
FEMALE--	4	4	12	7	17	24	9	10	2	2	-	-
ALL OTHER--MALE----	1	-	-	-	3	2	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	3	1	-	-	1	-	-
BLACK---MALE----	1	-	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	3	1	-	-	1	-	-
OREGON -----	6	8	20	39	48	55	64	33	16	-	-	-
WHITE-----MALE----	5	2	8	14	20	29	35	17	6	-	-	-
FEMALE--	1	5	12	23	28	25	28	16	10	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	13	25	40	75	143	159	147	85	41	10	-	-
WHITE-----MALE----	7	12	21	37	72	76	72	37	16	2	-	-
FEMALE--	6	10	16	34	66	77	73	45	24	8	-	-
ALL OTHER--MALE----	-	3	2	4	4	2	-	2	1	-	-	-
FEMALE--	-	-	1	-	1	4	2	1	-	-	-	-
BLACK---MALE----	-	3	2	4	4	2	-	2	1	-	-	-
FEMALE--	-	-	-	-	1	4	2	1	-	-	-	-
RHODE ISLAND -----	1	1	1	1	3	12	6	5	3	-	-	-
WHITE-----MALE----	1	-	1	1	1	7	2	1	1	-	-	-
FEMALE--	-	1	-	-	2	5	4	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	7	10	19	29	37	58	47	35	6	1	-	-
WHITE-----MALE----	2	5	8	15	19	32	21	14	2	-	-	-
FEMALE--	3	2	10	12	15	18	15	12	4	-	-	-
ALL OTHER--MALE----	1	1	-	1	1	6	10	6	-	1	-	-
FEMALE--	1	2	1	1	2	1	3	-	-	-	-	-
BLACK---MALE----	1	1	-	1	1	6	9	6	-	1	-	-
FEMALE--	1	2	1	1	2	2	1	3	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2402

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Emphysema (J43)												
SOUTH DAKOTA -----	-	2	2	2	8	12	11	6	2	-	-	-
WHITE-----MALE----	-	2	-	1	4	9	6	5	2	-	-	-
FEMALE--	-	-	2	1	4	3	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	9	29	41	56	74	68	60	40	11	4	1	-
WHITE-----MALE----	4	9	15	27	34	32	33	19	3	-	-	-
FEMALE--	5	16	23	25	32	29	19	16	7	4	1	-
ALL OTHER--MALE----	-	2	2	4	5	2	5	3	1	-	-	-
FEMALE--	-	2	1	-	3	5	3	2	-	-	-	-
BLACK---MALE-----	-	2	2	4	5	2	5	3	1	-	-	-
FEMALE--	-	2	1	-	2	4	3	2	-	-	-	-
TEXAS -----	22	48	81	180	221	229	182	125	41	9	-	-
WHITE-----MALE----	7	19	42	85	98	118	101	68	19	2	-	-
FEMALE--	9	25	33	80	106	101	75	53	20	7	-	-
ALL OTHER--MALE----	4	3	6	10	10	3	3	3	-	-	-	-
FEMALE--	2	1	-	5	7	7	3	1	2	-	-	-
BLACK---MALE-----	4	3	6	9	9	3	3	3	-	-	-	-
FEMALE--	2	1	-	5	7	7	3	1	2	-	-	-
UTAH -----	2	5	12	8	13	14	18	9	3	1	-	-
WHITE-----MALE----	2	3	6	2	9	8	12	5	3	1	-	-
FEMALE--	-	2	6	6	4	6	6	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	1	-	2	3	5	6	8	-	1	-	-
WHITE-----MALE----	-	-	-	2	1	4	3	1	-	1	-	-
FEMALE--	1	1	-	-	2	1	3	7	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4	17	23	48	65	71	59	38	14	2	-	-
WHITE-----MALE----	3	9	11	19	27	35	21	15	4	-	-	-
FEMALE--	1	6	11	24	32	31	33	18	9	1	-	-
ALL OTHER--MALE----	-	1	1	5	4	4	2	3	-	-	-	-
FEMALE--	-	1	-	-	2	1	3	2	1	1	-	-
BLACK---MALE-----	-	1	1	5	3	4	2	3	-	-	-	-
FEMALE--	-	1	-	-	2	1	3	2	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2404

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other chronic obstructive pulmonary disease (J44)												
UNITED STATES -	1,440	2,981	5,275	9,397	15,574	20,034	19,590	14,466	6,672	1,910	295	2
WHITE-----MALE----	624	1,388	2,487	4,427	7,535	9,461	9,133	6,311	2,551	622	74	1
FEMALE--	610	1,266	2,280	4,202	6,983	9,371	9,447	7,419	3,736	1,152	188	-
ALL OTHER--MALE----	122	189	298	462	655	753	595	411	193	56	11	1
FEMALE--	84	138	210	306	401	449	415	325	192	80	22	-
BLACK---MALE----	108	166	269	395	558	600	455	302	145	45	8	-
FEMALE--	80	121	190	257	341	380	349	256	154	62	19	-
ALABAMA -----	34	76	107	197	317	347	287	171	104	26	7	-
WHITE-----MALE----	15	36	55	93	163	178	145	77	38	12	1	-
FEMALE--	15	27	45	83	117	135	120	84	50	12	3	-
ALL OTHER--MALE----	3	7	5	14	28	25	16	7	9	2	1	-
FEMALE--	1	6	2	7	9	9	6	3	7	-	2	-
BLACK---MALE----	3	7	5	14	28	25	16	7	9	2	1	-
FEMALE--	1	6	2	7	8	9	6	3	7	-	2	-
ALASKA -----	1	5	6	15	20	26	20	10	2	-	-	-
WHITE-----MALE----	-	2	3	5	6	8	11	6	-	-	-	-
FEMALE--	-	1	2	5	9	10	7	1	2	-	-	-
ALL OTHER--MALE----	1	2	1	2	4	4	2	1	-	-	-	-
FEMALE--	-	-	-	3	1	4	-	2	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	19	60	109	216	295	402	389	260	102	34	3	-
WHITE-----MALE----	11	36	62	107	153	195	193	120	30	13	3	-
FEMALE--	7	23	44	105	135	201	193	133	69	21	-	-
ALL OTHER--MALE----	-	-	2	1	1	4	2	3	2	-	-	-
FEMALE--	1	1	1	3	6	2	1	4	1	-	-	-
BLACK---MALE----	-	-	2	-	-	3	2	2	-	-	-	-
FEMALE--	-	1	-	1	4	1	-	2	1	-	-	-
ARKANSAS -----	6	44	60	122	152	204	207	138	55	25	3	-
WHITE-----MALE----	3	18	34	76	73	116	115	69	26	10	1	-
FEMALE--	2	24	23	39	71	81	81	64	28	11	2	-
ALL OTHER--MALE----	-	2	2	6	5	4	6	4	1	-	-	-
FEMALE--	1	-	1	1	3	3	5	1	-	4	-	-
BLACK---MALE----	-	2	1	6	5	4	6	3	1	-	-	-
FEMALE--	1	-	1	1	2	3	4	1	-	4	-	-
CALIFORNIA -----	150	269	497	895	1,470	2,111	2,051	1,600	764	220	33	2
WHITE-----MALE----	65	105	221	385	679	903	899	643	286	61	8	1
FEMALE--	58	125	217	409	650	1,026	1,011	828	410	131	21	-
ALL OTHER--MALE----	15	23	31	64	99	107	88	80	34	12	1	1
FEMALE--	12	16	28	37	42	75	53	49	34	16	3	-
BLACK---MALE----	8	17	23	40	51	50	24	20	12	5	-	-
FEMALE--	11	13	21	21	24	48	25	23	12	6	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2405

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other chronic obstructive pulmonary disease (J44)												
COLORADO -----	1,493	-	-	-	-	-	-	-	-	3	3	17
WHITE-----MALE----	741	-	-	-	-	-	-	-	-	1	1	11
FEMALE--	708	-	-	-	-	-	-	-	-	2	1	6
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	23	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1,253	-	-	-	-	-	-	-	-	1	4	7
WHITE-----MALE----	531	-	-	-	-	-	-	-	-	1	2	3
FEMALE--	678	-	-	-	-	-	-	-	-	-	1	4
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	26	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	279	-	-	-	-	-	-	-	-	1	1	4
WHITE-----MALE----	109	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	138	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	22	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ---	120	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	49	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	49	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	7,059	-	-	-	-	-	-	-	-	7	15	47
WHITE-----MALE----	3,193	-	-	-	-	-	-	-	-	3	9	31
FEMALE--	3,533	-	-	-	-	-	-	-	-	3	3	10
ALL OTHER--MALE----	202	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	131	-	-	-	-	-	-	-	-	-	2	3
BLACK---MALE----	197	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	127	-	-	-	-	-	-	-	-	-	2	3
GEORGIA -----	2,330	1	-	-	-	-	-	-	1	3	10	19
WHITE-----MALE----	1,065	1	-	-	-	-	-	-	-	-	6	6
FEMALE--	991	-	-	-	-	-	-	-	-	-	3	9
ALL OTHER--MALE----	165	-	-	-	-	-	-	-	1	1	-	2
FEMALE--	109	-	-	-	-	-	-	-	-	2	1	2
BLACK---MALE----	162	-	-	-	-	-	-	-	1	1	-	2
FEMALE--	108	-	-	-	-	-	-	-	-	2	1	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2405

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other chronic obstructive pulmonary disease (J44)												
COLORADO -----	21	45	87	137	246	296	284	207	116	29	2	-
WHITE-----MALE----	9	24	49	58	128	156	147	93	49	13	2	-
FEMALE--	11	19	33	74	110	131	129	111	65	16	-	-
ALL OTHER--MALE----	1	1	3	3	5	7	5	2	2	-	-	-
FEMALE--	-	1	2	2	3	2	3	1	-	-	-	-
BLACK---MALE----	1	1	3	2	5	5	4	1	-	-	-	-
FEMALE--	-	1	2	-	3	1	3	1	-	-	-	-
CONNECTICUT -----	13	25	63	102	165	239	270	210	112	38	4	-
WHITE-----MALE----	7	12	25	44	82	118	115	84	29	9	-	-
FEMALE--	2	12	33	55	76	115	149	120	81	26	4	-
ALL OTHER--MALE----	2	1	3	2	4	4	4	2	1	3	-	-
FEMALE--	2	-	2	1	3	2	2	4	1	-	-	-
BLACK---MALE----	2	1	3	2	4	3	4	2	1	3	-	-
FEMALE--	2	-	2	1	3	1	2	4	1	-	-	-
DELAWARE -----	7	9	21	29	39	54	50	39	18	6	1	-
WHITE-----MALE----	2	2	11	13	18	18	21	13	6	2	1	-
FEMALE--	5	5	5	7	17	34	26	21	12	4	-	-
ALL OTHER--MALE----	-	2	5	7	3	1	2	2	-	-	-	-
FEMALE--	-	-	-	2	1	1	1	3	-	-	-	-
BLACK---MALE----	-	2	5	6	3	1	2	2	-	-	-	-
FEMALE--	-	-	-	2	1	1	1	3	-	-	-	-
DISTRICT OF COLUMBIA ---	2	1	5	16	19	24	15	20	11	3	3	-
WHITE-----MALE----	-	-	-	-	2	5	5	5	1	-	1	-
FEMALE--	-	-	-	2	1	4	2	6	3	1	-	-
ALL OTHER--MALE----	1	-	5	7	12	10	6	2	5	-	-	-
FEMALE--	1	1	-	7	4	5	2	7	2	2	2	-
BLACK---MALE----	1	-	5	7	12	10	6	2	5	-	-	-
FEMALE--	1	1	-	7	4	5	1	7	2	2	2	-
FLORIDA -----	97	199	348	622	1,105	1,420	1,421	1,123	504	139	12	-
WHITE-----MALE----	51	99	187	291	533	631	645	466	200	43	4	-
FEMALE--	31	81	129	280	506	728	740	633	290	91	8	-
ALL OTHER--MALE----	11	12	18	33	40	38	23	13	7	2	-	-
FEMALE--	4	7	14	18	26	23	13	11	7	3	-	-
BLACK---MALE----	11	12	18	32	39	36	22	13	7	2	-	-
FEMALE--	4	7	14	18	23	22	13	11	7	3	-	-
GEORGIA -----	55	94	176	258	419	464	414	253	126	30	7	-
WHITE-----MALE----	25	39	81	129	198	229	184	114	44	9	-	-
FEMALE--	16	37	57	88	185	203	202	103	70	15	3	-
ALL OTHER--MALE----	9	11	27	23	22	20	19	16	11	2	1	-
FEMALE--	5	7	11	18	14	12	9	20	1	4	3	-
BLACK---MALE----	8	11	26	23	22	20	19	15	11	2	1	-
FEMALE--	5	7	11	18	14	12	9	19	1	4	3	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2406

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other chronic obstructive pulmonary disease (J44)												
HAWAII -----	4	8	9	16	20	40	39	26	13	3	1	-
WHITE-----MALE----	-	4	2	4	5	5	5	6	4	-	-	-
FEMALE--	2	1	3	3	3	9	7	7	3	-	-	-
ALL OTHER--MALE----	2	3	1	8	6	20	18	7	6	3	-	-
FEMALE--	-	-	3	1	6	6	9	6	-	-	1	-
BLACK---MALE-----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	4	14	26	59	89	102	86	61	35	5	1	-
WHITE-----MALE----	2	7	13	39	51	66	45	31	17	3	1	-
FEMALE--	2	6	12	16	38	35	41	30	18	2	-	-
ALL OTHER--MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	3	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ILLINOIS -----	57	91	212	329	570	750	792	575	271	79	10	-
WHITE-----MALE----	29	39	110	140	280	355	340	245	96	28	5	-
FEMALE--	22	36	66	156	250	328	420	302	157	46	5	-
ALL OTHER--MALE----	1	10	24	18	23	37	22	13	9	1	-	-
FEMALE--	5	6	12	15	17	30	10	15	9	4	-	-
BLACK---MALE-----	1	10	22	17	20	35	19	11	8	1	-	-
FEMALE--	5	6	12	15	17	29	10	12	8	3	-	-
INDIANA -----	39	83	148	250	409	505	466	347	155	33	9	-
WHITE-----MALE----	17	45	63	123	219	254	228	150	63	9	2	-
FEMALE--	19	33	80	115	178	232	231	190	85	24	6	-
ALL OTHER--MALE----	3	2	5	9	7	12	3	6	2	-	-	-
FEMALE--	-	3	-	3	5	7	4	1	5	-	1	-
BLACK---MALE-----	3	2	5	9	7	11	3	6	2	-	-	-
FEMALE--	-	3	-	2	5	7	4	1	5	-	1	-
IOWA -----	12	32	63	108	184	233	278	227	99	28	5	-
WHITE-----MALE----	4	14	32	60	97	126	146	113	51	10	-	-
FEMALE--	7	18	30	46	85	103	132	114	46	18	5	-
ALL OTHER--MALE----	-	-	1	1	2	2	-	-	1	-	-	-
FEMALE--	1	-	-	1	-	2	-	-	1	-	-	-
BLACK---MALE-----	-	-	1	1	2	2	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	2	-	-	1	-	-	-
KANSAS -----	19	27	61	104	185	277	207	186	82	17	4	-
WHITE-----MALE----	8	17	33	54	99	138	110	108	41	6	1	-
FEMALE--	11	9	26	47	82	127	91	76	41	10	3	-
ALL OTHER--MALE----	-	1	2	2	3	7	4	2	-	-	-	-
FEMALE--	-	-	-	1	1	5	2	-	-	1	-	-
BLACK---MALE-----	-	-	2	2	3	7	4	2	-	-	-	-
FEMALE--	-	-	-	1	1	5	2	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2407

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other chronic obstructive pulmonary disease (J44)												
KENTUCKY -----	41	62	116	225	285	346	327	222	104	29	2	-
WHITE-----MALE----	19	29	60	112	143	171	163	104	47	6	-	-
FEMALE--	20	30	53	103	131	162	155	113	55	18	2	-
ALL OTHER--MALE----	1	1	-	8	6	8	4	1	1	2	-	-
FEMALE--	1	2	3	2	5	5	5	4	1	3	-	-
BLACK---MALE----	1	1	-	8	6	8	4	1	1	2	-	-
FEMALE--	1	2	3	2	5	4	5	4	1	2	-	-
LOUISIANA -----	19	56	72	132	218	253	241	170	82	32	6	-
WHITE-----MALE----	8	22	32	56	85	111	113	58	33	12	2	-
FEMALE--	7	22	24	53	101	114	94	83	34	15	4	-
ALL OTHER--MALE----	3	7	11	12	21	20	19	19	7	1	-	-
FEMALE--	1	5	5	11	11	8	15	10	8	4	-	-
BLACK---MALE----	3	7	11	12	20	20	19	19	7	1	-	-
FEMALE--	1	5	5	11	9	8	15	10	8	4	-	-
MAINE -----	10	18	42	70	97	117	136	104	44	11	1	-
WHITE-----MALE----	5	10	18	27	50	63	74	48	18	4	-	-
FEMALE--	5	8	24	43	46	54	61	56	26	7	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	20	57	61	117	240	317	333	243	114	30	6	-
WHITE-----MALE----	8	23	18	48	96	120	119	92	40	6	2	-
FEMALE--	7	26	36	52	104	166	178	133	65	20	4	-
ALL OTHER--MALE----	3	4	4	8	18	17	12	10	6	-	-	-
FEMALE--	2	4	3	9	22	14	24	8	3	4	-	-
BLACK---MALE----	3	4	4	7	18	16	11	9	6	-	-	-
FEMALE--	2	3	3	9	20	13	23	8	3	4	-	-
MASSACHUSETTS -----	27	55	96	177	367	458	513	362	220	71	12	-
WHITE-----MALE----	11	33	46	86	166	203	237	141	80	27	1	-
FEMALE--	16	21	46	89	195	245	267	213	133	44	11	-
ALL OTHER--MALE----	-	1	4	1	3	6	5	4	3	-	-	-
FEMALE--	-	-	-	1	3	4	4	4	4	-	-	-
BLACK---MALE----	-	1	4	1	2	3	4	3	2	-	-	-
FEMALE--	-	-	-	1	3	3	4	2	3	-	-	-
MICHIGAN -----	55	89	174	349	574	684	670	464	212	70	10	-
WHITE-----MALE----	18	44	85	153	257	313	295	222	91	22	3	-
FEMALE--	31	37	73	167	274	334	329	220	110	43	6	-
ALL OTHER--MALE----	5	2	12	20	24	25	22	10	3	2	-	-
FEMALE--	1	6	4	9	19	12	24	12	8	3	1	-
BLACK---MALE----	5	1	10	18	24	24	20	8	3	2	-	-
FEMALE--	1	5	4	9	17	10	23	9	8	2	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2408

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other chronic obstructive pulmonary disease (J44)												
MINNESOTA -----	1,609	-	-	1	-	-	2	-	-	4	3	7
WHITE-----MALE----	813	-	-	-	-	-	-	-	-	2	2	6
FEMALE--	760	-	-	1	-	-	1	-	-	1	1	-
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	16	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	1,038	1	-	-	-	-	-	-	-	2	2	4
WHITE-----MALE----	469	1	-	-	-	-	-	-	-	1	-	1
FEMALE--	418	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	95	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	56	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	94	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	55	-	-	-	-	-	-	-	-	1	-	-
MISSOURI -----	2,343	1	-	-	-	-	1	1	1	3	10	26
WHITE-----MALE----	1,139	1	-	-	-	-	1	-	-	-	5	13
FEMALE--	1,080	-	-	-	-	-	-	1	-	2	5	11
ALL OTHER--MALE----	62	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	62	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	55	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	58	-	-	-	-	-	-	-	-	1	-	-
MONTANA -----	429	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	210	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	199	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	717	-	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	385	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	311	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	850	-	-	-	-	-	-	1	1	2	3	7
WHITE-----MALE----	377	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	429	-	-	-	-	-	-	-	-	1	2	2
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	22	-	-	-	-	-	-	1	1	1	-	2
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	1	1	-	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2408

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other chronic obstructive pulmonary disease (J44)												
MINNESOTA -----	21	28	61	135	230	301	335	310	127	37	7	-
WHITE-----MALE----	13	16	28	69	119	155	171	158	56	16	2	-
FEMALE--	8	12	31	62	103	140	155	149	70	21	5	-
ALL OTHER--MALE----	-	-	1	1	4	2	8	2	-	-	-	-
FEMALE--	-	-	1	3	4	4	1	1	1	-	-	-
BLACK---MALE----	-	-	-	1	1	1	5	1	-	-	-	-
FEMALE--	-	-	-	2	3	1	-	-	-	-	-	-
MISSISSIPPI -----	17	41	74	117	178	205	179	134	67	15	2	-
WHITE-----MALE----	7	13	34	58	84	94	94	61	20	1	-	-
FEMALE--	5	21	30	45	64	81	66	58	37	8	1	-
ALL OTHER--MALE----	3	3	5	8	22	17	12	9	8	5	-	-
FEMALE--	2	4	5	6	8	13	7	6	2	1	1	-
BLACK---MALE----	3	3	5	7	22	17	12	9	8	5	-	-
FEMALE--	2	4	5	6	8	13	6	6	2	1	1	-
MISSOURI -----	33	75	162	223	389	450	442	334	151	36	5	-
WHITE-----MALE----	12	33	69	120	191	223	227	166	62	16	-	-
FEMALE--	17	30	78	91	179	210	196	153	82	20	5	-
ALL OTHER--MALE----	1	6	5	4	9	9	12	9	4	-	-	-
FEMALE--	3	6	10	8	10	8	7	6	3	-	-	-
BLACK---MALE----	1	5	4	3	7	8	12	8	4	-	-	-
FEMALE--	3	6	9	8	8	8	7	6	2	-	-	-
MONTANA -----	2	9	15	47	73	90	87	59	35	9	2	-
WHITE-----MALE----	2	2	5	22	44	41	44	30	16	2	1	-
FEMALE--	-	7	8	21	25	46	40	27	17	7	1	-
ALL OTHER--MALE----	-	-	2	3	2	2	3	1	-	-	-	-
FEMALE--	-	-	-	1	2	1	-	1	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	7	21	36	71	111	135	164	107	43	18	1	-
WHITE-----MALE----	3	9	19	39	61	70	97	55	21	10	-	-
FEMALE--	2	11	16	28	49	61	61	50	22	8	1	-
ALL OTHER--MALE----	2	-	1	1	1	2	5	1	-	-	-	-
FEMALE--	-	1	-	3	-	2	1	1	-	-	-	-
BLACK---MALE----	-	-	1	1	1	2	3	1	-	-	-	-
FEMALE--	-	-	-	2	-	2	1	1	-	-	-	-
NEVADA -----	14	22	64	90	164	184	142	111	34	9	2	-
WHITE-----MALE----	3	11	30	42	79	93	55	46	13	2	-	-
FEMALE--	10	10	30	43	79	80	81	62	21	7	1	-
ALL OTHER--MALE----	-	1	1	3	3	7	4	2	-	-	-	-
FEMALE--	1	-	3	2	3	4	2	1	-	-	1	-
BLACK---MALE----	-	1	1	3	3	1	3	1	-	-	-	-
FEMALE--	1	-	3	1	-	2	2	-	-	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2410

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other chronic obstructive pulmonary disease (J44)												
OHIO -----	72	156	252	434	801	1,030	1,017	682	310	104	14	-
WHITE-----MALE----	31	81	116	220	408	478	459	280	117	26	5	-
FEMALE--	35	61	119	187	344	499	512	369	171	70	7	-
ALL OTHER--MALE----	3	6	5	12	30	33	23	14	6	5	1	-
FEMALE--	3	8	12	15	19	20	23	19	16	3	1	-
BLACK---MALE----	3	6	5	12	29	33	23	14	5	5	1	-
FEMALE--	3	8	12	15	19	19	21	18	15	2	1	-
OKLAHOMA -----	32	74	123	190	286	320	299	204	98	27	5	-
WHITE-----MALE----	17	32	58	93	154	154	167	98	38	12	-	-
FEMALE--	14	33	55	82	121	156	119	88	55	13	5	-
ALL OTHER--MALE----	-	2	7	8	8	8	9	11	3	2	-	-
FEMALE--	1	7	3	7	3	2	4	7	2	-	-	-
BLACK---MALE----	-	1	3	4	6	6	3	4	2	2	-	-
FEMALE--	1	1	2	3	1	-	3	4	2	-	-	-
OREGON -----	16	41	61	126	206	318	254	173	67	13	2	-
WHITE-----MALE----	3	15	29	53	100	168	139	95	31	3	1	-
FEMALE--	10	25	30	67	101	147	111	78	34	10	-	-
ALL OTHER--MALE----	-	1	1	3	4	2	2	-	1	-	1	-
FEMALE--	3	-	1	3	1	1	2	-	1	-	-	-
BLACK---MALE----	-	-	-	2	1	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
PENNSYLVANIA -----	64	136	216	369	732	1,088	1,094	812	352	93	25	-
WHITE-----MALE----	36	68	108	166	365	515	477	358	129	33	5	-
FEMALE--	22	55	98	177	317	510	568	414	209	55	15	-
ALL OTHER--MALE----	5	10	3	17	31	38	19	20	5	1	3	-
FEMALE--	1	3	7	9	19	25	30	20	9	4	2	-
BLACK---MALE----	5	9	3	16	30	35	18	19	4	1	3	-
FEMALE--	1	3	7	9	17	25	29	19	9	4	2	-
RHODE ISLAND -----	5	11	8	36	68	94	104	84	25	8	1	-
WHITE-----MALE----	-	2	2	12	28	50	40	43	9	3	-	-
FEMALE--	4	8	5	22	40	44	64	38	16	5	1	-
ALL OTHER--MALE----	1	1	1	1	-	-	-	3	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	26	68	88	162	247	279	257	143	67	16	3	-
WHITE-----MALE----	9	33	51	82	115	140	125	61	21	5	1	-
FEMALE--	10	19	27	57	107	107	101	62	41	11	1	-
ALL OTHER--MALE----	4	10	9	16	18	22	23	16	3	-	-	-
FEMALE--	3	6	1	7	7	10	8	4	2	-	1	-
BLACK---MALE----	3	10	9	16	18	21	23	16	3	-	-	-
FEMALE--	3	6	1	6	6	10	8	4	2	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2411

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other chronic obstructive pulmonary disease (J44)												
SOUTH DAKOTA -----	5	4	11	31	43	54	72	56	24	12	-	-
WHITE-----MALE----	3	2	3	18	18	35	41	36	12	5	-	-
FEMALE--	2	2	7	12	25	15	30	17	11	7	-	-
ALL OTHER--MALE----	-	-	1	-	-	3	1	2	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	49	91	158	286	388	478	426	280	126	33	3	-
WHITE-----MALE----	26	42	75	141	203	249	219	128	51	18	1	-
FEMALE--	15	41	70	126	160	203	182	141	65	15	2	-
ALL OTHER--MALE----	5	4	5	15	13	15	17	9	6	-	-	-
FEMALE--	3	4	8	4	12	11	8	2	4	-	-	-
BLACK---MALE----	5	3	5	15	13	14	16	7	6	-	-	-
FEMALE--	3	3	7	4	12	10	8	2	4	-	-	-
TEXAS -----	85	183	328	594	979	1,144	1,016	858	372	92	14	-
WHITE-----MALE----	36	96	152	292	462	565	461	371	143	33	3	-
FEMALE--	33	71	138	254	451	516	490	438	207	52	11	-
ALL OTHER--MALE----	7	10	20	26	44	49	35	29	6	4	-	-
FEMALE--	9	6	18	22	22	14	30	20	16	3	-	-
BLACK---MALE----	7	9	19	25	42	45	34	26	6	4	-	-
FEMALE--	9	5	18	21	21	14	27	19	15	3	-	-
UTAH -----	5	13	24	43	71	77	73	51	26	2	1	-
WHITE-----MALE----	2	4	11	27	37	49	45	29	10	1	-	-
FEMALE--	3	9	13	16	33	28	27	22	16	1	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	3	4	14	26	41	58	61	32	21	5	-	-
WHITE-----MALE----	-	2	9	13	24	30	31	15	10	2	-	-
FEMALE--	3	2	5	13	17	28	30	17	11	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	35	90	135	246	374	464	438	297	144	42	8	-
WHITE-----MALE----	14	43	57	94	166	195	169	120	53	16	4	-
FEMALE--	16	30	62	124	159	213	212	154	72	23	4	-
ALL OTHER--MALE----	3	11	3	23	22	34	37	12	11	-	-	-
FEMALE--	2	6	13	5	27	22	20	11	8	3	-	-
BLACK---MALE----	3	10	3	22	20	32	33	12	10	-	-	-
FEMALE--	2	6	12	5	27	21	19	11	8	2	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2413

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Asthma (J45-J46)												
UNITED STATES -	4,487	8	32	43	86	78	89	105	144	183	275	318
WHITE-----MALE----	1,057	3	9	8	20	24	31	29	41	37	68	79
FEMALE--	2,087	2	9	10	16	12	22	20	42	58	93	99
ALL OTHER--MALE----	575	3	11	14	32	28	19	35	37	44	47	49
FEMALE--	768	-	3	11	18	14	17	21	24	44	67	91
BLACK---MALE----	481	3	11	14	28	27	17	30	34	38	41	44
FEMALE--	677	-	3	10	17	13	17	19	21	41	59	84
ALABAMA -----	73	-	-	-	-	2	2	-	1	4	6	5
WHITE-----MALE----	15	-	-	-	-	-	2	-	1	2	-	-
FEMALE--	35	-	-	-	-	-	-	-	-	2	3	1
ALL OTHER--MALE----	9	-	-	-	-	2	-	-	-	-	1	2
FEMALE--	14	-	-	-	-	-	-	-	-	-	2	2
BLACK---MALE----	9	-	-	-	-	2	-	-	-	-	1	2
FEMALE--	14	-	-	-	-	-	-	-	-	-	2	2
ALASKA -----	6	-	-	-	-	-	-	1	-	1	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	74	-	-	1	-	1	2	2	-	3	6	2
WHITE-----MALE----	23	-	-	-	-	1	-	-	-	1	3	1
FEMALE--	41	-	-	1	-	-	1	-	-	1	2	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	4	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	-
ARKANSAS -----	66	-	3	1	1	1	-	1	-	3	2	4
WHITE-----MALE----	21	-	-	-	-	1	-	1	-	1	1	2
FEMALE--	31	-	2	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	8	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	6	-	1	-	-	-	-	-	-	1	-	2
BLACK---MALE----	8	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	6	-	1	-	-	-	-	-	-	1	-	2
CALIFORNIA -----	543	1	3	6	14	3	5	11	15	19	42	40
WHITE-----MALE----	138	-	1	2	4	1	-	2	6	5	12	14
FEMALE--	256	-	1	2	3	-	4	4	5	4	12	13
ALL OTHER--MALE----	83	1	1	2	5	2	-	4	3	6	10	8
FEMALE--	66	-	-	2	-	-	1	1	1	4	8	5
BLACK---MALE----	46	1	1	2	3	2	-	3	2	5	7	5
FEMALE--	27	-	-	-	1	-	1	1	-	3	5	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2413

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Asthma (J45-J46)												
UNITED STATES -	296	270	270	328	406	420	429	388	227	81	11	-
WHITE-----MALE----	71	57	62	79	106	102	105	87	30	9	-	-
FEMALE--	111	105	123	152	210	246	273	251	165	60	8	-
ALL OTHER--MALE----	39	49	32	42	26	18	18	17	9	6	-	-
FEMALE--	75	59	53	55	64	54	33	33	23	6	3	-
BLACK---MALE----	30	38	29	33	21	10	11	9	8	5	-	-
FEMALE--	70	51	50	47	52	50	24	23	19	4	3	-
ALABAMA -----	8	7	6	6	3	4	8	4	5	2	-	-
WHITE-----MALE----	1	1	1	1	-	2	1	1	1	1	-	-
FEMALE--	3	4	4	3	-	1	7	3	4	-	-	-
ALL OTHER--MALE----	1	2	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	1	2	3	1	-	-	-	-	-	-
BLACK---MALE----	1	2	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	1	2	3	1	-	-	-	-	-	-
ALASKA -----	-	-	-	1	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	7	3	6	8	5	10	9	3	2	1	-
WHITE-----MALE----	1	3	-	1	4	-	1	7	-	-	-	-
FEMALE--	2	2	2	3	3	5	9	2	3	2	1	-
ALL OTHER--MALE----	-	1	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
ARKANSAS -----	3	5	5	7	11	7	3	7	2	-	-	-
WHITE-----MALE----	-	2	2	2	5	1	-	2	1	-	-	-
FEMALE--	-	2	2	4	6	6	2	4	1	-	-	-
ALL OTHER--MALE----	2	1	-	1	-	-	1	1	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	1	-	-	1	1	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	39	39	38	32	41	49	52	53	24	16	1	-
WHITE-----MALE----	10	8	8	8	13	15	14	11	2	2	-	-
FEMALE--	13	20	22	16	22	28	29	27	20	10	1	-
ALL OTHER--MALE----	10	7	4	3	1	1	5	8	-	2	-	-
FEMALE--	6	4	4	5	5	5	4	7	2	2	-	-
BLACK---MALE----	6	3	1	-	-	-	-	3	-	2	-	-
FEMALE--	4	3	2	-	-	3	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2414

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Asthma (J45-J46)												
COLORADO -----	63	-	1	-	1	1	1	2	4	6	5	2
WHITE-----MALE----	18	-	-	-	-	1	1	-	3	1	-	-
FEMALE--	37	-	1	-	1	-	-	1	1	4	3	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	4	-	-	-	-	-	-	1	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	1
CONNECTICUT -----	58	-	-	1	1	1	2	3	3	1	5	3
WHITE-----MALE----	14	-	-	-	-	-	1	1	2	-	3	1
FEMALE--	34	-	-	1	1	1	1	-	-	-	1	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	1	-	1	1
FEMALE--	4	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	5	-	-	-	-	-	-	1	1	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
DELAWARE -----	17	-	-	1	1	1	1	-	1	1	2	-
WHITE-----MALE----	3	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	1	-	1	1	-	1	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	5	-	-	1	-	1	1	-	1	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
DISTRICT OF COLUMBIA ---	13	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	217	2	2	2	3	1	1	3	9	5	5	20
WHITE-----MALE----	51	1	-	-	-	-	-	1	3	1	3	4
FEMALE--	113	-	-	1	-	-	1	-	1	1	1	8
ALL OTHER--MALE----	18	1	2	-	3	1	-	-	3	1	-	-
FEMALE--	35	-	-	1	-	-	-	2	2	2	1	8
BLACK---MALE----	18	1	2	-	3	1	-	-	3	1	-	-
FEMALE--	33	-	-	1	-	-	-	2	2	2	1	8
GEORGIA -----	127	-	2	1	-	2	4	4	7	6	4	8
WHITE-----MALE----	18	-	1	-	-	1	-	-	1	-	1	1
FEMALE--	47	-	-	-	-	-	2	-	1	1	-	4
ALL OTHER--MALE----	24	-	1	1	-	1	1	2	3	1	1	-
FEMALE--	38	-	-	-	-	-	1	2	2	4	2	3
BLACK---MALE----	22	-	1	1	-	1	1	2	2	1	1	-
FEMALE--	36	-	-	-	-	-	1	2	2	4	2	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2414

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Asthma (J45-J46)												
COLORADO -----	2	4	3	4	3	6	8	7	2	1	-	-
WHITE-----MALE----	-	1	2	2	-	1	3	3	-	-	-	-
FEMALE--	2	2	1	2	2	5	4	4	2	1	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	3	6	2	4	2	8	5	6	1	1	-	-
WHITE-----MALE----	1	-	-	2	-	1	2	-	-	-	-	-
FEMALE--	1	6	2	1	2	5	3	6	1	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
DELAWARE -----	2	2	-	-	1	1	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	2	-	-	1	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	1	-	1	3	1	2	-	4	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	-	4	-	-	-
BLACK---MALE----	-	1	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	-	4	-	-	-
FLORIDA -----	13	19	18	21	19	18	22	25	9	-	-	-
WHITE-----MALE----	6	2	4	3	5	5	4	6	3	-	-	-
FEMALE--	2	10	11	16	13	11	15	18	4	-	-	-
ALL OTHER--MALE----	1	2	3	1	-	-	-	-	-	-	-	-
FEMALE--	4	5	-	1	1	2	3	1	2	-	-	-
BLACK---MALE----	1	2	3	1	-	-	-	-	-	-	-	-
FEMALE--	4	5	-	1	1	2	1	1	2	-	-	-
GEORGIA -----	14	12	7	7	15	9	13	8	3	1	-	-
WHITE-----MALE----	3	3	1	1	-	-	3	1	1	-	-	-
FEMALE--	5	3	3	1	5	6	9	4	2	1	-	-
ALL OTHER--MALE----	1	4	2	1	4	-	-	1	-	-	-	-
FEMALE--	5	2	1	4	6	3	1	2	-	-	-	-
BLACK---MALE----	1	4	2	1	3	-	-	1	-	-	-	-
FEMALE--	4	2	1	4	5	3	1	2	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2415

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Asthma (J45-J46)												
HAWAII -----	35	-	-	1	-	-	-	-	1	2	3	4
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	12	-	-	1	-	-	-	-	1	-	2	1
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	16	-	-	-	-	-	-	-	-	-	1	3
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	247	-	3	4	13	9	10	15	10	17	24	17
WHITE-----MALE----	50	-	-	1	4	3	3	4	1	1	3	1
FEMALE--	80	-	-	-	-	1	-	2	2	1	7	3
ALL OTHER--MALE----	53	-	2	2	4	3	4	5	5	10	6	6
FEMALE--	64	-	1	1	5	2	3	4	2	5	8	7
BLACK---MALE-----	53	-	2	2	4	3	4	5	5	10	6	6
FEMALE--	64	-	1	1	5	2	3	4	2	5	8	7
INDIANA -----	79	-	-	1	3	5	2	-	3	3	4	8
WHITE-----MALE----	19	-	-	-	1	2	-	-	-	-	-	3
FEMALE--	34	-	-	-	-	1	-	1	1	1	2	2
ALL OTHER--MALE----	9	-	-	-	2	2	1	-	1	1	-	1
FEMALE--	17	-	-	1	-	1	-	-	1	1	2	2
BLACK---MALE-----	8	-	-	-	2	2	1	-	-	1	-	1
FEMALE--	17	-	-	1	-	1	-	-	1	1	2	2
IOWA -----	38	-	-	1	2	1	3	1	1	-	1	4
WHITE-----MALE----	11	-	-	1	-	-	2	-	-	-	1	1
FEMALE--	23	-	-	-	-	1	-	1	1	-	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	2	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	2	-	-	-	2	-	-	-	-	-	-	-
KANSAS -----	44	-	-	-	1	-	1	1	-	1	2	1
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	1	-	1	-	-	1	2	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	1	-	-	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2415

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Asthma (J45-J46)												
HAWAII -----	3	4	-	3	3	5	1	4	1	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	1	1	4	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	3	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	2	-	-	1	3	1	3	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	2	1	-	-	-
FEMALE--	-	2	-	-	1	2	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	10	10	13	14	20	18	18	9	10	3	-	-
WHITE-----MALE----	2	2	2	6	3	6	5	1	2	-	-	-
FEMALE--	-	2	6	6	12	9	12	7	7	3	-	-
ALL OTHER--MALE----	1	2	1	-	1	-	-	-	1	-	-	-
FEMALE--	7	4	4	2	4	3	1	1	-	-	-	-
BLACK---MALE----	1	2	1	-	1	-	-	-	1	-	-	-
FEMALE--	7	4	4	2	4	3	1	1	-	-	-	-
INDIANA -----	7	3	5	3	9	6	5	6	3	3	-	-
WHITE-----MALE----	4	2	1	-	2	-	3	-	1	-	-	-
FEMALE--	3	1	1	2	6	5	1	3	2	3	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	1	1	1	1	3	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	1	1	1	1	3	-	-	-	-
IOWA -----	1	-	3	2	4	2	6	4	1	1	-	-
WHITE-----MALE----	-	-	-	1	1	1	2	-	-	1	-	-
FEMALE--	1	-	3	1	3	1	4	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	6	-	1	4	6	5	4	6	3	2	-	-
WHITE-----MALE----	-	-	1	1	2	-	1	2	1	-	-	-
FEMALE--	4	-	-	-	4	3	3	4	2	2	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	2	-	2	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	2	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2416

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Asthma (J45-J46)												
KENTUCKY -----	62	-	-	-	3	-	1	-	4	3	6	1
WHITE-----MALE----	11	-	-	-	-	-	1	-	1	1	3	-
FEMALE--	38	-	-	-	1	-	-	-	2	1	2	1
ALL OTHER--MALE----	7	-	-	-	1	-	-	-	1	1	-	-
FEMALE--	6	-	-	-	1	-	-	-	-	-	1	-
BLACK---MALE-----	7	-	-	-	1	-	-	-	1	1	-	-
FEMALE--	6	-	-	-	1	-	-	-	-	-	1	-
LOUISIANA -----	79	1	-	1	1	1	4	2	2	6	4	5
WHITE-----MALE----	9	-	-	1	-	-	-	-	-	-	2	-
FEMALE--	24	-	-	-	-	-	2	1	-	2	-	2
ALL OTHER--MALE----	16	1	-	-	1	1	1	-	1	-	1	1
FEMALE--	30	-	-	-	-	-	1	1	1	4	1	2
BLACK---MALE-----	16	1	-	-	1	1	1	-	1	-	1	1
FEMALE--	30	-	-	-	-	-	1	1	1	4	1	2
MAINE -----	10	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	84	-	-	3	2	2	2	3	4	7	4	10
WHITE-----MALE----	8	-	-	-	-	1	-	-	1	-	-	1
FEMALE--	26	-	-	-	-	-	-	-	1	1	1	1
ALL OTHER--MALE----	14	-	-	1	-	1	1	2	2	1	1	2
FEMALE--	36	-	-	2	2	-	1	1	-	5	2	7
BLACK---MALE-----	14	-	-	1	-	1	1	2	2	1	1	2
FEMALE--	35	-	-	2	2	-	1	1	-	5	2	7
MASSACHUSETTS -----	105	-	1	-	1	1	-	1	3	3	4	10
WHITE-----MALE----	36	-	1	-	-	-	-	1	2	1	1	4
FEMALE--	58	-	-	-	-	1	-	-	-	2	2	3
ALL OTHER--MALE----	5	-	-	-	1	-	-	-	-	-	1	1
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	2
BLACK---MALE-----	4	-	-	-	1	-	-	-	-	-	1	1
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	1
MICHIGAN -----	172	-	2	3	3	4	3	11	5	9	12	15
WHITE-----MALE----	35	-	-	-	1	1	1	5	-	3	2	2
FEMALE--	76	-	-	-	1	1	-	2	2	3	6	4
ALL OTHER--MALE----	23	-	2	1	1	2	2	3	-	1	2	4
FEMALE--	38	-	-	2	-	-	-	1	3	2	2	5
BLACK---MALE-----	21	-	2	1	1	2	1	3	-	1	2	4
FEMALE--	36	-	-	2	-	-	-	1	3	2	2	5

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2416

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Asthma (J45-J46)												
KENTUCKY -----	-	5	2	5	4	6	7	7	6	2	-	-
WHITE-----MALE----	-	-	-	1	-	-	2	1	1	-	-	-
FEMALE--	-	3	1	2	4	6	3	5	5	2	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	2	-	-	-	-	-
FEMALE--	-	2	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	2	-	-	2	-	-	-	-	-
FEMALE--	-	2	1	-	-	-	-	1	-	-	-	-
LOUISIANA -----	3	5	5	5	4	9	7	6	7	-	1	-
WHITE-----MALE----	1	-	1	-	1	1	1	1	-	-	-	-
FEMALE--	-	2	1	2	-	5	2	2	3	-	-	-
ALL OTHER--MALE----	-	-	1	2	1	-	2	1	2	-	-	-
FEMALE--	2	3	2	1	2	3	2	2	2	-	1	-
BLACK---MALE----	-	-	1	2	1	-	2	1	2	-	-	-
FEMALE--	2	3	2	1	2	3	2	2	2	-	1	-
MAINE -----	-	-	1	-	1	2	1	2	1	-	1	-
WHITE-----MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	2	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	6	2	2	4	10	4	10	4	3	2	-	-
WHITE-----MALE----	-	-	-	1	1	1	1	1	-	-	-	-
FEMALE--	1	-	1	1	5	1	7	3	3	1	-	-
ALL OTHER--MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	-	2	4	2	2	-	-	1	-	-
BLACK---MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	-	1	4	2	2	-	-	1	-	-
MASSACHUSETTS -----	12	9	3	8	9	13	11	9	5	2	-	-
WHITE-----MALE----	5	6	1	-	4	2	6	2	-	-	-	-
FEMALE--	6	2	1	7	5	11	5	7	5	1	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	1	-	-
MICHIGAN -----	12	7	11	11	18	12	10	13	9	2	-	-
WHITE-----MALE----	2	1	3	1	4	4	1	3	-	1	-	-
FEMALE--	6	4	-	7	10	7	7	8	7	1	-	-
ALL OTHER--MALE----	-	1	-	1	1	-	1	-	1	-	-	-
FEMALE--	4	1	8	2	3	1	1	2	1	-	-	-
BLACK---MALE----	-	1	-	-	1	-	1	-	1	-	-	-
FEMALE--	3	1	8	2	2	1	1	2	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2417

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Asthma (J45-J46)												
MINNESOTA -----	3	7	3	12	4	10	12	13	9	1	-	-
WHITE-----MALE----	2	1	1	5	1	3	4	4	1	-	-	-
FEMALE--	1	4	1	7	3	7	7	9	8	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	1	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	6	5	1	9	7	5	2	4	1	2	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	3	1	3	1	2	-	1	-	-
ALL OTHER--MALE----	1	2	-	1	4	-	-	-	-	-	-	-
FEMALE--	2	3	1	5	2	2	1	1	1	1	-	-
BLACK---MALE-----	1	2	-	1	4	-	-	-	-	-	-	-
FEMALE--	2	3	1	5	2	2	1	1	1	1	-	-
MISSOURI -----	4	6	6	5	7	6	5	8	8	1	-	-
WHITE-----MALE----	1	1	2	1	1	1	-	1	-	-	-	-
FEMALE--	2	1	2	2	4	5	3	7	7	-	-	-
ALL OTHER--MALE----	-	2	1	1	1	-	-	-	-	1	-	-
FEMALE--	1	2	1	1	1	-	2	-	1	-	-	-
BLACK---MALE-----	-	2	1	1	1	-	-	-	-	-	-	-
FEMALE--	1	2	1	1	1	-	2	-	1	-	-	-
MONTANA -----	2	1	-	1	4	1	1	2	-	1	-	-
WHITE-----MALE----	1	1	-	1	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	3	1	-	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	2	-	-	1	6	3	4	6	4	4	-	-
WHITE-----MALE----	-	-	-	1	3	1	-	1	1	-	-	-
FEMALE--	2	-	-	-	2	1	4	4	3	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
NEVADA -----	3	1	-	3	2	5	2	-	2	-	-	-
WHITE-----MALE----	1	-	-	1	2	3	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	1	-	2	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2419

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Asthma (J45-J46)												
OHIO -----	6	9	9	9	11	21	20	14	14	4	-	-
WHITE-----MALE----	1	-	-	3	3	3	6	-	1	1	-	-
FEMALE--	4	5	2	6	4	16	13	13	13	3	-	-
ALL OTHER--MALE----	-	1	3	-	1	1	-	-	-	-	-	-
FEMALE--	1	3	4	-	3	1	1	1	-	-	-	-
BLACK---MALE-----	-	1	3	-	1	1	-	-	-	-	-	-
FEMALE--	1	2	4	-	3	1	1	1	-	-	-	-
OKLAHOMA -----	2	2	3	5	4	9	5	4	6	2	-	-
WHITE-----MALE----	-	-	1	2	1	2	2	-	3	-	-	-
FEMALE--	2	1	2	2	3	6	3	4	2	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
OREGON -----	-	5	2	4	6	9	7	9	3	2	2	-
WHITE-----MALE----	-	1	-	2	3	2	2	3	1	1	-	-
FEMALE--	-	2	2	2	2	7	5	6	2	1	2	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	13	9	13	13	14	22	16	22	13	4	-	-
WHITE-----MALE----	1	3	4	3	4	5	3	6	4	-	-	-
FEMALE--	6	3	5	6	9	11	13	15	7	4	-	-
ALL OTHER--MALE----	-	-	2	1	-	1	-	-	-	-	-	-
FEMALE--	6	3	2	3	1	5	-	1	2	-	-	-
BLACK---MALE-----	-	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	6	3	2	3	1	5	-	1	1	-	-	-
RHODE ISLAND -----	-	1	-	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3	7	4	8	6	8	4	2	6	-	-	-
WHITE-----MALE----	-	-	1	-	1	2	1	-	-	-	-	-
FEMALE--	1	3	3	3	5	3	1	2	4	-	-	-
ALL OTHER--MALE----	1	3	-	2	-	1	1	-	1	-	-	-
FEMALE--	1	1	-	3	-	2	1	-	1	-	-	-
BLACK---MALE-----	1	3	-	2	-	1	1	-	1	-	-	-
FEMALE--	1	1	-	3	-	2	1	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2420

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Asthma (J45-J46)												
SOUTH DAKOTA -----	14	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	101	2	2	-	2	4	1	-	4	2	8	8
WHITE-----MALE----	24	2	1	-	2	-	-	-	1	1	1	1
FEMALE--	43	-	1	-	-	1	-	-	3	-	4	3
ALL OTHER--MALE----	14	-	-	-	-	1	1	-	-	1	3	3
FEMALE--	20	-	-	-	-	2	-	-	-	-	-	1
BLACK---MALE----	14	-	-	-	-	1	1	-	-	1	3	3
FEMALE--	20	-	-	-	-	2	-	-	-	-	-	1
TEXAS -----	260	-	1	2	6	3	5	2	5	10	13	19
WHITE-----MALE----	69	-	1	2	1	1	1	1	2	2	3	4
FEMALE--	130	-	-	-	3	-	2	-	2	6	4	7
ALL OTHER--MALE----	24	-	-	-	2	1	1	1	1	2	2	1
FEMALE--	37	-	-	-	-	1	1	-	-	-	4	7
BLACK---MALE----	21	-	-	-	2	-	-	1	1	2	2	1
FEMALE--	35	-	-	-	-	-	1	-	-	-	4	7
UTAH -----	30	-	-	-	-	-	-	-	3	-	2	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	24	-	-	-	-	-	-	-	2	-	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	14	-	1	-	-	-	-	-	-	1	1	2
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	1	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	128	-	1	1	3	3	2	1	5	9	10	10
WHITE-----MALE----	19	-	-	-	-	-	1	-	-	-	2	3
FEMALE--	59	-	1	-	1	-	1	-	1	4	4	3
ALL OTHER--MALE----	22	-	-	1	1	1	-	1	3	2	2	3
FEMALE--	28	-	-	-	1	2	-	-	1	3	2	1
BLACK---MALE----	21	-	-	1	1	1	-	1	3	2	2	3
FEMALE--	26	-	-	-	1	2	-	-	1	3	2	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2420

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Asthma (J45-J46)												
SOUTH DAKOTA -----	-	-	-	3	4	-	2	2	-	1	-	-
WHITE-----MALE----	-	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	2	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	8	4	12	7	8	12	11	2	3	1	-	-
WHITE-----MALE----	3	1	3	1	3	1	2	1	-	-	-	-
FEMALE--	2	-	4	4	3	7	8	1	1	1	-	-
ALL OTHER--MALE----	-	-	1	-	1	2	-	-	1	-	-	-
FEMALE--	3	3	4	2	1	2	1	-	1	-	-	-
BLACK---MALE----	-	-	1	-	1	2	-	-	1	-	-	-
FEMALE--	3	3	4	2	1	2	1	-	1	-	-	-
TEXAS -----	14	14	17	22	23	27	32	28	10	5	2	-
WHITE-----MALE----	4	3	3	7	7	9	5	10	2	1	-	-
FEMALE--	3	7	8	10	12	12	24	18	7	4	1	-
ALL OTHER--MALE----	5	2	3	2	-	-	-	-	1	-	-	-
FEMALE--	2	2	3	3	4	6	3	-	-	-	1	-
BLACK---MALE----	5	1	3	2	-	-	-	-	1	-	-	-
FEMALE--	2	2	3	3	4	6	2	-	-	-	1	-
UTAH -----	3	2	1	4	3	2	4	5	1	-	-	-
WHITE-----MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	2	1	1	3	2	1	4	5	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	-	-	1	1	2	2	2	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	9	7	13	9	11	8	15	5	3	2	1	-
WHITE-----MALE----	1	1	1	2	3	1	3	1	-	-	-	-
FEMALE--	6	2	6	3	5	6	10	1	3	1	1	-
ALL OTHER--MALE----	1	2	1	1	-	-	1	2	-	-	-	-
FEMALE--	1	2	5	3	3	1	1	1	-	1	-	-
BLACK---MALE----	1	1	1	1	-	-	1	2	-	-	-	-
FEMALE--	1	1	5	3	2	1	1	1	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2422

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Bronchiectasis (J47)												
UNITED STATES -	10	34	35	65	109	177	228	163	78	17	2	-
WHITE-----MALE----	1	13	11	14	35	42	58	27	18	6	-	-
FEMALE--	8	14	20	42	57	124	160	131	59	10	1	-
ALL OTHER--MALE----	-	1	2	7	5	6	-	-	1	-	1	-
FEMALE--	1	6	2	2	12	5	10	5	-	1	-	-
BLACK---MALE----	-	-	2	5	4	3	-	-	-	-	-	-
FEMALE--	1	5	1	2	2	-	3	2	-	-	-	-
ALABAMA -----	1	-	2	4	2	3	2	2	2	1	-	-
WHITE-----MALE----	1	-	1	1	1	1	1	-	-	1	-	-
FEMALE--	-	-	-	3	1	2	1	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	1	1	1	3	7	7	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	4	2	-	1	-	-	-
FEMALE--	-	1	-	1	2	3	4	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	1	1	-	1	1	4	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	1	-	1	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	2	2	2	7	18	12	25	20	12	3	1	-
WHITE-----MALE----	-	-	1	2	4	-	5	4	5	1	-	-
FEMALE--	2	-	1	4	9	10	16	14	6	1	1	-
ALL OTHER--MALE----	-	-	-	1	-	2	-	-	1	-	-	-
FEMALE--	-	2	-	-	5	-	4	2	-	1	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2429

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Bronchiectasis (J47)												
SOUTH DAKOTA -----	-	1	-	-	-	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	1	-	-	2	5	6	5	1	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	4	-	-	-	-	-
FEMALE--	1	-	-	-	2	4	2	5	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	1	3	2	4	4	15	13	11	3	-	-	-
WHITE-----MALE----	-	-	1	-	-	3	3	2	1	-	-	-
FEMALE--	1	2	1	4	4	11	10	8	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
UTAH -----	-	-	1	1	-	3	3	1	2	1	-	-
WHITE-----MALE----	-	-	1	-	-	-	2	-	1	-	-	-
FEMALE--	-	-	-	-	-	3	1	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	2	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	2	2	3	4	7	4	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	2	1	2	4	5	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2431

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Lung diseases due to external agents (J60-J70)												
UNITED STATES -	219	282	379	737	1,463	2,520	3,489	4,048	2,864	1,131	239	-
WHITE-----MALE----	106	151	195	410	833	1,373	1,826	1,924	1,106	358	60	-
FEMALE--	69	87	112	210	410	878	1,345	1,824	1,536	686	151	-
ALL OTHER--MALE----	28	22	43	81	149	168	152	126	93	28	5	-
FEMALE--	16	22	29	36	71	101	166	174	129	59	23	-
BLACK---MALE----	28	20	37	72	135	146	123	97	71	22	4	-
FEMALE--	14	20	28	35	66	88	140	146	113	53	17	-
ALABAMA -----	4	7	3	17	24	59	65	61	41	19	4	-
WHITE-----MALE----	-	3	1	8	11	24	28	19	10	1	-	-
FEMALE--	3	3	1	6	6	22	25	28	25	14	3	-
ALL OTHER--MALE----	1	1	1	2	6	9	4	4	2	-	1	-
FEMALE--	-	-	-	1	1	4	8	10	4	4	-	-
BLACK---MALE----	1	1	1	2	6	9	4	4	2	-	1	-
FEMALE--	-	-	-	1	1	4	8	10	4	4	-	-
ALASKA -----	-	-	1	1	3	2	3	2	-	-	1	-
WHITE-----MALE----	-	-	-	-	1	2	-	2	-	-	1	-
FEMALE--	-	-	1	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	8	6	8	29	31	62	49	45	12	4	-
WHITE-----MALE----	4	7	4	4	21	17	34	22	22	3	2	-
FEMALE--	-	-	2	2	8	13	26	22	20	8	2	-
ALL OTHER--MALE----	-	1	-	2	-	1	2	2	3	1	-	-
FEMALE--	-	-	-	-	-	-	-	3	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ARKANSAS -----	5	3	7	14	22	41	43	41	36	9	2	-
WHITE-----MALE----	1	1	4	10	14	13	17	24	8	1	-	-
FEMALE--	2	2	1	3	6	16	21	12	23	8	2	-
ALL OTHER--MALE----	1	-	1	1	1	6	2	3	4	-	-	-
FEMALE--	1	-	1	-	1	6	3	2	1	-	-	-
BLACK---MALE----	1	-	1	1	1	6	2	2	4	-	-	-
FEMALE--	1	-	1	-	1	6	3	2	1	-	-	-
CALIFORNIA -----	13	20	22	32	59	135	221	229	142	57	11	-
WHITE-----MALE----	8	10	7	18	39	74	107	106	49	20	2	-
FEMALE--	3	8	11	12	17	47	93	101	83	33	8	-
ALL OTHER--MALE----	1	2	4	1	2	7	10	11	5	1	-	-
FEMALE--	1	-	-	1	1	7	11	11	5	3	1	-
BLACK---MALE----	1	2	2	1	1	4	4	3	1	-	-	-
FEMALE--	-	-	-	1	1	4	5	6	1	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2432

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Lung diseases due to external agents (J60-J70)												
COLORADO -----	241	-	-	-	-	-	-	-	1	-	1	3
WHITE-----MALE----	141	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	95	-	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	358	-	-	-	-	-	-	-	4	2	-	-
WHITE-----MALE----	171	-	-	-	-	-	-	-	1	2	-	-
FEMALE--	171	-	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	76	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	32	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	35	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1,169	-	1	-	-	-	2	3	1	5	8	9
WHITE-----MALE----	597	-	-	-	-	-	1	1	-	2	2	2
FEMALE--	478	-	-	-	-	-	-	-	-	1	5	3
ALL OTHER--MALE----	55	-	-	-	-	-	1	1	1	1	1	3
FEMALE--	39	-	1	-	-	-	-	1	-	1	-	1
BLACK---MALE----	52	-	-	-	-	-	1	1	1	1	1	3
FEMALE--	38	-	1	-	-	-	-	1	-	1	-	1
GEORGIA -----	487	-	-	-	-	-	1	-	1	5	6	2
WHITE-----MALE----	211	-	-	-	-	-	-	-	1	3	5	-
FEMALE--	185	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	46	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	45	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	44	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	43	-	-	-	-	-	1	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2432

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Lung diseases due to external agents (J60-J70)												
COLORADO -----	5	6	3	15	14	38	54	49	36	12	4	-
WHITE-----MALE----	3	4	1	8	10	29	35	27	15	6	1	-
FEMALE--	-	2	2	7	4	9	19	21	21	4	3	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	2	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	7	7	8	16	29	33	72	77	71	27	5	-
WHITE-----MALE----	4	5	2	8	16	20	36	34	30	13	-	-
FEMALE--	1	2	5	6	11	13	34	38	41	13	5	-
ALL OTHER--MALE----	1	-	1	1	2	-	1	4	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	1	-	1	-	-
BLACK---MALE----	1	-	1	1	2	-	1	4	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	1	-	1	-	-
DELAWARE -----	3	2	1	4	7	14	9	20	11	4	-	-
WHITE-----MALE----	-	2	1	1	2	8	5	7	5	-	-	-
FEMALE--	1	-	-	1	1	3	4	10	6	4	-	-
ALL OTHER--MALE----	2	-	-	2	4	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	3	-	-	-	-
BLACK---MALE----	2	-	-	2	4	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	-	-	-
DISTRICT OF COLUMBIA ---	1	2	-	-	3	9	6	7	3	3	-	-
WHITE-----MALE----	-	-	-	-	-	2	3	1	2	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	6	-	2	1	-	-	-
FEMALE--	1	2	-	-	2	1	2	4	-	3	-	-
BLACK---MALE----	-	-	-	-	1	6	-	2	1	-	-	-
FEMALE--	1	2	-	-	2	1	2	4	-	3	-	-
FLORIDA -----	9	15	24	39	99	143	225	310	197	66	13	-
WHITE-----MALE----	5	8	16	20	59	69	129	157	96	26	4	-
FEMALE--	3	4	4	15	28	58	77	143	91	39	7	-
ALL OTHER--MALE----	1	-	3	4	9	10	10	4	5	1	-	-
FEMALE--	-	3	1	-	3	6	9	6	5	-	2	-
BLACK---MALE----	1	-	3	4	8	10	9	4	4	1	-	-
FEMALE--	-	3	1	-	3	6	9	5	5	-	2	-
GEORGIA -----	14	7	16	25	42	71	86	95	84	26	6	-
WHITE-----MALE----	7	5	9	10	20	31	42	37	30	9	2	-
FEMALE--	5	1	3	3	13	25	27	46	42	14	4	-
ALL OTHER--MALE----	-	1	4	6	9	5	8	5	5	1	-	-
FEMALE--	2	-	-	6	-	10	9	7	7	2	-	-
BLACK---MALE----	-	1	3	6	8	5	8	5	5	1	-	-
FEMALE--	2	-	-	5	-	10	9	6	7	2	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2433

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Lung diseases due to external agents (J60-J70)												
HAWAII -----	-	-	1	2	4	18	24	23	21	6	4	-
WHITE-----MALE----	-	-	-	-	1	3	1	4	1	-	-	-
FEMALE--	-	-	-	1	1	2	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	3	9	9	11	11	2	1	-
FEMALE--	-	-	-	1	-	6	10	9	5	3	3	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
IDAHO -----	1	1	-	2	5	7	16	16	13	7	1	-
WHITE-----MALE----	-	1	-	1	2	2	11	12	4	2	-	-
FEMALE--	-	-	-	1	3	5	5	4	9	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	6	11	24	28	76	114	178	196	169	57	16	-
WHITE-----MALE----	2	5	14	16	44	61	90	95	68	12	7	-
FEMALE--	2	5	6	6	17	37	72	82	87	42	7	-
ALL OTHER--MALE----	2	1	4	4	11	7	9	5	3	1	1	-
FEMALE--	-	-	-	2	4	9	7	14	11	2	1	-
BLACK---MALE-----	2	1	3	4	11	6	7	4	3	1	1	-
FEMALE--	-	-	-	2	3	8	7	13	11	2	-	-
INDIANA -----	6	6	9	21	37	72	93	95	86	33	8	-
WHITE-----MALE----	2	3	4	8	21	43	57	44	33	9	2	-
FEMALE--	2	2	4	10	14	26	33	42	50	23	5	-
ALL OTHER--MALE----	1	-	1	3	-	3	3	3	-	-	-	-
FEMALE--	1	1	-	-	2	-	-	6	3	1	1	-
BLACK---MALE-----	1	-	1	3	-	3	3	3	-	-	-	-
FEMALE--	1	1	-	-	2	-	-	6	3	1	1	-
IOWA -----	4	2	4	10	9	35	56	67	46	22	10	-
WHITE-----MALE----	2	2	3	8	5	18	29	40	19	7	1	-
FEMALE--	2	-	1	1	3	16	26	26	26	15	9	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	1	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
KANSAS -----	4	2	4	6	8	29	37	57	24	10	1	-
WHITE-----MALE----	3	2	2	3	3	17	9	31	9	5	1	-
FEMALE--	1	-	1	3	4	10	20	26	14	5	-	-
ALL OTHER--MALE----	-	-	1	-	1	2	4	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	4	-	1	-	-	-
BLACK---MALE-----	-	-	1	-	-	2	4	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2434

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Lung diseases due to external agents (J60-J70)												
KENTUCKY -----	361	1	-	-	-	-	-	-	1	-	6	2
WHITE-----MALE----	187	-	-	-	-	-	-	-	1	-	3	-
FEMALE--	160	-	-	-	-	-	-	-	-	-	3	2
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	1	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	227	-	1	-	1	-	1	-	1	1	1	5
WHITE-----MALE----	81	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	87	-	-	-	-	-	-	-	1	1	1	2
ALL OTHER--MALE----	29	-	1	-	-	-	-	-	-	-	-	2
FEMALE--	30	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	29	-	1	-	-	-	-	-	-	-	-	2
FEMALE--	30	-	-	-	-	-	1	-	-	-	-	-
MAINE -----	85	-	-	-	-	-	-	-	1	-	1	1
WHITE-----MALE----	48	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	37	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	418	-	-	-	1	-	1	-	2	3	4	4
WHITE-----MALE----	156	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	156	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	55	-	-	-	1	-	1	-	1	-	1	2
FEMALE--	51	-	-	-	-	-	-	-	1	2	1	-
BLACK---MALE-----	53	-	-	-	1	-	1	-	1	-	1	2
FEMALE--	48	-	-	-	-	-	-	-	1	2	1	-
MASSACHUSETTS -----	623	-	-	-	-	2	-	1	1	3	1	2
WHITE-----MALE----	296	-	-	-	-	2	-	-	1	1	-	1
FEMALE--	304	-	-	-	-	-	-	1	-	2	1	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	501	-	-	-	-	1	2	1	1	3	5	10
WHITE-----MALE----	246	-	-	-	-	-	-	-	-	1	3	2
FEMALE--	195	-	-	-	-	1	1	1	1	-	1	2
ALL OTHER--MALE----	37	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	23	-	-	-	-	-	1	-	-	1	1	3
BLACK---MALE-----	35	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	23	-	-	-	-	-	1	-	-	1	1	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2434

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Lung diseases due to external agents (J60-J70)												
KENTUCKY -----	3	5	8	9	37	63	73	75	51	21	6	-
WHITE-----MALE----	1	3	5	7	29	39	36	39	17	5	2	-
FEMALE--	2	1	1	2	8	20	35	35	31	16	4	-
ALL OTHER--MALE----	-	1	1	-	-	4	1	-	2	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	1	-	-	-
BLACK---MALE----	-	1	1	-	-	4	1	-	2	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	1	-	-	-
LOUISIANA -----	3	2	6	8	31	27	37	46	41	12	3	-
WHITE-----MALE----	2	1	3	2	16	13	15	20	5	1	1	-
FEMALE--	-	-	-	4	7	10	12	17	26	5	1	-
ALL OTHER--MALE----	1	-	2	2	6	1	5	4	3	2	-	-
FEMALE--	-	1	1	-	2	3	5	5	7	4	1	-
BLACK---MALE----	1	-	2	2	6	1	5	4	3	2	-	-
FEMALE--	-	1	1	-	2	3	5	5	7	4	1	-
MAINE -----	-	2	1	3	13	16	10	13	13	8	3	-
WHITE-----MALE----	-	1	1	2	10	12	7	6	4	2	1	-
FEMALE--	-	1	-	1	3	4	3	7	9	6	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	7	11	24	39	56	85	83	59	31	5	-
WHITE-----MALE----	1	2	2	10	15	20	39	31	19	11	2	-
FEMALE--	-	2	5	3	8	20	27	39	31	20	-	-
ALL OTHER--MALE----	-	2	2	7	10	12	7	6	3	-	-	-
FEMALE--	2	1	2	4	6	4	12	7	6	-	3	-
BLACK---MALE----	-	2	2	6	9	12	7	6	3	-	-	-
FEMALE--	2	1	2	4	5	4	12	7	5	-	2	-
MASSACHUSETTS -----	4	11	8	22	33	90	120	143	113	58	11	-
WHITE-----MALE----	3	5	5	14	21	59	60	70	34	17	3	-
FEMALE--	-	4	3	6	11	28	57	70	76	38	7	-
ALL OTHER--MALE----	1	-	-	2	1	3	1	1	-	2	1	-
FEMALE--	-	2	-	-	-	-	2	2	3	1	-	-
BLACK---MALE----	1	-	-	1	1	2	-	1	-	2	1	-
FEMALE--	-	2	-	-	-	-	1	2	3	-	-	-
MICHIGAN -----	9	15	14	22	44	69	96	104	69	32	4	-
WHITE-----MALE----	5	6	6	17	19	35	54	57	29	10	2	-
FEMALE--	3	6	7	1	11	29	33	40	36	20	2	-
ALL OTHER--MALE----	1	3	-	3	11	4	3	5	2	1	-	-
FEMALE--	-	-	1	1	3	1	6	2	2	1	-	-
BLACK---MALE----	1	3	-	3	11	3	3	5	2	-	-	-
FEMALE--	-	-	1	1	3	1	6	2	2	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2435

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Lung diseases due to external agents (J60-J70)												
MINNESOTA -----	2	6	4	7	18	30	35	47	30	24	1	-
WHITE-----MALE----	1	2	4	4	13	17	19	24	15	7	-	-
FEMALE--	1	3	-	2	5	12	16	23	15	17	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MISSISSIPPI -----	5	6	5	15	24	24	31	38	26	14	2	-
WHITE-----MALE----	-	5	1	7	12	7	12	10	9	3	1	-
FEMALE--	1	1	2	3	7	10	11	19	11	6	1	-
ALL OTHER--MALE----	3	-	-	3	2	7	2	5	1	2	-	-
FEMALE--	1	-	2	2	3	-	6	4	5	3	-	-
BLACK---MALE----	3	-	-	3	2	7	2	5	1	2	-	-
FEMALE--	1	-	2	2	3	-	6	4	5	3	-	-
MISSOURI -----	6	5	8	16	34	64	91	121	81	26	6	-
WHITE-----MALE----	2	4	4	9	20	37	42	51	25	10	1	-
FEMALE--	2	1	3	5	12	26	45	67	50	14	4	-
ALL OTHER--MALE----	2	-	1	-	1	1	1	1	4	1	-	-
FEMALE--	-	-	-	2	1	-	3	2	2	1	1	-
BLACK---MALE----	2	-	1	-	1	1	1	1	4	1	-	-
FEMALE--	-	-	-	2	1	-	3	2	2	1	1	-
MONTANA -----	1	1	1	1	3	6	14	16	8	-	-	-
WHITE-----MALE----	1	1	1	-	1	2	8	12	4	-	-	-
FEMALE--	-	-	-	-	2	3	6	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	1	1	4	5	19	16	13	23	11	4	-
WHITE-----MALE----	-	1	1	3	4	14	7	6	11	1	4	-
FEMALE--	1	-	-	1	1	5	9	7	12	10	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	1	-	5	2	13	10	16	21	8	3	1	-
WHITE-----MALE----	1	-	4	1	9	3	11	11	2	1	-	-
FEMALE--	-	-	1	1	2	7	4	9	6	-	1	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	2	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	2	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2437

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Lung diseases due to external agents (J60-J70)												
OHIO -----	741	-	-	2	-	1	-	1	2	4	4	6
WHITE-----MALE----	386	-	-	2	-	-	-	-	1	3	3	5
FEMALE--	294	-	-	-	-	-	-	1	1	-	1	1
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	33	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	26	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	33	-	-	-	-	1	-	-	-	-	-	-
OKLAHOMA -----	253	-	-	-	-	-	2	-	2	-	1	3
WHITE-----MALE----	135	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	109	-	-	-	-	-	1	-	1	-	1	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	150	-	1	-	-	1	-	-	-	-	-	1
WHITE-----MALE----	79	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	67	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,505	-	1	-	-	-	1	1	-	4	8	10
WHITE-----MALE----	778	-	1	-	-	-	1	-	-	2	5	6
FEMALE--	608	-	-	-	-	-	-	1	-	-	2	3
ALL OTHER--MALE----	54	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	65	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	54	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	61	-	-	-	-	-	-	-	-	-	1	1
RHODE ISLAND -----	79	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	42	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	37	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	245	-	-	-	-	1	-	-	1	3	-	5
WHITE-----MALE----	82	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	102	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	32	-	-	-	-	1	-	-	-	1	-	2
FEMALE--	29	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	32	-	-	-	-	1	-	-	-	1	-	2
FEMALE--	29	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2437

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Lung diseases due to external agents (J60-J70)												
OHIO -----	12	8	9	32	63	121	130	173	113	49	11	-
WHITE-----MALE----	6	2	3	17	38	73	70	86	55	19	3	-
FEMALE--	4	5	2	9	16	35	54	81	53	25	6	-
ALL OTHER--MALE----	2	1	1	4	3	6	3	1	3	3	-	-
FEMALE--	-	-	3	2	6	7	3	5	2	2	2	-
BLACK---MALE----	2	1	1	4	3	6	3	1	1	3	-	-
FEMALE--	-	-	3	2	6	7	3	5	2	2	2	-
OKLAHOMA -----	7	10	5	6	21	40	57	51	38	7	3	-
WHITE-----MALE----	4	6	1	4	11	23	35	29	12	6	2	-
FEMALE--	3	3	3	2	10	15	21	20	25	1	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	2	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	-	-	-	-
OREGON -----	2	-	3	9	12	21	28	32	24	14	2	-
WHITE-----MALE----	-	-	2	4	9	11	17	18	12	4	-	-
FEMALE--	2	-	1	4	3	9	10	14	11	10	2	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
PENNSYLVANIA -----	12	19	30	63	133	213	303	359	232	100	16	-
WHITE-----MALE----	3	10	10	43	83	125	169	184	98	36	2	-
FEMALE--	9	5	12	12	34	73	112	159	118	56	12	-
ALL OTHER--MALE----	-	2	4	6	8	10	10	5	4	3	-	-
FEMALE--	-	2	4	2	8	5	12	11	12	5	2	-
BLACK---MALE----	-	2	4	6	8	10	10	5	4	3	-	-
FEMALE--	-	2	4	2	7	5	12	9	11	5	2	-
RHODE ISLAND -----	-	-	3	1	3	15	9	28	15	3	1	-
WHITE-----MALE----	-	-	1	-	1	9	5	18	7	1	-	-
FEMALE--	-	-	2	1	2	6	4	10	8	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	9	7	10	24	29	57	51	28	16	2	-
WHITE-----MALE----	1	4	2	5	8	11	20	17	7	2	1	-
FEMALE--	1	5	3	2	8	11	24	23	14	9	1	-
ALL OTHER--MALE----	-	-	2	3	4	4	7	3	3	2	-	-
FEMALE--	-	-	-	-	4	3	6	8	4	3	-	-
BLACK---MALE----	-	-	2	3	4	4	7	3	3	2	-	-
FEMALE--	-	-	-	-	4	3	6	8	4	3	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2438

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Lung diseases due to external agents (J60-J70)												
SOUTH DAKOTA -----	49	1	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	428	2	1	-	-	-	1	2	1	2	3	3
WHITE-----MALE----	188	1	1	-	-	-	1	1	1	1	3	3
FEMALE--	197	1	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	26	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	1,175	2	-	-	-	1	4	1	4	7	10	20
WHITE-----MALE----	545	1	-	-	-	1	1	1	2	1	5	15
FEMALE--	497	1	-	-	-	-	3	-	2	2	3	3
ALL OTHER--MALE----	66	-	-	-	-	-	-	-	-	3	1	-
FEMALE--	67	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE-----	62	-	-	-	-	-	-	-	-	3	1	-
FEMALE--	65	-	-	-	-	-	-	-	-	1	1	2
UTAH -----	86	1	-	-	-	-	1	-	-	-	1	3
WHITE-----MALE----	47	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	39	1	-	-	-	-	1	-	-	-	-	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	35	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	531	1	2	-	-	-	-	-	3	3	4	5
WHITE-----MALE----	236	1	-	-	-	-	-	-	-	1	1	3
FEMALE--	212	-	2	-	-	-	-	-	2	-	1	1
ALL OTHER--MALE----	46	-	-	-	-	-	-	-	1	1	2	1
FEMALE--	37	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	42	-	-	-	-	-	-	-	1	1	2	1
FEMALE--	35	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2438

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Lung diseases due to external agents (J60-J70)												
SOUTH DAKOTA -----	1	-	-	1	4	4	6	7	11	8	4	-
WHITE-----MALE----	1	-	-	1	3	2	4	4	3	1	-	-
FEMALE--	-	-	-	-	-	2	2	3	8	7	4	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	8	13	17	33	63	84	99	54	32	7	-
WHITE-----MALE----	1	4	7	8	19	30	48	35	21	2	1	-
FEMALE--	1	2	3	8	9	25	31	55	27	28	5	-
ALL OTHER--MALE----	1	1	2	1	4	8	3	5	1	-	-	-
FEMALE--	-	1	1	-	1	-	2	4	5	2	1	-
BLACK---MALE-----	1	1	2	1	4	8	3	5	1	-	-	-
FEMALE--	-	1	1	-	1	-	2	4	5	2	1	-
TEXAS -----	11	25	28	62	102	144	212	264	209	57	12	-
WHITE-----MALE----	5	13	19	37	48	73	111	112	75	23	2	-
FEMALE--	5	7	7	14	34	57	74	135	111	31	8	-
ALL OTHER--MALE----	1	3	-	6	13	7	15	5	10	1	1	-
FEMALE--	-	2	2	5	7	7	12	12	13	2	1	-
BLACK---MALE-----	1	2	-	6	12	7	14	5	9	1	1	-
FEMALE--	-	2	2	5	7	6	11	12	13	2	1	-
UTAH -----	1	1	3	4	6	6	17	24	14	3	1	-
WHITE-----MALE----	1	1	2	2	2	5	12	13	5	2	1	-
FEMALE--	-	-	1	2	4	1	5	11	9	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	2	-	3	4	6	8	7	3	-	-
WHITE-----MALE----	-	1	1	-	-	2	4	3	2	1	-	-
FEMALE--	-	-	1	-	3	2	2	5	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	6	7	14	26	45	82	106	110	77	32	8	-
WHITE-----MALE----	2	3	6	16	22	48	56	46	19	11	1	-
FEMALE--	1	2	1	6	12	22	38	52	49	18	5	-
ALL OTHER--MALE----	2	-	4	3	9	8	7	4	4	-	-	-
FEMALE--	1	2	3	1	2	4	5	8	5	3	2	-
BLACK---MALE-----	2	-	4	1	8	7	7	4	4	-	-	-
FEMALE--	1	2	3	1	2	4	4	8	4	3	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2449

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonitis due to solids and liquids (J69)												
UNITED STATES -	209	257	341	642	1,257	2,258	3,247	3,825	2,779	1,111	239	-
WHITE-----MALE----	99	131	160	329	653	1,139	1,607	1,720	1,028	341	60	-
FEMALE--	67	83	111	201	397	867	1,335	1,812	1,534	685	151	-
ALL OTHER--MALE----	27	22	41	76	137	152	140	119	88	26	5	-
FEMALE--	16	21	29	36	70	100	165	174	129	59	23	-
BLACK---MALE----	27	20	35	67	123	132	114	90	67	21	4	-
FEMALE--	14	19	28	35	65	87	139	146	113	53	17	-
ALABAMA -----	4	7	3	16	20	48	58	60	40	19	4	-
WHITE-----MALE----	-	3	1	8	7	16	21	19	9	1	-	-
FEMALE--	3	3	1	5	6	22	25	27	25	14	3	-
ALL OTHER--MALE----	1	1	1	2	6	6	4	4	2	-	1	-
FEMALE--	-	-	-	1	1	4	8	10	4	4	-	-
BLACK---MALE----	1	1	1	2	6	6	4	4	2	-	1	-
FEMALE--	-	-	-	1	1	4	8	10	4	4	-	-
ALASKA -----	-	-	1	1	3	2	3	2	-	-	1	-
WHITE-----MALE----	-	-	-	-	1	2	-	2	-	-	1	-
FEMALE--	-	-	1	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	6	6	6	26	28	61	46	44	12	4	-
WHITE-----MALE----	4	5	4	2	18	15	33	19	21	3	2	-
FEMALE--	-	-	2	2	8	12	26	22	20	8	2	-
ALL OTHER--MALE----	-	1	-	2	-	1	2	2	3	1	-	-
FEMALE--	-	-	-	-	-	-	-	3	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ARKANSAS -----	5	3	7	14	19	38	42	36	36	9	2	-
WHITE-----MALE----	1	1	4	10	12	10	16	20	8	1	-	-
FEMALE--	2	2	1	3	5	16	21	12	23	8	2	-
ALL OTHER--MALE----	1	-	1	1	1	6	2	2	4	-	-	-
FEMALE--	1	-	1	-	1	6	3	2	1	-	-	-
BLACK---MALE----	1	-	1	1	1	6	2	1	4	-	-	-
FEMALE--	1	-	1	-	1	6	3	2	1	-	-	-
CALIFORNIA -----	12	20	21	27	52	124	208	222	140	56	11	-
WHITE-----MALE----	7	10	6	14	33	65	95	99	47	19	2	-
FEMALE--	3	8	11	11	16	45	93	101	83	33	8	-
ALL OTHER--MALE----	1	2	4	1	2	7	9	11	5	1	-	-
FEMALE--	1	-	-	1	1	7	11	11	5	3	1	-
BLACK---MALE----	1	2	2	1	1	4	4	3	1	-	-	-
FEMALE--	-	-	-	1	1	4	5	6	1	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2450

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonitis due to solids and liquids (J69)												
COLORADO -----	231	-	-	-	-	-	-	-	1	-	-	3
WHITE-----MALE----	131	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	95	-	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	347	-	-	-	-	-	-	-	4	2	-	-
WHITE-----MALE----	161	-	-	-	-	-	-	-	1	2	-	-
FEMALE--	170	-	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	67	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	34	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1,116	-	1	-	-	-	2	3	1	5	8	9
WHITE-----MALE----	549	-	-	-	-	-	1	1	-	2	2	2
FEMALE--	474	-	-	-	-	-	-	-	-	1	5	3
ALL OTHER--MALE----	55	-	-	-	-	-	1	1	1	1	1	3
FEMALE--	38	-	1	-	-	-	-	1	-	1	-	1
BLACK---MALE----	52	-	-	-	-	-	1	1	1	1	1	3
FEMALE--	37	-	1	-	-	-	-	1	-	1	-	1
GEORGIA -----	468	-	-	-	-	-	1	-	1	5	6	1
WHITE-----MALE----	195	-	-	-	-	-	-	-	1	3	5	-
FEMALE--	183	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	45	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	45	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	43	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	43	-	-	-	-	-	1	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2450

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonitis due to solids and liquids (J69)												
COLORADO -----	5	6	3	15	13	36	49	48	36	12	4	-
WHITE-----MALE----	3	4	1	8	9	27	30	26	15	6	1	-
FEMALE--	-	2	2	7	4	9	19	21	21	4	3	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	2	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	7	6	8	14	27	29	70	77	71	27	5	-
WHITE-----MALE----	4	4	2	6	14	16	35	34	30	13	-	-
FEMALE--	1	2	5	6	11	13	33	38	41	13	5	-
ALL OTHER--MALE----	1	-	1	1	2	-	1	4	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	1	-	1	-	-
BLACK---MALE----	1	-	1	1	2	-	1	4	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	1	-	1	-	-
DELAWARE -----	3	2	1	4	5	11	8	18	10	4	-	-
WHITE-----MALE----	-	2	1	1	1	5	4	5	4	-	-	-
FEMALE--	1	-	-	1	1	3	4	10	6	4	-	-
ALL OTHER--MALE----	2	-	-	2	3	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	3	-	-	-	-
BLACK---MALE----	2	-	-	2	3	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	-	-	-
DISTRICT OF COLUMBIA ---	1	2	-	-	3	8	6	7	3	3	-	-
WHITE-----MALE----	-	-	-	-	-	1	3	1	2	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	6	-	2	1	-	-	-
FEMALE--	1	2	-	-	2	1	2	4	-	3	-	-
BLACK---MALE----	-	-	-	-	1	6	-	2	1	-	-	-
FEMALE--	1	2	-	-	2	1	2	4	-	3	-	-
FLORIDA -----	8	12	21	36	88	132	217	300	194	66	13	-
WHITE-----MALE----	4	6	13	17	49	58	123	148	93	26	4	-
FEMALE--	3	4	4	15	27	58	75	142	91	39	7	-
ALL OTHER--MALE----	1	-	3	4	9	10	10	4	5	1	-	-
FEMALE--	-	2	1	-	3	6	9	6	5	-	2	-
BLACK---MALE----	1	-	3	4	8	10	9	4	4	1	-	-
FEMALE--	-	2	1	-	3	6	9	5	5	-	2	-
GEORGIA -----	13	7	15	25	36	69	81	95	81	26	6	-
WHITE-----MALE----	6	5	8	10	15	29	37	37	28	9	2	-
FEMALE--	5	1	3	3	12	25	27	46	42	14	4	-
ALL OTHER--MALE----	-	1	4	6	9	5	8	5	4	1	-	-
FEMALE--	2	-	-	6	-	10	9	7	7	2	-	-
BLACK---MALE----	-	1	3	6	8	5	8	5	4	1	-	-
FEMALE--	2	-	-	5	-	10	9	6	7	2	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2451

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonitis due to solids and liquids (J69)												
HAWAII -----	-	-	1	2	4	18	23	23	21	6	4	-
WHITE-----MALE----	-	-	-	-	1	3	1	4	1	-	-	-
FEMALE--	-	-	-	1	1	2	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	3	9	8	11	11	2	1	-
FEMALE--	-	-	-	1	-	6	10	9	5	3	3	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
IDAHO -----	1	1	-	1	4	6	15	14	13	7	1	-
WHITE-----MALE----	-	1	-	-	1	2	10	10	4	2	-	-
FEMALE--	-	-	-	1	3	4	5	4	9	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	6	9	21	24	70	108	174	188	165	57	16	-
WHITE-----MALE----	2	4	11	13	39	55	87	87	64	12	7	-
FEMALE--	2	4	6	5	17	37	72	82	87	42	7	-
ALL OTHER--MALE----	2	1	4	4	11	7	8	5	3	1	1	-
FEMALE--	-	-	-	2	3	9	7	14	11	2	1	-
BLACK---MALE-----	2	1	3	4	11	6	7	4	3	1	1	-
FEMALE--	-	-	-	2	2	8	7	13	11	2	-	-
INDIANA -----	6	6	7	20	35	69	88	95	84	33	8	-
WHITE-----MALE----	2	3	3	8	19	41	52	44	31	9	2	-
FEMALE--	2	2	4	9	14	26	33	42	50	23	5	-
ALL OTHER--MALE----	1	-	-	3	-	2	3	3	-	-	-	-
FEMALE--	1	1	-	-	2	-	-	6	3	1	1	-
BLACK---MALE-----	1	-	-	3	-	2	3	3	-	-	-	-
FEMALE--	1	1	-	-	2	-	-	6	3	1	1	-
IOWA -----	4	2	4	10	9	35	49	67	46	22	10	-
WHITE-----MALE----	2	2	3	8	5	18	22	40	19	7	1	-
FEMALE--	2	-	1	1	3	16	26	26	26	15	9	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	1	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
KANSAS -----	4	2	4	6	8	28	37	55	24	10	1	-
WHITE-----MALE----	3	2	2	3	3	16	9	30	9	5	1	-
FEMALE--	1	-	1	3	4	10	20	25	14	5	-	-
ALL OTHER--MALE----	-	-	1	-	1	2	4	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	4	-	1	-	-	-
BLACK---MALE-----	-	-	1	-	-	2	4	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2452

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonitis due to solids and liquids (J69)												
KENTUCKY -----	312	1	-	-	-	-	-	-	1	-	6	2
WHITE-----MALE----	139	-	-	-	-	-	-	-	1	-	3	-
FEMALE--	160	-	-	-	-	-	-	-	-	-	3	2
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	1	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	205	-	1	-	1	-	1	-	1	1	1	5
WHITE-----MALE----	61	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	87	-	-	-	-	-	-	-	1	1	1	2
ALL OTHER--MALE----	27	-	1	-	-	-	-	-	-	-	-	2
FEMALE--	30	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	27	-	1	-	-	-	-	-	-	-	-	2
FEMALE--	30	-	-	-	-	-	1	-	-	-	-	-
MAINE -----	81	-	-	-	-	-	-	-	1	-	1	1
WHITE-----MALE----	44	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	37	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	402	-	-	-	1	-	1	-	2	3	4	4
WHITE-----MALE----	142	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	156	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	53	-	-	-	1	-	1	-	1	-	1	2
FEMALE--	51	-	-	-	-	-	-	-	1	2	1	-
BLACK---MALE-----	51	-	-	-	1	-	1	-	1	-	1	2
FEMALE--	48	-	-	-	-	-	-	-	1	2	1	-
MASSACHUSETTS -----	608	-	-	-	-	2	-	1	1	3	1	2
WHITE-----MALE----	282	-	-	-	-	2	-	-	1	1	-	1
FEMALE--	303	-	-	-	-	-	-	1	-	2	1	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	480	-	-	-	-	1	2	1	1	3	5	10
WHITE-----MALE----	230	-	-	-	-	-	-	-	-	1	3	2
FEMALE--	194	-	-	-	-	1	1	1	1	-	1	2
ALL OTHER--MALE----	33	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	23	-	-	-	-	-	1	-	-	1	1	3
BLACK---MALE-----	32	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	23	-	-	-	-	-	1	-	-	1	1	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2452

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonitis due to solids and liquids (J69)												
KENTUCKY -----	3	3	5	7	26	54	64	67	47	20	6	-
WHITE-----MALE----	1	1	2	5	18	30	27	31	14	4	2	-
FEMALE--	2	1	1	2	8	20	35	35	31	16	4	-
ALL OTHER--MALE----	-	1	1	-	-	4	1	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	1	-	-	-
BLACK---MALE-----	-	1	1	-	-	4	1	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	1	-	-	-
LOUISIANA -----	3	1	5	6	24	24	35	40	41	12	3	-
WHITE-----MALE----	2	-	2	1	9	10	13	15	5	1	1	-
FEMALE--	-	-	-	4	7	10	12	17	26	5	1	-
ALL OTHER--MALE----	1	-	2	1	6	1	5	3	3	2	-	-
FEMALE--	-	1	1	-	2	3	5	5	7	4	1	-
BLACK---MALE-----	1	-	2	1	6	1	5	3	3	2	-	-
FEMALE--	-	1	1	-	2	3	5	5	7	4	1	-
MAINE -----	-	2	1	3	12	14	10	12	13	8	3	-
WHITE-----MALE----	-	1	1	2	9	10	7	5	4	2	1	-
FEMALE--	-	1	-	1	3	4	3	7	9	6	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	7	10	22	35	52	82	81	59	31	5	-
WHITE-----MALE----	1	2	2	8	11	17	36	29	19	11	2	-
FEMALE--	-	2	5	3	8	20	27	39	31	20	-	-
ALL OTHER--MALE----	-	2	1	7	10	11	7	6	3	-	-	-
FEMALE--	2	1	2	4	6	4	12	7	6	-	3	-
BLACK---MALE-----	-	2	1	6	9	11	7	6	3	-	-	-
FEMALE--	2	1	2	4	5	4	12	7	5	-	2	-
MASSACHUSETTS -----	4	10	8	21	31	86	116	140	113	58	11	-
WHITE-----MALE----	3	4	5	13	19	55	57	67	34	17	3	-
FEMALE--	-	4	3	6	11	28	56	70	76	38	7	-
ALL OTHER--MALE----	1	-	-	2	1	3	1	1	-	2	1	-
FEMALE--	-	2	-	-	-	-	2	2	3	1	-	-
BLACK---MALE-----	1	-	-	1	1	2	-	1	-	2	1	-
FEMALE--	-	2	-	-	-	-	1	2	3	-	-	-
MICHIGAN -----	9	15	13	21	40	63	93	102	67	30	4	-
WHITE-----MALE----	5	6	5	16	16	30	52	55	28	9	2	-
FEMALE--	3	6	7	1	11	29	32	40	36	20	2	-
ALL OTHER--MALE----	1	3	-	3	10	3	3	5	1	-	-	-
FEMALE--	-	-	1	1	3	1	6	2	2	1	-	-
BLACK---MALE-----	1	3	-	3	10	2	3	5	1	-	-	-
FEMALE--	-	-	1	1	3	1	6	2	2	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2453

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonitis due to solids and liquids (J69)												
MINNESOTA -----	1	6	4	6	14	29	35	46	29	24	1	-
WHITE-----MALE----	1	2	4	3	9	16	19	23	14	7	-	-
FEMALE--	-	3	-	2	5	12	16	23	15	17	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MISSISSIPPI -----	5	4	4	14	21	23	30	37	26	14	2	-
WHITE-----MALE----	-	3	-	7	9	6	11	9	9	3	1	-
FEMALE--	1	1	2	2	7	10	11	19	11	6	1	-
ALL OTHER--MALE----	3	-	-	3	2	7	2	5	1	2	-	-
FEMALE--	1	-	2	2	3	-	6	4	5	3	-	-
BLACK---MALE-----	3	-	-	3	2	7	2	5	1	2	-	-
FEMALE--	1	-	2	2	3	-	6	4	5	3	-	-
MISSOURI -----	6	5	8	16	31	62	91	118	81	26	6	-
WHITE-----MALE----	2	4	4	9	18	35	42	48	25	10	1	-
FEMALE--	2	1	3	5	11	26	45	67	50	14	4	-
ALL OTHER--MALE----	2	-	1	-	1	1	1	1	4	1	-	-
FEMALE--	-	-	-	2	1	-	3	2	2	1	1	-
BLACK---MALE-----	2	-	1	-	1	1	1	1	4	1	-	-
FEMALE--	-	-	-	2	1	-	3	2	2	1	1	-
MONTANA -----	1	1	-	1	3	6	13	15	8	-	-	-
WHITE-----MALE----	1	1	-	-	1	2	7	11	4	-	-	-
FEMALE--	-	-	-	-	2	3	6	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	1	1	4	4	19	16	13	23	11	4	-
WHITE-----MALE----	-	1	1	3	3	14	7	6	11	1	4	-
FEMALE--	1	-	-	1	1	5	9	7	12	10	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	1	-	4	2	13	10	14	21	8	3	1	-
WHITE-----MALE----	1	-	3	1	9	3	9	11	2	1	-	-
FEMALE--	-	-	1	1	2	7	4	9	6	-	1	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	2	-	-
BLACK---MALE-----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	2	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2455

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonitis due to solids and liquids (J69)												
OHIO -----	690	-	-	2	-	1	-	1	2	4	4	6
WHITE-----MALE----	344	-	-	2	-	-	-	-	1	3	3	5
FEMALE--	290	-	-	-	-	-	-	1	1	-	1	1
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	33	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	21	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	33	-	-	-	-	1	-	-	-	-	-	-
OKLAHOMA -----	246	-	-	-	-	-	2	-	2	-	1	3
WHITE-----MALE----	129	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	108	-	-	-	-	-	1	-	1	-	1	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	138	-	1	-	-	1	-	-	-	-	-	1
WHITE-----MALE----	69	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	65	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,271	-	1	-	-	-	1	1	-	4	8	9
WHITE-----MALE----	558	-	1	-	-	-	1	-	-	2	5	6
FEMALE--	602	-	-	-	-	-	-	1	-	-	2	2
ALL OTHER--MALE----	46	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	65	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE-----	46	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	61	-	-	-	-	-	-	-	-	-	1	1
RHODE ISLAND -----	74	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	38	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	229	-	-	-	-	1	-	-	1	2	-	5
WHITE-----MALE----	71	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	100	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	29	-	-	-	-	1	-	-	-	-	-	2
FEMALE--	29	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	29	-	-	-	-	1	-	-	-	-	-	2
FEMALE--	29	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2455

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonitis due to solids and liquids (J69)												
OHIO -----	11	8	7	30	53	110	126	161	106	47	11	-
WHITE-----MALE----	6	2	2	16	29	63	67	76	48	18	3	-
FEMALE--	4	5	1	9	15	34	54	80	53	25	6	-
ALL OTHER--MALE----	1	1	1	3	3	6	2	-	3	2	-	-
FEMALE--	-	-	3	2	6	7	3	5	2	2	2	-
BLACK---MALE----	1	1	1	3	3	6	2	-	1	2	-	-
FEMALE--	-	-	3	2	6	7	3	5	2	2	2	-
OKLAHOMA -----	6	10	5	5	18	40	57	51	36	7	3	-
WHITE-----MALE----	4	6	1	3	8	23	35	29	10	6	2	-
FEMALE--	2	3	3	2	10	15	21	20	25	1	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	2	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	-	-	-	-
OREGON -----	2	-	3	7	10	19	26	30	22	14	2	-
WHITE-----MALE----	-	-	2	2	7	9	15	18	10	4	-	-
FEMALE--	2	-	1	4	3	9	10	12	11	10	2	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
PENNSYLVANIA -----	12	17	28	45	102	172	249	305	207	94	16	-
WHITE-----MALE----	3	8	8	26	55	87	116	134	74	30	2	-
FEMALE--	9	5	12	12	34	71	112	156	118	56	12	-
ALL OTHER--MALE----	-	2	4	5	5	9	9	4	3	3	-	-
FEMALE--	-	2	4	2	8	5	12	11	12	5	2	-
BLACK---MALE----	-	2	4	5	5	9	9	4	3	3	-	-
FEMALE--	-	2	4	2	7	5	12	9	11	5	2	-
RHODE ISLAND -----	-	-	3	1	2	14	9	26	15	3	1	-
WHITE-----MALE----	-	-	1	-	-	8	5	16	7	1	-	-
FEMALE--	-	-	2	1	2	6	4	10	8	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	7	6	7	21	27	54	51	27	16	2	-
WHITE-----MALE----	1	2	1	2	7	9	19	17	6	2	1	-
FEMALE--	1	5	3	2	7	11	23	23	14	9	1	-
ALL OTHER--MALE----	-	-	2	3	3	4	6	3	3	2	-	-
FEMALE--	-	-	-	-	4	3	6	8	4	3	-	-
BLACK---MALE----	-	-	2	3	3	4	6	3	3	2	-	-
FEMALE--	-	-	-	-	4	3	6	8	4	3	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2456

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonitis due to solids and liquids (J69)												
SOUTH DAKOTA -----	47	1	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	398	2	1	-	-	-	1	1	1	2	3	2
WHITE-----MALE----	162	1	1	-	-	-	1	-	1	1	3	2
FEMALE--	195	1	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	24	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	1,127	2	-	-	-	1	4	1	3	7	9	20
WHITE-----MALE----	509	1	-	-	-	1	1	1	1	1	4	15
FEMALE--	491	1	-	-	-	-	3	-	2	2	3	3
ALL OTHER--MALE----	61	-	-	-	-	-	-	-	-	3	1	-
FEMALE--	66	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE-----	57	-	-	-	-	-	-	-	-	3	1	-
FEMALE--	64	-	-	-	-	-	-	-	-	1	1	2
UTAH -----	79	1	-	-	-	-	1	-	-	-	1	2
WHITE-----MALE----	41	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	38	1	-	-	-	-	1	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	35	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	469	1	2	-	-	-	-	-	3	3	4	3
WHITE-----MALE----	178	1	-	-	-	-	-	-	-	1	1	1
FEMALE--	211	-	2	-	-	-	-	-	2	-	1	1
ALL OTHER--MALE----	43	-	-	-	-	-	-	-	1	1	2	1
FEMALE--	37	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	39	-	-	-	-	-	-	-	1	1	2	1
FEMALE--	35	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2456

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonitis due to solids and liquids (J69)												
SOUTH DAKOTA -----	-	-	-	-	4	4	6	7	11	8	4	-
WHITE-----MALE----	-	-	-	-	3	2	4	4	3	1	-	-
FEMALE--	-	-	-	-	-	2	2	3	8	7	4	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	8	13	13	30	57	73	96	54	31	7	-
WHITE-----MALE----	1	4	7	4	16	26	39	32	21	1	1	-
FEMALE--	1	2	3	8	9	24	30	55	27	28	5	-
ALL OTHER--MALE----	1	1	2	1	4	7	2	5	1	-	-	-
FEMALE--	-	1	1	-	1	-	2	4	5	2	1	-
BLACK---MALE----	1	1	2	1	4	7	2	5	1	-	-	-
FEMALE--	-	1	1	-	1	-	2	4	5	2	1	-
TEXAS -----	11	24	27	56	91	137	202	256	207	57	12	-
WHITE-----MALE----	5	13	18	32	42	67	104	104	74	23	2	-
FEMALE--	5	6	7	14	30	57	74	135	110	31	8	-
ALL OTHER--MALE----	1	3	-	5	12	6	13	5	10	1	1	-
FEMALE--	-	2	2	5	7	7	11	12	13	2	1	-
BLACK---MALE----	1	2	-	5	11	6	12	5	9	1	1	-
FEMALE--	-	2	2	5	7	6	10	12	13	2	1	-
UTAH -----	1	1	3	3	5	6	15	23	14	2	1	-
WHITE-----MALE----	1	1	2	1	1	5	10	12	5	1	1	-
FEMALE--	-	-	1	2	4	1	5	11	9	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	2	-	3	4	6	8	7	3	-	-
WHITE-----MALE----	-	1	1	-	-	2	4	3	2	1	-	-
FEMALE--	-	-	1	-	3	2	2	5	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	5	5	10	19	39	72	87	101	75	32	8	-
WHITE-----MALE----	1	2	2	9	17	38	38	38	17	11	1	-
FEMALE--	1	1	1	6	12	22	38	52	49	18	5	-
ALL OTHER--MALE----	2	-	4	3	8	8	6	3	4	-	-	-
FEMALE--	1	2	3	1	2	4	5	8	5	3	2	-
BLACK---MALE----	2	-	4	1	7	7	6	3	4	-	-	-
FEMALE--	1	2	3	1	2	4	4	8	4	3	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2458

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonitis due to food and vomit (J69.0)												
UNITED STATES -	209	256	340	642	1,257	2,257	3,247	3,825	2,778	1,111	239	-
WHITE-----MALE----	99	130	160	329	653	1,139	1,607	1,720	1,027	341	60	-
FEMALE--	67	83	110	201	397	866	1,335	1,812	1,534	685	151	-
ALL OTHER--MALE----	27	22	41	76	137	152	140	119	88	26	5	-
FEMALE--	16	21	29	36	70	100	165	174	129	59	23	-
BLACK---MALE----	27	20	35	67	123	132	114	90	67	21	4	-
FEMALE--	14	19	28	35	65	87	139	146	113	53	17	-
ALABAMA -----	4	7	3	16	20	48	58	60	40	19	4	-
WHITE-----MALE----	-	3	1	8	7	16	21	19	9	1	-	-
FEMALE--	3	3	1	5	6	22	25	27	25	14	3	-
ALL OTHER--MALE----	1	1	1	2	6	6	4	4	2	-	1	-
FEMALE--	-	-	-	1	1	4	8	10	4	4	-	-
BLACK---MALE----	1	1	1	2	6	6	4	4	2	-	1	-
FEMALE--	-	-	-	1	1	4	8	10	4	4	-	-
ALASKA -----	-	-	1	1	3	2	3	2	-	-	1	-
WHITE-----MALE----	-	-	-	-	1	2	-	2	-	-	1	-
FEMALE--	-	-	1	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	6	6	6	26	28	61	46	43	12	4	-
WHITE-----MALE----	4	5	4	2	18	15	33	19	20	3	2	-
FEMALE--	-	-	2	2	8	12	26	22	20	8	2	-
ALL OTHER--MALE----	-	1	-	2	-	1	2	2	3	1	-	-
FEMALE--	-	-	-	-	-	-	-	3	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ARKANSAS -----	5	3	7	14	19	38	42	36	36	9	2	-
WHITE-----MALE----	1	1	4	10	12	10	16	20	8	1	-	-
FEMALE--	2	2	1	3	5	16	21	12	23	8	2	-
ALL OTHER--MALE----	1	-	1	1	1	6	2	2	4	-	-	-
FEMALE--	1	-	1	-	1	6	3	2	1	-	-	-
BLACK---MALE----	1	-	1	1	1	6	2	1	4	-	-	-
FEMALE--	1	-	1	-	1	6	3	2	1	-	-	-
CALIFORNIA -----	12	20	21	27	52	124	208	222	140	56	11	-
WHITE-----MALE----	7	10	6	14	33	65	95	99	47	19	2	-
FEMALE--	3	8	11	11	16	45	93	101	83	33	8	-
ALL OTHER--MALE----	1	2	4	1	2	7	9	11	5	1	-	-
FEMALE--	1	-	-	1	1	7	11	11	5	3	1	-
BLACK---MALE----	1	2	2	1	1	4	4	3	1	-	-	-
FEMALE--	-	-	-	1	1	4	5	6	1	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2459

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonitis due to food and vomit (J69.0)												
COLORADO -----	231	-	-	-	-	-	-	-	1	-	-	3
WHITE-----MALE----	131	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	95	-	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	347	-	-	-	-	-	-	-	4	2	-	-
WHITE-----MALE----	161	-	-	-	-	-	-	-	1	2	-	-
FEMALE--	170	-	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	11	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	67	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	34	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1,116	-	1	-	-	-	2	3	1	5	8	9
WHITE-----MALE----	549	-	-	-	-	-	1	1	-	2	2	2
FEMALE--	474	-	-	-	-	-	-	-	-	1	5	3
ALL OTHER--MALE----	55	-	-	-	-	-	1	1	1	1	1	3
FEMALE--	38	-	1	-	-	-	-	1	-	1	-	1
BLACK---MALE-----	52	-	-	-	-	-	1	1	1	1	1	3
FEMALE--	37	-	1	-	-	-	-	1	-	1	-	1
GEORGIA -----	468	-	-	-	-	-	1	-	1	5	6	1
WHITE-----MALE----	195	-	-	-	-	-	-	-	1	3	5	-
FEMALE--	183	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	45	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	45	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE-----	43	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	43	-	-	-	-	-	1	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2459

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonitis due to food and vomit (J69.0)												
COLORADO -----	5	6	3	15	13	36	49	48	36	12	4	-
WHITE-----MALE----	3	4	1	8	9	27	30	26	15	6	1	-
FEMALE--	-	2	2	7	4	9	19	21	21	4	3	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	2	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	7	6	8	14	27	29	70	77	71	27	5	-
WHITE-----MALE----	4	4	2	6	14	16	35	34	30	13	-	-
FEMALE--	1	2	5	6	11	13	33	38	41	13	5	-
ALL OTHER--MALE----	1	-	1	1	2	-	1	4	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	1	-	1	-	-
BLACK---MALE----	1	-	1	1	2	-	1	4	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	1	-	1	-	-
DELAWARE -----	3	2	1	4	5	11	8	18	10	4	-	-
WHITE-----MALE----	-	2	1	1	1	5	4	5	4	-	-	-
FEMALE--	1	-	-	1	1	3	4	10	6	4	-	-
ALL OTHER--MALE----	2	-	-	2	3	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	3	-	-	-	-
BLACK---MALE----	2	-	-	2	3	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	-	-	-
DISTRICT OF COLUMBIA ---	1	2	-	-	3	8	6	7	3	3	-	-
WHITE-----MALE----	-	-	-	-	-	1	3	1	2	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	6	-	2	1	-	-	-
FEMALE--	1	2	-	-	2	1	2	4	-	3	-	-
BLACK---MALE----	-	-	-	-	1	6	-	2	1	-	-	-
FEMALE--	1	2	-	-	2	1	2	4	-	3	-	-
FLORIDA -----	8	12	21	36	88	132	217	300	194	66	13	-
WHITE-----MALE----	4	6	13	17	49	58	123	148	93	26	4	-
FEMALE--	3	4	4	15	27	58	75	142	91	39	7	-
ALL OTHER--MALE----	1	-	3	4	9	10	10	4	5	1	-	-
FEMALE--	-	2	1	-	3	6	9	6	5	-	2	-
BLACK---MALE----	1	-	3	4	8	10	9	4	4	1	-	-
FEMALE--	-	2	1	-	3	6	9	5	5	-	2	-
GEORGIA -----	13	7	15	25	36	69	81	95	81	26	6	-
WHITE-----MALE----	6	5	8	10	15	29	37	37	28	9	2	-
FEMALE--	5	1	3	3	12	25	27	46	42	14	4	-
ALL OTHER--MALE----	-	1	4	6	9	5	8	5	4	1	-	-
FEMALE--	2	-	-	6	-	10	9	7	7	2	-	-
BLACK---MALE----	-	1	3	6	8	5	8	5	4	1	-	-
FEMALE--	2	-	-	5	-	10	9	6	7	2	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2460

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonitis due to food and vomit (J69.0)												
HAWAII -----	-	-	1	2	4	18	23	23	21	6	4	-
WHITE-----MALE----	-	-	-	-	1	3	1	1	4	1	-	-
FEMALE--	-	-	-	1	1	2	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	3	9	8	11	11	2	1	-
FEMALE--	-	-	-	1	-	6	10	9	5	3	3	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
IDAHO -----	1	1	-	1	4	6	15	14	13	7	1	-
WHITE-----MALE----	-	1	-	-	1	2	10	10	4	2	-	-
FEMALE--	-	-	-	1	3	4	5	4	9	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	6	9	21	24	70	108	174	188	165	57	16	-
WHITE-----MALE----	2	4	11	13	39	55	87	87	64	12	7	-
FEMALE--	2	4	6	5	17	37	72	82	87	42	7	-
ALL OTHER--MALE----	2	1	4	4	11	7	8	5	3	1	1	-
FEMALE--	-	-	-	2	3	9	7	14	11	2	1	-
BLACK---MALE-----	2	1	3	4	11	6	7	4	3	1	1	-
FEMALE--	-	-	-	2	2	8	7	13	11	2	-	-
INDIANA -----	6	6	7	20	35	69	88	95	84	33	8	-
WHITE-----MALE----	2	3	3	8	19	41	52	44	31	9	2	-
FEMALE--	2	2	4	9	14	26	33	42	50	23	5	-
ALL OTHER--MALE----	1	-	-	3	-	2	3	3	-	-	-	-
FEMALE--	1	1	-	-	2	-	-	6	3	1	1	-
BLACK---MALE-----	1	-	-	3	-	2	3	3	-	-	-	-
FEMALE--	1	1	-	-	2	-	-	6	3	1	1	-
IOWA -----	4	2	4	10	9	35	49	67	46	22	10	-
WHITE-----MALE----	2	2	3	8	5	18	22	40	19	7	1	-
FEMALE--	2	-	1	1	3	16	26	26	26	15	9	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	1	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
KANSAS -----	4	2	4	6	8	28	37	55	24	10	1	-
WHITE-----MALE----	3	2	2	3	3	16	9	30	9	5	1	-
FEMALE--	1	-	1	3	4	10	20	25	14	5	-	-
ALL OTHER--MALE----	-	-	1	-	1	2	4	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	4	-	1	-	-	-
BLACK---MALE-----	-	-	1	-	-	2	4	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2461

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonitis due to food and vomit (J69.0)												
KENTUCKY -----	312	1	-	-	-	-	-	-	1	-	6	2
WHITE-----MALE----	139	-	-	-	-	-	-	-	1	-	3	-
FEMALE--	160	-	-	-	-	-	-	-	-	-	3	2
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	1	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	205	-	1	-	1	-	1	-	1	1	1	5
WHITE-----MALE----	61	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	87	-	-	-	-	-	-	-	1	1	1	2
ALL OTHER--MALE----	27	-	1	-	-	-	-	-	-	-	-	2
FEMALE--	30	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	27	-	1	-	-	-	-	-	-	-	-	2
FEMALE--	30	-	-	-	-	-	1	-	-	-	-	-
MAINE -----	81	-	-	-	-	-	-	-	1	-	1	1
WHITE-----MALE----	44	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	37	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	402	-	-	-	1	-	1	-	2	3	4	4
WHITE-----MALE----	142	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	156	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	53	-	-	-	1	-	1	-	1	-	1	2
FEMALE--	51	-	-	-	-	-	-	-	1	2	1	-
BLACK---MALE-----	51	-	-	-	1	-	1	-	1	-	1	2
FEMALE--	48	-	-	-	-	-	-	-	1	2	1	-
MASSACHUSETTS -----	608	-	-	-	-	2	-	1	1	3	1	2
WHITE-----MALE----	282	-	-	-	-	2	-	-	1	1	-	1
FEMALE--	303	-	-	-	-	-	-	1	-	2	1	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	480	-	-	-	-	1	2	1	1	3	5	10
WHITE-----MALE----	230	-	-	-	-	-	-	-	-	1	3	2
FEMALE--	194	-	-	-	-	1	1	1	1	-	1	2
ALL OTHER--MALE----	33	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	23	-	-	-	-	-	1	-	-	1	1	3
BLACK---MALE-----	32	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	23	-	-	-	-	-	1	-	-	1	1	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2461

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonitis due to food and vomit (J69.0)												
KENTUCKY -----	3	3	5	7	26	54	64	67	47	20	6	-
WHITE-----MALE----	1	1	2	5	18	30	27	31	14	4	2	-
FEMALE--	2	1	1	2	8	20	35	35	31	16	4	-
ALL OTHER--MALE----	-	1	1	-	-	4	1	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	1	-	-	-
BLACK---MALE-----	-	1	1	-	-	4	1	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	1	-	-	-
LOUISIANA -----	3	1	5	6	24	24	35	40	41	12	3	-
WHITE-----MALE----	2	-	2	1	9	10	13	15	5	1	1	-
FEMALE--	-	-	-	4	7	10	12	17	26	5	1	-
ALL OTHER--MALE----	1	-	2	1	6	1	5	3	3	2	-	-
FEMALE--	-	1	1	-	2	3	5	5	7	4	1	-
BLACK---MALE-----	1	-	2	1	6	1	5	3	3	2	-	-
FEMALE--	-	1	1	-	2	3	5	5	7	4	1	-
MAINE -----	-	2	1	3	12	14	10	12	13	8	3	-
WHITE-----MALE----	-	1	1	2	9	10	7	5	4	2	1	-
FEMALE--	-	1	-	1	3	4	3	7	9	6	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	7	10	22	35	52	82	81	59	31	5	-
WHITE-----MALE----	1	2	2	8	11	17	36	29	19	11	2	-
FEMALE--	-	2	5	3	8	20	27	39	31	20	-	-
ALL OTHER--MALE----	-	2	1	7	10	11	7	6	3	-	-	-
FEMALE--	2	1	2	4	6	4	12	7	6	-	3	-
BLACK---MALE-----	-	2	1	6	9	11	7	6	3	-	-	-
FEMALE--	2	1	2	4	5	4	12	7	5	-	2	-
MASSACHUSETTS -----	4	10	8	21	31	86	116	140	113	58	11	-
WHITE-----MALE----	3	4	5	13	19	55	57	67	34	17	3	-
FEMALE--	-	4	3	6	11	28	56	70	76	38	7	-
ALL OTHER--MALE----	1	-	-	2	1	3	1	1	-	2	1	-
FEMALE--	-	2	-	-	-	-	2	2	3	1	-	-
BLACK---MALE-----	1	-	-	1	1	2	-	1	-	2	1	-
FEMALE--	-	2	-	-	-	-	1	2	3	-	-	-
MICHIGAN -----	9	15	13	21	40	63	93	102	67	30	4	-
WHITE-----MALE----	5	6	5	16	16	30	52	55	28	9	2	-
FEMALE--	3	6	7	1	11	29	32	40	36	20	2	-
ALL OTHER--MALE----	1	3	-	3	10	3	3	5	1	-	-	-
FEMALE--	-	-	1	1	3	1	6	2	2	1	-	-
BLACK---MALE-----	1	3	-	3	10	2	3	5	1	-	-	-
FEMALE--	-	-	1	1	3	1	6	2	2	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2462

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonitis due to food and vomit (J69.0)												
MINNESOTA -----	1	6	4	6	14	29	35	46	29	24	1	-
WHITE-----MALE----	1	2	4	3	9	16	19	23	14	7	-	-
FEMALE--	-	3	-	2	5	12	16	23	15	17	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MISSISSIPPI -----	5	4	4	14	21	23	30	37	26	14	2	-
WHITE-----MALE----	-	3	-	7	9	6	11	9	9	3	1	-
FEMALE--	1	1	2	2	7	10	11	19	11	6	1	-
ALL OTHER--MALE----	3	-	-	3	2	7	2	5	1	2	-	-
FEMALE--	1	-	2	2	3	-	6	4	5	3	-	-
BLACK---MALE-----	3	-	-	3	2	7	2	5	1	2	-	-
FEMALE--	1	-	2	2	3	-	6	4	5	3	-	-
MISSOURI -----	6	5	8	16	31	61	91	118	81	26	6	-
WHITE-----MALE----	2	4	4	9	18	35	42	48	25	10	1	-
FEMALE--	2	1	3	5	11	25	45	67	50	14	4	-
ALL OTHER--MALE----	2	-	1	-	1	1	1	1	4	1	-	-
FEMALE--	-	-	-	2	1	-	3	2	2	1	1	-
BLACK---MALE-----	2	-	1	-	1	1	1	1	4	1	-	-
FEMALE--	-	-	-	2	1	-	3	2	2	1	1	-
MONTANA -----	1	1	-	1	3	6	13	15	8	-	-	-
WHITE-----MALE----	1	1	-	-	1	2	7	11	4	-	-	-
FEMALE--	-	-	-	-	2	3	6	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	1	1	4	4	19	16	13	23	11	4	-
WHITE-----MALE----	-	1	1	3	3	14	7	6	11	1	4	-
FEMALE--	1	-	-	1	1	5	9	7	12	10	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	1	-	4	2	13	10	14	21	8	3	1	-
WHITE-----MALE----	1	-	3	1	9	3	9	11	2	1	-	-
FEMALE--	-	-	1	1	2	7	4	9	6	-	1	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	2	-	-
BLACK---MALE-----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	2	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2464

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonitis due to food and vomit (J69.0)												
OHIO -----	690	-	-	2	-	1	-	1	2	4	4	6
WHITE-----MALE----	344	-	-	2	-	-	-	-	1	3	3	5
FEMALE--	290	-	-	-	-	-	-	1	1	-	1	1
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	33	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	21	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	33	-	-	-	-	1	-	-	-	-	-	-
OKLAHOMA -----	246	-	-	-	-	-	2	-	2	-	1	3
WHITE-----MALE----	129	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	108	-	-	-	-	-	1	-	1	-	1	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	138	-	1	-	-	1	-	-	-	-	-	1
WHITE-----MALE----	69	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	65	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,271	-	1	-	-	-	1	1	-	4	8	9
WHITE-----MALE----	558	-	1	-	-	-	1	-	-	2	5	6
FEMALE--	602	-	-	-	-	-	-	1	-	-	2	2
ALL OTHER--MALE----	46	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	65	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE-----	46	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	61	-	-	-	-	-	-	-	-	-	1	1
RHODE ISLAND -----	74	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	38	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	229	-	-	-	-	1	-	-	1	2	-	5
WHITE-----MALE----	71	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	100	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	29	-	-	-	-	1	-	-	-	-	-	2
FEMALE--	29	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	29	-	-	-	-	1	-	-	-	-	-	2
FEMALE--	29	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2464

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonitis due to food and vomit (J69.0)												
OHIO -----	11	8	7	30	53	110	126	161	106	47	11	-
WHITE-----MALE----	6	2	2	16	29	63	67	76	48	18	3	-
FEMALE--	4	5	1	9	15	34	54	80	53	25	6	-
ALL OTHER--MALE----	1	1	1	3	3	6	2	-	3	2	-	-
FEMALE--	-	-	3	2	6	7	3	5	2	2	2	-
BLACK---MALE----	1	1	1	3	3	6	2	-	1	2	-	-
FEMALE--	-	-	3	2	6	7	3	5	2	2	2	-
OKLAHOMA -----	6	10	5	5	18	40	57	51	36	7	3	-
WHITE-----MALE----	4	6	1	3	8	23	35	29	10	6	2	-
FEMALE--	2	3	3	2	10	15	21	20	25	1	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	2	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	-	-	-	-
OREGON -----	2	-	3	7	10	19	26	30	22	14	2	-
WHITE-----MALE----	-	-	2	2	7	9	15	18	10	4	-	-
FEMALE--	2	-	1	4	3	9	10	12	11	10	2	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
PENNSYLVANIA -----	12	17	28	45	102	172	249	305	207	94	16	-
WHITE-----MALE----	3	8	8	26	55	87	116	134	74	30	2	-
FEMALE--	9	5	12	12	34	71	112	156	118	56	12	-
ALL OTHER--MALE----	-	2	4	5	5	9	9	4	3	3	-	-
FEMALE--	-	2	4	2	8	5	12	11	12	5	2	-
BLACK---MALE----	-	2	4	5	5	9	9	4	3	3	-	-
FEMALE--	-	2	4	2	7	5	12	9	11	5	2	-
RHODE ISLAND -----	-	-	3	1	2	14	9	26	15	3	1	-
WHITE-----MALE----	-	-	1	-	-	8	5	16	7	1	-	-
FEMALE--	-	-	2	1	2	6	4	10	8	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	7	6	7	21	27	54	51	27	16	2	-
WHITE-----MALE----	1	2	1	2	7	9	19	17	6	2	1	-
FEMALE--	1	5	3	2	7	11	23	23	14	9	1	-
ALL OTHER--MALE----	-	-	2	3	3	4	6	3	3	2	-	-
FEMALE--	-	-	-	-	4	3	6	8	4	3	-	-
BLACK---MALE----	-	-	2	3	3	4	6	3	3	2	-	-
FEMALE--	-	-	-	-	4	3	6	8	4	3	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2465

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonitis due to food and vomit (J69.0)												
SOUTH DAKOTA -----	47	1	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	398	2	1	-	-	-	1	1	1	2	3	2
WHITE-----MALE----	162	1	1	-	-	-	1	-	1	1	3	2
FEMALE--	195	1	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	24	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	1,125	2	-	-	-	1	4	1	3	7	9	20
WHITE-----MALE----	508	1	-	-	-	1	1	1	1	1	4	15
FEMALE--	490	1	-	-	-	-	3	-	2	2	3	3
ALL OTHER--MALE----	61	-	-	-	-	-	-	-	-	3	1	-
FEMALE--	66	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE-----	57	-	-	-	-	-	-	-	-	3	1	-
FEMALE--	64	-	-	-	-	-	-	-	-	1	1	2
UTAH -----	79	1	-	-	-	-	1	-	-	-	1	2
WHITE-----MALE----	41	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	38	1	-	-	-	-	1	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	35	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	469	1	2	-	-	-	-	-	3	3	4	3
WHITE-----MALE----	178	1	-	-	-	-	-	-	-	1	1	1
FEMALE--	211	-	2	-	-	-	-	-	2	-	1	1
ALL OTHER--MALE----	43	-	-	-	-	-	-	-	1	1	2	1
FEMALE--	37	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	39	-	-	-	-	-	-	-	1	1	2	1
FEMALE--	35	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2465

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pneumonitis due to food and vomit (J69.0)												
SOUTH DAKOTA -----	-	-	-	-	4	4	6	7	11	8	4	-
WHITE-----MALE----	-	-	-	-	3	2	4	4	3	1	-	-
FEMALE--	-	-	-	-	-	2	2	3	8	7	4	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	8	13	13	30	57	73	96	54	31	7	-
WHITE-----MALE----	1	4	7	4	16	26	39	32	21	1	1	-
FEMALE--	1	2	3	8	9	24	30	55	27	28	5	-
ALL OTHER--MALE----	1	1	2	1	4	7	2	5	1	-	-	-
FEMALE--	-	1	1	-	1	-	2	4	5	2	1	-
BLACK---MALE----	1	1	2	1	4	7	2	5	1	-	-	-
FEMALE--	-	1	1	-	1	-	2	4	5	2	1	-
TEXAS -----	11	23	26	56	91	137	202	256	207	57	12	-
WHITE-----MALE----	5	12	18	32	42	67	104	104	74	23	2	-
FEMALE--	5	6	6	14	30	57	74	135	110	31	8	-
ALL OTHER--MALE----	1	3	-	5	12	6	13	5	10	1	1	-
FEMALE--	-	2	2	5	7	7	11	12	13	2	1	-
BLACK---MALE----	1	2	-	5	11	6	12	5	9	1	1	-
FEMALE--	-	2	2	5	7	6	10	12	13	2	1	-
UTAH -----	1	1	3	3	5	6	15	23	14	2	1	-
WHITE-----MALE----	1	1	2	1	1	5	10	12	5	1	1	-
FEMALE--	-	-	1	2	4	1	5	11	9	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	2	-	3	4	6	8	7	3	-	-
WHITE-----MALE----	-	1	1	-	-	2	4	3	2	1	-	-
FEMALE--	-	-	1	-	3	2	2	5	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	5	5	10	19	39	72	87	101	75	32	8	-
WHITE-----MALE----	1	2	2	9	17	38	38	38	17	11	1	-
FEMALE--	1	1	1	6	12	22	38	52	49	18	5	-
ALL OTHER--MALE----	2	-	4	3	8	8	6	3	4	-	-	-
FEMALE--	1	2	3	1	2	4	5	8	5	3	2	-
BLACK---MALE----	2	-	4	1	7	7	6	3	4	-	-	-
FEMALE--	1	2	3	1	2	4	4	8	4	3	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2485

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Suppurative and necrotic conditions of lower respiratory tract (J85-J86)												
UNITED STATES -	727	8	5	1	1	-	5	2	13	12	37	36
WHITE-----MALE----	363	2	1	1	-	-	1	1	5	8	14	17
FEMALE--	229	1	1	-	-	-	1	-	3	2	11	8
ALL OTHER--MALE----	84	2	1	-	1	-	1	1	2	1	9	9
FEMALE--	51	3	2	-	-	-	2	-	3	1	3	2
BLACK---MALE-----	76	2	1	-	1	-	1	1	2	1	9	8
FEMALE--	44	3	1	-	-	-	2	-	2	1	2	1
ALABAMA -----	15	-	-	-	-	-	-	-	1	-	1	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	1	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	16	-	-	-	-	-	1	-	2	-	-	2
WHITE-----MALE----	11	-	-	-	-	-	1	-	2	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	11	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	67	-	1	-	-	-	-	1	4	4	3	2
WHITE-----MALE----	37	-	1	-	-	-	-	-	1	2	3	1
FEMALE--	15	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE-----	5	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	1	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2485

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Suppurative and necrotic conditions of lower respiratory tract (J85-J86)												
UNITED STATES -	51	39	51	59	95	108	81	82	32	6	3	-
WHITE-----MALE----	30	24	23	31	49	61	34	44	15	1	1	-
FEMALE--	15	5	18	15	31	37	39	24	13	5	-	-
ALL OTHER--MALE----	5	7	8	11	5	6	5	7	1	-	2	-
FEMALE--	1	3	2	2	10	4	3	7	3	-	-	-
BLACK---MALE-----	5	7	7	10	4	5	3	6	1	-	2	-
FEMALE--	1	3	1	2	9	4	3	6	3	-	-	-
ALABAMA -----	1	5	-	-	1	2	2	1	-	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	2	-	-	-	2	-	1	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	1	-	2	2	3	-	2	-	-	-	-
WHITE-----MALE----	1	1	-	-	1	2	-	2	-	-	-	-
FEMALE--	-	-	-	2	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	3	-	-	2	1	2	1	1	-	-
WHITE-----MALE----	-	-	1	-	-	2	-	1	1	-	-	-
FEMALE--	-	-	2	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
CALIFORNIA -----	2	7	5	3	7	13	6	5	4	-	-	-
WHITE-----MALE----	1	4	3	2	3	8	3	4	1	-	-	-
FEMALE--	1	1	1	-	1	3	3	-	2	-	-	-
ALL OTHER--MALE----	-	1	-	1	1	2	-	1	-	-	-	-
FEMALE--	-	1	1	-	2	-	-	-	1	-	-	-
BLACK---MALE-----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	2	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2486

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Suppurative and necrotic conditions of lower respiratory tract (J85-J86)												
COLORADO -----	-	-	-	-	1	2	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	1	1	-	1	3	1	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	1	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	4	2	5	3	5	2	3	5	1	1	-	-
WHITE-----MALE----	3	2	3	2	2	2	1	3	-	-	-	-
FEMALE--	1	-	2	-	3	-	2	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	3	3	3	2	3	2	5	5	4	-	-	-
WHITE-----MALE----	2	2	-	1	2	2	-	1	1	-	-	-
FEMALE--	-	-	1	1	1	-	4	2	1	-	-	-
ALL OTHER--MALE----	1	1	2	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	-	-	-
BLACK---MALE-----	1	1	2	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2488

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Suppurative and necrotic conditions of lower respiratory tract (J85-J86)												
KENTUCKY -----	1	1	-	-	-	4	1	-	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	4	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	2	2	-	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MAINE -----	-	1	1	1	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	1	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	2	4	1	3	2	2	-	-	-	-
WHITE-----MALE----	-	-	1	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	2	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	2	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	1	-	1	2	9	1	7	2	1	-	1	-
WHITE-----MALE----	-	-	-	1	6	-	4	2	1	-	1	-
FEMALE--	1	-	1	-	2	1	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MICHIGAN -----	3	1	3	-	6	3	2	4	-	-	-	-
WHITE-----MALE----	1	1	1	-	4	2	2	2	-	-	-	-
FEMALE--	1	-	1	-	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2491

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Suppurative and necrotic conditions of lower respiratory tract (J85-J86)												
OHIO -----	3	5	1	4	3	5	5	5	3	-	-	-
WHITE-----MALE----	1	5	-	2	2	3	-	2	2	-	-	-
FEMALE--	2	-	1	-	1	1	4	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	2	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
OKLAHOMA -----	2	1	-	3	1	3	2	1	-	-	-	-
WHITE-----MALE----	2	-	-	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	2	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	2	-	-	1	-	2	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	-	2	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	6	2	2	2	6	10	5	5	1	-	1	-
WHITE-----MALE----	5	1	1	-	4	6	3	2	1	-	-	-
FEMALE--	1	1	1	2	2	3	2	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	1	2	-	3	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	1	3	2	4	1	-	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	3	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2492

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Suppurative and necrotic conditions of lower respiratory tract (J85-J86)												
SOUTH DAKOTA -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	-	3	2	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	5	1	1	5	2	4	8	6	1	-	-	-
WHITE-----MALE----	5	1	1	3	2	1	3	2	-	-	-	-
FEMALE--	-	-	-	2	-	2	3	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-
UTAH -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	1	1	2	2	2	-	3	1	-	-	-
WHITE-----MALE----	-	-	1	1	1	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2494

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pleural effusion and plaque (J90,J92)												
UNITED STATES -	12	17	22	43	68	116	176	173	132	60	12	-
WHITE-----MALE----	7	8	9	17	32	55	71	63	38	18	2	-
FEMALE--	3	7	9	16	28	52	87	96	87	36	7	-
ALL OTHER--MALE----	-	2	1	6	8	5	6	6	4	-	2	-
FEMALE--	2	-	3	4	-	4	12	8	3	6	1	-
BLACK---MALE-----	-	2	-	6	7	5	4	5	3	-	1	-
FEMALE--	2	-	2	3	-	4	11	6	3	6	1	-
ALABAMA -----	-	1	-	-	3	3	3	5	3	-	-	-
WHITE-----MALE----	-	-	-	-	2	-	1	2	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	2	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	2	-	1	2	2	1	-	1	-
WHITE-----MALE----	-	-	-	2	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	1	1	2	1	2	2	-	-
WHITE-----MALE----	-	-	-	-	1	-	2	-	-	1	-	-
FEMALE--	-	-	-	-	-	1	-	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	3	1	2	3	-	3	9	10	7	3	1	-
WHITE-----MALE----	2	-	1	1	-	3	7	2	3	1	-	-
FEMALE--	1	1	1	2	-	-	-	8	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2495

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pleural effusion and plaque (J90,J92)												
COLORADO -----	-	1	-	-	1	1	1	4	3	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	1	3	1	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	1	-	-	1	3	3	4	3	-	-	-
WHITE-----MALE----	1	-	-	-	1	-	2	2	-	-	-	-
FEMALE--	-	1	-	-	-	3	1	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
FLORIDA -----	2	-	2	2	5	8	9	9	13	6	1	-
WHITE-----MALE----	1	-	-	-	1	5	3	3	7	2	-	-
FEMALE--	1	-	2	1	3	3	4	5	6	3	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	2	-	-	1	-	-
BLACK---MALE-----	-	-	-	1	1	-	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	2	-	-	1	-	-
GEORGIA -----	1	-	1	2	3	6	3	6	3	3	-	-
WHITE-----MALE----	1	-	-	1	2	2	1	4	1	-	-	-
FEMALE--	-	-	-	-	1	2	2	1	-	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	2	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	-	1	-	-
BLACK---MALE-----	-	-	-	1	-	1	-	-	2	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2496

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pleural effusion and plaque (J90,J92)												
HAWAII -----	-	-	-	1	-	-	2	2	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	1	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	-	3	-	2	4	4	7	9	11	1	-	-
WHITE-----MALE----	-	2	-	2	1	3	4	3	4	-	-	-
FEMALE--	-	-	-	-	3	1	3	5	6	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
INDIANA -----	-	-	-	2	1	-	6	3	2	1	-	-
WHITE-----MALE----	-	-	-	1	-	-	2	1	-	1	-	-
FEMALE--	-	-	-	1	1	-	3	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
IOWA -----	-	-	-	1	-	-	-	4	3	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	2	-	1	-	-
FEMALE--	-	-	-	1	-	-	-	2	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	-	-	-	1	1	1	-	3	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2497

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pleural effusion and plaque (J90,J92)												
KENTUCKY -----	-	-	-	2	-	2	1	-	2	2	-	-
WHITE-----MALE----	-	-	-	1	-	2	-	-	-	1	-	-
FEMALE--	-	-	-	1	-	-	1	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	1	-	-	1	2	5	1	-	3	-	-
WHITE-----MALE----	-	1	-	-	1	2	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
MAINE -----	-	-	-	-	-	1	1	3	1	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	-	-	-	3	1	3	3	3	2	1	-
WHITE-----MALE----	-	-	-	-	2	-	2	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	2	2	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
MASSACHUSETTS -----	-	-	-	1	3	7	9	9	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	4	6	4	-	-	-	-
FEMALE--	-	-	-	1	1	2	3	5	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MICHIGAN -----	-	-	1	-	7	3	8	6	2	1	-	-
WHITE-----MALE----	-	-	1	-	4	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	6	4	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2500

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pleural effusion and plaque (J90,J92)												
OHIO -----	-	-	1	2	3	11	14	6	6	3	2	-
WHITE-----MALE----	-	-	1	-	1	5	8	4	3	-	-	-
FEMALE--	-	-	-	1	2	5	5	2	3	2	2	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE-----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
OKLAHOMA -----	-	-	-	-	-	1	4	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	4	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	1	1	1	2	1	1	1	-
WHITE-----MALE----	-	-	-	-	1	1	1	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	3	-	5	4	8	12	16	11	6	-	-
WHITE-----MALE----	-	2	-	1	4	3	4	5	-	1	-	-
FEMALE--	-	1	-	2	-	5	8	11	10	4	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	1	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	1	-	-
RHODE ISLAND -----	-	1	-	1	1	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	1	-	-	1	1	2	3	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	-	1	-	-	-	-	2	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2501

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pleural effusion and plaque (J90,J92)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	2	-	5	4	2	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	2	-	1	-	-	-
FEMALE--	-	-	-	-	-	3	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
TEXAS -----	-	1	2	1	4	4	7	5	5	7	1	-
WHITE-----MALE----	-	1	1	-	1	2	2	3	2	2	-	-
FEMALE--	-	-	1	1	3	2	4	2	3	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
UTAH -----	-	-	-	1	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	-	1	1	5	7	6	1	2	2	-
WHITE-----MALE----	-	-	-	1	-	2	2	2	-	-	1	-
FEMALE--	-	-	-	-	1	3	4	3	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2503

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other diseases of respiratory system (J80-J84,J93-J98)												
UNITED STATES -	23,221	244	60	29	33	52	59	78	125	200	312	449
WHITE-----MALE----	9,994	88	25	13	13	15	27	27	44	70	119	163
FEMALE--	10,695	59	19	8	15	19	15	31	44	59	117	156
ALL OTHER--MALE----	1,221	50	9	4	2	10	10	8	17	39	38	67
FEMALE--	1,311	47	7	4	3	8	7	12	20	32	38	63
BLACK---MALE----	969	47	8	4	2	9	8	7	14	36	33	65
FEMALE--	1,100	46	6	3	3	7	7	8	17	27	35	57
ALABAMA -----	524	5	1	1	1	-	-	2	4	5	12	19
WHITE-----MALE----	185	3	-	1	-	-	-	-	-	2	3	4
FEMALE--	245	1	-	-	1	-	-	1	1	-	5	7
ALL OTHER--MALE----	47	1	1	-	-	-	-	1	2	3	1	2
FEMALE--	47	-	-	-	-	-	-	-	1	-	3	6
BLACK---MALE----	47	1	1	-	-	-	-	1	2	3	1	2
FEMALE--	46	-	-	-	-	-	-	-	1	-	3	5
ALASKA -----	17	-	1	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	354	12	2	1	1	-	-	4	2	3	1	7
WHITE-----MALE----	164	5	-	1	-	-	-	-	-	2	-	2
FEMALE--	154	6	2	-	1	-	-	3	1	-	1	2
ALL OTHER--MALE----	17	1	-	-	-	-	-	-	-	1	-	2
FEMALE--	19	-	-	-	-	-	-	1	1	-	-	1
BLACK---MALE----	6	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	293	1	-	-	-	-	2	3	2	-	5	8
WHITE-----MALE----	116	1	-	-	-	-	1	1	2	-	1	4
FEMALE--	149	-	-	-	-	-	-	1	-	-	4	2
ALL OTHER--MALE----	11	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	17	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	16	-	-	-	-	-	1	-	-	-	-	-
CALIFORNIA -----	1,754	21	6	1	6	-	2	8	5	12	28	37
WHITE-----MALE----	791	8	3	-	1	-	2	2	2	5	11	17
FEMALE--	760	7	2	-	4	-	-	5	2	2	11	9
ALL OTHER--MALE----	109	4	-	-	-	-	-	-	1	3	3	4
FEMALE--	94	2	1	1	1	-	-	1	-	2	3	7
BLACK---MALE----	40	4	-	-	-	-	-	-	1	3	2	3
FEMALE--	47	2	-	-	1	-	-	-	-	-	2	6

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2503

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other diseases of respiratory system (J80-J84,J93-J98)												
UNITED STATES -	704	961	1,265	2,029	3,031	4,184	4,070	3,053	1,622	550	108	3
WHITE-----MALE----	287	437	595	963	1,502	2,020	1,774	1,194	484	115	18	1
FEMALE--	261	362	472	805	1,248	1,828	2,001	1,695	1,013	388	80	-
ALL OTHER--MALE----	84	83	101	121	150	170	126	63	47	18	3	1
FEMALE--	72	79	97	140	131	166	169	101	78	29	7	1
BLACK---MALE----	69	71	76	104	106	130	88	40	34	15	2	1
FEMALE--	65	71	80	118	113	125	139	80	64	21	7	1
ALABAMA -----	15	22	35	56	74	71	78	69	36	15	3	-
WHITE-----MALE----	3	7	17	22	34	29	28	25	4	3	-	-
FEMALE--	7	10	15	24	31	33	41	37	22	9	-	-
ALL OTHER--MALE----	3	2	1	7	5	4	3	4	5	1	1	-
FEMALE--	2	3	2	3	4	5	6	3	5	2	2	-
BLACK---MALE----	3	2	1	7	5	4	3	4	5	1	1	-
FEMALE--	2	3	2	3	4	5	6	3	5	2	2	-
ALASKA -----	1	1	2	2	1	2	4	1	1	-	-	-
WHITE-----MALE----	-	1	-	1	-	1	3	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5	17	23	35	46	68	67	42	11	7	-	-
WHITE-----MALE----	1	9	13	20	23	30	33	21	4	-	-	-
FEMALE--	3	5	10	8	18	32	29	20	7	6	-	-
ALL OTHER--MALE----	-	2	-	1	3	4	2	-	-	1	-	-
FEMALE--	1	1	-	6	2	2	3	1	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ARKANSAS -----	13	15	15	23	33	60	45	46	17	4	1	-
WHITE-----MALE----	4	5	4	10	18	31	19	10	4	1	-	-
FEMALE--	7	8	8	8	14	25	24	33	11	3	1	-
ALL OTHER--MALE----	1	-	2	3	-	1	-	-	1	-	-	-
FEMALE--	1	2	1	2	1	3	2	3	1	-	-	-
BLACK---MALE----	1	-	2	3	-	1	-	-	-	-	-	-
FEMALE--	1	2	1	2	1	2	2	3	1	-	-	-
CALIFORNIA -----	51	68	95	145	218	356	324	218	117	31	5	-
WHITE-----MALE----	22	32	49	68	114	170	155	83	41	6	-	-
FEMALE--	19	26	35	58	79	149	142	123	63	20	4	-
ALL OTHER--MALE----	5	5	5	10	17	17	15	8	9	3	-	-
FEMALE--	5	5	6	9	8	20	12	4	4	2	1	-
BLACK---MALE----	2	2	2	5	3	5	4	1	2	1	-	-
FEMALE--	5	3	3	6	5	6	4	1	2	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2504

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other diseases of respiratory system (J80-J84,J93-J98)												
COLORADO -----	282	2	-	1	1	-	-	-	4	5	5	4
WHITE-----MALE----	145	1	-	1	1	-	-	-	3	3	2	2
FEMALE--	129	1	-	-	-	-	-	-	-	1	3	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	7	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	343	-	-	1	-	1	-	-	3	4	2	2
WHITE-----MALE----	156	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	167	-	-	1	-	-	-	-	2	2	-	-
ALL OTHER--MALE----	6	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE-----	5	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	1	-	1	-
DELAWARE -----	74	-	1	-	-	-	-	-	-	1	-	2
WHITE-----MALE----	32	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	39	1	-	-	-	-	-	-	-	1	-	2
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	18	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE-----	11	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	18	-	-	-	-	-	-	-	-	1	-	1
FLORIDA -----	1,462	13	3	-	4	3	2	4	5	7	16	17
WHITE-----MALE----	722	2	2	-	3	-	1	1	2	2	7	5
FEMALE--	644	1	-	-	-	3	1	1	2	3	6	8
ALL OTHER--MALE----	51	5	1	-	1	-	-	2	1	-	2	1
FEMALE--	45	5	-	-	-	-	-	-	-	2	1	3
BLACK---MALE-----	47	5	1	-	1	-	-	2	1	-	2	1
FEMALE--	43	5	-	-	-	-	-	-	-	2	1	3
GEORGIA -----	853	13	-	-	2	2	2	4	7	8	21	30
WHITE-----MALE----	285	1	-	-	2	1	1	2	1	1	6	9
FEMALE--	356	2	-	-	-	-	-	-	2	1	5	8
ALL OTHER--MALE----	106	5	-	-	-	-	1	-	1	3	5	7
FEMALE--	106	5	-	-	-	1	-	2	3	3	5	6
BLACK---MALE-----	105	5	-	-	-	-	1	-	1	3	5	7
FEMALE--	105	5	-	-	-	1	-	2	3	3	5	6

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2504

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other diseases of respiratory system (J80-J84,J93-J98)												
COLORADO -----	9	16	17	26	37	41	51	37	21	5	-	-
WHITE-----MALE----	6	9	10	11	26	21	25	16	8	-	-	-
FEMALE--	3	6	6	15	10	18	26	21	13	5	-	-
ALL OTHER--MALE----	-	1	1	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CONNECTICUT -----	9	13	25	26	36	57	67	45	32	17	3	-
WHITE-----MALE----	5	8	17	11	17	31	36	17	5	4	-	-
FEMALE--	1	2	7	14	19	24	25	28	26	13	3	-
ALL OTHER--MALE----	1	-	-	-	-	1	3	-	-	-	-	-
FEMALE--	2	3	1	1	-	1	3	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	2	2	1	1	-	1	2	-	1	-	-	-
DELAWARE -----	-	3	6	8	15	11	10	11	6	-	-	-
WHITE-----MALE----	-	2	1	5	9	5	3	3	2	-	-	-
FEMALE--	-	-	3	3	6	6	6	7	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	2	-	-	-	-	1	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	2	-	-	-	-	1	2	-	-	-
DISTRICT OF COLUMBIA ---	3	1	1	7	2	6	7	4	3	1	-	-
WHITE-----MALE----	1	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	3	-	1	-	-
ALL OTHER--MALE----	2	1	-	2	1	3	-	-	-	-	-	-
FEMALE--	-	-	1	4	1	2	4	1	3	-	-	-
BLACK---MALE----	2	1	-	2	1	3	-	-	-	-	-	-
FEMALE--	-	-	1	4	1	2	4	1	3	-	-	-
FLORIDA -----	33	55	64	121	215	288	251	201	111	39	9	1
WHITE-----MALE----	18	28	35	68	112	168	124	94	38	9	2	1
FEMALE--	10	21	23	44	89	104	117	105	72	27	7	-
ALL OTHER--MALE----	4	2	2	4	7	11	4	1	-	3	-	-
FEMALE--	1	4	4	5	7	5	6	1	1	-	-	-
BLACK---MALE----	3	2	2	4	5	11	3	1	-	3	-	-
FEMALE--	1	4	4	5	6	4	6	1	1	-	-	-
GEORGIA -----	29	44	61	74	111	131	148	95	50	18	3	-
WHITE-----MALE----	6	16	23	26	37	53	61	23	11	4	1	-
FEMALE--	12	15	17	27	54	56	62	57	28	8	2	-
ALL OTHER--MALE----	9	7	15	11	13	9	13	5	2	-	-	-
FEMALE--	2	6	6	10	7	13	12	10	9	6	-	-
BLACK---MALE----	9	7	15	11	12	9	13	5	2	-	-	-
FEMALE--	2	6	6	10	7	12	12	10	9	6	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2505

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other diseases of respiratory system (J80-J84,J93-J98)												
HAWAII -----	7	3	6	10	10	22	13	16	5	3	1	-
WHITE-----MALE----	2	-	1	4	2	4	1	1	-	-	-	-
FEMALE--	3	2	1	-	-	4	1	2	1	1	-	-
ALL OTHER--MALE----	-	-	3	3	6	7	10	6	1	-	1	-
FEMALE--	2	1	1	3	2	7	1	7	3	2	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	6	-	6	7	7	19	15	23	7	1	-	-
WHITE-----MALE----	3	-	2	6	5	8	7	11	3	1	-	-
FEMALE--	3	-	4	1	2	11	7	12	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ILLINOIS -----	32	31	60	64	139	159	164	118	48	20	3	-
WHITE-----MALE----	7	19	28	27	59	87	68	48	10	4	-	-
FEMALE--	11	9	22	28	69	58	81	68	35	14	3	-
ALL OTHER--MALE----	3	1	7	3	6	4	4	-	3	1	-	-
FEMALE--	11	2	3	6	5	10	11	2	-	1	-	-
BLACK---MALE-----	2	1	6	2	5	4	2	-	3	1	-	-
FEMALE--	11	2	2	6	4	9	11	2	-	1	-	-
INDIANA -----	13	27	30	66	70	100	113	58	37	16	3	-
WHITE-----MALE----	6	13	17	29	34	45	50	26	10	1	-	-
FEMALE--	6	13	10	35	30	50	61	31	26	15	3	-
ALL OTHER--MALE----	1	-	2	2	5	3	-	-	1	-	-	-
FEMALE--	-	1	1	-	1	2	2	1	-	-	-	-
BLACK---MALE-----	1	-	1	2	5	3	-	-	1	-	-	-
FEMALE--	-	1	1	-	1	2	2	1	-	-	-	-
IOWA -----	2	14	9	17	31	54	63	36	26	11	1	-
WHITE-----MALE----	1	6	5	9	18	29	31	23	7	1	-	-
FEMALE--	1	8	3	8	12	25	30	13	19	10	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	-	-	-	-
KANSAS -----	7	9	8	23	32	45	35	47	20	9	3	-
WHITE-----MALE----	4	5	3	9	17	20	16	22	5	4	-	-
FEMALE--	2	3	4	10	15	23	19	23	14	5	3	-
ALL OTHER--MALE----	-	1	1	2	-	2	-	1	-	-	-	-
FEMALE--	1	-	-	2	-	-	-	1	1	-	-	-
BLACK---MALE-----	-	1	1	2	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	1	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2506

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other diseases of respiratory system (J80-J84,J93-J98)												
KENTUCKY -----	394	2	1	2	-	-	-	1	2	2	6	11
WHITE-----MALE----	183	1	1	1	-	-	-	-	-	-	2	5
FEMALE--	187	-	-	1	-	-	-	1	2	2	4	5
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	1	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	433	7	-	1	-	3	3	4	6	6	11	6
WHITE-----MALE----	162	-	-	-	-	-	1	2	1	2	6	1
FEMALE--	176	-	-	-	-	-	-	-	3	-	3	1
ALL OTHER--MALE----	48	3	-	-	-	3	2	-	-	2	2	4
FEMALE--	47	4	-	1	-	-	-	2	2	2	-	-
BLACK---MALE-----	47	3	-	-	-	3	1	-	-	2	2	4
FEMALE--	44	4	-	1	-	-	-	1	2	2	-	-
MAINE -----	133	-	-	-	-	-	1	-	-	-	1	1
WHITE-----MALE----	56	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	76	-	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	364	3	4	1	2	-	-	2	1	6	4	9
WHITE-----MALE----	154	1	2	-	-	-	-	-	-	1	1	3
FEMALE--	131	-	1	-	1	-	-	-	-	1	1	-
ALL OTHER--MALE----	37	1	1	1	1	-	-	1	-	3	-	5
FEMALE--	42	1	-	-	-	-	-	1	1	1	2	1
BLACK---MALE-----	31	1	1	1	1	-	-	1	-	3	-	4
FEMALE--	37	1	-	-	-	-	-	1	-	1	2	1
MASSACHUSETTS -----	947	4	1	-	2	1	1	2	4	5	4	5
WHITE-----MALE----	395	2	-	-	2	-	1	1	3	2	4	2
FEMALE--	513	2	-	-	-	1	-	1	1	3	-	3
ALL OTHER--MALE----	17	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	15	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	797	3	1	1	-	3	5	3	4	5	12	15
WHITE-----MALE----	351	2	-	-	-	2	2	-	-	1	3	4
FEMALE--	365	-	1	1	-	-	2	2	2	4	7	4
ALL OTHER--MALE----	38	-	-	-	-	1	-	-	2	-	-	4
FEMALE--	43	1	-	-	-	-	1	1	-	-	2	3
BLACK---MALE-----	30	-	-	-	-	1	-	-	-	-	-	4
FEMALE--	40	1	-	-	-	-	1	1	-	-	2	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2506

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other diseases of respiratory system (J80-J84,J93-J98)												
KENTUCKY -----	20	24	24	43	46	78	56	40	26	9	1	-
WHITE-----MALE----	11	10	10	27	22	42	23	18	8	2	-	-
FEMALE--	7	14	11	16	22	33	28	21	14	6	-	-
ALL OTHER--MALE----	1	-	2	-	2	3	1	-	1	1	1	-
FEMALE--	1	-	1	-	-	-	4	1	3	-	-	-
BLACK---MALE-----	1	-	2	-	2	3	1	-	1	1	1	-
FEMALE--	1	-	1	-	-	-	4	1	2	-	-	-
LOUISIANA -----	16	27	27	49	70	48	69	45	29	6	-	-
WHITE-----MALE----	4	13	8	21	38	21	21	14	9	-	-	-
FEMALE--	4	7	11	20	23	23	38	25	14	4	-	-
ALL OTHER--MALE----	5	4	4	5	5	2	1	4	2	-	-	-
FEMALE--	3	3	4	3	4	2	9	2	4	2	-	-
BLACK---MALE-----	5	4	4	5	5	2	1	4	2	-	-	-
FEMALE--	3	3	4	3	4	2	8	2	4	1	-	-
MAINE -----	3	3	5	10	20	19	26	23	14	7	-	-
WHITE-----MALE----	-	1	3	5	11	7	13	6	6	4	-	-
FEMALE--	3	2	2	5	9	12	13	17	8	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	12	22	18	36	45	79	57	39	21	3	-	-
WHITE-----MALE----	4	12	7	15	23	44	22	11	7	1	-	-
FEMALE--	2	3	7	13	12	24	27	25	13	1	-	-
ALL OTHER--MALE----	3	3	2	2	4	5	4	1	-	-	-	-
FEMALE--	3	4	2	6	6	6	4	2	1	1	-	-
BLACK---MALE-----	2	3	-	2	4	4	3	1	-	-	-	-
FEMALE--	2	4	2	6	6	5	3	1	1	1	-	-
MASSACHUSETTS -----	17	18	35	70	98	162	196	155	109	46	12	-
WHITE-----MALE----	9	6	17	32	60	77	79	62	27	7	2	-
FEMALE--	7	9	14	33	37	76	110	92	78	37	9	-
ALL OTHER--MALE----	1	2	1	2	1	5	3	-	1	-	-	-
FEMALE--	-	1	3	3	-	4	4	1	3	2	1	-
BLACK---MALE-----	1	2	-	2	1	4	3	-	1	-	-	-
FEMALE--	-	1	-	3	-	4	2	1	2	1	1	-
MICHIGAN -----	28	27	44	81	121	154	130	103	44	12	1	-
WHITE-----MALE----	15	14	16	41	55	80	56	50	9	1	-	-
FEMALE--	7	11	19	30	57	65	63	47	33	9	1	-
ALL OTHER--MALE----	6	-	5	4	4	6	3	2	-	1	-	-
FEMALE--	-	2	4	6	5	3	8	4	2	1	-	-
BLACK---MALE-----	5	-	4	3	4	4	2	2	-	1	-	-
FEMALE--	-	2	3	6	4	3	8	4	1	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2507

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other diseases of respiratory system (J80-J84,J93-J98)												
MINNESOTA -----	7	12	15	24	42	66	66	55	36	14	7	-
WHITE-----MALE----	4	4	10	12	30	35	31	27	15	3	-	-
FEMALE--	3	6	4	11	12	28	35	26	21	10	7	-
ALL OTHER--MALE----	-	2	1	1	-	2	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	9	7	15	28	32	37	39	40	20	7	-	-
WHITE-----MALE----	3	2	7	13	12	13	10	13	8	1	-	-
FEMALE--	3	5	4	8	15	19	17	21	9	2	-	-
ALL OTHER--MALE----	3	-	2	3	2	4	5	3	1	4	-	-
FEMALE--	-	-	2	4	3	1	7	3	2	-	-	-
BLACK---MALE----	3	-	2	3	2	4	5	3	1	4	-	-
FEMALE--	-	-	2	4	3	1	7	3	2	-	-	-
MISSOURI -----	23	20	27	45	67	104	108	67	26	10	1	-
WHITE-----MALE----	9	7	17	21	32	56	58	36	7	1	1	-
FEMALE--	10	7	8	20	25	46	46	27	19	9	-	-
ALL OTHER--MALE----	3	4	1	2	6	1	1	1	-	-	-	-
FEMALE--	1	2	1	2	4	1	3	3	-	-	-	-
BLACK---MALE----	2	4	1	2	6	1	1	1	-	-	-	-
FEMALE--	1	2	1	1	4	1	3	3	-	-	-	-
MONTANA -----	3	1	4	4	11	18	14	15	5	-	-	-
WHITE-----MALE----	1	-	2	3	6	10	7	6	2	-	-	-
FEMALE--	2	-	2	1	5	8	7	9	3	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	7	6	7	14	25	15	29	17	14	9	3	-
WHITE-----MALE----	3	3	4	7	15	11	16	11	5	2	-	-
FEMALE--	3	2	2	7	10	4	12	6	9	7	3	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
NEVADA -----	6	5	3	22	13	17	17	22	4	-	-	-
WHITE-----MALE----	4	3	-	13	4	10	6	14	1	-	-	-
FEMALE--	2	2	2	6	7	4	11	7	2	-	-	-
ALL OTHER--MALE----	-	-	1	2	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	3	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2509

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other diseases of respiratory system (J80-J84,J93-J98)												
OHIO -----	1,052	13	1	-	1	4	6	3	6	6	13	19
WHITE-----MALE----	447	5	-	-	-	1	3	2	3	2	4	13
FEMALE--	496	3	-	-	-	3	2	1	2	2	4	3
ALL OTHER--MALE----	44	1	-	-	-	-	1	-	-	-	2	1
FEMALE--	65	4	1	-	1	-	-	-	1	2	3	2
BLACK---MALE-----	40	1	-	-	-	-	1	-	-	-	2	1
FEMALE--	65	4	1	-	1	-	-	-	1	2	3	2
OKLAHOMA -----	317	1	-	-	-	1	1	2	2	3	1	7
WHITE-----MALE----	139	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	155	-	-	-	-	1	-	-	1	1	1	6
ALL OTHER--MALE----	15	1	-	-	-	-	-	2	1	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	7	1	-	-	-	-	-	1	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
OREGON -----	272	2	1	2	-	-	1	-	3	2	-	5
WHITE-----MALE----	139	1	1	2	-	-	1	-	-	1	-	3
FEMALE--	124	1	-	-	-	-	-	-	2	-	-	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
PENNSYLVANIA -----	1,563	19	2	1	-	2	6	2	4	12	20	23
WHITE-----MALE----	657	7	1	1	-	2	2	-	4	2	5	11
FEMALE--	767	4	-	-	-	-	3	1	-	5	10	8
ALL OTHER--MALE----	65	5	-	-	-	-	-	-	-	4	2	1
FEMALE--	74	3	1	-	-	-	1	1	-	1	3	3
BLACK---MALE-----	62	5	-	-	-	-	-	-	-	3	2	1
FEMALE--	73	3	1	-	-	-	1	1	-	1	3	3
RHODE ISLAND -----	80	2	-	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	38	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	41	2	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	393	6	-	1	-	6	-	2	1	5	7	10
WHITE-----MALE----	143	-	-	1	-	2	-	1	-	-	1	-
FEMALE--	162	1	-	-	-	2	-	1	1	1	2	4
ALL OTHER--MALE----	43	1	-	-	-	1	-	-	-	3	2	3
FEMALE--	45	4	-	-	-	1	-	-	-	1	2	3
BLACK---MALE-----	41	1	-	-	-	-	-	-	-	3	2	3
FEMALE--	45	4	-	-	-	1	-	-	-	1	2	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2509

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other diseases of respiratory system (J80-J84,J93-J98)												
OHIO -----	40	49	55	75	160	182	201	124	69	22	3	-
WHITE-----MALE----	19	18	28	34	73	82	86	43	26	5	-	-
FEMALE--	12	22	21	34	74	79	103	72	39	17	3	-
ALL OTHER--MALE----	2	3	1	4	7	13	6	2	1	-	-	-
FEMALE--	7	6	5	3	6	8	6	7	3	-	-	-
BLACK---MALE----	1	3	1	4	7	13	5	-	1	-	-	-
FEMALE--	7	6	5	3	6	8	6	7	3	-	-	-
OKLAHOMA -----	9	16	22	22	54	63	49	40	19	1	4	-
WHITE-----MALE----	4	8	11	12	29	34	16	16	5	-	2	-
FEMALE--	4	8	8	10	21	26	28	24	13	1	2	-
ALL OTHER--MALE----	1	-	1	-	2	3	3	-	-	-	-	-
FEMALE--	-	-	2	-	2	-	2	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	1	2	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	1	-	-	-
OREGON -----	8	9	13	19	32	52	55	41	20	7	-	-
WHITE-----MALE----	5	6	8	8	22	21	30	18	11	1	-	-
FEMALE--	3	1	4	11	10	29	25	21	9	6	-	-
ALL OTHER--MALE----	-	2	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	2	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
PENNSYLVANIA -----	36	47	70	103	208	294	302	242	120	42	8	-
WHITE-----MALE----	10	19	38	53	104	135	128	86	38	10	1	-
FEMALE--	17	15	21	34	90	137	164	145	78	28	7	-
ALL OTHER--MALE----	5	7	5	8	6	11	3	4	2	2	-	-
FEMALE--	4	6	6	8	8	11	7	7	2	2	-	-
BLACK---MALE----	4	7	5	8	5	11	3	4	2	2	-	-
FEMALE--	4	6	6	8	8	11	7	6	2	2	-	-
RHODE ISLAND -----	2	2	7	6	8	14	17	11	5	4	-	-
WHITE-----MALE----	1	2	2	4	5	8	7	5	1	2	-	-
FEMALE--	1	-	5	2	3	6	10	6	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	16	25	23	41	53	66	59	45	22	3	-	2
WHITE-----MALE----	6	10	11	18	20	24	24	16	9	-	-	-
FEMALE--	5	6	5	15	21	37	26	22	10	3	-	-
ALL OTHER--MALE----	2	5	5	2	7	4	2	4	1	-	-	1
FEMALE--	3	4	2	6	5	1	7	3	2	-	-	1
BLACK---MALE----	2	5	4	2	7	4	2	4	1	-	-	1
FEMALE--	3	4	2	6	5	1	7	3	2	-	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2510

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other diseases of respiratory system (J80-J84,J93-J98)												
SOUTH DAKOTA -----	63	-	1	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	26	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	-	1	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	479	6	2	2	-	2	3	1	1	6	9	24
WHITE-----MALE----	204	4	-	-	-	1	1	1	-	5	5	10
FEMALE--	228	2	2	2	-	1	-	-	-	-	2	11
ALL OTHER--MALE----	21	-	-	-	-	-	1	-	-	1	1	3
FEMALE--	26	-	-	-	-	-	1	-	1	-	1	-
BLACK---MALE-----	21	-	-	-	-	-	1	-	-	1	1	3
FEMALE--	26	-	-	-	-	-	1	-	1	-	1	-
TEXAS -----	1,412	20	5	1	3	5	3	5	12	17	26	34
WHITE-----MALE----	610	11	2	-	1	2	1	3	5	9	14	17
FEMALE--	671	5	1	-	2	2	1	2	3	5	8	10
ALL OTHER--MALE----	63	2	2	-	-	-	1	-	2	1	1	5
FEMALE--	68	2	-	1	-	1	-	-	2	2	3	2
BLACK---MALE-----	53	2	2	-	-	-	1	-	2	1	1	5
FEMALE--	58	2	-	1	-	-	-	-	2	2	2	2
UTAH -----	133	3	-	-	-	-	-	-	2	2	-	5
WHITE-----MALE----	67	2	-	-	-	-	-	-	1	1	-	1
FEMALE--	61	1	-	-	-	-	-	-	1	1	-	4
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	59	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	38	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	666	7	3	-	1	-	1	1	2	7	10	15
WHITE-----MALE----	246	2	-	-	-	-	-	-	-	-	2	5
FEMALE--	300	2	1	-	1	-	-	1	1	3	3	3
ALL OTHER--MALE----	59	2	1	-	-	-	1	-	1	2	3	3
FEMALE--	61	1	1	-	-	-	-	-	-	2	2	4
BLACK---MALE-----	51	2	1	-	-	-	1	-	1	2	3	3
FEMALE--	57	1	1	-	-	-	-	-	-	2	2	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2510

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other diseases of respiratory system (J80-J84,J93-J98)												
SOUTH DAKOTA -----	1	2	6	6	6	10	9	11	7	1	-	-
WHITE-----MALE----	-	1	5	2	3	4	5	2	4	-	-	-
FEMALE--	-	1	-	3	3	3	3	9	3	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	13	24	38	49	62	83	69	56	23	6	-	-
WHITE-----MALE----	4	9	14	23	34	41	25	22	4	1	-	-
FEMALE--	6	13	18	20	24	34	39	32	17	5	-	-
ALL OTHER--MALE----	2	1	2	3	1	1	3	-	2	-	-	-
FEMALE--	1	1	4	3	3	7	2	2	-	-	-	-
BLACK---MALE----	2	1	2	3	1	1	3	-	2	-	-	-
FEMALE--	1	1	4	3	3	7	2	2	-	-	-	-
TEXAS -----	49	81	96	132	187	245	223	146	81	34	7	-
WHITE-----MALE----	19	39	45	59	91	120	93	46	22	8	3	-
FEMALE--	20	34	39	57	82	112	113	92	54	25	4	-
ALL OTHER--MALE----	6	5	8	6	6	8	4	3	3	-	-	-
FEMALE--	4	3	4	10	8	5	13	5	2	1	-	-
BLACK---MALE----	5	5	6	5	4	8	2	2	2	-	-	-
FEMALE--	4	2	3	9	8	5	10	3	2	1	-	-
UTAH -----	2	4	4	9	15	27	27	17	14	2	-	-
WHITE-----MALE----	-	3	1	6	6	17	9	10	9	1	-	-
FEMALE--	1	-	3	3	8	9	17	7	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	1	-	6	12	7	9	12	7	1	-	-
WHITE-----MALE----	1	-	-	2	7	3	-	3	2	1	-	-
FEMALE--	1	1	-	4	5	4	9	9	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	17	24	32	84	82	119	106	87	50	15	3	-
WHITE-----MALE----	7	10	12	29	38	47	47	30	12	4	1	-
FEMALE--	5	6	13	39	29	54	48	50	29	10	2	-
ALL OTHER--MALE----	4	4	2	9	6	9	7	2	3	-	-	-
FEMALE--	1	4	5	7	9	9	4	5	6	1	-	-
BLACK---MALE----	4	2	1	8	6	6	7	1	3	-	-	-
FEMALE--	1	4	5	7	9	8	3	5	5	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2512

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XI. Diseases of the digestive system (K00-K92)												
UNITED STATES -	84,015	499	107	58	65	72	183	275	680	1,815	3,564	5,192
WHITE-----MALE----	35,987	170	35	22	24	30	74	130	328	914	1,933	3,033
FEMALE--	36,875	127	21	15	26	22	54	50	175	487	901	1,126
ALL OTHER--MALE----	5,880	118	35	10	5	12	34	49	96	243	455	643
FEMALE--	5,273	84	16	11	10	8	21	46	81	171	275	390
BLACK---MALE----	4,829	106	26	6	4	10	28	39	67	188	369	544
FEMALE--	4,406	76	12	10	8	7	18	40	63	132	230	333
ALABAMA -----	1,494	16	2	-	4	1	11	2	6	37	58	90
WHITE-----MALE----	585	5	1	-	2	1	2	-	3	17	21	39
FEMALE--	576	2	-	-	1	-	4	-	-	6	20	17
ALL OTHER--MALE----	168	4	1	-	1	-	5	-	1	6	9	22
FEMALE--	165	5	-	-	-	-	-	2	2	8	8	12
BLACK---MALE----	163	4	1	-	1	-	5	-	1	6	9	21
FEMALE--	164	5	-	-	-	-	-	2	2	8	8	11
ALASKA -----	102	-	-	-	1	-	-	2	1	4	3	11
WHITE-----MALE----	40	-	-	-	-	-	-	1	-	-	2	4
FEMALE--	34	-	-	-	1	-	-	-	1	1	1	3
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	18	-	-	-	-	-	-	1	-	2	-	2
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
ARIZONA -----	1,704	11	3	1	3	2	4	5	28	49	84	126
WHITE-----MALE----	779	6	-	1	2	-	3	1	8	26	37	79
FEMALE--	691	2	-	-	1	-	-	2	4	2	19	22
ALL OTHER--MALE----	138	2	1	-	-	2	-	-	12	15	18	15
FEMALE--	96	1	2	-	-	-	1	2	4	6	10	10
BLACK---MALE----	25	2	-	-	-	1	-	-	1	-	2	1
FEMALE--	18	1	-	-	-	-	-	-	1	1	-	3
ARKANSAS -----	931	9	2	1	-	2	3	1	8	16	37	39
WHITE-----MALE----	382	6	1	1	-	2	1	-	3	11	19	17
FEMALE--	414	2	1	-	-	-	1	1	3	3	6	13
ALL OTHER--MALE----	78	1	-	-	-	-	1	-	1	-	8	5
FEMALE--	57	-	-	-	-	-	-	-	1	2	4	4
BLACK---MALE----	77	1	-	-	-	-	1	-	1	-	8	5
FEMALE--	55	-	-	-	-	-	-	-	1	2	4	4
CALIFORNIA -----	8,705	44	11	6	6	3	14	26	92	226	452	654
WHITE-----MALE----	4,067	19	6	1	1	-	7	17	59	137	264	412
FEMALE--	3,560	12	3	1	2	3	5	5	26	61	120	147
ALL OTHER--MALE----	578	7	2	4	-	-	1	3	5	16	47	53
FEMALE--	500	6	-	-	3	-	1	1	2	12	21	42
BLACK---MALE----	284	6	1	-	-	-	1	3	-	9	29	30
FEMALE--	276	4	-	-	2	-	-	1	1	7	14	32

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2512

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XI. Diseases of the digestive system (K00-K92)												
UNITED STATES -	5,576	5,359	5,720	6,572	8,530	10,432	10,629	9,986	6,091	2,179	427	4
WHITE-----MALE----	3,093	2,893	2,966	3,221	3,894	4,401	3,855	3,054	1,465	397	52	3
FEMALE--	1,354	1,513	1,801	2,402	3,661	4,998	5,868	6,134	4,200	1,610	330	-
ALL OTHER--MALE----	752	577	562	504	491	487	352	280	114	51	9	1
FEMALE--	377	376	391	445	484	546	554	518	312	121	36	-
BLACK---MALE----	635	492	470	419	415	384	286	211	87	35	7	1
FEMALE--	318	300	321	362	402	446	447	453	290	106	32	-
ALABAMA -----	110	114	93	126	160	176	176	167	114	28	3	-
WHITE-----MALE----	57	63	49	56	67	66	58	51	21	6	-	-
FEMALE--	26	23	26	41	64	88	85	89	65	18	1	-
ALL OTHER--MALE----	19	18	11	13	16	9	15	12	5	-	1	-
FEMALE--	8	10	7	16	13	13	18	15	23	4	1	-
BLACK---MALE----	18	17	10	12	16	9	15	12	5	-	1	-
FEMALE--	8	10	7	16	13	13	18	15	23	4	1	-
ALASKA -----	11	12	7	12	5	9	8	9	7	-	-	-
WHITE-----MALE----	4	4	5	3	3	5	2	5	2	-	-	-
FEMALE--	4	4	1	3	2	1	4	4	4	-	-	-
ALL OTHER--MALE----	1	2	-	2	-	1	-	-	-	-	-	-
FEMALE--	2	2	1	4	-	2	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
ARIZONA -----	129	124	129	152	157	192	201	171	99	24	10	-
WHITE-----MALE----	78	62	74	73	78	81	87	52	23	7	1	-
FEMALE--	22	43	42	58	66	99	107	109	69	17	7	-
ALL OTHER--MALE----	21	10	8	11	4	6	4	4	4	-	1	-
FEMALE--	8	9	5	10	9	6	3	6	3	-	1	-
BLACK---MALE----	3	2	1	3	2	2	1	2	2	-	-	-
FEMALE--	-	-	-	2	4	1	1	2	2	-	-	-
ARKANSAS -----	69	61	68	72	92	126	109	116	72	26	2	-
WHITE-----MALE----	39	33	29	35	34	48	42	45	16	-	-	-
FEMALE--	20	14	29	28	45	69	51	58	46	22	2	-
ALL OTHER--MALE----	8	9	8	6	8	4	7	9	3	-	-	-
FEMALE--	2	5	2	3	5	5	9	4	7	4	-	-
BLACK---MALE----	8	8	8	6	8	4	7	9	3	-	-	-
FEMALE--	2	4	2	3	5	5	9	4	6	4	-	-
CALIFORNIA -----	734	654	634	704	852	1,030	984	861	524	168	24	2
WHITE-----MALE----	438	382	329	353	396	466	327	263	156	28	4	2
FEMALE--	196	179	219	255	349	455	551	508	328	118	17	-
ALL OTHER--MALE----	62	51	52	47	64	51	45	36	20	11	1	-
FEMALE--	38	42	34	49	43	58	61	54	20	11	2	-
BLACK---MALE----	36	29	30	26	37	13	16	11	3	4	-	-
FEMALE--	24	25	21	30	21	28	19	29	12	4	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2513

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XI. Diseases of the digestive system (K00-K92)												
COLORADO -----	1,227	5	-	1	-	2	5	4	8	41	67	87
WHITE-----MALE----	592	3	-	-	-	1	3	4	5	23	43	62
FEMALE--	579	1	-	1	-	1	2	-	-	15	18	22
ALL OTHER--MALE----	27	1	-	-	-	-	-	-	-	2	5	2
FEMALE--	29	-	-	-	-	-	-	-	3	1	1	1
BLACK---MALE----	18	1	-	-	-	-	-	-	-	2	2	1
FEMALE--	16	-	-	-	-	-	-	-	-	1	-	-
CONNECTICUT -----	1,150	5	2	-	1	-	1	2	11	30	45	64
WHITE-----MALE----	513	3	1	-	-	-	-	1	5	21	26	45
FEMALE--	556	-	-	-	-	-	1	-	5	8	13	13
ALL OTHER--MALE----	41	2	1	-	-	-	-	-	-	1	1	5
FEMALE--	40	-	-	-	1	-	-	1	1	-	5	1
BLACK---MALE----	38	2	1	-	-	-	-	-	-	-	1	5
FEMALE--	39	-	-	-	1	-	-	1	1	-	5	1
DELAWARE -----	279	4	1	-	1	-	-	1	3	2	13	19
WHITE-----MALE----	96	2	-	-	-	-	-	1	1	2	5	7
FEMALE--	126	-	1	-	1	-	-	-	2	-	1	5
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	-	-	5	4
FEMALE--	23	2	-	-	-	-	-	-	-	-	2	3
BLACK---MALE----	33	-	-	-	-	-	-	-	-	-	5	4
FEMALE--	23	2	-	-	-	-	-	-	-	-	2	3
DISTRICT OF COLUMBIA ---	182	1	-	1	-	-	-	1	1	9	8	16
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	19	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	72	-	-	-	-	-	-	1	-	6	4	11
FEMALE--	67	1	-	1	-	-	-	-	1	2	2	4
BLACK---MALE----	71	-	-	-	-	-	-	1	-	6	4	11
FEMALE--	67	1	-	1	-	-	-	-	1	2	2	4
FLORIDA -----	5,361	30	10	1	1	4	5	14	30	110	245	373
WHITE-----MALE----	2,573	11	6	-	-	1	2	5	15	49	139	242
FEMALE--	2,253	3	3	-	1	2	1	1	8	43	72	88
ALL OTHER--MALE----	284	11	-	-	-	1	-	3	4	10	18	26
FEMALE--	251	5	1	1	-	-	2	5	3	8	16	17
BLACK---MALE----	270	11	-	-	-	1	-	3	4	8	17	24
FEMALE--	235	5	1	-	-	-	2	5	3	7	14	16
GEORGIA -----	2,077	27	5	1	-	3	6	6	13	52	95	154
WHITE-----MALE----	776	1	2	-	-	2	1	1	5	21	44	85
FEMALE--	789	3	-	-	-	-	2	-	3	10	24	31
ALL OTHER--MALE----	254	13	2	-	-	1	3	5	4	13	15	16
FEMALE--	258	10	1	1	-	-	-	-	1	8	12	22
BLACK---MALE----	247	13	2	-	-	1	3	5	4	13	14	16
FEMALE--	250	10	1	1	-	-	-	-	1	8	11	21

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2513

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XI. Diseases of the digestive system (K00-K92)												
COLORADO -----	78	65	92	98	104	136	141	135	109	39	10	-
WHITE-----MALE----	48	39	49	53	53	67	51	49	29	10	-	-
FEMALE--	23	23	36	41	49	62	87	84	75	29	10	-
ALL OTHER--MALE----	4	-	4	1	2	3	2	-	1	-	-	-
FEMALE--	3	3	3	3	-	4	1	2	4	-	-	-
BLACK---MALE----	4	-	1	1	1	3	1	-	1	-	-	-
FEMALE--	2	1	2	2	-	1	1	2	4	-	-	-
CONNECTICUT -----	65	49	72	93	104	143	152	174	92	38	7	-
WHITE-----MALE----	37	27	39	47	49	64	64	57	21	6	-	-
FEMALE--	18	19	23	29	49	69	86	114	71	31	7	-
ALL OTHER--MALE----	6	1	4	10	5	3	1	1	-	-	-	-
FEMALE--	4	2	6	7	1	7	1	2	-	1	-	-
BLACK---MALE----	6	1	4	10	4	3	-	1	-	-	-	-
FEMALE--	4	2	5	7	1	7	1	2	-	1	-	-
DELAWARE -----	14	18	13	27	28	28	36	37	21	12	1	-
WHITE-----MALE----	5	9	5	12	8	11	12	11	4	1	-	-
FEMALE--	3	8	4	6	13	11	21	24	15	10	1	-
ALL OTHER--MALE----	6	1	2	7	4	2	2	1	-	-	-	-
FEMALE--	-	-	2	2	3	4	1	1	2	1	-	-
BLACK---MALE----	6	1	2	6	4	2	2	1	-	-	-	-
FEMALE--	-	-	2	2	3	4	1	1	2	1	-	-
DISTRICT OF COLUMBIA ---	10	16	13	12	18	16	20	18	14	7	1	-
WHITE-----MALE----	3	2	2	1	1	1	6	2	1	3	-	-
FEMALE--	1	1	1	1	1	2	3	6	1	-	-	-
ALL OTHER--MALE----	4	9	8	4	8	6	6	2	1	2	-	-
FEMALE--	2	4	2	6	8	7	5	8	11	2	1	-
BLACK---MALE----	4	9	8	4	8	6	6	1	1	2	-	-
FEMALE--	2	4	2	6	8	7	5	8	11	2	1	-
FLORIDA -----	326	371	365	437	580	726	647	609	339	120	17	1
WHITE-----MALE----	186	213	194	250	314	328	259	219	107	32	1	-
FEMALE--	88	113	118	144	217	340	346	346	221	82	16	-
ALL OTHER--MALE----	34	38	28	22	26	25	19	14	3	1	-	1
FEMALE--	18	7	25	21	23	33	23	30	8	5	-	-
BLACK---MALE----	34	38	27	22	24	22	19	12	3	-	-	1
FEMALE--	16	7	24	20	20	31	23	28	8	5	-	-
GEORGIA -----	161	154	160	179	218	242	235	227	110	24	5	-
WHITE-----MALE----	76	67	74	75	84	78	72	69	19	-	-	-
FEMALE--	36	30	44	68	89	108	132	116	69	21	3	-
ALL OTHER--MALE----	31	37	24	18	18	22	10	17	4	1	-	-
FEMALE--	18	20	18	18	27	34	21	25	18	2	2	-
BLACK---MALE----	31	36	23	17	16	22	10	16	4	1	-	-
FEMALE--	17	18	18	18	26	33	20	25	18	2	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2514

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XI. Diseases of the digestive system (K00-K92)												
HAWAII -----	280	2	1	-	-	1	1	-	2	5	11	20
WHITE-----MALE----	45	-	-	-	-	-	-	-	2	1	3	8
FEMALE--	49	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	109	2	1	-	-	-	1	-	-	3	5	6
FEMALE--	77	-	-	-	-	1	-	-	-	1	1	4
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
IDAHO -----	403	2	-	-	-	-	-	1	1	4	13	18
WHITE-----MALE----	172	-	-	-	-	-	-	-	-	2	4	7
FEMALE--	212	2	-	-	-	-	-	1	1	2	5	7
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	7	-	-	-	-	-	-	-	-	-	2	2
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	3,644	38	6	5	8	3	9	15	29	92	185	215
WHITE-----MALE----	1,494	12	1	-	4	-	3	5	17	43	92	123
FEMALE--	1,570	10	1	2	2	2	5	5	5	26	43	40
ALL OTHER--MALE----	315	11	3	1	-	1	1	2	3	15	31	31
FEMALE--	265	5	1	2	2	-	-	3	4	8	19	21
BLACK---MALE----	294	11	2	1	-	1	1	2	3	14	31	30
FEMALE--	248	4	1	2	2	-	-	3	3	8	19	21
INDIANA -----	1,787	9	3	-	2	1	6	9	9	33	76	103
WHITE-----MALE----	760	3	1	-	1	-	2	8	3	17	41	63
FEMALE--	873	5	1	-	1	-	2	-	3	10	26	23
ALL OTHER--MALE----	76	1	1	-	-	1	1	1	2	4	5	10
FEMALE--	78	-	-	-	-	-	1	-	1	2	4	7
BLACK---MALE----	75	1	1	-	-	1	1	1	2	3	5	10
FEMALE--	77	-	-	-	-	-	1	-	1	2	4	7
IOWA -----	938	4	1	-	-	-	2	2	6	11	16	29
WHITE-----MALE----	406	2	-	-	-	-	2	1	3	8	10	16
FEMALE--	512	2	1	-	-	-	-	-	3	3	5	9
ALL OTHER--MALE----	12	-	-	-	-	-	-	1	-	-	1	3
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	843	4	-	-	-	1	1	3	4	13	22	37
WHITE-----MALE----	361	1	-	-	-	1	1	3	3	7	12	24
FEMALE--	433	2	-	-	-	-	-	-	1	5	9	6
ALL OTHER--MALE----	27	1	-	-	-	-	-	-	-	-	-	7
FEMALE--	22	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	23	1	-	-	-	-	-	-	-	-	-	6
FEMALE--	17	-	-	-	-	-	-	-	-	1	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2514

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XI. Diseases of the digestive system (K00-K92)												
HAWAII -----	17	14	16	28	26	49	33	32	14	7	1	-
WHITE-----MALE----	8	3	4	1	3	4	4	2	2	-	-	-
FEMALE--	2	3	2	4	3	11	9	6	3	1	1	-
ALL OTHER--MALE----	4	4	7	15	12	19	5	15	5	5	-	-
FEMALE--	3	4	3	8	8	15	15	9	4	1	-	-
BLACK---MALE-----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	25	19	34	33	38	48	51	56	40	15	5	-
WHITE-----MALE----	16	11	24	12	22	19	23	17	11	4	-	-
FEMALE--	6	7	8	18	15	29	27	39	29	11	5	-
ALL OTHER--MALE----	2	1	2	2	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	234	192	233	249	379	464	482	453	256	81	16	-
WHITE-----MALE----	114	99	118	131	161	199	178	135	48	11	-	-
FEMALE--	57	51	71	72	160	207	260	279	189	67	16	-
ALL OTHER--MALE----	45	26	26	26	29	31	14	13	5	1	-	-
FEMALE--	18	16	18	20	29	27	30	26	14	2	-	-
BLACK---MALE-----	44	24	24	22	27	26	12	13	5	1	-	-
FEMALE--	18	13	16	20	26	26	28	23	13	2	-	-
INDIANA -----	109	108	117	145	199	198	240	204	146	59	11	-
WHITE-----MALE----	50	62	69	72	87	97	78	63	34	8	1	-
FEMALE--	43	35	36	58	95	89	150	131	106	50	9	-
ALL OTHER--MALE----	11	3	9	8	9	6	3	1	-	-	-	-
FEMALE--	5	8	3	7	8	6	9	9	6	1	1	-
BLACK---MALE-----	11	3	9	8	9	6	3	1	-	-	-	-
FEMALE--	5	8	3	7	7	6	9	9	6	1	1	-
IOWA -----	30	35	42	49	88	127	147	173	108	59	9	-
WHITE-----MALE----	18	17	22	26	47	69	62	60	22	20	1	-
FEMALE--	12	14	18	21	39	57	82	113	86	39	8	-
ALL OTHER--MALE----	-	3	1	1	-	1	1	-	-	-	-	-
FEMALE--	-	1	1	1	2	-	2	-	-	-	-	-
BLACK---MALE-----	-	2	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	1	1	1	2	-	2	-	-	-	-	-
KANSAS -----	39	42	41	55	79	118	116	130	94	39	5	-
WHITE-----MALE----	28	23	20	30	39	52	48	48	16	3	2	-
FEMALE--	6	17	17	22	37	58	66	75	75	34	3	-
ALL OTHER--MALE----	4	1	4	1	1	3	2	2	-	1	-	-
FEMALE--	1	1	-	2	2	5	-	5	3	1	-	-
BLACK---MALE-----	3	1	3	1	1	3	1	2	-	1	-	-
FEMALE--	1	-	-	-	2	5	-	4	3	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2515

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XI. Diseases of the digestive system (K00-K92)												
KENTUCKY -----	1,313	2	1	1	-	-	1	12	8	28	55	73
WHITE-----MALE----	580	2	-	1	-	-	1	9	4	17	34	49
FEMALE--	641	-	-	-	-	-	-	2	3	8	14	16
ALL OTHER--MALE----	49	-	1	-	-	-	-	1	1	2	5	7
FEMALE--	43	-	-	-	-	-	-	-	-	1	2	1
BLACK---MALE-----	48	-	1	-	-	-	-	1	1	2	5	7
FEMALE--	42	-	-	-	-	-	-	-	-	-	2	1
LOUISIANA -----	1,290	11	-	2	-	-	3	9	15	26	65	77
WHITE-----MALE----	427	2	-	1	-	-	-	3	5	10	29	31
FEMALE--	471	-	-	-	-	-	1	-	6	7	14	14
ALL OTHER--MALE----	190	3	-	-	-	-	1	2	4	4	14	20
FEMALE--	202	6	-	1	-	-	1	4	-	5	8	12
BLACK---MALE-----	186	3	-	-	-	-	1	1	4	4	14	19
FEMALE--	199	6	-	1	-	-	1	4	-	5	8	11
MAINE -----	456	1	-	-	1	-	2	-	2	6	8	16
WHITE-----MALE----	213	-	-	-	-	-	2	-	2	5	5	14
FEMALE--	239	1	-	-	1	-	-	-	-	1	3	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,489	8	1	1	-	2	1	6	12	41	52	98
WHITE-----MALE----	538	2	-	1	-	1	1	1	4	10	26	37
FEMALE--	579	2	-	-	-	-	-	2	-	8	9	21
ALL OTHER--MALE----	199	3	1	-	-	-	-	2	7	12	8	27
FEMALE--	173	1	-	-	-	1	-	1	1	11	9	13
BLACK---MALE-----	188	3	1	-	-	-	-	2	7	12	8	27
FEMALE--	170	1	-	-	-	1	-	1	1	11	9	13
MASSACHUSETTS -----	2,153	8	2	3	-	-	3	4	11	40	63	117
WHITE-----MALE----	984	1	1	2	-	-	2	1	5	26	37	78
FEMALE--	1,073	4	-	-	-	-	-	2	4	9	20	31
ALL OTHER--MALE----	43	1	1	-	-	-	1	1	2	1	2	3
FEMALE--	53	2	-	1	-	-	-	-	-	4	4	5
BLACK---MALE-----	31	1	1	-	-	-	1	1	1	1	-	3
FEMALE--	39	1	-	1	-	-	-	-	-	4	3	4
MICHIGAN -----	3,204	16	4	2	2	4	4	9	29	68	145	228
WHITE-----MALE----	1,300	3	1	1	-	1	1	3	13	28	71	117
FEMALE--	1,356	5	-	-	1	1	2	2	6	20	35	44
ALL OTHER--MALE----	299	6	2	-	1	1	1	2	2	10	23	41
FEMALE--	249	2	1	1	-	1	-	2	8	10	16	26
BLACK---MALE-----	282	4	1	-	-	1	1	2	2	10	22	37
FEMALE--	231	1	1	1	-	1	-	2	6	10	16	25

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2515

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XI. Diseases of the digestive system (K00-K92)												
KENTUCKY -----	89	72	96	110	134	170	161	168	97	27	8	-
WHITE-----MALE----	58	49	58	60	59	68	46	42	19	3	1	-
FEMALE--	22	19	31	40	67	93	104	119	72	24	7	-
ALL OTHER--MALE----	7	3	4	3	4	6	2	2	1	-	-	-
FEMALE--	2	1	3	7	4	3	9	5	5	-	-	-
BLACK---MALE----	7	3	4	2	4	6	2	2	1	-	-	-
FEMALE--	2	1	3	7	4	3	9	5	5	-	-	-
LOUISIANA -----	115	95	110	110	133	145	144	125	80	20	5	-
WHITE-----MALE----	44	39	45	34	40	54	43	20	24	3	-	-
FEMALE--	26	21	36	38	56	64	66	66	42	10	4	-
ALL OTHER--MALE----	31	22	14	19	15	9	14	12	2	3	1	-
FEMALE--	14	13	15	19	22	18	21	27	12	4	-	-
BLACK---MALE----	31	22	14	18	15	9	14	11	2	3	1	-
FEMALE--	14	13	15	19	22	18	20	26	12	4	-	-
MAINE -----	19	21	18	30	51	81	76	64	42	14	4	-
WHITE-----MALE----	11	16	12	14	30	41	29	20	8	4	-	-
FEMALE--	8	5	6	15	20	40	46	43	34	10	4	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MARYLAND -----	101	105	98	126	151	216	172	166	96	28	8	-
WHITE-----MALE----	51	44	49	47	65	78	49	51	16	3	2	-
FEMALE--	15	28	21	34	55	110	96	85	69	19	5	-
ALL OTHER--MALE----	26	21	17	24	19	12	9	7	1	3	-	-
FEMALE--	9	12	11	21	12	16	18	23	10	3	1	-
BLACK---MALE----	26	19	17	21	18	11	7	5	1	3	-	-
FEMALE--	9	11	11	20	11	16	18	23	10	3	1	-
MASSACHUSETTS -----	116	124	148	149	248	281	303	280	171	64	18	-
WHITE-----MALE----	74	69	89	77	133	137	108	93	38	12	1	-
FEMALE--	31	47	49	65	109	137	185	184	131	49	16	-
ALL OTHER--MALE----	7	3	5	2	6	2	5	-	-	1	-	-
FEMALE--	4	5	5	5	-	5	5	3	2	2	1	-
BLACK---MALE----	5	2	4	2	4	1	4	-	-	-	-	-
FEMALE--	4	5	3	3	-	4	3	2	1	1	-	-
MICHIGAN -----	236	193	206	234	357	390	404	357	225	80	11	-
WHITE-----MALE----	114	93	103	108	137	156	156	117	62	14	1	-
FEMALE--	40	42	61	91	169	198	209	216	144	61	9	-
ALL OTHER--MALE----	51	39	30	19	22	19	15	8	6	-	1	-
FEMALE--	31	19	12	16	29	17	24	16	13	5	-	-
BLACK---MALE----	50	35	28	19	22	18	15	8	6	-	1	-
FEMALE--	28	15	11	14	27	17	22	16	13	5	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2516

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XI. Diseases of the digestive system (K00-K92)												
MINNESOTA -----	77	58	64	103	106	158	146	171	138	50	12	-
WHITE-----MALE----	41	34	34	54	55	67	52	67	32	9	3	-
FEMALE--	28	20	28	43	49	88	92	103	105	41	9	-
ALL OTHER--MALE----	6	2	1	2	-	2	-	1	1	-	-	-
FEMALE--	2	2	1	4	2	1	2	-	-	-	-	-
BLACK---MALE----	2	1	-	2	-	1	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	1	2	-	-	-	-	-
MISSISSIPPI -----	71	65	78	83	98	106	100	94	51	14	3	-
WHITE-----MALE----	40	27	29	31	35	40	31	24	11	2	-	-
FEMALE--	8	17	19	26	32	44	54	49	26	5	2	-
ALL OTHER--MALE----	14	14	13	13	9	8	7	6	4	2	-	-
FEMALE--	9	7	17	13	22	14	8	15	10	5	1	-
BLACK---MALE----	14	13	13	13	8	8	7	6	4	2	-	-
FEMALE--	8	6	16	13	21	14	8	15	10	5	1	-
MISSOURI -----	95	86	98	119	160	207	262	243	167	56	10	-
WHITE-----MALE----	52	56	50	61	73	90	86	62	40	8	5	-
FEMALE--	22	22	35	49	71	102	151	166	115	44	5	-
ALL OTHER--MALE----	16	5	8	6	4	5	7	6	4	1	-	-
FEMALE--	5	3	5	3	12	10	18	9	8	3	-	-
BLACK---MALE----	15	5	8	6	4	5	7	6	4	1	-	-
FEMALE--	5	3	5	3	11	10	18	9	8	3	-	-
MONTANA -----	14	22	32	14	28	37	40	42	31	8	3	-
WHITE-----MALE----	8	9	17	5	13	16	17	22	8	1	-	-
FEMALE--	5	9	4	7	15	20	23	20	23	7	3	-
ALL OTHER--MALE----	-	2	4	1	-	1	-	-	-	-	-	-
FEMALE--	1	2	7	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	21	22	29	43	41	64	87	83	67	27	9	-
WHITE-----MALE----	14	13	18	18	22	33	31	27	15	2	-	-
FEMALE--	6	5	8	19	17	30	52	56	52	24	9	-
ALL OTHER--MALE----	-	2	2	3	1	1	2	-	-	1	-	-
FEMALE--	1	2	1	3	1	-	2	-	-	-	-	-
BLACK---MALE----	-	2	2	2	1	-	2	-	-	1	-	-
FEMALE--	-	1	-	2	1	-	1	-	-	-	-	-
NEVADA -----	64	75	67	55	70	83	61	48	29	8	1	-
WHITE-----MALE----	42	44	41	31	41	38	21	13	7	2	-	-
FEMALE--	17	22	20	18	25	40	37	32	20	6	1	-
ALL OTHER--MALE----	4	5	4	2	-	5	1	1	-	-	-	-
FEMALE--	1	4	2	4	4	-	2	2	2	-	-	-
BLACK---MALE----	1	2	3	-	-	3	1	1	-	-	-	-
FEMALE--	-	2	-	3	1	-	1	2	2	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2518

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XI. Diseases of the digestive system (K00-K92)												
OHIO -----	3,586	19	5	3	1	4	5	10	20	68	143	182
WHITE-----MALE----	1,446	6	4	-	1	3	1	5	3	41	68	115
FEMALE--	1,727	7	-	2	-	-	1	2	12	19	37	36
ALL OTHER--MALE----	208	3	1	1	-	1	2	2	4	5	21	19
FEMALE--	205	3	-	-	-	-	1	1	1	3	17	12
BLACK---MALE-----	204	3	1	1	-	1	1	2	4	5	20	18
FEMALE--	199	3	-	-	-	-	1	1	1	3	17	12
OKLAHOMA -----	1,211	5	1	-	1	-	2	3	7	29	54	78
WHITE-----MALE----	480	3	-	-	1	-	1	-	4	11	27	39
FEMALE--	578	1	-	-	-	-	1	-	1	12	19	24
ALL OTHER--MALE----	84	-	-	-	-	-	-	2	1	5	7	10
FEMALE--	69	1	1	-	-	-	-	1	1	1	1	5
BLACK---MALE-----	31	-	-	-	-	-	-	1	1	1	2	4
FEMALE--	24	1	1	-	-	-	-	-	-	-	-	1
OREGON -----	966	3	-	1	-	-	1	5	3	9	27	51
WHITE-----MALE----	457	1	-	1	-	-	1	3	3	5	13	36
FEMALE--	478	2	-	-	-	-	-	1	-	3	12	14
ALL OTHER--MALE----	12	-	-	-	-	-	-	1	-	1	1	1
FEMALE--	19	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	4	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	4,360	8	5	3	2	4	9	11	34	79	134	211
WHITE-----MALE----	1,817	3	2	2	1	3	4	4	17	42	85	112
FEMALE--	2,106	1	1	1	-	1	3	3	13	25	27	57
ALL OTHER--MALE----	229	3	2	-	1	-	-	3	1	4	17	26
FEMALE--	208	1	-	-	-	-	2	1	3	8	5	16
BLACK---MALE-----	218	2	2	-	1	-	-	3	1	4	16	25
FEMALE--	199	1	-	-	-	-	2	1	3	7	5	15
RHODE ISLAND -----	407	-	-	-	-	-	1	1	-	5	16	20
WHITE-----MALE----	207	-	-	-	-	-	-	1	-	3	12	12
FEMALE--	187	-	-	-	-	-	1	-	-	2	4	6
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	7	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1,493	5	-	-	1	2	4	8	14	32	80	112
WHITE-----MALE----	539	-	-	-	-	1	1	3	6	12	35	51
FEMALE--	544	3	-	-	-	1	1	1	4	9	15	15
ALL OTHER--MALE----	224	2	-	-	-	-	2	2	2	8	20	30
FEMALE--	186	-	-	-	1	-	-	2	2	3	10	16
BLACK---MALE-----	222	2	-	-	-	-	2	2	2	8	20	29
FEMALE--	181	-	-	-	1	-	-	2	2	3	9	16

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2518

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XI. Diseases of the digestive system (K00-K92)												
OHIO -----	216	199	244	296	362	517	486	443	242	109	12	-
WHITE-----MALE----	113	91	130	151	169	203	165	111	49	17	-	-
FEMALE--	51	70	80	115	156	272	294	297	184	85	7	-
ALL OTHER--MALE----	28	18	20	14	23	20	8	15	2	-	1	-
FEMALE--	24	20	14	16	14	22	19	20	7	7	4	-
BLACK---MALE----	28	17	20	14	23	20	8	15	2	-	1	-
FEMALE--	23	19	14	16	14	20	18	20	7	7	3	-
OKLAHOMA -----	72	76	88	90	121	144	154	160	91	30	5	-
WHITE-----MALE----	36	37	32	52	53	55	56	43	21	6	3	-
FEMALE--	19	23	35	30	55	80	86	106	63	22	1	-
ALL OTHER--MALE----	12	9	12	4	5	6	6	3	2	-	-	-
FEMALE--	5	7	9	4	8	3	6	8	5	2	1	-
BLACK---MALE----	4	3	6	2	2	3	1	-	1	-	-	-
FEMALE--	3	2	3	1	2	2	1	2	3	1	1	-
OREGON -----	71	49	61	66	120	115	144	130	71	33	6	-
WHITE-----MALE----	52	26	38	32	59	48	56	50	25	7	1	-
FEMALE--	16	19	20	32	56	63	85	79	46	26	4	-
ALL OTHER--MALE----	1	2	2	-	1	1	-	1	-	-	-	-
FEMALE--	2	2	1	2	4	3	3	-	-	-	1	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	2	-	-	-	-	2	-	-	-	-	-
PENNSYLVANIA -----	247	211	244	293	443	600	655	642	373	121	31	-
WHITE-----MALE----	137	111	126	146	202	237	262	210	85	20	6	-
FEMALE--	66	56	70	114	195	319	357	404	273	96	24	-
ALL OTHER--MALE----	30	28	22	22	24	26	8	8	4	-	-	-
FEMALE--	14	16	26	11	22	18	28	20	11	5	1	-
BLACK---MALE----	30	27	21	22	20	24	8	8	4	-	-	-
FEMALE--	14	16	24	11	22	16	25	20	11	5	1	-
RHODE ISLAND -----	14	28	24	26	42	60	64	50	38	18	-	-
WHITE-----MALE----	12	11	13	13	21	37	36	20	11	5	-	-
FEMALE--	-	16	11	11	19	22	27	30	27	11	-	-
ALL OTHER--MALE----	1	1	-	1	-	1	1	-	-	1	-	-
FEMALE--	1	-	-	1	2	-	-	-	-	1	-	-
BLACK---MALE----	1	1	-	1	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	1	2	-	-	-	-	1	-	-
SOUTH CAROLINA -----	117	122	128	120	140	176	152	162	92	16	10	-
WHITE-----MALE----	44	54	59	53	52	59	49	43	15	2	-	-
FEMALE--	28	30	32	39	52	78	72	90	59	9	6	-
ALL OTHER--MALE----	30	22	21	16	18	22	13	9	4	2	1	-
FEMALE--	15	16	16	12	18	17	18	20	14	3	3	-
BLACK---MALE----	30	22	20	16	18	22	13	9	4	2	1	-
FEMALE--	15	16	15	11	17	17	17	20	14	3	3	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2519

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XI. Diseases of the digestive system (K00-K92)												
SOUTH DAKOTA -----	258	3	1	-	-	-	1	1	5	5	14	16
WHITE-----MALE----	95	-	-	-	-	-	1	-	1	1	4	4
FEMALE--	102	2	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	33	1	-	-	-	-	-	-	3	-	5	9
FEMALE--	28	-	1	-	-	-	-	1	1	4	4	3
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
TENNESSEE -----	1,879	7	3	-	5	2	4	3	14	36	92	118
WHITE-----MALE----	811	1	1	-	1	1	1	1	9	12	57	70
FEMALE--	809	1	-	-	3	1	2	-	3	8	19	23
ALL OTHER--MALE----	134	2	-	-	1	-	-	-	2	11	9	15
FEMALE--	125	3	2	-	-	-	1	2	-	5	7	10
BLACK---MALE-----	130	2	-	-	1	-	-	-	2	11	9	15
FEMALE--	124	3	2	-	-	-	1	2	-	5	7	10
TEXAS -----	5,615	43	7	7	6	7	19	29	57	108	306	439
WHITE-----MALE----	2,654	20	2	2	2	3	8	17	32	62	195	290
FEMALE--	2,353	14	3	3	3	4	6	8	14	31	68	85
ALL OTHER--MALE----	321	1	1	-	1	-	3	2	5	11	29	39
FEMALE--	287	8	1	2	-	-	2	2	6	4	14	25
BLACK---MALE-----	302	1	1	-	1	-	3	2	3	11	28	37
FEMALE--	267	8	1	2	-	-	2	2	5	4	14	24
UTAH -----	475	2	1	-	-	-	-	-	2	7	10	24
WHITE-----MALE----	208	1	-	-	-	-	-	-	-	1	8	15
FEMALE--	256	1	1	-	-	-	-	-	2	6	1	9
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	215	-	-	-	-	-	-	-	1	9	4	11
WHITE-----MALE----	100	-	-	-	-	-	-	-	-	6	3	9
FEMALE--	115	-	-	-	-	-	-	-	1	3	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,930	16	2	2	1	-	2	7	16	41	65	119
WHITE-----MALE----	736	6	-	-	-	-	1	3	7	16	35	62
FEMALE--	799	2	1	1	1	-	1	1	5	13	15	28
ALL OTHER--MALE----	222	6	1	1	-	-	-	-	2	10	11	19
FEMALE--	173	2	-	-	-	-	-	3	2	2	4	10
BLACK---MALE-----	211	5	1	1	-	-	-	-	2	9	11	17
FEMALE--	166	2	-	-	-	-	-	2	2	1	3	10

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2519

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XI. Diseases of the digestive system (K00-K92)												
SOUTH DAKOTA -----	16	11	11	11	20	29	33	34	29	15	3	-
WHITE-----MALE----	4	7	4	5	12	14	11	12	10	5	-	-
FEMALE--	2	1	5	2	5	12	19	21	19	10	3	-
ALL OTHER--MALE----	9	2	1	1	1	-	1	-	-	-	-	-
FEMALE--	1	1	1	3	2	3	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	112	138	151	155	191	236	233	198	133	43	5	-
WHITE-----MALE----	63	70	79	75	88	97	92	45	42	6	-	-
FEMALE--	29	44	48	54	80	119	118	140	79	33	5	-
ALL OTHER--MALE----	13	14	18	14	11	3	10	6	4	1	-	-
FEMALE--	7	10	6	12	12	17	13	7	8	3	-	-
BLACK---MALE----	13	14	15	14	10	3	10	6	4	1	-	-
FEMALE--	7	10	6	11	12	17	13	7	8	3	-	-
TEXAS -----	406	405	413	469	548	619	663	566	342	126	29	1
WHITE-----MALE----	250	253	218	256	248	256	249	184	79	24	3	1
FEMALE--	97	109	141	159	256	304	356	342	239	89	22	-
ALL OTHER--MALE----	38	24	34	34	29	28	20	10	7	5	-	-
FEMALE--	21	19	20	20	15	31	38	30	17	8	4	-
BLACK---MALE----	38	22	31	31	29	25	18	9	7	5	-	-
FEMALE--	20	19	17	18	13	27	33	29	17	8	4	-
UTAH -----	27	29	25	40	45	54	86	58	49	15	1	-
WHITE-----MALE----	16	21	16	16	19	26	31	19	13	6	-	-
FEMALE--	9	7	9	24	23	28	52	39	35	9	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	1	1	-	-	3	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	13	6	8	17	15	31	32	25	27	14	2	-
WHITE-----MALE----	7	4	5	11	11	13	13	7	8	3	-	-
FEMALE--	6	2	3	6	4	18	19	18	19	11	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	130	126	153	159	192	238	238	215	144	50	14	-
WHITE-----MALE----	70	59	75	63	69	96	84	52	28	9	1	-
FEMALE--	29	28	35	69	90	105	112	128	93	31	11	-
ALL OTHER--MALE----	25	25	24	16	15	23	21	12	8	3	-	-
FEMALE--	6	14	19	11	18	14	21	23	15	7	2	-
BLACK---MALE----	25	25	23	16	13	20	21	11	8	3	-	-
FEMALE--	6	14	18	11	18	12	20	23	15	7	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2527

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX		50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of oral cavity, salivary glands and jaws (K00-K14)													
OHIO	-----	-	-	-	-	-	-	-	-	1	-	-	-
	WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
	BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA	-----	1	-	-	-	-	2	-	2	-	-	-	-
	WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	1	-	-	-	-	2	-	2	-	-	-	-
	ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
	BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON	-----	-	-	-	-	-	-	1	3	1	-	-	-
	WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	3	1	-	-	-
	ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
	BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA	-----	-	-	-	-	-	-	2	1	-	1	-	-
	WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
	ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
	BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
RHODE ISLAND	-----	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
	BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA	-----	-	-	-	1	1	-	1	-	-	-	-	-
	WHITE-----MALE----	-	-	-	1	1	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
	ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
	BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2530

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of other parts of digestive system (K20-K92)												
UNITED STATES -	84,298	496	109	59	79	98	230	321	724	1,868	3,604	5,236
WHITE-----MALE----	36,287	170	36	23	32	52	117	167	369	967	1,971	3,070
FEMALE--	36,833	125	21	15	29	24	56	52	176	487	901	1,127
ALL OTHER--MALE----	5,912	118	36	10	7	14	36	55	98	244	457	649
FEMALE--	5,266	83	16	11	11	8	21	47	81	170	275	390
BLACK---MALE----	4,855	106	27	6	6	10	30	44	69	189	371	550
FEMALE--	4,401	75	12	10	9	7	18	41	63	131	230	333
ALABAMA -----	1,503	16	2	-	6	1	12	2	7	39	58	92
WHITE-----MALE----	594	5	1	-	4	1	3	-	4	19	21	41
FEMALE--	576	2	-	-	1	-	4	-	-	6	20	17
ALL OTHER--MALE----	168	4	1	-	1	-	5	-	1	6	9	22
FEMALE--	165	5	-	-	-	-	-	2	2	8	8	12
BLACK---MALE----	163	4	1	-	1	-	5	-	1	6	9	21
FEMALE--	164	5	-	-	-	-	-	2	2	8	8	11
ALASKA -----	105	-	-	-	1	-	-	2	1	6	4	11
WHITE-----MALE----	43	-	-	-	-	-	-	1	-	2	3	4
FEMALE--	34	-	-	-	1	-	-	-	1	1	1	3
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	18	-	-	-	-	-	-	1	-	2	-	2
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
ARIZONA -----	1,709	11	3	1	4	2	4	6	29	51	84	127
WHITE-----MALE----	784	6	-	1	3	-	3	2	9	28	37	80
FEMALE--	691	2	-	-	1	-	-	2	4	2	19	22
ALL OTHER--MALE----	138	2	1	-	-	2	-	-	12	15	18	15
FEMALE--	96	1	2	-	-	-	1	2	4	6	10	10
BLACK---MALE----	25	2	-	-	-	1	-	-	1	-	2	1
FEMALE--	18	1	-	-	-	-	-	-	1	1	-	3
ARKANSAS -----	936	9	2	1	-	3	3	1	8	17	39	39
WHITE-----MALE----	384	6	1	1	-	2	1	-	3	12	20	17
FEMALE--	415	2	1	-	-	1	1	1	3	3	6	13
ALL OTHER--MALE----	80	1	-	-	-	-	1	-	1	-	9	5
FEMALE--	57	-	-	-	-	-	-	-	1	2	4	4
BLACK---MALE----	79	1	-	-	-	-	1	-	1	-	9	5
FEMALE--	55	-	-	-	-	-	-	-	1	2	4	4
CALIFORNIA -----	8,723	44	11	6	8	6	16	32	96	230	454	656
WHITE-----MALE----	4,093	19	6	1	1	2	9	23	63	141	266	414
FEMALE--	3,551	12	3	1	3	3	5	5	26	61	120	147
ALL OTHER--MALE----	579	7	2	4	-	1	1	3	5	16	47	53
FEMALE--	500	6	-	-	4	-	1	1	2	12	21	42
BLACK---MALE----	284	6	1	-	-	-	1	3	-	9	29	30
FEMALE--	276	4	-	-	3	-	-	1	1	7	14	32

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2530

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of other parts of digestive system (K20-K92)												
UNITED STATES -	5,594	5,377	5,733	6,572	8,525	10,424	10,611	9,958	6,077	2,173	426	4
WHITE-----MALE----	3,110	2,910	2,974	3,221	3,892	4,398	3,851	3,044	1,462	396	52	3
FEMALE--	1,352	1,513	1,802	2,402	3,659	4,993	5,857	6,117	4,189	1,607	329	-
ALL OTHER--MALE----	755	578	566	505	490	487	352	280	114	51	9	1
FEMALE--	377	376	391	444	484	546	551	517	312	119	36	-
BLACK---MALE----	637	492	473	420	414	384	286	211	87	35	7	1
FEMALE--	318	300	321	361	402	446	444	453	290	105	32	-
ALABAMA -----	110	114	94	127	160	176	175	167	114	28	3	-
WHITE-----MALE----	57	63	50	57	67	66	57	51	21	6	-	-
FEMALE--	26	23	26	41	64	88	85	89	65	18	1	-
ALL OTHER--MALE----	19	18	11	13	16	9	15	12	5	-	1	-
FEMALE--	8	10	7	16	13	13	18	15	23	4	1	-
BLACK---MALE----	18	17	10	12	16	9	15	12	5	-	1	-
FEMALE--	8	10	7	16	13	13	18	15	23	4	1	-
ALASKA -----	11	12	7	12	5	9	8	9	7	-	-	-
WHITE-----MALE----	4	4	5	3	3	5	2	5	2	-	-	-
FEMALE--	4	4	1	3	2	1	4	4	4	-	-	-
ALL OTHER--MALE----	1	2	-	2	-	1	-	-	-	-	-	-
FEMALE--	2	2	1	4	-	2	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
ARIZONA -----	129	124	129	152	157	192	201	171	99	23	10	-
WHITE-----MALE----	78	62	74	73	78	81	87	52	23	6	1	-
FEMALE--	22	43	42	58	66	99	107	109	69	17	7	-
ALL OTHER--MALE----	21	10	8	11	4	6	4	4	4	-	1	-
FEMALE--	8	9	5	10	9	6	3	6	3	-	1	-
BLACK---MALE----	3	2	1	3	2	2	1	2	2	-	-	-
FEMALE--	-	-	-	2	4	1	1	2	2	-	-	-
ARKANSAS -----	69	61	69	72	92	126	109	116	72	26	2	-
WHITE-----MALE----	39	33	29	35	34	48	42	45	16	-	-	-
FEMALE--	20	14	29	28	45	69	51	58	46	22	2	-
ALL OTHER--MALE----	8	9	9	6	8	4	7	9	3	-	-	-
FEMALE--	2	5	2	3	5	5	9	4	7	4	-	-
BLACK---MALE----	8	8	9	6	8	4	7	9	3	-	-	-
FEMALE--	2	4	2	3	5	5	9	4	6	4	-	-
CALIFORNIA -----	736	655	635	703	851	1,028	983	858	522	167	24	2
WHITE-----MALE----	441	383	330	353	396	466	327	262	156	28	4	2
FEMALE--	195	179	219	255	348	453	550	506	326	117	17	-
ALL OTHER--MALE----	62	51	52	47	64	51	45	36	20	11	1	-
FEMALE--	38	42	34	48	43	58	61	54	20	11	2	-
BLACK---MALE----	36	29	30	26	37	13	16	11	3	4	-	-
FEMALE--	24	25	21	29	21	28	19	29	12	4	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2531

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of other parts of digestive system (K20-K92)												
COLORADO -----	1,229	5	-	1	-	2	6	4	10	41	67	88
WHITE-----MALE----	596	3	-	-	-	1	4	4	7	23	43	63
FEMALE--	577	1	-	1	-	1	2	-	-	15	18	22
ALL OTHER--MALE----	27	1	-	-	-	-	-	-	-	2	5	2
FEMALE--	29	-	-	-	-	-	-	-	3	1	1	1
BLACK---MALE-----	18	1	-	-	-	-	-	-	-	2	2	1
FEMALE--	16	-	-	-	-	-	-	-	-	1	-	-
CONNECTICUT -----	1,154	5	2	-	1	1	2	2	12	30	45	65
WHITE-----MALE----	517	3	1	-	-	1	1	1	6	21	26	46
FEMALE--	556	-	-	-	-	-	1	-	5	8	13	13
ALL OTHER--MALE----	41	2	1	-	-	-	-	-	-	1	1	5
FEMALE--	40	-	-	-	1	-	-	1	1	-	5	1
BLACK---MALE-----	38	2	1	-	-	-	-	-	-	-	1	5
FEMALE--	39	-	-	-	1	-	-	1	1	-	5	1
DELAWARE -----	279	4	1	-	1	-	-	1	3	2	13	19
WHITE-----MALE----	96	2	-	-	-	-	-	1	1	2	5	7
FEMALE--	126	-	1	-	1	-	-	-	2	-	1	5
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	-	-	5	4
FEMALE--	23	2	-	-	-	-	-	-	-	-	2	3
BLACK---MALE-----	33	-	-	-	-	-	-	-	-	-	5	4
FEMALE--	23	2	-	-	-	-	-	-	-	-	2	3
DISTRICT OF COLUMBIA ---	182	1	-	1	-	-	-	1	1	9	8	16
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	19	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	72	-	-	-	-	-	-	1	-	6	4	11
FEMALE--	67	1	-	1	-	-	-	-	1	2	2	4
BLACK---MALE-----	71	-	-	-	-	-	-	1	-	6	4	11
FEMALE--	67	1	-	1	-	-	-	-	1	2	2	4
FLORIDA -----	5,378	29	10	1	2	7	6	15	34	116	247	374
WHITE-----MALE----	2,594	11	6	-	1	4	3	6	19	55	141	243
FEMALE--	2,250	3	3	-	1	2	1	1	8	43	72	88
ALL OTHER--MALE----	284	11	-	-	-	1	-	3	4	10	18	26
FEMALE--	250	4	1	1	-	-	2	5	3	8	16	17
BLACK---MALE-----	270	11	-	-	-	1	-	3	4	8	17	24
FEMALE--	234	4	1	-	-	-	2	5	3	7	14	16
GEORGIA -----	2,091	27	5	1	1	3	9	11	12	55	96	157
WHITE-----MALE----	791	1	2	-	-	2	4	4	5	24	45	88
FEMALE--	787	3	-	-	1	-	2	-	3	10	24	31
ALL OTHER--MALE----	255	13	2	-	-	1	3	7	3	13	15	16
FEMALE--	258	10	1	1	-	-	-	-	1	8	12	22
BLACK---MALE-----	248	13	2	-	-	1	3	7	3	13	14	16
FEMALE--	250	10	1	1	-	-	-	-	1	8	11	21

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2531

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of other parts of digestive system (K20-K92)												
COLORADO -----	78	66	92	98	104	135	141	134	109	39	9	-
WHITE-----MALE----	48	40	49	53	53	66	51	49	29	10	-	-
FEMALE--	23	23	36	41	49	62	87	83	75	29	9	-
ALL OTHER--MALE----	4	-	4	1	2	3	2	-	1	-	-	-
FEMALE--	3	3	3	3	-	4	1	2	4	-	-	-
BLACK---MALE----	4	-	1	1	1	3	1	-	1	-	-	-
FEMALE--	2	1	2	2	-	1	1	2	4	-	-	-
CONNECTICUT -----	65	49	72	93	104	143	152	174	92	38	7	-
WHITE-----MALE----	37	27	39	47	49	64	64	57	21	6	-	-
FEMALE--	18	19	23	29	49	69	86	114	71	31	7	-
ALL OTHER--MALE----	6	1	4	10	5	3	1	1	-	-	-	-
FEMALE--	4	2	6	7	1	7	1	2	-	1	-	-
BLACK---MALE----	6	1	4	10	4	3	-	1	-	-	-	-
FEMALE--	4	2	5	7	1	7	1	2	-	1	-	-
DELAWARE -----	14	18	13	27	28	28	36	37	21	12	1	-
WHITE-----MALE----	5	9	5	12	8	11	12	11	4	1	-	-
FEMALE--	3	8	4	6	13	11	21	24	15	10	1	-
ALL OTHER--MALE----	6	1	2	7	4	2	2	1	-	-	-	-
FEMALE--	-	-	2	2	3	4	1	1	2	1	-	-
BLACK---MALE----	6	1	2	6	4	2	2	1	-	-	-	-
FEMALE--	-	-	2	2	3	4	1	1	2	1	-	-
DISTRICT OF COLUMBIA ---	10	16	13	12	18	16	20	18	14	7	1	-
WHITE-----MALE----	3	2	2	1	1	1	6	2	1	3	-	-
FEMALE--	1	1	1	1	1	2	3	6	1	-	-	-
ALL OTHER--MALE----	4	9	8	4	8	6	6	2	1	2	-	-
FEMALE--	2	4	2	6	8	7	5	8	11	2	1	-
BLACK---MALE----	4	9	8	4	8	6	6	1	1	2	-	-
FEMALE--	2	4	2	6	8	7	5	8	11	2	1	-
FLORIDA -----	327	371	365	438	580	726	646	607	339	120	17	1
WHITE-----MALE----	187	213	194	251	314	328	259	219	107	32	1	-
FEMALE--	88	113	118	144	217	340	345	344	221	82	16	-
ALL OTHER--MALE----	34	38	28	22	26	25	19	14	3	1	-	1
FEMALE--	18	7	25	21	23	33	23	30	8	5	-	-
BLACK---MALE----	34	38	27	22	24	22	19	12	3	-	-	1
FEMALE--	16	7	24	20	20	31	23	28	8	5	-	-
GEORGIA -----	161	155	160	179	219	242	235	226	109	23	5	-
WHITE-----MALE----	76	68	74	75	85	78	72	69	19	-	-	-
FEMALE--	36	30	44	68	89	108	132	115	68	20	3	-
ALL OTHER--MALE----	31	37	24	18	18	22	10	17	4	1	-	-
FEMALE--	18	20	18	18	27	34	21	25	18	2	2	-
BLACK---MALE----	31	36	23	17	16	22	10	16	4	1	-	-
FEMALE--	17	18	18	18	26	33	20	25	18	2	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2532

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of other parts of digestive system (K20-K92)												
HAWAII -----	279	2	1	-	-	1	1	-	2	5	11	20
WHITE-----MALE----	45	-	-	-	-	-	-	-	2	1	3	8
FEMALE--	49	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	109	2	1	-	-	-	1	-	-	3	5	6
FEMALE--	76	-	-	-	-	1	-	-	-	1	1	4
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
IDAHO -----	403	2	-	-	-	-	-	1	1	4	13	18
WHITE-----MALE----	172	-	-	-	-	-	-	-	-	2	4	7
FEMALE--	212	2	-	-	-	-	-	1	1	2	5	7
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	7	-	-	-	-	-	-	-	-	-	2	2
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	3,654	38	6	5	10	4	11	16	30	93	187	217
WHITE-----MALE----	1,503	12	1	-	4	1	5	6	18	44	94	124
FEMALE--	1,568	10	1	2	2	2	5	5	5	26	43	40
ALL OTHER--MALE----	318	11	3	1	2	1	1	2	3	15	31	32
FEMALE--	265	5	1	2	2	-	-	3	4	8	19	21
BLACK---MALE-----	297	11	2	1	2	1	1	2	3	14	31	31
FEMALE--	248	4	1	2	2	-	-	3	3	8	19	21
INDIANA -----	1,799	9	3	-	2	1	7	9	10	36	78	106
WHITE-----MALE----	771	3	1	-	1	-	3	8	4	20	43	66
FEMALE--	874	5	1	-	1	-	2	-	3	10	26	23
ALL OTHER--MALE----	76	1	1	-	-	1	1	1	2	4	5	10
FEMALE--	78	-	-	-	-	-	1	-	1	2	4	7
BLACK---MALE-----	75	1	1	-	-	1	1	1	2	3	5	10
FEMALE--	77	-	-	-	-	-	1	-	1	2	4	7
IOWA -----	945	4	1	-	-	2	4	2	7	12	16	31
WHITE-----MALE----	412	2	-	-	-	2	4	1	3	9	10	18
FEMALE--	513	2	1	-	-	-	-	-	4	3	5	9
ALL OTHER--MALE----	12	-	-	-	-	-	-	1	-	-	1	3
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	8	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	843	3	-	-	-	1	1	3	4	13	22	37
WHITE-----MALE----	362	1	-	-	-	1	1	3	3	7	12	24
FEMALE--	432	1	-	-	-	-	-	-	1	5	9	6
ALL OTHER--MALE----	27	1	-	-	-	-	-	-	-	-	-	7
FEMALE--	22	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE-----	23	1	-	-	-	-	-	-	-	-	-	6
FEMALE--	17	-	-	-	-	-	-	-	-	1	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2532

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of other parts of digestive system (K20-K92)												
HAWAII -----	17	14	16	28	26	49	33	31	14	7	1	-
WHITE-----MALE----	8	3	4	1	3	4	4	2	2	-	-	-
FEMALE--	2	3	2	4	3	11	9	6	3	1	1	-
ALL OTHER--MALE----	4	4	7	15	12	19	5	15	5	5	-	-
FEMALE--	3	4	3	8	8	15	15	8	4	1	-	-
BLACK---MALE-----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	25	19	34	33	38	48	51	56	40	15	5	-
WHITE-----MALE----	16	11	24	12	22	19	23	17	11	4	-	-
FEMALE--	6	7	8	18	15	29	27	39	29	11	5	-
ALL OTHER--MALE----	2	1	2	2	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	235	195	233	248	379	464	480	450	256	81	16	-
WHITE-----MALE----	115	102	118	130	161	199	177	133	48	11	-	-
FEMALE--	57	51	71	72	160	207	259	278	189	67	16	-
ALL OTHER--MALE----	45	26	26	26	29	31	14	13	5	1	-	-
FEMALE--	18	16	18	20	29	27	30	26	14	2	-	-
BLACK---MALE-----	44	24	24	22	27	26	12	13	5	1	-	-
FEMALE--	18	13	16	20	26	26	28	23	13	2	-	-
INDIANA -----	110	109	117	145	199	198	240	204	146	59	11	-
WHITE-----MALE----	50	63	69	72	87	97	78	63	34	8	1	-
FEMALE--	44	35	36	58	95	89	150	131	106	50	9	-
ALL OTHER--MALE----	11	3	9	8	9	6	3	1	-	-	-	-
FEMALE--	5	8	3	7	8	6	9	9	6	1	1	-
BLACK---MALE-----	11	3	9	8	9	6	3	1	-	-	-	-
FEMALE--	5	8	3	7	7	6	9	9	6	1	1	-
IOWA -----	30	35	42	49	88	127	147	173	107	59	9	-
WHITE-----MALE----	18	17	22	26	47	69	62	60	21	20	1	-
FEMALE--	12	14	18	21	39	57	82	113	86	39	8	-
ALL OTHER--MALE----	-	3	1	1	-	1	1	-	-	-	-	-
FEMALE--	-	1	1	1	2	-	2	-	-	-	-	-
BLACK---MALE-----	-	2	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	1	1	1	2	-	2	-	-	-	-	-
KANSAS -----	39	42	43	55	79	118	116	130	93	39	5	-
WHITE-----MALE----	28	23	22	30	39	52	48	48	15	3	2	-
FEMALE--	6	17	17	22	37	58	66	75	75	34	3	-
ALL OTHER--MALE----	4	1	4	1	1	3	2	2	-	1	-	-
FEMALE--	1	1	-	2	2	5	-	5	3	1	-	-
BLACK---MALE-----	3	1	3	1	1	3	1	2	-	1	-	-
FEMALE--	1	-	-	-	2	5	-	4	3	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2533

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of other parts of digestive system (K20-K92)												
KENTUCKY -----	1,319	2	1	1	-	1	1	13	9	30	58	73
WHITE-----MALE----	588	2	-	1	-	1	1	10	5	19	37	49
FEMALE--	640	-	-	-	-	-	-	2	3	8	14	16
ALL OTHER--MALE----	49	-	1	-	-	-	-	1	1	2	5	7
FEMALE--	42	-	-	-	-	-	-	-	-	1	2	1
BLACK---MALE-----	48	-	1	-	-	-	-	1	1	2	5	7
FEMALE--	41	-	-	-	-	-	-	-	-	-	2	1
LOUISIANA -----	1,305	11	-	2	-	1	6	11	16	28	67	80
WHITE-----MALE----	436	2	-	1	-	1	1	4	6	12	31	31
FEMALE--	472	-	-	-	-	-	2	-	6	7	14	14
ALL OTHER--MALE----	195	3	-	-	-	-	2	3	4	4	14	23
FEMALE--	202	6	-	1	-	-	1	4	-	5	8	12
BLACK---MALE-----	191	3	-	-	-	-	2	2	4	4	14	22
FEMALE--	199	6	-	1	-	-	1	4	-	5	8	11
MAINE -----	455	1	-	-	1	-	2	-	2	6	8	16
WHITE-----MALE----	213	-	-	-	-	-	2	-	2	5	5	14
FEMALE--	238	1	-	-	1	-	-	-	-	1	3	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,494	8	1	1	-	2	1	8	14	42	52	98
WHITE-----MALE----	544	2	-	1	-	1	1	3	6	11	26	37
FEMALE--	578	2	-	-	-	-	-	2	-	8	9	21
ALL OTHER--MALE----	199	3	1	-	-	-	-	2	7	12	8	27
FEMALE--	173	1	-	-	-	1	-	1	1	11	9	13
BLACK---MALE-----	188	3	1	-	-	-	-	2	7	12	8	27
FEMALE--	170	1	-	-	-	1	-	1	1	11	9	13
MASSACHUSETTS -----	2,149	8	2	3	-	-	3	4	11	41	63	117
WHITE-----MALE----	982	1	1	2	-	-	2	1	5	27	37	78
FEMALE--	1,071	4	-	-	-	-	-	2	4	9	20	31
ALL OTHER--MALE----	43	1	1	-	-	-	1	1	2	1	2	3
FEMALE--	53	2	-	1	-	-	-	-	-	4	4	5
BLACK---MALE-----	31	1	1	-	-	-	1	1	1	1	-	3
FEMALE--	39	1	-	1	-	-	-	-	-	4	3	4
MICHIGAN -----	3,210	16	4	2	2	5	5	9	29	70	147	229
WHITE-----MALE----	1,306	3	1	1	-	2	2	3	13	29	73	118
FEMALE--	1,354	5	-	-	1	1	2	2	6	20	35	44
ALL OTHER--MALE----	301	6	2	-	1	1	1	2	2	11	23	41
FEMALE--	249	2	1	1	-	1	-	2	8	10	16	26
BLACK---MALE-----	283	4	1	-	-	1	1	2	2	11	22	37
FEMALE--	231	1	1	1	-	1	-	2	6	10	16	25

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2533

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of other parts of digestive system (K20-K92)												
KENTUCKY -----	89	73	96	110	134	170	159	167	97	27	8	-
WHITE-----MALE----	58	50	58	60	59	68	46	41	19	3	1	-
FEMALE--	22	19	31	40	67	93	103	119	72	24	7	-
ALL OTHER--MALE----	7	3	4	3	4	6	2	2	1	-	-	-
FEMALE--	2	1	3	7	4	3	8	5	5	-	-	-
BLACK---MALE----	7	3	4	2	4	6	2	2	1	-	-	-
FEMALE--	2	1	3	7	4	3	8	5	5	-	-	-
LOUISIANA -----	116	95	110	110	133	145	144	125	80	20	5	-
WHITE-----MALE----	45	39	45	34	40	54	43	20	24	3	-	-
FEMALE--	26	21	36	38	56	64	66	66	42	10	4	-
ALL OTHER--MALE----	31	22	14	19	15	9	14	12	2	3	1	-
FEMALE--	14	13	15	19	22	18	21	27	12	4	-	-
BLACK---MALE----	31	22	14	18	15	9	14	11	2	3	1	-
FEMALE--	14	13	15	19	22	18	20	26	12	4	-	-
MAINE -----	19	21	18	30	51	81	76	64	41	14	4	-
WHITE-----MALE----	11	16	12	14	30	41	29	20	8	4	-	-
FEMALE--	8	5	6	15	20	40	46	43	33	10	4	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MARYLAND -----	101	105	98	126	152	216	172	166	96	27	8	-
WHITE-----MALE----	51	44	49	47	66	78	49	51	16	3	2	-
FEMALE--	15	28	21	34	55	110	96	85	69	18	5	-
ALL OTHER--MALE----	26	21	17	24	19	12	9	7	1	3	-	-
FEMALE--	9	12	11	21	12	16	18	23	10	3	1	-
BLACK---MALE----	26	19	17	21	18	11	7	5	1	3	-	-
FEMALE--	9	11	11	20	11	16	18	23	10	3	1	-
MASSACHUSETTS -----	116	124	148	149	248	281	302	277	170	64	18	-
WHITE-----MALE----	74	69	89	77	133	137	107	91	38	12	1	-
FEMALE--	31	47	49	65	109	137	185	183	130	49	16	-
ALL OTHER--MALE----	7	3	5	2	6	2	5	-	-	1	-	-
FEMALE--	4	5	5	5	-	5	5	3	2	2	1	-
BLACK---MALE----	5	2	4	2	4	1	4	-	-	-	-	-
FEMALE--	4	5	3	3	-	4	3	2	1	1	-	-
MICHIGAN -----	237	194	206	234	356	390	403	356	225	80	11	-
WHITE-----MALE----	115	93	103	108	136	156	156	117	62	14	1	-
FEMALE--	40	42	61	91	169	198	208	215	144	61	9	-
ALL OTHER--MALE----	51	40	30	19	22	19	15	8	6	-	1	-
FEMALE--	31	19	12	16	29	17	24	16	13	5	-	-
BLACK---MALE----	50	35	28	19	22	18	15	8	6	-	1	-
FEMALE--	28	15	11	14	27	17	22	16	13	5	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2534

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of other parts of digestive system (K20-K92)												
MINNESOTA -----	77	58	64	103	105	158	146	171	138	50	12	-
WHITE-----MALE----	41	34	34	54	54	67	52	67	32	9	3	-
FEMALE--	28	20	28	43	49	88	92	103	105	41	9	-
ALL OTHER--MALE----	6	2	1	2	-	2	-	1	1	-	-	-
FEMALE--	2	2	1	4	2	1	2	-	-	-	-	-
BLACK---MALE----	2	1	-	2	-	1	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	1	2	-	-	-	-	-
MISSISSIPPI -----	73	65	79	83	98	106	99	94	51	14	3	-
WHITE-----MALE----	41	27	30	31	35	40	31	24	11	2	-	-
FEMALE--	8	17	19	26	32	44	53	49	26	5	2	-
ALL OTHER--MALE----	15	14	13	13	9	8	7	6	4	2	-	-
FEMALE--	9	7	17	13	22	14	8	15	10	5	1	-
BLACK---MALE----	15	13	13	13	8	8	7	6	4	2	-	-
FEMALE--	8	6	16	13	21	14	8	15	10	5	1	-
MISSOURI -----	96	86	99	119	159	207	262	242	167	56	10	-
WHITE-----MALE----	53	56	50	61	73	90	86	61	40	8	5	-
FEMALE--	22	22	35	49	70	102	151	166	115	44	5	-
ALL OTHER--MALE----	16	5	9	6	4	5	7	6	4	1	-	-
FEMALE--	5	3	5	3	12	10	18	9	8	3	-	-
BLACK---MALE----	15	5	9	6	4	5	7	6	4	1	-	-
FEMALE--	5	3	5	3	11	10	18	9	8	3	-	-
MONTANA -----	14	22	32	14	28	37	39	42	31	8	3	-
WHITE-----MALE----	8	9	17	5	13	16	17	22	8	1	-	-
FEMALE--	5	9	4	7	15	20	22	20	23	7	3	-
ALL OTHER--MALE----	-	2	4	1	-	1	-	-	-	-	-	-
FEMALE--	1	2	7	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	21	22	29	43	41	64	87	82	67	27	9	-
WHITE-----MALE----	14	13	18	18	22	33	31	26	15	2	-	-
FEMALE--	6	5	8	19	17	30	52	56	52	24	9	-
ALL OTHER--MALE----	-	2	2	3	1	1	2	-	-	1	-	-
FEMALE--	1	2	1	3	1	-	2	-	-	-	-	-
BLACK---MALE----	-	2	2	2	1	-	2	-	-	1	-	-
FEMALE--	-	1	-	2	1	-	1	-	-	-	-	-
NEVADA -----	63	75	67	55	70	83	61	48	29	8	1	-
WHITE-----MALE----	41	44	41	31	41	38	21	13	7	2	-	-
FEMALE--	17	22	20	18	25	40	37	32	20	6	1	-
ALL OTHER--MALE----	4	5	4	2	-	5	1	1	-	-	-	-
FEMALE--	1	4	2	4	4	-	2	2	2	-	-	-
BLACK---MALE----	1	2	3	-	-	3	1	1	-	-	-	-
FEMALE--	-	2	-	3	1	-	1	2	2	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2536

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of other parts of digestive system (K20-K92)												
OHIO -----	3,596	19	5	3	2	5	8	12	21	69	142	182
WHITE-----MALE----	1,454	6	4	-	2	4	3	7	4	42	67	115
FEMALE--	1,729	7	-	2	-	-	2	2	12	19	37	36
ALL OTHER--MALE----	208	3	1	1	-	1	2	2	4	5	21	19
FEMALE--	205	3	-	-	-	-	1	1	1	3	17	12
BLACK---MALE-----	204	3	1	1	-	1	1	2	4	5	20	18
FEMALE--	199	3	-	-	-	-	1	1	1	3	17	12
OKLAHOMA -----	1,217	5	1	-	1	-	2	5	11	31	54	78
WHITE-----MALE----	490	3	-	-	1	-	1	2	8	13	27	39
FEMALE--	573	1	-	-	-	-	1	-	1	12	19	24
ALL OTHER--MALE----	85	-	-	-	-	-	-	2	1	5	7	10
FEMALE--	69	1	1	-	-	-	-	1	1	1	1	5
BLACK---MALE-----	31	-	-	-	-	-	-	1	1	1	2	4
FEMALE--	24	1	1	-	-	-	-	-	-	-	-	1
OREGON -----	964	3	-	1	-	-	1	6	4	9	28	51
WHITE-----MALE----	457	1	-	1	-	-	1	3	3	5	14	36
FEMALE--	476	2	-	-	-	-	-	2	1	3	12	14
ALL OTHER--MALE----	12	-	-	-	-	-	-	1	-	1	1	1
FEMALE--	19	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	4	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	4,368	8	5	3	2	4	11	13	35	82	135	213
WHITE-----MALE----	1,826	3	2	2	1	3	6	5	17	45	85	114
FEMALE--	2,105	1	1	1	-	1	3	4	13	25	27	57
ALL OTHER--MALE----	231	3	2	-	1	-	-	3	2	4	18	26
FEMALE--	206	1	-	-	-	-	2	1	3	8	5	16
BLACK---MALE-----	220	2	2	-	1	-	-	3	2	4	17	25
FEMALE--	197	1	-	-	-	-	2	1	3	7	5	15
RHODE ISLAND -----	407	-	-	-	-	-	1	1	-	5	16	20
WHITE-----MALE----	207	-	-	-	-	-	-	1	-	3	12	12
FEMALE--	187	-	-	-	-	-	1	-	-	2	4	6
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	7	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1,496	5	-	-	1	2	6	10	14	32	79	113
WHITE-----MALE----	543	-	-	-	-	1	3	4	6	12	35	52
FEMALE--	543	3	-	-	-	1	1	1	4	9	14	15
ALL OTHER--MALE----	225	2	-	-	-	-	2	3	2	8	20	30
FEMALE--	185	-	-	-	1	-	-	2	2	3	10	16
BLACK---MALE-----	222	2	-	-	-	-	2	2	2	8	20	29
FEMALE--	180	-	-	-	1	-	-	2	2	3	9	16

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2536

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of other parts of digestive system (K20-K92)												
OHIO -----	216	201	244	296	363	517	486	443	241	109	12	-
WHITE-----MALE----	113	93	130	151	169	203	165	111	48	17	-	-
FEMALE--	51	70	80	115	157	272	294	297	184	85	7	-
ALL OTHER--MALE----	28	18	20	14	23	20	8	15	2	-	1	-
FEMALE--	24	20	14	16	14	22	19	20	7	7	4	-
BLACK---MALE----	28	17	20	14	23	20	8	15	2	-	1	-
FEMALE--	23	19	14	16	14	20	18	20	7	7	3	-
OKLAHOMA -----	71	76	91	90	121	142	154	158	91	30	5	-
WHITE-----MALE----	36	37	34	52	53	55	56	43	21	6	3	-
FEMALE--	18	23	35	30	55	78	86	104	63	22	1	-
ALL OTHER--MALE----	12	9	13	4	5	6	6	3	2	-	-	-
FEMALE--	5	7	9	4	8	3	6	8	5	2	1	-
BLACK---MALE----	4	3	6	2	2	3	1	-	1	-	-	-
FEMALE--	3	2	3	1	2	2	1	2	3	1	1	-
OREGON -----	71	49	61	66	120	115	143	127	70	33	6	-
WHITE-----MALE----	52	26	38	32	59	48	55	50	25	7	1	-
FEMALE--	16	19	20	32	56	63	85	76	45	26	4	-
ALL OTHER--MALE----	1	2	2	-	1	1	-	1	-	-	-	-
FEMALE--	2	2	1	2	4	3	3	-	-	-	1	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	2	-	-	-	-	2	-	-	-	-	-
PENNSYLVANIA -----	248	211	244	293	443	600	653	641	373	120	31	-
WHITE-----MALE----	138	111	126	146	202	237	262	210	85	20	6	-
FEMALE--	66	56	70	114	195	319	356	403	273	96	24	-
ALL OTHER--MALE----	30	28	22	22	24	26	8	8	4	-	-	-
FEMALE--	14	16	26	11	22	18	27	20	11	4	1	-
BLACK---MALE----	30	27	21	22	20	24	8	8	4	-	-	-
FEMALE--	14	16	24	11	22	16	24	20	11	4	1	-
RHODE ISLAND -----	14	28	24	26	42	60	64	50	38	18	-	-
WHITE-----MALE----	12	11	13	13	21	37	36	20	11	5	-	-
FEMALE--	-	16	11	11	19	22	27	30	27	11	-	-
ALL OTHER--MALE----	1	1	-	1	-	1	1	-	-	1	-	-
FEMALE--	1	-	-	1	2	-	-	-	-	1	-	-
BLACK---MALE----	1	1	-	1	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	1	2	-	-	-	-	1	-	-
SOUTH CAROLINA -----	119	122	128	119	139	176	151	162	92	16	10	-
WHITE-----MALE----	46	54	59	52	51	59	49	43	15	2	-	-
FEMALE--	28	30	32	39	52	78	72	90	59	9	6	-
ALL OTHER--MALE----	30	22	21	16	18	22	13	9	4	2	1	-
FEMALE--	15	16	16	12	18	17	17	20	14	3	3	-
BLACK---MALE----	30	22	20	16	18	22	13	9	4	2	1	-
FEMALE--	15	16	15	11	17	17	16	20	14	3	3	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2537

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of other parts of digestive system (K20-K92)												
SOUTH DAKOTA -----	259	3	1	-	-	-	2	1	5	5	14	16
WHITE-----MALE----	96	-	-	-	-	-	2	-	1	1	4	4
FEMALE--	102	2	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	33	1	-	-	-	-	-	-	3	-	5	9
FEMALE--	28	-	1	-	-	-	-	1	1	4	4	3
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
TENNESSEE -----	1,887	7	3	-	5	3	4	6	15	37	95	118
WHITE-----MALE----	820	1	1	-	1	2	1	4	10	13	60	70
FEMALE--	808	1	-	-	3	1	2	-	3	8	19	23
ALL OTHER--MALE----	134	2	-	-	1	-	-	-	2	11	9	15
FEMALE--	125	3	2	-	-	-	1	2	-	5	7	10
BLACK---MALE-----	130	2	-	-	1	-	-	-	2	11	9	15
FEMALE--	124	3	2	-	-	-	1	2	-	5	7	10
TEXAS -----	5,664	42	7	8	6	9	27	34	60	115	312	452
WHITE-----MALE----	2,703	20	2	3	2	4	16	20	36	69	200	303
FEMALE--	2,350	13	3	3	3	5	6	8	13	31	69	85
ALL OTHER--MALE----	324	1	1	-	1	-	3	4	5	11	29	39
FEMALE--	287	8	1	2	-	-	2	2	6	4	14	25
BLACK---MALE-----	304	1	1	-	1	-	3	4	3	11	28	37
FEMALE--	267	8	1	2	-	-	2	2	5	4	14	24
UTAH -----	480	2	1	-	-	2	2	-	2	8	10	24
WHITE-----MALE----	212	1	-	-	-	1	2	-	-	2	8	15
FEMALE--	256	1	1	-	-	-	-	-	2	6	1	9
ALL OTHER--MALE----	4	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	216	-	-	-	-	1	-	-	2	9	4	11
WHITE-----MALE----	102	-	-	-	-	1	-	-	1	6	3	9
FEMALE--	114	-	-	-	-	-	-	-	1	3	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,941	16	2	2	1	1	4	8	18	42	67	120
WHITE-----MALE----	747	6	-	-	-	1	3	4	9	17	37	63
FEMALE--	799	2	1	1	1	-	1	1	5	13	15	28
ALL OTHER--MALE----	222	6	1	1	-	-	-	-	2	10	11	19
FEMALE--	173	2	-	-	-	-	-	3	2	2	4	10
BLACK---MALE-----	211	5	1	1	-	-	-	-	2	9	11	17
FEMALE--	166	2	-	-	-	-	-	2	2	1	3	10

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2537

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of other parts of digestive system (K20-K92)												
SOUTH DAKOTA -----	16	11	11	11	20	29	33	34	29	15	3	-
WHITE-----MALE----	4	7	4	5	12	14	11	12	10	5	-	-
FEMALE--	2	1	5	2	5	12	19	21	19	10	3	-
ALL OTHER--MALE----	9	2	1	1	1	-	1	-	-	-	-	-
FEMALE--	1	1	1	3	2	3	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	112	139	151	155	191	235	233	198	132	43	5	-
WHITE-----MALE----	63	71	79	75	88	96	92	45	42	6	-	-
FEMALE--	29	44	48	54	80	119	118	140	78	33	5	-
ALL OTHER--MALE----	13	14	18	14	11	3	10	6	4	1	-	-
FEMALE--	7	10	6	12	12	17	13	7	8	3	-	-
BLACK---MALE----	13	14	15	14	10	3	10	6	4	1	-	-
FEMALE--	7	10	6	11	12	17	13	7	8	3	-	-
TEXAS -----	408	408	414	471	547	619	661	566	342	126	29	1
WHITE-----MALE----	252	256	219	257	248	256	249	184	79	24	3	1
FEMALE--	96	109	141	159	256	304	354	342	239	89	22	-
ALL OTHER--MALE----	39	24	34	35	28	28	20	10	7	5	-	-
FEMALE--	21	19	20	20	15	31	38	30	17	8	4	-
BLACK---MALE----	38	22	31	32	28	25	18	9	7	5	-	-
FEMALE--	20	19	17	18	13	27	33	29	17	8	4	-
UTAH -----	27	29	25	40	45	54	86	58	49	15	1	-
WHITE-----MALE----	16	21	16	16	19	26	31	19	13	6	-	-
FEMALE--	9	7	9	24	23	28	52	39	35	9	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	1	1	-	-	3	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	13	6	8	17	15	31	32	25	26	14	2	-
WHITE-----MALE----	7	4	5	11	11	13	13	7	8	3	-	-
FEMALE--	6	2	3	6	4	18	19	18	18	11	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	131	127	153	159	192	237	238	215	144	50	14	-
WHITE-----MALE----	71	60	75	63	69	95	84	52	28	9	1	-
FEMALE--	29	28	35	69	90	105	112	128	93	31	11	-
ALL OTHER--MALE----	25	25	24	16	15	23	21	12	8	3	-	-
FEMALE--	6	14	19	11	18	14	21	23	15	7	2	-
BLACK---MALE----	25	25	23	16	13	20	21	11	8	3	-	-
FEMALE--	6	14	18	11	18	12	20	23	15	7	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2539

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of esophagus (K20-K22)												
UNITED STATES -	49	52	68	105	160	264	381	449	374	140	25	-
WHITE-----MALE----	28	29	40	59	70	127	161	176	118	34	5	-
FEMALE--	11	14	16	33	68	117	201	248	236	101	18	-
ALL OTHER--MALE----	9	6	11	9	13	13	9	9	5	3	1	-
FEMALE--	1	3	1	4	9	7	10	16	15	2	1	-
BLACK---MALE----	9	5	10	9	10	13	8	7	3	3	1	-
FEMALE--	1	3	1	3	8	6	10	16	13	2	1	-
ALABAMA -----	-	1	1	1	2	3	5	9	5	5	-	-
WHITE-----MALE----	-	1	-	-	1	2	4	4	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	4	2	5	-	-
ALL OTHER--MALE----	-	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	2	-	-	-
BLACK---MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	2	-	-	-
ALASKA -----	-	-	-	1	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	1	-	1	3	5	7	4	2	1	-
WHITE-----MALE----	-	-	-	-	-	2	2	2	1	1	-	-
FEMALE--	-	-	1	-	1	1	3	5	3	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	1	1	3	5	5	3	2	2	1	-
WHITE-----MALE----	-	-	1	1	1	2	4	2	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	1	2	2	1	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CALIFORNIA -----	3	6	3	5	15	24	24	39	37	10	2	-
WHITE-----MALE----	2	4	2	2	8	10	12	22	10	3	-	-
FEMALE--	1	1	1	2	5	11	12	16	24	6	2	-
ALL OTHER--MALE----	-	1	-	1	1	1	-	-	2	1	-	-
FEMALE--	-	-	-	-	1	2	-	1	1	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2540

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of esophagus (K20-K22)												
COLORADO -----	2	-	3	2	3	6	9	8	9	3	1	-
WHITE-----MALE----	2	-	3	2	1	3	2	5	4	1	-	-
FEMALE--	-	-	-	-	2	3	7	3	5	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	-	2	1	-	8	6	2	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	3	3	-	-	-	-
FEMALE--	-	-	-	1	-	-	5	3	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
DELAWARE -----	-	-	1	1	1	1	-	-	2	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	1	2	-	1	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
FLORIDA -----	1	1	3	2	9	23	18	25	22	9	3	-
WHITE-----MALE----	-	-	2	2	5	8	10	14	9	2	1	-
FEMALE--	-	-	-	-	4	15	7	11	13	7	2	-
ALL OTHER--MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
GEORGIA -----	4	2	5	2	9	8	7	9	5	1	-	-
WHITE-----MALE----	1	1	4	1	3	3	3	5	-	-	-	-
FEMALE--	2	-	1	-	4	4	3	4	4	1	-	-
ALL OTHER--MALE----	1	1	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	1	1	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2541

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of esophagus (K20-K22)												
HAWAII -----	-	-	-	-	1	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	-	-	1	3	1	6	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	2	-	4	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	4	2	1	2	4	10	21	18	15	7	1	-
WHITE-----MALE----	2	1	-	1	4	4	12	4	6	-	-	-
FEMALE--	-	1	-	-	-	5	7	14	9	6	1	-
ALL OTHER--MALE----	2	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	-	-	1	-	-
INDIANA -----	1	4	1	1	7	4	10	7	7	3	1	-
WHITE-----MALE----	-	2	1	-	3	3	6	2	2	-	-	-
FEMALE--	1	1	-	-	3	1	4	5	3	3	1	-
ALL OTHER--MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
IOWA -----	1	-	2	1	2	3	9	14	15	4	-	-
WHITE-----MALE----	-	-	2	-	1	1	5	8	4	3	-	-
FEMALE--	1	-	-	-	1	2	4	6	11	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	1	-	-	3	3	5	5	6	13	4	-	-
WHITE-----MALE----	1	-	-	2	3	3	3	2	1	1	-	-
FEMALE--	-	-	-	1	-	2	2	3	11	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2542

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of esophagus (K20-K22)												
KENTUCKY -----	1	-	1	4	2	3	2	12	7	1	-	-
WHITE-----MALE----	1	-	1	3	1	-	-	2	3	-	-	-
FEMALE--	-	-	-	1	1	3	1	10	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
LOUISIANA -----	1	-	2	2	2	2	6	8	2	1	-	-
WHITE-----MALE----	-	-	-	1	1	1	1	-	1	-	-	-
FEMALE--	1	-	1	1	-	1	4	5	1	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	-	-	-	-
MAINE -----	-	-	1	1	-	2	2	5	2	1	-	-
WHITE-----MALE----	-	-	1	1	-	1	1	2	1	1	-	-
FEMALE--	-	-	-	-	-	1	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MARYLAND -----	1	3	-	3	1	6	3	9	5	1	1	-
WHITE-----MALE----	-	1	-	2	1	5	-	6	-	1	-	-
FEMALE--	1	1	-	1	-	-	3	2	5	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	1	1	-	1	6	10	9	9	7	6	1	-
WHITE-----MALE----	1	1	-	1	3	7	2	-	2	1	-	-
FEMALE--	-	-	-	-	3	3	7	9	5	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	3	-	1	4	5	8	17	9	8	4	-	-
WHITE-----MALE----	2	-	1	3	3	3	7	7	3	-	-	-
FEMALE--	-	-	-	-	-	2	9	2	4	4	-	-
ALL OTHER--MALE----	1	-	-	1	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	1	-	-	-
BLACK---MALE----	1	-	-	1	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2545

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of esophagus (K20-K22)												
OHIO -----	-	1	3	8	6	14	13	19	9	4	1	-
WHITE-----MALE----	-	1	1	4	3	5	2	3	3	-	-	-
FEMALE--	-	-	2	4	2	7	9	15	6	4	-	-
ALL OTHER--MALE----	-	-	-	-	1	2	1	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	2	1	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
OKLAHOMA -----	-	-	1	2	3	2	3	8	9	2	1	-
WHITE-----MALE----	-	-	1	-	1	-	1	5	1	-	-	-
FEMALE--	-	-	-	1	1	2	2	3	8	2	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	1	-	2	4	6	9	5	8	-	-	-
WHITE-----MALE----	-	-	-	2	2	2	3	1	2	-	-	-
FEMALE--	-	1	-	-	2	4	6	4	6	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	3	1	4	3	9	22	19	19	7	2	-
WHITE-----MALE----	-	3	1	3	2	7	8	9	7	1	1	-
FEMALE--	-	-	-	1	1	2	13	10	12	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
RHODE ISLAND -----	1	-	-	2	-	3	2	2	3	2	-	-
WHITE-----MALE----	1	-	-	1	-	2	1	1	1	2	-	-
FEMALE--	-	-	-	1	-	1	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	1	4	1	5	3	3	9	6	1	-	-
WHITE-----MALE----	-	-	2	-	3	1	1	5	3	-	-	-
FEMALE--	1	1	1	1	1	1	2	4	2	1	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2546

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of esophagus (K20-K22)												
SOUTH DAKOTA -----	1	-	-	-	-	3	-	3	1	1	-	-
WHITE-----MALE----	1	-	-	-	-	3	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	3	2	3	5	8	9	11	10	5	-	-
WHITE-----MALE----	1	3	1	-	2	3	4	3	5	1	-	-
FEMALE--	-	-	-	3	2	5	5	8	5	4	-	-
ALL OTHER--MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	4	4	5	12	7	18	42	37	25	10	-	-
WHITE-----MALE----	3	1	1	9	1	7	20	14	8	5	-	-
FEMALE--	-	1	1	3	6	9	19	18	14	5	-	-
ALL OTHER--MALE----	1	2	3	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	3	4	3	-	-	-
BLACK---MALE----	1	2	3	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	3	4	3	-	-	-
UTAH -----	-	1	1	1	2	1	8	3	4	-	-	-
WHITE-----MALE----	-	1	1	-	1	-	3	-	2	-	-	-
FEMALE--	-	-	-	1	1	1	4	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	1	2	1	2	1	1	-	-
WHITE-----MALE----	-	-	-	-	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	1	2	2	4	8	10	10	8	4	-	-
WHITE-----MALE----	1	-	1	1	-	5	3	3	3	2	-	-
FEMALE--	-	1	-	1	2	2	6	6	2	1	-	-
ALL OTHER--MALE----	-	-	1	-	2	1	1	-	2	1	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	1	-	2	1	1	-	2	1	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2548

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Peptic ulcer (K25-K28)												
UNITED STATES -	4,558	-	-	-	-	4	5	3	11	42	71	130
WHITE-----MALE----	1,900	-	-	-	-	3	4	1	3	22	34	68
FEMALE--	2,121	-	-	-	-	1	1	2	3	9	16	27
ALL OTHER--MALE----	301	-	-	-	-	-	-	-	2	9	14	18
FEMALE--	236	-	-	-	-	-	-	-	3	2	7	17
BLACK---MALE-----	229	-	-	-	-	-	-	-	2	8	13	17
FEMALE--	196	-	-	-	-	-	-	-	2	2	6	15
ALABAMA -----	65	-	-	-	-	-	-	-	-	1	1	2
WHITE-----MALE----	38	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	17	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	81	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	36	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	49	-	-	-	-	1	-	-	1	2	-	1
WHITE-----MALE----	24	-	-	-	-	1	-	-	1	2	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	721	-	-	-	-	-	-	-	-	8	5	19
WHITE-----MALE----	288	-	-	-	-	-	-	-	-	6	4	12
FEMALE--	318	-	-	-	-	-	-	-	-	1	1	4
ALL OTHER--MALE----	63	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	52	-	-	-	-	-	-	-	-	1	-	3
BLACK---MALE-----	26	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	29	-	-	-	-	-	-	-	-	1	-	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2548

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Peptic ulcer (K25-K28)												
UNITED STATES -	177	200	243	299	449	642	773	801	498	177	33	-
WHITE-----MALE----	96	110	130	146	234	300	298	263	138	42	8	-
FEMALE--	36	52	78	104	163	269	419	468	330	122	21	-
ALL OTHER--MALE----	35	24	20	26	36	41	28	28	12	7	1	-
FEMALE--	10	14	15	23	16	32	28	42	18	6	3	-
BLACK---MALE----	28	21	19	18	30	27	19	18	5	3	1	-
FEMALE--	10	14	11	19	13	26	20	32	18	5	3	-
ALABAMA -----	4	4	6	5	7	8	12	8	7	-	-	-
WHITE-----MALE----	2	3	4	2	4	3	8	7	2	-	-	-
FEMALE--	-	-	2	2	1	4	3	-	4	-	-	-
ALL OTHER--MALE----	2	-	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	1	1	-	-	-
BLACK---MALE----	2	-	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	1	1	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5	8	4	7	7	7	15	15	11	1	-	-
WHITE-----MALE----	3	5	3	4	5	1	9	3	2	-	-	-
FEMALE--	1	1	-	2	2	5	5	10	9	1	-	-
ALL OTHER--MALE----	1	2	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	2	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ARKANSAS -----	1	3	3	6	5	7	6	8	4	1	-	-
WHITE-----MALE----	-	2	2	3	1	4	4	3	1	-	-	-
FEMALE--	1	-	1	3	3	2	2	2	3	1	-	-
ALL OTHER--MALE----	-	1	-	-	1	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	1	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
CALIFORNIA -----	32	26	44	39	73	115	130	120	79	27	4	-
WHITE-----MALE----	18	15	21	13	40	50	42	35	22	7	3	-
FEMALE--	6	7	14	13	21	49	72	68	44	17	1	-
ALL OTHER--MALE----	6	1	4	8	8	9	9	7	9	2	-	-
FEMALE--	2	3	5	5	4	7	7	10	4	1	-	-
BLACK---MALE----	2	1	4	5	5	1	4	2	2	-	-	-
FEMALE--	2	3	2	4	2	4	1	4	4	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2549

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Peptic ulcer (K25-K28)												
COLORADO -----	2	1	3	4	6	8	10	7	13	1	2	-
WHITE-----MALE----	1	1	1	3	3	4	3	4	4	-	-	-
FEMALE--	1	-	2	1	2	4	6	3	9	1	2	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	3	1	2	6	15	10	10	1	-	-
WHITE-----MALE----	-	-	1	1	1	5	5	1	1	-	-	-
FEMALE--	1	-	1	-	1	1	10	9	9	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	1	1	3	2	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	3	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	1	1	-	2	-	1	4	1	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	1	-	1	1	-	1	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	-	-	-
BLACK---MALE----	-	1	1	-	1	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	-	-	-
FLORIDA -----	11	10	18	29	21	40	41	43	28	15	2	-
WHITE-----MALE----	8	6	10	17	16	19	14	19	10	2	-	-
FEMALE--	1	3	8	6	4	19	24	20	17	12	2	-
ALL OTHER--MALE----	2	1	-	2	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	4	-	2	2	3	1	1	-	-
BLACK---MALE----	2	1	-	2	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	4	-	2	2	2	1	1	-	-
GEORGIA -----	6	7	3	3	13	18	17	9	5	1	-	-
WHITE-----MALE----	5	3	1	3	5	8	4	4	-	-	-	-
FEMALE--	1	3	1	-	6	6	12	5	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	2	1	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	3	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	2	1	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	3	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2551

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Peptic ulcer (K25-K28)												
KENTUCKY -----	50	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	32	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	58	-	-	-	-	-	-	-	-	-	1	3
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	9	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
MAINE -----	24	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	59	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
MASSACHUSETTS -----	88	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	31	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	55	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
MICHIGAN -----	169	-	-	-	-	-	-	-	1	3	-	3
WHITE-----MALE----	69	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	75	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	1	1	-	1
BLACK---MALE-----	18	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2551

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Peptic ulcer (K25-K28)												
KENTUCKY -----	2	1	3	2	8	5	7	13	6	-	2	-
WHITE-----MALE----	2	1	2	2	5	3	1	1	1	-	-	-
FEMALE--	-	-	1	-	3	2	6	12	5	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	6	4	7	5	5	15	7	3	1	-	-
WHITE-----MALE----	-	2	1	4	4	2	5	1	1	-	-	-
FEMALE--	-	1	1	-	1	3	6	2	2	1	-	-
ALL OTHER--MALE----	-	2	1	1	-	-	3	-	-	-	-	-
FEMALE--	1	1	1	2	-	-	1	4	-	-	-	-
BLACK---MALE-----	-	2	1	1	-	-	3	-	-	-	-	-
FEMALE--	1	1	1	2	-	-	1	3	-	-	-	-
MAINE -----	-	-	1	-	2	7	4	4	6	-	-	-
WHITE-----MALE----	-	-	1	-	2	4	2	1	2	-	-	-
FEMALE--	-	-	-	-	-	3	2	3	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	6	5	4	4	8	11	4	12	4	-	-	-
WHITE-----MALE----	2	2	2	-	5	6	2	2	-	-	-	-
FEMALE--	3	3	1	2	2	3	2	6	3	-	-	-
ALL OTHER--MALE----	1	-	1	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	4	1	-	-	-
BLACK---MALE-----	1	-	1	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	4	1	-	-	-
MASSACHUSETTS -----	1	3	6	8	8	12	15	21	7	4	1	-
WHITE-----MALE----	1	2	3	5	4	5	4	4	2	-	-	-
FEMALE--	-	1	3	3	4	7	11	17	5	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	9	11	5	13	25	27	27	23	17	4	1	-
WHITE-----MALE----	3	8	1	4	10	13	11	10	6	-	-	-
FEMALE--	1	1	2	8	10	10	15	13	10	4	1	-
ALL OTHER--MALE----	3	2	2	1	5	2	1	-	1	-	-	-
FEMALE--	2	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE-----	3	2	2	1	5	2	1	-	1	-	-	-
FEMALE--	2	-	-	-	-	2	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2554

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Peptic ulcer (K25-K28)												
OHIO -----	8	7	10	12	15	21	30	30	14	16	-	-
WHITE-----MALE----	4	3	3	8	8	15	16	10	3	5	-	-
FEMALE--	-	4	4	2	7	3	12	19	11	10	-	-
ALL OTHER--MALE----	4	-	1	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	2	1	-	2	2	-	-	1	-	-
BLACK---MALE-----	4	-	1	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	2	1	-	2	2	-	-	1	-	-
OKLAHOMA -----	2	6	7	2	9	6	10	5	6	2	1	-
WHITE-----MALE----	-	4	5	2	6	3	4	4	3	1	1	-
FEMALE--	1	2	-	-	3	2	5	1	2	1	-	-
ALL OTHER--MALE----	1	-	2	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
OREGON -----	2	-	2	3	4	9	9	12	3	3	1	-
WHITE-----MALE----	1	-	-	-	2	4	3	8	2	1	1	-
FEMALE--	-	-	2	3	2	5	5	4	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
PENNSYLVANIA -----	6	5	4	7	17	25	33	38	28	4	2	-
WHITE-----MALE----	5	4	4	3	8	10	13	15	6	1	-	-
FEMALE--	1	-	-	4	7	14	19	19	22	3	2	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	3	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	1	1	3	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	1	-	-	-	-
RHODE ISLAND -----	1	1	-	-	2	2	4	5	6	3	-	-
WHITE-----MALE----	-	-	-	-	1	1	2	2	-	1	-	-
FEMALE--	-	1	-	-	1	1	2	3	6	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	4	4	5	6	12	10	11	9	1	-	-
WHITE-----MALE----	1	-	-	-	3	3	2	4	1	-	-	-
FEMALE--	1	1	2	4	1	3	7	6	5	-	-	-
ALL OTHER--MALE----	-	3	1	1	-	2	1	-	-	1	-	-
FEMALE--	-	-	1	-	2	4	-	1	3	-	-	-
BLACK---MALE-----	-	3	1	1	-	2	1	-	-	1	-	-
FEMALE--	-	-	1	-	2	4	-	1	3	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2555

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Peptic ulcer (K25-K28)												
SOUTH DAKOTA -----	1	-	-	1	1	2	4	3	2	1	-	-
WHITE-----MALE----	-	-	-	1	1	1	2	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	1	2	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	7	9	8	8	11	17	11	7	3	-	-
WHITE-----MALE----	-	3	7	5	5	2	7	4	4	1	-	-
FEMALE--	1	1	1	2	2	9	6	7	3	2	-	-
ALL OTHER--MALE----	-	2	-	1	1	-	2	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	2	-	1	1	-	2	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	2	-	-	-	-	-
TEXAS -----	11	9	14	12	20	34	45	52	31	6	4	-
WHITE-----MALE----	6	3	8	6	10	18	19	18	10	1	1	-
FEMALE--	3	2	3	3	8	14	24	29	21	5	2	-
ALL OTHER--MALE----	2	2	3	3	1	2	-	3	-	-	-	-
FEMALE--	-	2	-	-	1	-	2	2	-	-	1	-
BLACK---MALE----	2	2	3	2	1	1	-	3	-	-	-	-
FEMALE--	-	2	-	-	1	-	2	2	-	-	1	-
UTAH -----	1	-	1	2	-	2	8	3	5	2	-	-
WHITE-----MALE----	1	-	-	-	-	2	4	1	1	2	-	-
FEMALE--	-	-	1	2	-	-	4	2	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	2	2	-	4	3	3	1	4	-	-
WHITE-----MALE----	-	-	1	1	-	1	1	-	-	1	-	-
FEMALE--	-	-	1	1	-	3	2	3	1	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	5	6	4	8	13	6	17	8	3	3	-
WHITE-----MALE----	1	4	4	2	4	6	2	7	2	-	-	-
FEMALE--	-	-	1	1	3	4	3	9	5	3	2	-
ALL OTHER--MALE----	1	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	1	1	1	-	1	1	1	1	1	-	1	-
BLACK---MALE----	1	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	1	1	1	-	1	1	1	1	1	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2557

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Gastric ulcer (K25)												
UNITED STATES -	64	61	81	99	135	178	198	227	132	38	6	-
WHITE-----MALE----	34	23	31	41	62	78	60	67	26	9	1	-
FEMALE--	14	21	36	40	54	78	121	133	98	23	4	-
ALL OTHER--MALE----	10	12	10	12	15	13	9	11	4	3	-	-
FEMALE--	6	5	4	6	4	9	8	16	4	3	1	-
BLACK---MALE----	8	11	9	11	13	10	8	8	3	1	-	-
FEMALE--	6	5	4	4	4	7	5	9	4	3	1	-
ALABAMA -----	1	2	3	1	3	2	3	2	1	-	-	-
WHITE-----MALE----	-	1	1	-	1	-	2	2	-	-	-	-
FEMALE--	-	-	2	1	1	2	1	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	1	1	3	-	3	3	5	1	-	-	-
WHITE-----MALE----	2	-	1	2	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	3	1	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	2	1	1	2	3	1	3	1	-	-	-
WHITE-----MALE----	-	2	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	1	1	2	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
CALIFORNIA -----	14	6	16	14	23	33	37	33	17	10	2	-
WHITE-----MALE----	9	3	7	4	10	17	10	11	3	1	1	-
FEMALE--	1	2	6	5	9	12	24	17	12	7	1	-
ALL OTHER--MALE----	2	-	2	4	3	2	1	1	2	2	-	-
FEMALE--	2	1	1	1	1	2	2	4	-	-	-	-
BLACK---MALE----	1	-	2	4	2	1	1	-	1	-	-	-
FEMALE--	2	1	1	-	1	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2558

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Gastric ulcer (K25)												
COLORADO -----	1	-	1	-	2	2	3	3	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	1	1	-	-	-
FEMALE--	1	-	1	-	-	1	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	1	-	1	2	4	2	3	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	1	-	1	-	-	-
FEMALE--	1	-	1	-	-	1	3	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	1	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	1	3	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
FLORIDA -----	4	2	6	10	6	10	11	13	13	3	-	-
WHITE-----MALE----	3	-	3	6	4	2	4	6	4	1	-	-
FEMALE--	-	1	3	2	1	7	5	4	8	1	-	-
ALL OTHER--MALE----	1	1	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	3	1	1	-	-
BLACK---MALE-----	1	1	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	2	1	1	-	-
GEORGIA -----	-	3	1	-	4	5	4	3	3	1	-	-
WHITE-----MALE----	-	-	-	-	2	2	-	1	-	-	-	-
FEMALE--	-	2	1	-	2	3	3	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2560

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Gastric ulcer (K25)												
KENTUCKY -----	1	-	-	-	1	-	2	7	2	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	7	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	3	3	1	2	1	6	2	1	-	-	-
WHITE-----MALE----	-	1	-	1	1	-	3	1	-	-	-	-
FEMALE--	-	-	1	-	1	1	3	-	1	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	1	-	-	2	1	1	2	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	2	1	2	2	5	1	6	3	-	-	-
WHITE-----MALE----	-	1	-	-	2	3	-	1	-	-	-	-
FEMALE--	2	1	-	1	-	-	1	4	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	1	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	1	-	-	-
MASSACHUSETTS -----	1	-	1	-	2	4	3	4	4	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	2	3	3	4	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	3	6	2	8	7	8	7	5	3	-	-	-
WHITE-----MALE----	1	4	1	2	1	4	3	2	1	-	-	-
FEMALE--	-	-	1	5	4	2	4	3	1	-	-	-
ALL OTHER--MALE----	-	2	-	1	2	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	2	-	1	2	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	2	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2563

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Gastric ulcer (K25)												
OHIO -----	1	3	4	3	8	9	6	11	3	4	-	-
WHITE-----MALE----	-	1	-	1	6	5	2	2	-	2	-	-
FEMALE--	-	2	2	1	2	2	4	8	3	2	-	-
ALL OTHER--MALE----	1	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
OKLAHOMA -----	1	2	3	1	1	2	1	1	-	1	-	-
WHITE-----MALE----	-	1	1	1	-	1	1	1	-	1	-	-
FEMALE--	1	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	2	-	1	2	-	2	5	1	1	2	-	-
WHITE-----MALE----	1	-	-	-	-	2	-	1	-	1	-	-
FEMALE--	-	-	1	2	-	-	4	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
PENNSYLVANIA -----	2	-	3	4	5	6	9	11	12	-	-	-
WHITE-----MALE----	2	-	3	1	3	4	3	5	-	-	-	-
FEMALE--	-	-	-	3	2	2	6	5	12	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	1	-	-	1	-	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	1	-	3	2	1	4	-	1	-	-	-
WHITE-----MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	2	-	1	4	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2566

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Duodenal ulcer (K26)												
UNITED STATES -	1,518	-	-	-	-	-	1	2	3	21	27	41
WHITE-----MALE----	684	-	-	-	-	-	1	1	2	11	13	25
FEMALE--	674	-	-	-	-	-	-	1	-	3	5	9
ALL OTHER--MALE----	91	-	-	-	-	-	-	-	-	5	7	4
FEMALE--	69	-	-	-	-	-	-	-	1	2	2	3
BLACK---MALE-----	67	-	-	-	-	-	-	-	-	4	6	4
FEMALE--	55	-	-	-	-	-	-	-	1	2	2	3
ALABAMA -----	24	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	33	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	12	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	236	-	-	-	-	-	-	-	-	4	1	8
WHITE-----MALE----	101	-	-	-	-	-	-	-	-	3	1	5
FEMALE--	98	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE-----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2566

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Duodenal ulcer (K26)												
UNITED STATES -	73	77	94	98	153	224	276	235	138	49	6	-
WHITE-----MALE----	42	46	53	53	81	104	111	79	46	14	2	-
FEMALE--	12	20	30	30	55	99	149	140	84	33	4	-
ALL OTHER--MALE----	17	8	4	7	10	12	7	6	4	-	-	-
FEMALE--	2	3	7	8	7	9	9	10	4	2	-	-
BLACK---MALE----	14	6	4	4	9	9	4	3	-	-	-	-
FEMALE--	2	3	4	6	6	6	6	9	4	1	-	-
ALABAMA -----	2	1	2	2	3	3	5	2	2	-	-	-
WHITE-----MALE----	1	1	2	1	2	1	3	2	1	-	-	-
FEMALE--	-	-	-	1	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	3	3	3	4	3	6	5	4	-	-	-
WHITE-----MALE----	-	1	2	2	2	1	3	1	-	-	-	-
FEMALE--	1	1	-	1	2	2	2	4	4	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	3	1	2	2	2	1	-	-	-
WHITE-----MALE----	-	-	-	3	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	14	14	18	8	29	35	40	35	21	9	-	-
WHITE-----MALE----	8	8	9	5	15	12	16	11	6	2	-	-
FEMALE--	2	4	5	2	10	18	19	20	10	6	-	-
ALL OTHER--MALE----	4	1	1	1	3	3	2	1	4	-	-	-
FEMALE--	-	1	3	-	1	2	3	3	1	1	-	-
BLACK---MALE----	1	1	1	-	3	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	1	1	-	2	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2567

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Duodenal ulcer (K26)												
COLORADO -----	1	-	1	1	3	1	2	3	3	1	1	-
WHITE-----MALE----	1	-	-	-	1	1	1	3	1	-	-	-
FEMALE--	-	-	1	1	2	-	1	-	2	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	1	-	1	2	6	6	3	1	-	-
WHITE-----MALE----	-	-	1	-	-	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	5	5	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	3	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	1	-	1	-	-	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
FLORIDA -----	7	5	6	9	9	9	15	15	5	1	1	-
WHITE-----MALE----	5	4	3	5	6	6	5	6	2	-	-	-
FEMALE--	1	1	3	2	3	3	10	9	3	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
GEORGIA -----	2	-	-	1	3	6	7	2	-	-	-	-
WHITE-----MALE----	2	-	-	1	1	3	1	1	-	-	-	-
FEMALE--	-	-	-	-	2	1	6	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2569

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Duodenal ulcer (K26)												
KENTUCKY -----	18	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	15	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
MAINE -----	11	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	21	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	32	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	55	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2572

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Duodenal ulcer (K26)												
OHIO -----	3	3	2	6	2	6	12	8	5	4	-	-
WHITE-----MALE----	1	1	-	4	-	5	7	4	1	2	-	-
FEMALE--	-	2	1	1	2	-	4	4	4	2	-	-
ALL OTHER--MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
BLACK---MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
OKLAHOMA -----	-	2	2	1	2	2	1	2	3	1	1	-
WHITE-----MALE----	-	2	2	1	1	2	1	1	3	-	1	-
FEMALE--	-	-	-	-	1	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	1	1	3	1	6	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	3	1	-	-	-
FEMALE--	-	-	-	1	1	2	-	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	3	-	2	5	13	16	11	8	3	-	-
WHITE-----MALE----	1	2	-	2	3	5	7	4	3	1	-	-
FEMALE--	1	-	-	-	2	8	8	6	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	1	-	-	-	-	2	3	2	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	2	2	-	2	5	4	5	3	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	2	1	1	-	-	-
FEMALE--	-	1	1	-	1	2	1	4	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2573

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Duodenal ulcer (K26)												
SOUTH DAKOTA -----	-	-	-	-	-	1	1	1	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	1	4	2	4	2	4	4	2	-	-	-
WHITE-----MALE----	-	1	4	-	4	-	1	-	2	-	-	-
FEMALE--	-	-	-	2	-	2	1	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
TEXAS -----	6	4	3	6	6	14	11	14	7	-	-	-
WHITE-----MALE----	4	1	2	2	5	8	6	7	3	-	-	-
FEMALE--	-	-	1	3	1	6	5	6	4	-	-	-
ALL OTHER--MALE----	2	2	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	-	1	4	1	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	3	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	-	-	3	-	-	1	2	-	-
WHITE-----MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	-	3	1	1	5	2	6	1	-	-	-
WHITE-----MALE----	-	-	2	-	-	3	2	2	1	-	-	-
FEMALE--	-	-	1	-	1	1	-	4	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2575

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Peptic ulcer, site unspecified (K27)												
UNITED STATES -	37	62	67	97	155	232	290	331	220	88	20	-
WHITE-----MALE----	19	41	45	50	88	114	123	115	65	19	5	-
FEMALE--	9	11	12	33	52	89	147	189	142	65	12	-
ALL OTHER--MALE----	8	4	6	7	10	16	9	11	4	3	1	-
FEMALE--	1	6	4	7	5	13	11	16	9	1	2	-
BLACK---MALE----	6	4	6	3	7	8	5	7	2	2	1	-
FEMALE--	1	6	3	7	3	12	9	14	9	1	2	-
ALABAMA -----	1	1	1	2	1	3	2	4	4	-	-	-
WHITE-----MALE----	1	1	1	1	1	2	2	3	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	4	-	1	3	1	6	5	6	1	-	-
WHITE-----MALE----	1	4	-	-	3	-	4	1	2	-	-	-
FEMALE--	-	-	-	1	-	1	2	3	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ARKANSAS -----	1	1	2	2	2	2	3	3	2	1	-	-
WHITE-----MALE----	-	-	2	-	-	2	2	2	1	-	-	-
FEMALE--	1	-	-	2	2	-	1	-	1	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	3	6	10	15	21	45	52	51	41	8	2	-
WHITE-----MALE----	1	4	5	4	15	21	16	12	13	4	2	-
FEMALE--	2	1	3	6	2	17	29	31	22	4	-	-
ALL OTHER--MALE----	-	-	1	3	2	4	5	5	3	-	-	-
FEMALE--	-	1	1	2	2	3	2	3	3	-	-	-
BLACK---MALE----	-	-	1	1	-	-	2	2	1	-	-	-
FEMALE--	-	1	-	2	-	2	1	1	3	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2576

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Peptic ulcer, site unspecified (K27)												
COLORADO -----	-	1	1	2	1	5	5	1	9	-	1	-
WHITE-----MALE----	-	1	1	2	1	2	2	-	2	-	-	-
FEMALE--	-	-	-	-	-	3	3	1	7	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	1	1	-	2	5	2	4	-	-	-
WHITE-----MALE----	-	-	-	1	-	2	3	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	2	4	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	1	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	1	-	-	1	-	-	-	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
FLORIDA -----	-	3	6	10	6	21	15	15	10	11	1	-
WHITE-----MALE----	-	2	4	6	6	11	5	7	4	1	-	-
FEMALE--	-	1	2	2	-	9	9	7	6	10	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-
GEORGIA -----	3	4	2	1	6	6	6	4	2	-	-	-
WHITE-----MALE----	2	3	1	1	2	2	3	2	-	-	-	-
FEMALE--	1	1	-	-	2	2	3	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2581

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Peptic ulcer, site unspecified (K27)												
OHIO -----	4	1	4	3	4	6	11	11	6	8	-	-
WHITE-----MALE----	3	1	3	3	1	5	6	4	2	1	-	-
FEMALE--	-	-	1	-	3	1	4	7	4	6	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
OKLAHOMA -----	1	2	2	-	5	2	8	2	3	-	-	-
WHITE-----MALE----	-	1	2	-	4	-	2	2	-	-	-	-
FEMALE--	-	1	-	-	1	2	5	-	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
OREGON -----	-	-	1	-	3	4	3	4	1	1	1	-
WHITE-----MALE----	-	-	-	-	2	1	2	4	1	-	1	-
FEMALE--	-	-	1	-	1	3	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	2	1	1	7	6	8	16	7	1	2	-
WHITE-----MALE----	2	2	1	-	2	1	3	6	2	-	-	-
FEMALE--	-	-	-	1	3	4	5	8	5	1	2	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
RHODE ISLAND -----	-	-	-	-	1	-	-	2	3	3	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	1	-	-	2	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	1	2	1	2	5	2	6	5	1	-	-
WHITE-----MALE----	-	-	-	-	1	2	-	3	-	-	-	-
FEMALE--	-	-	1	1	-	-	2	2	4	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	1	2	-	1	1	-	-	-
BLACK---MALE-----	-	1	1	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	1	2	-	1	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2582

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Peptic ulcer, site unspecified (k27)												
SOUTH DAKOTA -----	1	-	-	-	1	1	3	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	3	3	2	2	5	5	5	2	3	-	-
WHITE-----MALE----	-	1	2	2	1	-	2	4	1	1	-	-
FEMALE--	-	1	-	-	1	5	3	1	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
TEXAS -----	2	3	6	3	8	7	24	25	13	5	2	-
WHITE-----MALE----	1	1	5	2	4	3	12	9	3	1	1	-
FEMALE--	1	1	1	-	4	3	11	14	10	4	1	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	2	-	-	-	-
UTAH -----	1	-	-	1	-	-	2	2	2	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	1	1	1	-	-
FEMALE--	-	-	-	1	-	-	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	2	-	1	1	1	-	2	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	1	-	1	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	5	2	2	5	3	3	7	5	2	2	-
WHITE-----MALE----	1	4	1	1	2	1	-	4	1	-	-	-
FEMALE--	-	-	-	1	2	1	2	2	3	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	1	1	1	-	1	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	1	1	1	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2590

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Gastrojejunal ulcer (K28)												
OHIO -----	-	-	-	-	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	1	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2593

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Gastritis and duodenitis (K29)												
UNITED STATES -	12	25	22	21	29	42	60	73	48	18	9	-
WHITE-----MALE----	6	13	12	14	14	13	21	20	14	3	-	-
FEMALE--	3	8	4	5	13	24	37	41	33	14	9	-
ALL OTHER--MALE----	3	2	3	1	1	3	1	4	-	-	-	-
FEMALE--	-	2	3	1	1	2	1	8	1	1	-	-
BLACK---MALE----	1	2	3	1	1	2	1	3	-	-	-	-
FEMALE--	-	2	3	1	1	2	1	8	-	1	-	-
ALABAMA -----	-	2	-	-	-	2	1	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	1	-	-	1	1	3	-	2	2	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	3	-	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	1	-	-	-	1	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	2	3	5	1	4	3	7	11	8	4	1	-
WHITE-----MALE----	1	1	2	1	3	-	2	4	2	-	-	-
FEMALE--	-	2	2	-	1	3	5	6	6	3	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2596

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Gastritis and duodenitis (K29)												
KENTUCKY -----	-	-	-	1	-	-	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	1	-	-	-	1	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MAINE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	1	-	-	-	-	-	2	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	-	1	-	1	2	2	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	2	1	-	2	5	2	3	3	1	-	-
WHITE-----MALE----	-	2	1	-	-	1	-	2	2	-	-	-
FEMALE--	-	-	-	-	1	3	2	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2602

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Dyspepsia and other diseases of stomach and duodenum (K30-K31)												
UNITED STATES -	570	6	1	1	3	-	1	2	8	5	9	14
WHITE-----MALE----	206	1	-	-	1	-	-	2	4	1	1	5
FEMALE--	300	2	-	1	1	-	1	-	4	3	6	7
ALL OTHER--MALE----	32	2	1	-	-	-	-	-	-	-	1	-
FEMALE--	32	1	-	-	1	-	-	-	-	1	1	2
BLACK---MALE-----	28	2	1	-	-	-	-	-	-	-	1	-
FEMALE--	30	1	-	-	1	-	-	-	-	1	1	2
ALABAMA -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	3	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	6	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	8	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	38	-	-	-	-	-	-	1	-	1	1	-
WHITE-----MALE----	13	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2603

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Dyspepsia and other diseases of stomach and duodenum (K30-K31)												
COLORADO -----	1	-	1	-	-	1	1	3	1	1	1	-
WHITE-----MALE----	-	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	2	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
CONNECTICUT -----	-	1	-	2	-	3	-	1	-	1	1	-
WHITE-----MALE----	-	-	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	1	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	1	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	1	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1	1	1	1	2	6	4	5	2	1	1	-
WHITE-----MALE----	1	1	-	-	-	6	3	1	1	-	-	-
FEMALE--	-	-	1	-	2	-	1	3	1	1	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
GEORGIA -----	2	-	2	2	2	5	1	1	2	-	-	-
WHITE-----MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	3	1	1	2	-	-	-
ALL OTHER--MALE----	1	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2611

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of appendix (K35-K38)												
UNITED STATES -	25	28	32	26	45	53	68	39	24	4	1	-
WHITE-----MALE----	12	14	20	13	18	26	25	14	8	-	-	-
FEMALE--	7	7	9	7	16	16	33	24	14	4	1	-
ALL OTHER--MALE----	5	6	3	2	7	4	5	1	1	-	-	-
FEMALE--	1	1	-	4	4	7	5	-	1	-	-	-
BLACK---MALE-----	3	6	3	2	7	3	3	1	1	-	-	-
FEMALE--	1	1	-	4	3	6	4	-	1	-	-	-
ALABAMA -----	-	1	-	-	1	1	2	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	1	-	2	-	1	1	2	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ARKANSAS -----	-	-	-	-	2	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	6	3	2	4	3	8	10	3	2	-	-	-
WHITE-----MALE----	3	2	1	2	-	3	3	1	-	-	-	-
FEMALE--	2	1	-	1	3	3	4	2	2	-	-	-
ALL OTHER--MALE----	1	-	1	1	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE-----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2612

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of appendix (K35-K38)												
COLORADO -----	-	1	-	-	1	-	1	1	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	1	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	2	1	3	2	3	4	3	3	4	-	-	-
WHITE-----MALE----	2	-	1	1	1	2	-	-	2	-	-	-
FEMALE--	-	-	1	1	2	1	3	3	2	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
GEORGIA -----	-	-	1	-	-	1	2	1	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2614

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of appendix (K35-K38)												
KENTUCKY -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	1	-	-	1	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	1	-	2	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	1	-	1	4	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	1	-	1	1	1	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	1	1	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	2	2	2	1	-	1	2	1	1	-	-	-
WHITE-----MALE----	1	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	1	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2617

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of appendix (K35-K38)												
OHIO -----	26	-	-	-	-	-	-	1	-	1	1	3
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	18	-	1	-	-	-	-	-	-	-	2	-
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	12	-	-	-	1	-	1	-	-	-	-	1
WHITE-----MALE----	7	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2620

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hernia (K40-K46)												
UNITED STATES -	58	51	62	84	126	224	242	294	188	63	10	-
WHITE-----MALE----	25	18	25	31	51	85	95	88	39	10	4	-
FEMALE--	22	27	29	37	66	113	128	182	137	47	5	-
ALL OTHER--MALE----	7	2	4	8	2	6	9	8	3	2	-	-
FEMALE--	4	4	4	8	7	20	10	16	9	4	1	-
BLACK---MALE----	5	1	4	7	2	4	8	8	3	-	-	-
FEMALE--	3	4	4	7	5	18	8	16	9	3	1	-
ALABAMA -----	1	2	2	-	1	2	6	7	3	1	-	-
WHITE-----MALE----	1	1	1	-	1	2	-	2	-	-	-	-
FEMALE--	-	-	1	-	-	-	5	5	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	3	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	3	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	1	2	3	3	4	4	4	1	2	1	-
WHITE-----MALE----	-	-	-	1	1	-	2	-	-	-	-	-
FEMALE--	1	1	2	1	1	3	2	4	1	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	2	-	-	1	1	2	1	2	2	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
CALIFORNIA -----	7	5	8	11	12	17	25	26	26	6	2	-
WHITE-----MALE----	3	2	4	2	6	10	10	9	8	1	1	-
FEMALE--	3	3	3	8	5	4	15	14	18	3	1	-
ALL OTHER--MALE----	1	-	-	-	-	2	-	-	-	1	-	-
FEMALE--	-	-	1	1	1	-	-	3	-	1	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	3	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2621

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hernia (K40-K46)												
COLORADO -----	25	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	18	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	7	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	88	1	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	40	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	38	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	42	-	1	-	-	-	-	-	-	1	2	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	5	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	5	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2621

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hernia (K40-K46)												
COLORADO -----	2	-	-	1	2	6	3	5	5	1	-	-
WHITE-----MALE----	2	-	-	-	1	2	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	4	3	4	4	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	-	1	-	1	3	7	2	2	-	-
WHITE-----MALE----	-	1	-	1	-	-	2	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	5	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	-	-	-	-	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
FLORIDA -----	4	7	1	5	8	17	14	12	14	4	-	-
WHITE-----MALE----	2	-	-	3	6	10	5	5	6	1	-	-
FEMALE--	1	6	-	2	1	4	6	7	8	3	-	-
ALL OTHER--MALE----	1	1	1	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	3	1	-	-	-	-	-
BLACK---MALE----	1	1	1	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	3	1	-	-	-	-	-
GEORGIA -----	2	1	2	4	3	11	5	9	1	-	-	-
WHITE-----MALE----	1	-	1	2	-	-	2	3	-	-	-	-
FEMALE--	-	-	1	2	2	5	2	5	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	5	-	1	1	-	-	-
BLACK---MALE----	1	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	5	-	1	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2622

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hernia (K40-K46)												
HAWAII -----	-	1	-	-	-	-	1	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	1	1	2	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2	3	3	5	9	6	7	13	7	-	-	-
WHITE-----MALE----	-	2	1	2	3	3	1	5	-	-	-	-
FEMALE--	1	1	2	1	5	2	5	7	7	-	-	-
ALL OTHER--MALE----	1	-	-	2	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE-----	1	-	-	2	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
INDIANA -----	1	1	-	1	2	3	5	7	4	2	-	-
WHITE-----MALE----	1	1	-	1	-	-	1	4	-	1	-	-
FEMALE--	-	-	-	-	2	3	4	1	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	1	-	-
IOWA -----	-	-	-	1	2	2	5	11	4	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	3	3	1	-	-	-
FEMALE--	-	-	-	1	1	2	2	8	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	1	-	-	-	-	4	2	1	3	1	-	-
WHITE-----MALE----	1	-	-	-	-	2	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	2	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2623

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hernia (K40-K46)												
KENTUCKY -----	28	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
LOUISIANA -----	21	-	-	-	-	-	1	-	-	1	-	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	13	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	22	-	-	-	-	-	-	1	-	-	-	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	30	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	50	2	-	-	-	-	-	1	-	1	1	3
WHITE-----MALE----	20	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	22	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	1	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2623

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hernia (K40-K46)												
KENTUCKY -----	1	1	3	-	2	3	5	5	5	-	-	-
WHITE-----MALE----	1	-	1	-	1	-	3	2	-	-	-	-
FEMALE--	-	1	2	-	1	3	2	3	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	1	-	1	2	2	4	2	5	-	-	-
WHITE-----MALE----	-	-	-	-	1	2	1	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	2	-	3	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	1	1	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	1	1	-	-	-
MAINE -----	-	1	-	-	2	2	1	5	-	1	-	-
WHITE-----MALE----	-	1	-	-	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	4	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	-	-	2	4	5	2	3	3	-	-	-
WHITE-----MALE----	-	-	-	-	-	3	-	-	1	-	-	-
FEMALE--	1	-	-	-	4	1	2	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	2	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	2	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	2	1	3	7	4	7	4	1	-	-
WHITE-----MALE----	-	-	2	-	2	1	1	1	1	-	-	-
FEMALE--	-	-	-	1	1	6	3	6	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	2	1	4	4	5	10	9	3	3	-	-
WHITE-----MALE----	1	1	-	1	1	2	5	3	2	1	-	-
FEMALE--	-	1	1	3	2	3	4	4	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	2	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2624

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hernia (K40-K46)												
MINNESOTA -----	-	-	2	-	2	5	4	8	5	1	-	-
WHITE-----MALE----	-	-	1	-	1	2	2	2	-	-	-	-
FEMALE--	-	-	1	-	1	3	2	6	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	-	-	1	2	3	2	2	3	1	-	-	-
WHITE-----MALE----	-	-	-	1	2	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	1	1	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MISSOURI -----	-	2	1	2	2	5	5	12	4	1	2	-
WHITE-----MALE----	-	1	1	-	1	1	1	-	1	-	2	-
FEMALE--	-	1	-	2	1	4	4	11	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
MONTANA -----	-	-	-	-	1	-	1	3	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	-	-	-	1	1	3	2	4	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	2	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	1	1	1	2	1	1	5	2	1	-	-	-
WHITE-----MALE----	-	1	-	1	-	1	2	1	-	-	-	-
FEMALE--	1	-	1	-	1	-	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2626

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hernia (K40-K46)												
OHIO -----	6	1	5	5	5	15	12	9	8	1	-	-
WHITE-----MALE----	2	-	3	2	2	3	5	-	1	-	-	-
FEMALE--	4	1	1	3	3	11	6	9	7	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
OKLAHOMA -----	-	1	-	1	2	1	3	6	2	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	1	1	-	-	-
FEMALE--	-	1	-	-	2	1	2	5	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	1	2	-	-	4	7	5	1	2	-	-
WHITE-----MALE----	-	-	1	-	-	1	4	3	1	-	-	-
FEMALE--	-	-	1	-	-	3	3	2	-	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3	1	3	3	7	13	8	18	9	5	1	-
WHITE-----MALE----	2	-	1	1	1	6	4	5	1	2	1	-
FEMALE--	1	1	2	2	6	6	4	13	8	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
RHODE ISLAND -----	-	2	-	-	-	2	4	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	2	-	-	-	2	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	1	1	1	2	2	4	3	-	-	-
WHITE-----MALE----	1	-	-	-	1	2	1	2	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2627

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hernia (K40-K46)												
SOUTH DAKOTA -----	8	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	40	1	1	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	16	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	17	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	1	-	-	-	-	-	-	-	-	-
TEXAS -----	95	10	1	-	-	-	-	-	-	1	-	2
WHITE-----MALE----	24	4	1	-	-	-	-	-	-	-	-	1
FEMALE--	61	4	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	2	-	-	-	-	-	-	-	-	-	-
UTAH -----	10	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	5	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	36	1	-	-	-	-	-	-	1	-	-	2
WHITE-----MALE----	16	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2632

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Crohn's disease and ulcerative colitis (K50-K51)												
KENTUCKY -----	17	-	-	-	-	-	-	2	-	1	-	1
WHITE-----MALE----	4	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	16	-	-	-	-	-	-	1	-	-	2	2
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	1	-	-	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	1	-	-	1	1
MAINE -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	9	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	25	-	-	-	-	-	-	-	-	-	3	3
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	14	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	34	-	-	-	-	-	-	-	1	2	-	2
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2632

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Crohn's disease and ulcerative colitis (K50-K51)												
KENTUCKY -----	4	2	1	1	2	2	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	4	2	1	-	1	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	4	2	-	-	2	-	1	2	-	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	3	1	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
MAINE -----	-	-	-	1	-	-	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	-	-	1	-	3	1	3	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	3	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MASSACHUSETTS -----	2	2	2	-	1	1	6	3	1	1	-	-
WHITE-----MALE----	2	1	1	-	-	1	1	2	-	-	-	-
FEMALE--	-	1	1	-	1	-	5	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	1	2	-	4	9	6	5	1	-	-	-
WHITE-----MALE----	-	-	1	-	3	4	1	1	-	-	-	-
FEMALE--	-	-	1	-	1	4	5	4	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2635

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Crohn's disease and ulcerative colitis (K50-K51)												
OHIO -----	2	1	-	4	6	9	2	8	-	-	-	-
WHITE-----MALE----	1	-	-	3	1	3	-	2	-	-	-	-
FEMALE--	1	1	-	1	5	5	2	6	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	1	-	2	-	1	2	-	4	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	1	-	1	1	-	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	1	-	5	1	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	3	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	2	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	2	7	1	9	4	9	4	3	-	-	-
WHITE-----MALE----	-	1	4	-	2	2	2	1	1	-	-	-
FEMALE--	1	1	3	1	6	2	7	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	1	1	-	2	1	-	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	2	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	1	1	1	1	1	1	1	-	-	-
WHITE-----MALE----	-	-	1	-	1	1	-	1	1	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2638

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Vascular disorders and obstruction of intestine without hernia (K55-K56)												
UNITED STATES -	14,281	230	20	15	16	15	22	20	30	59	107	175
WHITE-----MALE----	4,215	58	4	8	10	6	12	10	10	21	31	51
FEMALE--	8,259	56	5	2	5	3	8	5	7	18	46	60
ALL OTHER--MALE----	787	64	10	4	1	5	2	1	5	11	16	37
FEMALE--	1,020	52	1	1	-	1	-	4	8	9	14	27
BLACK---MALE----	688	58	6	3	1	5	2	1	4	10	15	33
FEMALE--	900	45	1	1	-	-	-	4	6	9	11	23
ALABAMA -----	256	10	-	-	2	1	1	-	-	3	2	5
WHITE-----MALE----	52	2	-	-	2	1	-	-	-	1	-	-
FEMALE--	140	1	-	-	-	-	1	-	-	-	2	2
ALL OTHER--MALE----	28	3	-	-	-	-	-	-	-	1	-	2
FEMALE--	36	4	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	28	3	-	-	-	-	-	-	-	1	-	2
FEMALE--	36	4	-	-	-	-	-	-	-	1	-	1
ALASKA -----	11	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	256	4	1	1	-	-	1	-	1	2	2	3
WHITE-----MALE----	85	2	-	1	-	-	1	-	-	1	-	2
FEMALE--	146	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	12	2	1	-	-	-	-	-	-	-	1	-
FEMALE--	13	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	5	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	1	-	-
ARKANSAS -----	188	4	-	-	-	-	-	-	-	1	4	1
WHITE-----MALE----	58	3	-	-	-	-	-	-	-	-	1	1
FEMALE--	99	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	13	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	13	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	1	-
CALIFORNIA -----	1,400	20	6	1	1	-	2	1	4	8	13	15
WHITE-----MALE----	413	6	2	-	-	-	2	-	1	4	2	6
FEMALE--	798	8	2	-	1	-	-	1	2	2	7	4
ALL OTHER--MALE----	90	1	2	1	-	-	-	-	-	1	1	2
FEMALE--	99	5	-	-	-	-	-	-	1	1	3	3
BLACK---MALE----	48	-	1	-	-	-	-	-	-	1	1	1
FEMALE--	55	3	-	-	-	-	-	-	-	1	2	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2638

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Vascular disorders and obstruction of intestine without hernia (K55-K56)												
UNITED STATES -	296	372	569	907	1,549	2,334	2,617	2,710	1,585	540	93	-
WHITE-----MALE----	102	133	198	318	563	798	786	695	318	72	11	-
FEMALE--	116	163	248	439	791	1,270	1,584	1,788	1,151	420	74	-
ALL OTHER--MALE----	36	43	67	75	83	116	98	76	22	12	3	-
FEMALE--	42	33	56	75	112	150	149	151	94	36	5	-
BLACK---MALE----	35	42	63	63	70	97	84	63	21	10	2	-
FEMALE--	40	31	51	66	93	132	125	141	87	30	4	-
ALABAMA -----	5	7	9	15	32	38	50	45	25	5	1	-
WHITE-----MALE----	3	3	2	3	10	5	10	7	2	1	-	-
FEMALE--	1	2	5	6	18	25	27	30	17	3	-	-
ALL OTHER--MALE----	-	1	1	2	-	4	7	5	1	-	1	-
FEMALE--	1	1	1	4	4	4	6	3	5	1	-	-
BLACK---MALE----	-	1	1	2	-	4	7	5	1	-	1	-
FEMALE--	1	1	1	4	4	4	6	3	5	1	-	-
ALASKA -----	1	1	-	2	1	3	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	3	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	2	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	7	12	13	15	25	50	43	47	23	4	2	-
WHITE-----MALE----	5	6	7	3	7	18	15	12	5	-	-	-
FEMALE--	1	5	6	8	14	28	27	34	16	4	1	-
ALL OTHER--MALE----	-	-	-	2	1	2	1	1	-	-	1	-
FEMALE--	1	1	-	2	3	2	-	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	1	-	-	-
ARKANSAS -----	5	4	10	11	17	41	22	36	25	6	1	-
WHITE-----MALE----	3	-	4	3	5	13	9	12	4	-	-	-
FEMALE--	-	2	4	7	9	24	10	19	16	5	1	-
ALL OTHER--MALE----	1	1	2	-	1	1	2	3	-	-	-	-
FEMALE--	1	1	-	1	2	3	1	2	5	1	-	-
BLACK---MALE----	1	1	2	-	1	1	2	3	-	-	-	-
FEMALE--	1	1	-	1	2	3	1	2	5	1	-	-
CALIFORNIA -----	33	44	54	102	146	235	267	242	144	58	4	-
WHITE-----MALE----	10	14	18	41	44	86	74	54	43	6	-	-
FEMALE--	14	18	27	43	85	114	167	162	93	44	4	-
ALL OTHER--MALE----	6	5	4	9	11	17	11	13	2	4	-	-
FEMALE--	3	7	5	9	6	18	15	13	6	4	-	-
BLACK---MALE----	6	5	3	6	6	4	6	5	1	2	-	-
FEMALE--	3	6	3	6	3	9	7	6	4	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2639

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Vascular disorders and obstruction of intestine without hernia (K55-K56)												
COLORADO -----	5	4	5	10	15	36	28	34	20	11	1	-
WHITE-----MALE----	2	2	2	4	11	13	5	11	5	2	-	-
FEMALE--	3	2	3	6	4	22	22	22	14	9	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
CONNECTICUT -----	3	2	9	15	16	26	31	38	22	6	2	-
WHITE-----MALE----	1	1	4	4	9	12	12	13	6	1	-	-
FEMALE--	2	1	3	8	6	11	18	24	16	4	2	-
ALL OTHER--MALE----	-	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	2	-	2	1	1	-	1	-	-
BLACK---MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	2	-	2	1	1	-	1	-	-
DELAWARE -----	1	1	-	4	8	3	8	10	3	3	-	-
WHITE-----MALE----	-	-	-	2	2	2	3	4	-	1	-	-
FEMALE--	-	1	-	1	3	-	5	5	3	2	-	-
ALL OTHER--MALE----	1	-	-	1	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	2	2	-	-	-	4	3	6	3	-	-	-
WHITE-----MALE----	1	1	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	2	2	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	2	2	-	-	-
FLORIDA -----	19	12	27	45	94	159	138	180	87	33	6	-
WHITE-----MALE----	4	2	9	17	39	51	49	51	25	8	-	-
FEMALE--	9	5	14	21	44	85	81	115	59	23	6	-
ALL OTHER--MALE----	2	4	1	3	3	12	2	5	-	-	-	-
FEMALE--	4	1	3	4	8	11	6	9	3	2	-	-
BLACK---MALE----	2	4	1	3	2	11	2	5	-	-	-	-
FEMALE--	4	1	3	4	7	10	6	9	3	2	-	-
GEORGIA -----	8	11	20	18	41	47	57	64	32	5	1	-
WHITE-----MALE----	3	4	6	3	16	11	15	13	7	-	-	-
FEMALE--	3	3	7	11	14	25	33	35	18	4	1	-
ALL OTHER--MALE----	1	3	4	3	4	5	3	6	2	-	-	-
FEMALE--	1	1	3	1	7	6	6	10	5	1	-	-
BLACK---MALE----	1	3	4	3	3	5	3	5	2	-	-	-
FEMALE--	1	1	3	1	7	6	6	10	5	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2640

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Vascular disorders and obstruction of intestine without hernia (K55-K56)												
HAWAII -----	-	-	2	3	6	8	7	6	4	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	1	1	2	4	2	3	1	-	-	-
ALL OTHER--MALE----	-	-	1	1	2	2	1	3	-	-	-	-
FEMALE--	-	-	-	1	1	2	4	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	4	1	1	5	8	12	13	14	8	5	1	-
WHITE-----MALE----	3	-	1	1	4	4	5	5	-	3	-	-
FEMALE--	1	1	-	4	3	8	8	9	8	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	12	16	24	32	74	97	137	111	74	16	5	-
WHITE-----MALE----	3	7	8	9	23	37	41	31	14	1	-	-
FEMALE--	6	8	11	18	37	47	83	69	54	13	5	-
ALL OTHER--MALE----	1	-	3	3	4	5	7	4	3	1	-	-
FEMALE--	2	1	2	2	10	8	6	7	3	1	-	-
BLACK---MALE----	1	-	3	3	4	5	6	4	3	1	-	-
FEMALE--	2	1	2	2	8	8	6	7	3	1	-	-
INDIANA -----	6	8	13	23	36	54	54	56	51	12	1	-
WHITE-----MALE----	1	4	6	5	13	20	12	15	7	-	-	-
FEMALE--	4	2	5	15	20	31	37	40	43	12	1	-
ALL OTHER--MALE----	-	-	2	1	1	1	1	-	-	-	-	-
FEMALE--	1	2	-	2	2	2	4	1	1	-	-	-
BLACK---MALE----	-	-	2	1	1	1	1	-	-	-	-	-
FEMALE--	1	2	-	2	2	2	4	1	1	-	-	-
IOWA -----	1	3	6	9	18	22	31	32	15	12	1	-
WHITE-----MALE----	-	1	3	4	7	12	11	5	1	4	-	-
FEMALE--	1	2	3	4	11	10	20	27	14	8	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
KANSAS -----	4	3	6	7	18	23	27	46	19	11	1	-
WHITE-----MALE----	3	-	-	4	6	10	7	17	1	1	1	-
FEMALE--	-	3	6	3	10	11	20	26	18	9	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	2	-	2	-	1	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	2	-	2	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2641

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Vascular disorders and obstruction of intestine without hernia (K55-K56)												
KENTUCKY -----	211	1	-	-	-	-	-	-	-	-	3	2
WHITE-----MALE----	55	1	-	-	-	-	-	-	-	-	1	2
FEMALE--	142	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	220	6	-	1	-	-	-	-	1	1	2	2
WHITE-----MALE----	55	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	113	-	-	-	-	-	-	-	1	1	-	2
ALL OTHER--MALE----	19	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	33	4	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	19	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	33	4	-	-	-	-	-	-	-	-	1	-
MAINE -----	92	1	-	-	1	-	1	-	-	-	-	-
WHITE-----MALE----	29	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	61	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	275	3	-	1	-	-	-	-	2	1	1	5
WHITE-----MALE----	64	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	146	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	28	2	-	-	-	-	-	-	-	-	1	2
FEMALE--	37	1	-	-	-	-	-	-	1	1	-	-
BLACK---MALE-----	26	2	-	-	-	-	-	-	-	-	1	2
FEMALE--	36	1	-	-	-	-	-	-	1	1	-	-
MASSACHUSETTS -----	401	6	1	1	-	-	1	-	1	1	1	4
WHITE-----MALE----	147	-	-	1	-	-	1	-	-	-	1	2
FEMALE--	233	3	-	-	-	-	-	-	1	1	-	2
ALL OTHER--MALE----	9	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	12	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	8	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	9	1	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	555	10	1	-	1	1	-	1	2	6	5	7
WHITE-----MALE----	173	2	-	-	-	-	-	1	-	3	2	4
FEMALE--	292	4	-	-	1	1	-	-	-	-	2	-
ALL OTHER--MALE----	39	4	1	-	-	-	-	-	-	1	-	2
FEMALE--	51	-	-	-	-	-	-	-	2	2	1	1
BLACK---MALE-----	36	2	-	-	-	-	-	-	-	1	-	2
FEMALE--	48	-	-	-	-	-	-	-	1	2	1	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2641

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Vascular disorders and obstruction of intestine without hernia (K55-K56)												
KENTUCKY -----	9	4	13	10	27	39	39	30	21	10	3	-
WHITE-----MALE----	2	2	5	5	7	13	7	5	3	1	1	-
FEMALE--	4	2	6	4	19	23	31	23	17	9	2	-
ALL OTHER--MALE----	2	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	1	1	1	2	1	1	1	-	-	-
BLACK---MALE-----	2	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	1	1	1	2	1	1	1	-	-	-
LOUISIANA -----	8	9	18	19	26	27	38	33	22	6	1	-
WHITE-----MALE----	1	3	3	10	11	7	7	5	6	-	-	-
FEMALE--	3	3	13	5	10	13	24	19	13	5	1	-
ALL OTHER--MALE----	2	2	1	2	2	3	3	2	-	-	-	-
FEMALE--	2	1	1	2	3	4	4	7	3	1	-	-
BLACK---MALE-----	2	2	1	2	2	3	3	2	-	-	-	-
FEMALE--	2	1	1	2	3	4	4	7	3	1	-	-
MAINE -----	1	1	4	4	14	14	19	19	7	6	-	-
WHITE-----MALE----	-	1	2	-	5	6	10	3	-	1	-	-
FEMALE--	1	-	2	4	8	8	8	16	7	5	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	7	8	12	25	27	55	49	41	27	10	1	-
WHITE-----MALE----	5	2	2	7	8	16	10	8	4	-	-	-
FEMALE--	-	3	3	9	14	28	32	23	21	9	1	-
ALL OTHER--MALE----	-	3	4	6	3	4	2	1	-	-	-	-
FEMALE--	2	-	3	3	2	7	5	9	2	1	-	-
BLACK---MALE-----	-	3	4	5	3	3	2	1	-	-	-	-
FEMALE--	2	-	3	3	1	7	5	9	2	1	-	-
MASSACHUSETTS -----	3	9	17	18	44	73	72	80	51	16	2	-
WHITE-----MALE----	1	4	7	8	21	24	28	33	12	4	-	-
FEMALE--	2	5	5	8	23	45	40	46	38	12	2	-
ALL OTHER--MALE----	-	-	3	1	-	1	2	-	-	-	-	-
FEMALE--	-	-	2	1	-	3	2	1	1	-	-	-
BLACK---MALE-----	-	-	3	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	2	-	-	3	1	1	1	-	-	-
MICHIGAN -----	12	20	22	35	74	80	91	106	57	18	6	-
WHITE-----MALE----	3	5	8	12	21	28	34	31	16	3	-	-
FEMALE--	5	7	10	15	37	45	47	65	35	12	6	-
ALL OTHER--MALE----	3	4	3	4	7	4	3	2	1	-	-	-
FEMALE--	1	4	1	4	9	3	7	8	5	3	-	-
BLACK---MALE-----	3	4	3	4	7	4	3	2	1	-	-	-
FEMALE--	-	4	1	4	9	3	6	8	5	3	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2644

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Vascular disorders and obstruction of intestine without hernia (K55-K56)												
OHIO -----	21	17	28	49	58	119	121	119	63	27	2	-
WHITE-----MALE----	5	4	14	21	17	38	37	29	13	3	-	-
FEMALE--	6	9	7	20	33	65	74	76	44	19	1	-
ALL OTHER--MALE----	3	2	3	2	8	6	2	5	2	-	-	-
FEMALE--	7	2	4	6	-	10	8	9	4	5	1	-
BLACK---MALE----	3	2	3	2	8	6	2	5	2	-	-	-
FEMALE--	7	2	4	6	-	9	7	9	4	5	1	-
OKLAHOMA -----	2	10	9	15	31	35	45	45	23	7	-	-
WHITE-----MALE----	1	5	1	8	13	11	11	8	2	-	-	-
FEMALE--	1	3	5	5	17	22	29	34	20	6	-	-
ALL OTHER--MALE----	-	2	1	1	-	1	3	1	1	-	-	-
FEMALE--	-	-	2	1	1	1	2	2	-	1	-	-
BLACK---MALE----	-	2	1	1	-	1	1	-	1	-	-	-
FEMALE--	-	-	1	1	-	-	1	2	-	1	-	-
OREGON -----	2	6	4	10	21	23	40	33	21	12	1	-
WHITE-----MALE----	-	3	1	2	9	9	14	7	4	1	-	-
FEMALE--	2	3	3	8	10	13	26	26	17	11	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	14	14	26	41	77	124	169	181	99	27	5	-
WHITE-----MALE----	4	6	9	19	35	45	59	56	16	4	1	-
FEMALE--	7	6	9	14	36	68	95	112	76	23	4	-
ALL OTHER--MALE----	2	1	1	3	4	8	5	3	2	-	-	-
FEMALE--	1	1	7	5	2	3	10	10	5	-	-	-
BLACK---MALE----	2	1	1	3	4	8	5	3	2	-	-	-
FEMALE--	1	1	7	5	2	3	9	10	5	-	-	-
RHODE ISLAND -----	-	4	1	3	9	10	15	16	8	3	-	-
WHITE-----MALE----	-	2	1	1	4	7	9	3	1	1	-	-
FEMALE--	-	2	-	1	4	2	6	13	7	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
SOUTH CAROLINA -----	10	11	8	12	26	44	31	41	16	4	3	-
WHITE-----MALE----	4	2	4	3	7	12	12	7	3	-	-	-
FEMALE--	2	6	3	8	11	22	14	26	9	3	2	-
ALL OTHER--MALE----	1	2	-	1	2	4	3	-	-	-	1	-
FEMALE--	3	1	1	-	6	6	2	8	4	1	-	-
BLACK---MALE----	1	2	-	1	2	4	3	-	-	-	1	-
FEMALE--	3	1	1	-	6	6	2	8	4	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2645

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Vascular disorders and obstruction of intestine without hernia (K55-K56)												
SOUTH DAKOTA -----	43	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	341	5	1	-	1	-	-	-	-	1	3	4
WHITE-----MALE----	97	1	-	-	-	-	-	-	-	1	-	1
FEMALE--	209	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	14	1	-	-	1	-	-	-	-	-	1	1
FEMALE--	21	3	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	14	1	-	-	1	-	-	-	-	-	1	1
FEMALE--	21	3	1	-	-	-	-	-	-	-	-	-
TEXAS -----	905	13	1	1	2	-	3	4	4	4	6	15
WHITE-----MALE----	243	5	-	-	1	-	2	2	1	-	2	5
FEMALE--	552	4	1	1	1	-	1	1	-	2	3	6
ALL OTHER--MALE----	42	1	-	-	-	-	-	1	1	2	1	-
FEMALE--	68	3	-	-	-	-	-	-	2	-	-	4
BLACK---MALE-----	40	1	-	-	-	-	-	1	-	2	1	-
FEMALE--	66	3	-	-	-	-	-	-	2	-	-	4
UTAH -----	74	1	1	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	25	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	47	1	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	40	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	351	7	-	1	-	-	-	1	-	-	4	5
WHITE-----MALE----	93	2	-	-	-	-	-	-	-	-	2	3
FEMALE--	190	1	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	31	2	-	-	-	-	-	-	-	-	1	1
FEMALE--	37	2	-	-	-	-	-	1	-	-	1	1
BLACK---MALE-----	30	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	35	2	-	-	-	-	-	1	-	-	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2645

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Vascular disorders and obstruction of intestine without hernia (K55-K56)												
SOUTH DAKOTA -----	-	1	1	1	1	7	13	7	7	4	-	-
WHITE-----MALE----	-	-	1	1	-	2	5	1	2	-	-	-
FEMALE--	-	1	-	-	1	5	6	5	5	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	6	12	11	27	51	53	58	64	29	13	2	-
WHITE-----MALE----	2	5	4	6	23	18	15	16	5	-	-	-
FEMALE--	3	5	5	19	24	30	37	44	23	13	2	-
ALL OTHER--MALE----	1	-	2	1	2	-	3	1	-	-	-	-
FEMALE--	-	2	-	1	2	5	3	3	1	-	-	-
BLACK---MALE-----	1	-	2	1	2	-	3	1	-	-	-	-
FEMALE--	-	2	-	1	2	5	3	3	1	-	-	-
TEXAS -----	22	23	45	59	106	141	165	160	95	30	6	-
WHITE-----MALE----	5	6	11	23	37	38	40	44	15	5	1	-
FEMALE--	11	15	22	31	52	87	105	108	74	22	5	-
ALL OTHER--MALE----	3	1	8	2	6	4	7	3	-	2	-	-
FEMALE--	3	1	4	3	11	12	13	5	6	1	-	-
BLACK---MALE-----	3	1	8	1	6	4	7	3	-	2	-	-
FEMALE--	3	1	4	2	10	12	13	5	6	1	-	-
UTAH -----	-	2	-	8	2	14	24	9	8	3	-	-
WHITE-----MALE----	-	2	-	2	2	8	8	-	1	1	-	-
FEMALE--	-	-	-	6	-	6	15	9	6	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	2	2	3	5	2	8	7	8	3	-	-
WHITE-----MALE----	-	1	1	2	3	-	3	4	2	-	-	-
FEMALE--	-	1	1	1	2	2	5	3	6	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	5	7	11	23	36	61	69	64	44	11	2	-
WHITE-----MALE----	-	2	2	6	7	22	22	14	9	1	1	-
FEMALE--	4	3	5	9	26	33	34	40	26	7	1	-
ALL OTHER--MALE----	1	1	1	4	-	5	7	4	2	2	-	-
FEMALE--	-	1	3	4	3	1	6	6	7	1	-	-
BLACK---MALE-----	1	1	1	4	-	5	7	4	2	2	-	-
FEMALE--	-	1	2	4	3	1	6	6	7	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2647

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diverticular disease of intestine (K57)												
UNITED STATES -	53	58	116	213	330	481	658	683	472	136	18	-
WHITE-----MALE----	25	32	37	81	118	149	189	153	91	19	-	-
FEMALE--	20	15	54	104	176	298	425	487	365	108	15	-
ALL OTHER--MALE----	2	4	12	11	16	9	10	9	2	-	-	-
FEMALE--	6	7	13	17	20	25	34	34	14	9	3	-
BLACK---MALE----	1	4	11	9	16	7	9	5	2	-	-	-
FEMALE--	5	5	12	17	19	21	29	31	14	9	3	-
ALABAMA -----	-	1	4	2	2	9	8	10	7	2	-	-
WHITE-----MALE----	-	-	-	2	1	3	1	3	2	2	-	-
FEMALE--	-	-	2	-	-	6	7	7	5	-	-	-
ALL OTHER--MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	2	1	3	4	5	9	13	11	1	-	-
WHITE-----MALE----	-	2	-	2	2	1	5	2	3	-	-	-
FEMALE--	1	-	1	1	2	4	4	10	8	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	2	-	1	3	1	5	12	4	1	-	-
WHITE-----MALE----	-	-	-	-	2	-	1	4	2	-	-	-
FEMALE--	-	-	-	1	-	-	4	6	2	1	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	2	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
CALIFORNIA -----	8	8	21	28	47	64	81	96	64	11	3	-
WHITE-----MALE----	3	4	7	10	16	20	28	16	15	-	-	-
FEMALE--	3	3	11	16	25	40	49	72	49	10	1	-
ALL OTHER--MALE----	-	-	1	-	3	1	2	3	-	-	-	-
FEMALE--	2	1	2	2	3	3	2	5	-	1	2	-
BLACK---MALE----	-	-	1	-	3	-	2	1	-	-	-	-
FEMALE--	1	1	2	2	2	1	1	4	-	1	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2648

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diverticular disease of intestine (K57)												
COLORADO -----	-	1	3	1	4	9	11	7	10	1	-	-
WHITE-----MALE----	-	1	3	1	2	4	4	3	-	-	-	-
FEMALE--	-	-	-	-	2	4	7	4	9	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
CONNECTICUT -----	1	-	2	2	6	4	5	9	7	4	-	-
WHITE-----MALE----	1	-	1	1	2	1	2	3	3	-	-	-
FEMALE--	-	-	1	-	4	3	3	6	4	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	1	-	-	2	2	3	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	3	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	1	1	1	1	1	1	-	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	1	-	-
BLACK---MALE----	-	1	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	1	-	-
FLORIDA -----	5	3	6	12	32	22	54	46	29	6	-	-
WHITE-----MALE----	2	2	1	7	13	4	15	13	6	2	-	-
FEMALE--	2	1	4	3	16	16	36	31	23	4	-	-
ALL OTHER--MALE----	-	-	-	2	2	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	2	3	2	-	-	-	-
BLACK---MALE----	-	-	-	2	2	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	2	3	2	-	-	-	-
GEORGIA -----	-	1	3	3	9	6	9	20	6	5	-	-
WHITE-----MALE----	-	1	1	-	2	1	-	4	1	-	-	-
FEMALE--	-	-	1	2	6	4	5	15	4	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	1	1	1	-	3	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	1	1	1	-	3	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2650

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diverticular disease of intestine (K57)												
KENTUCKY -----	1	-	1	4	1	10	10	18	8	-	1	-
WHITE-----MALE----	1	-	-	1	-	5	1	4	-	-	-	-
FEMALE--	-	-	-	3	1	5	9	14	8	-	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	1	2	2	9	11	8	8	4	1	1	-
WHITE-----MALE----	-	-	1	-	1	3	3	1	1	1	-	-
FEMALE--	-	-	-	1	7	6	4	6	3	-	1	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	2	1	1	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	2	1	1	-	-	-	-
MAINE -----	-	-	-	2	-	7	2	6	6	-	-	-
WHITE-----MALE----	-	-	-	-	-	3	1	3	-	-	-	-
FEMALE--	-	-	-	2	-	4	1	3	6	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	1	5	10	9	6	10	7	1	-	-
WHITE-----MALE----	-	-	-	1	2	-	1	1	-	-	-	-
FEMALE--	-	-	1	1	6	7	5	7	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	3	1	2	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	3	1	2	-	1	1	-	-	-
MASSACHUSETTS -----	-	2	2	7	3	10	19	9	11	3	3	-
WHITE-----MALE----	-	2	-	4	1	3	8	2	1	-	-	-
FEMALE--	-	-	1	3	1	7	11	7	10	3	3	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MICHIGAN -----	2	1	2	10	17	15	24	17	15	2	-	-
WHITE-----MALE----	1	1	1	2	6	3	7	5	3	-	-	-
FEMALE--	-	-	-	7	9	12	16	12	11	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	2	-	1	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	2	-	1	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2653

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diverticular disease of intestine (K57)												
OHIO -----	-	2	7	13	18	21	30	35	13	6	1	-
WHITE-----MALE----	-	2	2	3	9	6	4	6	3	1	-	-
FEMALE--	-	-	5	8	7	14	24	28	9	4	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	2	1	1	-	1	1	1	1	-
BLACK---MALE----	-	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	2	1	1	-	1	1	1	1	-
OKLAHOMA -----	1	2	3	1	7	9	10	13	5	3	-	-
WHITE-----MALE----	-	1	-	1	3	3	6	-	-	-	-	-
FEMALE--	1	1	1	-	3	6	4	11	5	3	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	3	-	6	2	6	10	8	4	-	-	-
WHITE-----MALE----	-	1	-	2	-	1	5	3	1	-	-	-
FEMALE--	1	2	-	4	2	5	5	5	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	4	1	6	10	9	25	33	35	23	9	-	-
WHITE-----MALE----	1	1	3	3	4	7	12	7	6	-	-	-
FEMALE--	3	-	2	7	5	18	20	28	16	8	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	1	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	1	-	-
RHODE ISLAND -----	-	1	1	2	3	5	5	4	3	2	-	-
WHITE-----MALE----	-	-	-	-	-	4	4	1	1	-	-	-
FEMALE--	-	1	1	1	3	1	1	3	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	3	4	7	3	3	11	9	5	-	-	-
WHITE-----MALE----	-	1	1	1	-	1	2	2	-	-	-	-
FEMALE--	-	1	3	4	1	1	5	4	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	2	1	-	4	3	1	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	2	1	-	4	3	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2654

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diverticular disease of intestine (K57)												
SOUTH DAKOTA -----	-	-	-	-	1	2	-	1	2	1	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	1	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5	1	4	6	7	10	15	15	12	4	-	-
WHITE-----MALE----	3	-	2	3	1	3	3	1	3	1	-	-
FEMALE--	1	-	1	2	5	5	11	13	8	3	-	-
ALL OTHER--MALE----	-	1	1	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	2	1	1	1	-	-	-
BLACK---MALE----	-	1	1	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	2	1	1	1	-	-	-
TEXAS -----	2	4	8	16	23	25	35	42	26	8	1	-
WHITE-----MALE----	1	3	1	7	8	6	7	11	7	3	-	-
FEMALE--	1	1	6	7	14	17	24	28	19	5	1	-
ALL OTHER--MALE----	-	-	-	2	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	3	3	-	-	-	-
BLACK---MALE----	-	-	-	2	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	3	3	-	-	-	-
UTAH -----	-	-	-	2	3	3	6	8	6	1	-	-
WHITE-----MALE----	-	-	-	1	2	-	-	3	1	1	-	-
FEMALE--	-	-	-	1	1	3	6	5	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	1	3	1	5	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	2	-	-	-
FEMALE--	-	-	-	-	-	1	3	-	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	-	3	4	5	7	11	8	10	7	-	-
WHITE-----MALE----	1	-	-	-	-	1	3	1	1	-	-	-
FEMALE--	1	-	1	3	3	6	5	5	9	5	-	-
ALL OTHER--MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	3	2	-	2	-	-
BLACK---MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	3	2	-	2	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2656

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of intestines and peritoneum (K52,K58-K63)												
UNITED STATES -	4,525	66	19	7	6	7	10	17	20	28	57	95
WHITE-----MALE----	1,421	21	6	2	-	1	4	9	7	10	25	36
FEMALE--	2,583	21	2	3	1	3	3	4	11	11	18	42
ALL OTHER--MALE----	227	15	6	2	2	2	2	2	1	2	7	6
FEMALE--	294	9	5	-	3	1	1	2	1	5	7	11
BLACK---MALE----	179	14	5	1	1	1	1	2	1	2	7	5
FEMALE--	253	9	3	-	2	1	1	2	1	5	7	8
ALABAMA -----	86	3	-	-	1	-	-	-	1	-	1	-
WHITE-----MALE----	24	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	42	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	13	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	13	1	-	-	-	-	-	-	-	-	-	-
ALASKA -----	8	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	81	5	1	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	39	3	-	-	-	-	-	-	-	-	1	1
FEMALE--	39	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	60	1	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	22	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	335	5	1	2	2	1	-	1	1	3	8	7
WHITE-----MALE----	104	2	1	-	-	-	-	1	-	3	2	2
FEMALE--	185	1	-	1	-	1	-	-	1	-	4	3
ALL OTHER--MALE----	18	2	-	1	-	-	-	-	-	-	1	-
FEMALE--	28	-	-	-	2	-	-	-	-	-	1	2
BLACK---MALE----	3	2	-	-	-	-	-	-	-	-	1	-
FEMALE--	13	-	-	-	1	-	-	-	-	-	1	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2656

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of intestines and peritoneum (K52,K58-K63)												
UNITED STATES -	110	165	214	286	470	701	835	726	493	161	32	-
WHITE-----MALE----	31	70	81	105	198	250	254	172	106	31	2	-
FEMALE--	54	67	85	143	222	392	517	494	344	119	27	-
ALL OTHER--MALE----	10	16	29	14	19	28	23	24	14	2	1	-
FEMALE--	15	12	19	24	31	31	41	36	29	9	2	-
BLACK---MALE----	8	14	20	10	17	23	21	15	9	1	1	-
FEMALE--	13	10	18	21	29	22	32	29	29	9	2	-
ALABAMA -----	6	2	5	5	6	12	17	14	11	2	-	-
WHITE-----MALE----	-	-	3	1	2	5	4	6	-	1	-	-
FEMALE--	4	1	1	2	3	7	8	6	8	1	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	1	-	1	-	-	-
FEMALE--	-	1	-	2	1	-	4	2	2	-	-	-
BLACK---MALE----	2	-	1	-	-	-	1	-	1	-	-	-
FEMALE--	-	1	-	2	1	-	4	2	2	-	-	-
ALASKA -----	1	1	1	-	-	1	-	-	3	-	-	-
WHITE-----MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	2	2	7	15	11	13	12	5	3	1	-
WHITE-----MALE----	1	2	2	5	8	1	7	5	1	2	-	-
FEMALE--	-	-	-	2	7	9	6	7	4	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	4	4	5	4	6	11	11	8	5	-	-	-
WHITE-----MALE----	1	3	1	1	2	6	1	2	3	-	-	-
FEMALE--	3	1	3	3	3	5	8	5	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	1	1	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	1	1	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
CALIFORNIA -----	12	8	16	25	38	55	68	50	23	9	-	-
WHITE-----MALE----	4	3	4	9	20	17	20	8	6	2	-	-
FEMALE--	7	4	5	14	16	31	39	38	14	6	-	-
ALL OTHER--MALE----	-	-	5	-	-	2	2	2	2	1	-	-
FEMALE--	1	1	2	2	2	5	7	2	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	2	1	2	1	1	1	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2657

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of intestines and peritoneum (K52,K58-K63)												
COLORADO -----	66	1	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	27	1	-	-	-	-	-	-	-	1	-	1
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	94	2	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	30	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	63	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	20	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	5	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	275	6	2	-	-	-	1	-	1	3	2	6
WHITE-----MALE----	99	2	1	-	-	-	-	-	-	-	2	2
FEMALE--	152	-	1	-	-	-	-	-	1	1	-	3
ALL OTHER--MALE----	13	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	11	3	-	-	-	-	1	-	-	1	-	1
BLACK---MALE-----	13	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	11	3	-	-	-	-	1	-	-	1	-	1
GEORGIA -----	121	-	1	-	-	-	-	-	1	1	1	3
WHITE-----MALE----	38	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	56	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	1	1	1	1
BLACK---MALE-----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	1	1	1	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2657

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of intestines and peritoneum (K52,K58-K63)												
COLORADO -----	2	2	11	5	8	4	9	9	8	5	-	-
WHITE-----MALE----	1	1	4	3	5	3	2	4	-	1	-	-
FEMALE--	-	1	6	2	3	1	7	5	7	4	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
CONNECTICUT -----	2	4	1	1	8	19	16	23	11	6	-	-
WHITE-----MALE----	2	-	1	-	1	8	5	10	1	1	-	-
FEMALE--	-	4	-	1	7	11	11	13	10	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	2	1	2	5	3	3	1	1	1	-
WHITE-----MALE----	-	-	2	1	-	2	1	1	-	-	-	-
FEMALE--	-	1	-	-	1	2	2	2	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	1	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	1	2	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
FLORIDA -----	4	13	9	17	33	39	58	36	37	8	-	-
WHITE-----MALE----	1	9	3	10	16	14	15	11	11	2	-	-
FEMALE--	2	4	5	6	15	23	39	22	24	6	-	-
ALL OTHER--MALE----	1	-	-	1	1	2	4	1	1	-	-	-
FEMALE--	-	-	1	-	1	-	-	2	1	-	-	-
BLACK---MALE-----	1	-	-	1	1	2	4	1	1	-	-	-
FEMALE--	-	-	1	-	1	-	-	2	1	-	-	-
GEORGIA -----	8	3	7	13	12	15	21	21	11	2	1	-
WHITE-----MALE----	3	2	-	3	5	4	10	5	4	-	-	-
FEMALE--	4	-	3	5	5	10	9	13	4	2	-	-
ALL OTHER--MALE----	-	1	2	1	1	1	1	-	1	-	-	-
FEMALE--	1	-	2	4	1	-	1	3	2	-	1	-
BLACK---MALE-----	-	1	1	1	1	1	1	-	1	-	-	-
FEMALE--	1	-	2	4	1	-	1	3	2	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2659

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of intestines and peritoneum (K52,K58-K63)												
KENTUCKY -----	70	-	-	1	-	-	-	-	1	-	2	2
WHITE-----MALE----	19	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	43	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	68	1	-	-	-	-	1	-	1	-	-	3
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	33	-	-	-	-	-	1	-	1	-	-	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	1	-	-	-	-	-	-	-	-	-	-
MAINE -----	26	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	88	2	-	-	-	-	-	-	-	1	-	3
WHITE-----MALE----	28	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	36	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	12	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	10	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	127	-	-	-	-	-	-	1	1	1	1	3
WHITE-----MALE----	43	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	80	-	-	-	-	-	-	1	-	-	1	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
MICHIGAN -----	163	1	1	-	1	-	-	1	3	1	4	3
WHITE-----MALE----	40	-	-	-	-	-	-	-	1	-	2	1
FEMALE--	99	1	-	-	-	-	-	-	2	1	-	2
ALL OTHER--MALE----	10	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	14	-	1	-	-	-	-	1	-	-	1	-
BLACK---MALE-----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	13	-	1	-	-	-	-	1	-	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2659

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of intestines and peritoneum (K52,K58-K63)												
KENTUCKY -----	-	1	5	4	9	15	13	11	6	-	-	-
WHITE-----MALE----	-	-	3	1	4	5	3	1	1	-	-	-
FEMALE--	-	1	1	1	5	9	10	9	3	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	1	2	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	1	2	-	-	-
LOUISIANA -----	1	2	4	2	10	11	13	5	12	1	1	-
WHITE-----MALE----	-	-	-	-	1	4	2	-	4	1	-	-
FEMALE--	1	1	1	1	5	5	6	2	6	-	1	-
ALL OTHER--MALE----	-	-	1	-	-	1	2	1	-	-	-	-
FEMALE--	-	1	2	1	4	1	3	2	2	-	-	-
BLACK---MALE----	-	-	1	-	-	1	2	1	-	-	-	-
FEMALE--	-	1	2	1	4	1	3	2	2	-	-	-
MAINE -----	-	1	2	-	2	4	8	6	2	-	-	-
WHITE-----MALE----	-	1	1	-	1	1	1	1	-	-	-	-
FEMALE--	-	-	1	-	1	3	7	5	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	4	3	6	7	16	22	14	7	2	-	-
WHITE-----MALE----	-	1	1	2	3	6	8	4	-	-	-	-
FEMALE--	-	1	1	1	1	8	10	6	5	2	-	-
ALL OTHER--MALE----	1	1	-	2	1	1	2	1	1	-	-	-
FEMALE--	-	1	1	1	2	1	2	3	1	-	-	-
BLACK---MALE----	1	1	-	1	1	1	2	-	1	-	-	-
FEMALE--	-	1	1	1	2	1	2	3	1	-	-	-
MASSACHUSETTS -----	3	4	2	11	20	14	27	22	14	3	-	-
WHITE-----MALE----	1	2	1	5	7	8	6	5	5	1	-	-
FEMALE--	1	2	1	6	12	6	20	17	9	2	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	5	8	7	9	10	36	23	20	18	11	1	-
WHITE-----MALE----	1	2	1	4	-	11	7	2	5	3	-	-
FEMALE--	2	4	2	4	9	23	15	16	10	8	-	-
ALL OTHER--MALE----	1	1	2	-	-	1	-	1	1	-	1	-
FEMALE--	1	1	2	1	1	1	1	1	2	-	-	-
BLACK---MALE----	1	1	1	-	-	1	-	1	1	-	1	-
FEMALE--	1	1	2	-	1	1	1	1	2	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2662

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of intestines and peritoneum (K52,K58-K63)												
OHIO -----	6	10	11	10	23	43	41	51	23	8	-	-
WHITE-----MALE----	-	5	4	4	13	13	10	9	4	2	-	-
FEMALE--	2	3	6	5	9	29	29	36	19	6	-	-
ALL OTHER--MALE----	1	1	-	-	-	1	-	4	-	-	-	-
FEMALE--	3	1	1	1	1	-	2	2	-	-	-	-
BLACK---MALE-----	1	1	-	-	-	1	-	4	-	-	-	-
FEMALE--	3	1	1	1	1	-	2	2	-	-	-	-
OKLAHOMA -----	1	3	4	7	5	11	7	7	4	-	-	-
WHITE-----MALE----	-	1	1	2	4	2	2	-	1	-	-	-
FEMALE--	1	2	3	5	1	7	5	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	3	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
OREGON -----	-	3	2	3	11	6	10	10	7	6	2	-
WHITE-----MALE----	-	1	-	2	7	1	4	3	2	4	-	-
FEMALE--	-	2	2	1	4	5	6	6	5	2	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	6	9	6	16	26	59	47	45	28	9	5	-
WHITE-----MALE----	2	3	4	5	15	18	16	7	9	1	-	-
FEMALE--	4	4	2	11	10	39	31	38	19	7	5	-
ALL OTHER--MALE----	-	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	1	-	-
BLACK---MALE-----	-	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-
RHODE ISLAND -----	-	2	1	-	1	3	2	1	2	-	-	-
WHITE-----MALE----	-	1	1	-	-	-	2	1	-	-	-	-
FEMALE--	-	1	-	-	1	3	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3	8	4	7	12	16	10	16	7	1	-	-
WHITE-----MALE----	-	3	2	4	4	2	2	1	2	-	-	-
FEMALE--	1	2	-	2	4	11	7	13	4	-	-	-
ALL OTHER--MALE----	-	2	2	-	2	2	-	1	1	1	-	-
FEMALE--	2	1	-	1	2	1	1	1	-	-	-	-
BLACK---MALE-----	-	2	2	-	2	2	-	1	1	1	-	-
FEMALE--	2	1	-	1	2	1	1	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2663

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of intestines and peritoneum (K52,K58-K63)												
SOUTH DAKOTA -----	-	-	1	1	-	2	1	3	-	2	2	-
WHITE-----MALE----	-	-	-	1	-	1	-	2	-	1	-	-
FEMALE--	-	-	1	-	-	-	1	1	-	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	2	4	6	8	10	15	10	12	5	2	-
WHITE-----MALE----	-	1	1	2	3	4	6	2	4	-	-	-
FEMALE--	3	1	2	3	2	4	9	8	6	4	2	-
ALL OTHER--MALE----	-	-	1	1	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	2	1	-	-
BLACK---MALE----	-	-	1	1	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	2	1	-	-
TEXAS -----	7	10	15	17	17	35	48	40	21	9	1	-
WHITE-----MALE----	3	3	5	5	6	13	12	10	3	1	-	-
FEMALE--	3	4	7	10	11	21	32	25	16	6	1	-
ALL OTHER--MALE----	-	1	1	-	-	1	-	1	1	-	-	-
FEMALE--	1	2	2	2	-	-	4	4	1	2	-	-
BLACK---MALE----	-	1	1	-	-	1	-	1	1	-	-	-
FEMALE--	1	2	1	2	-	-	4	4	1	2	-	-
UTAH -----	-	-	1	-	5	4	2	4	3	1	-	-
WHITE-----MALE----	-	-	1	-	1	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	4	3	2	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	1	1	-	3	5	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	3	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	6	5	10	13	13	19	16	15	3	-	-
WHITE-----MALE----	-	2	3	1	4	4	5	2	3	-	-	-
FEMALE--	-	2	-	8	6	5	10	13	11	2	-	-
ALL OTHER--MALE----	-	1	1	1	1	1	3	1	-	-	-	-
FEMALE--	-	1	1	-	2	3	1	-	1	1	-	-
BLACK---MALE----	-	1	1	1	1	1	3	1	-	-	-	-
FEMALE--	-	1	1	-	2	2	1	-	1	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2665

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of peritoneum (K65-K66)												
UNITED STATES -	1,948	16	2	3	2	6	4	5	23	36	66	72
WHITE-----MALE----	676	7	-	-	-	4	-	1	9	10	23	29
FEMALE--	934	3	1	1	-	1	2	-	5	11	23	19
ALL OTHER--MALE----	156	2	-	-	1	1	1	2	3	7	12	14
FEMALE--	182	4	1	2	1	-	1	2	6	8	8	10
BLACK---MALE-----	137	2	-	-	1	1	1	1	2	5	10	14
FEMALE--	162	4	1	2	1	-	1	2	6	7	8	9
ALABAMA -----	31	-	-	-	-	-	-	1	-	1	1	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	1	-	1	1	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	1	-	1	-	-
ALASKA -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	34	-	-	-	-	-	-	-	1	1	2	-
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	19	-	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
CALIFORNIA -----	127	1	-	-	-	-	-	-	2	4	9	8
WHITE-----MALE----	53	1	-	-	-	-	-	-	1	2	7	5
FEMALE--	57	-	-	-	-	-	-	-	1	1	1	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	1	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2666

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of peritoneum (K65-K66)												
COLORADO -----	2	-	1	3	2	4	6	1	1	-	-	-
WHITE-----MALE----	1	-	-	1	1	3	2	1	-	-	-	-
FEMALE--	1	-	1	2	1	1	4	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	1	-	2	6	7	2	1	4	2	-	-
WHITE-----MALE----	-	1	-	1	1	2	-	-	1	1	-	-
FEMALE--	2	-	-	-	5	5	2	-	3	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	1	2	2	-	1	-	1	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-
DISTRICT OF COLUMBIA ---	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
FLORIDA -----	7	7	8	8	12	22	12	16	11	2	-	-
WHITE-----MALE----	3	5	4	3	6	14	4	5	4	-	-	-
FEMALE--	1	2	3	5	5	8	8	9	6	2	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	2	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	1	-	-	-
GEORGIA -----	2	2	4	7	9	6	7	9	4	-	-	-
WHITE-----MALE----	1	1	1	2	1	2	1	4	1	-	-	-
FEMALE--	1	-	2	1	4	4	6	3	3	-	-	-
ALL OTHER--MALE----	-	1	-	4	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	3	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	4	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2668

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of peritoneum (K65-K66)												
KENTUCKY -----	32	-	-	-	-	-	-	-	-	-	2	1
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	43	3	-	1	-	-	-	-	1	-	2	-
WHITE-----MALE----	7	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	5	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	12	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	5	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	12	1	-	1	-	-	-	-	-	-	-	-
MAINE -----	10	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	38	-	-	-	-	-	-	-	1	1	1	2
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	6	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
MASSACHUSETTS -----	47	-	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	23	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	85	-	-	1	-	-	-	-	1	-	1	4
WHITE-----MALE----	30	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	37	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	9	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE-----	9	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	8	-	-	1	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2668

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of peritoneum (K65-K66)												
KENTUCKY -----	3	-	1	3	4	4	4	5	3	1	1	-
WHITE-----MALE----	-	-	1	2	2	3	1	2	1	-	-	-
FEMALE--	2	-	-	1	2	-	3	3	2	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
LOUISIANA -----	-	7	2	3	6	4	5	4	5	-	-	-
WHITE-----MALE----	-	1	1	-	-	1	-	1	1	-	-	-
FEMALE--	-	2	-	2	4	3	2	3	2	-	-	-
ALL OTHER--MALE----	-	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	2	1	-	2	-	3	-	2	-	-	-
BLACK---MALE-----	-	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	2	1	-	2	-	3	-	2	-	-	-
MAINE -----	1	-	-	-	2	3	2	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	2	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	1	3	1	8	5	4	8	1	-	-	-
WHITE-----MALE----	-	1	2	1	4	2	2	4	-	-	-	-
FEMALE--	-	-	1	-	3	1	2	3	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	-	-	-	-
BLACK---MALE-----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	-	-	-	-
MASSACHUSETTS -----	1	7	-	3	6	6	9	8	5	-	-	-
WHITE-----MALE----	-	5	-	-	4	5	2	2	1	-	-	-
FEMALE--	-	2	-	2	2	1	7	4	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	2	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
MICHIGAN -----	4	7	8	6	8	12	13	12	5	3	-	-
WHITE-----MALE----	2	4	4	3	3	6	5	1	1	-	-	-
FEMALE--	1	-	1	3	4	5	5	10	4	3	-	-
ALL OTHER--MALE----	-	-	2	-	-	1	2	1	-	-	-	-
FEMALE--	1	3	1	-	1	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	2	-	-	1	2	1	-	-	-	-
FEMALE--	1	2	1	-	1	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2669

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of peritoneum (K65-K66)												
MINNESOTA -----	2	1	-	6	1	4	2	5	5	1	1	-
WHITE-----MALE----	-	1	-	2	-	1	-	2	1	-	1	-
FEMALE--	2	-	-	4	1	3	2	3	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	1	4	2	2	5	2	3	1	1	-	-	-
WHITE-----MALE----	1	1	-	-	4	-	2	-	1	-	-	-
FEMALE--	-	1	1	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	2	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
BLACK---MALE-----	-	2	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
MISSOURI -----	6	5	5	2	3	5	7	5	2	2	-	-
WHITE-----MALE----	2	3	1	1	-	1	1	2	1	1	-	-
FEMALE--	2	2	1	1	2	3	4	2	-	1	-	-
ALL OTHER--MALE----	2	-	2	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	1	-	2	-	1	-	-	-
BLACK---MALE-----	2	-	2	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	1	-	2	-	1	-	-	-
MONTANA -----	-	1	-	-	-	2	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	-	-	-	3	1	3	5	2	-	-	-
WHITE-----MALE----	-	-	-	-	2	-	1	2	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	-	-	4	1	3	4	3	2	2	1	-	-
WHITE-----MALE----	-	-	2	1	1	3	-	-	-	1	-	-
FEMALE--	-	-	1	-	2	1	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2671

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of peritoneum (K65-K66)												
OHIO -----	99	1	-	-	-	1	-	-	2	-	3	-
WHITE-----MALE----	25	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	65	1	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE-----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	1	-
OKLAHOMA -----	25	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	19	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	109	-	-	-	-	-	1	-	2	3	-	8
WHITE-----MALE----	34	-	-	-	-	-	-	-	2	1	-	3
FEMALE--	62	-	-	-	-	-	-	-	-	1	-	3
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	1	-	-	-	-	2
BLACK---MALE-----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	1	-	-	-	-	2
RHODE ISLAND -----	13	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	39	-	-	-	-	1	1	-	1	1	3	3
WHITE-----MALE----	16	-	-	-	-	1	-	-	-	-	2	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	10	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	10	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2671

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of peritoneum (K65-K66)												
OHIO -----	-	4	6	10	14	22	14	12	7	2	1	-
WHITE-----MALE----	-	2	3	6	3	6	1	2	1	-	-	-
FEMALE--	-	1	3	3	11	14	12	10	6	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	2	1	-	-	-	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	2	1	-	-	-	-	-
OKLAHOMA -----	1	1	1	1	2	4	4	3	5	1	-	-
WHITE-----MALE----	1	-	1	-	1	1	1	-	2	-	-	-
FEMALE--	-	1	-	1	1	1	3	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	1	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
OREGON -----	-	2	3	1	1	3	4	1	1	1	-	-
WHITE-----MALE----	-	-	1	-	-	2	1	1	1	-	-	-
FEMALE--	-	2	2	1	1	-	3	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	9	7	11	13	14	15	17	5	2	-	-
WHITE-----MALE----	1	1	3	4	3	4	4	7	1	-	-	-
FEMALE--	1	5	3	7	8	8	10	10	4	2	-	-
ALL OTHER--MALE----	-	1	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	2	1	-	-	-	-	-
BLACK---MALE-----	-	1	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	2	1	-	-	-	-	-
RHODE ISLAND -----	-	1	1	-	4	-	-	2	2	-	-	-
WHITE-----MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	-	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	3	1	6	1	5	5	6	2	-	-	-
WHITE-----MALE----	-	2	-	1	-	4	3	1	1	-	-	-
FEMALE--	-	-	-	2	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	1	1	-	-	2	2	1	-	-	-
FEMALE--	-	-	-	2	-	1	-	2	-	-	-	-
BLACK---MALE-----	-	1	1	1	-	-	2	2	1	-	-	-
FEMALE--	-	-	-	2	-	1	-	2	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2672

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of peritoneum (K65-K66)												
SOUTH DAKOTA -----	-	-	-	-	1	-	1	3	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	3	-	3	3	8	9	2	3	1	-	-
WHITE-----MALE----	2	2	-	2	1	2	5	-	1	-	-	-
FEMALE--	-	-	-	-	1	6	4	2	1	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	1	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	1	-	-
TEXAS -----	5	10	6	8	9	16	14	12	7	6	-	-
WHITE-----MALE----	2	4	4	3	4	6	6	5	2	-	-	-
FEMALE--	2	5	1	3	3	9	6	7	4	5	-	-
ALL OTHER--MALE----	-	1	1	1	2	1	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	-	1	1	-	-
BLACK---MALE----	-	1	1	1	2	1	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	1	1	-	-
UTAH -----	2	1	-	1	-	1	-	2	3	1	-	-
WHITE-----MALE----	1	1	-	1	-	-	-	1	1	-	-	-
FEMALE--	1	-	-	-	-	1	-	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	6	5	2	8	6	11	4	1	3	1	-
WHITE-----MALE----	1	2	-	-	3	-	7	-	1	-	-	-
FEMALE--	1	1	2	-	3	4	4	4	-	3	1	-
ALL OTHER--MALE----	-	-	2	1	-	1	-	-	-	-	-	-
FEMALE--	-	3	1	1	2	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	3	1	1	2	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2674

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of liver (K70-K76)												
UNITED STATES -	33,853	76	27	11	14	14	68	125	433	1,359	2,778	4,101
WHITE-----MALE----	18,410	30	8	4	5	5	24	58	216	720	1,590	2,555
FEMALE--	10,573	18	8	2	6	2	19	21	114	358	673	825
ALL OTHER--MALE----	2,941	22	7	2	1	2	15	24	57	166	321	461
FEMALE--	1,929	6	4	3	2	5	10	22	46	115	194	260
BLACK---MALE----	2,348	20	5	2	1	1	12	17	31	123	244	379
FEMALE--	1,469	6	4	2	2	5	8	16	33	80	155	215
ALABAMA -----	580	2	2	-	-	-	6	1	2	26	44	69
WHITE-----MALE----	285	2	1	-	-	-	1	-	-	11	17	31
FEMALE--	162	-	-	-	-	-	2	-	-	6	13	12
ALL OTHER--MALE----	78	-	1	-	-	-	3	-	1	3	8	16
FEMALE--	55	-	-	-	-	-	-	1	1	6	6	10
BLACK---MALE----	75	-	1	-	-	-	3	-	1	3	8	15
FEMALE--	54	-	-	-	-	-	-	1	1	6	6	9
ALASKA -----	52	-	-	-	1	-	-	1	1	4	1	8
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	14	-	-	-	1	-	-	-	1	1	-	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	13	-	-	-	-	-	-	1	-	2	-	2
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ARIZONA -----	828	1	-	-	-	1	1	2	24	40	70	113
WHITE-----MALE----	434	-	-	-	-	-	-	-	7	20	33	71
FEMALE--	239	-	-	-	-	-	-	-	4	2	14	19
ALL OTHER--MALE----	92	-	-	-	-	1	-	-	10	13	13	14
FEMALE--	63	1	-	-	-	-	1	2	3	5	10	9
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	1	-	-	-	-	-	-	-	-	-	2
ARKANSAS -----	319	2	1	1	-	-	2	-	6	10	26	32
WHITE-----MALE----	155	-	-	1	-	-	-	-	2	7	16	14
FEMALE--	124	2	1	-	-	-	1	-	3	2	3	12
ALL OTHER--MALE----	28	-	-	-	-	-	1	-	-	-	5	3
FEMALE--	12	-	-	-	-	-	-	-	1	1	2	3
BLACK---MALE----	27	-	-	-	-	-	1	-	-	-	5	3
FEMALE--	11	-	-	-	-	-	-	-	1	1	2	3
CALIFORNIA -----	4,134	5	2	1	1	-	3	15	76	178	377	544
WHITE-----MALE----	2,435	2	1	1	1	-	2	11	50	112	228	358
FEMALE--	1,229	-	1	-	-	-	1	2	20	49	94	119
ALL OTHER--MALE----	284	2	-	-	-	-	-	1	5	12	42	38
FEMALE--	186	1	-	-	-	-	-	1	1	5	13	29
BLACK---MALE----	149	2	-	-	-	-	-	1	-	7	24	18
FEMALE--	96	1	-	-	-	-	-	1	1	2	7	24

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2674

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of liver (K70-K76)												
UNITED STATES -	4,106	3,620	3,495	3,461	3,518	3,074	2,014	1,101	366	78	10	4
WHITE-----MALE----	2,448	2,107	2,011	1,897	1,813	1,493	832	437	129	23	2	3
FEMALE--	872	920	978	1,147	1,370	1,359	1,033	585	207	50	6	-
ALL OTHER--MALE----	549	377	309	232	181	114	51	36	10	3	-	1
FEMALE--	237	216	197	185	154	108	98	43	20	2	2	-
BLACK---MALE-----	460	308	244	196	151	87	35	22	8	1	-	1
FEMALE--	190	157	150	136	116	77	65	31	18	2	1	-
ALABAMA -----	85	70	46	70	66	45	17	21	8	-	-	-
WHITE-----MALE----	49	42	27	39	29	19	6	9	2	-	-	-
FEMALE--	18	13	11	19	27	22	9	7	3	-	-	-
ALL OTHER--MALE----	13	13	5	5	6	2	-	2	-	-	-	-
FEMALE--	5	2	3	7	4	2	2	3	3	-	-	-
BLACK---MALE-----	12	12	5	5	6	2	-	2	-	-	-	-
FEMALE--	5	2	3	7	4	2	2	3	3	-	-	-
ALASKA -----	9	7	4	5	4	4	2	-	1	-	-	-
WHITE-----MALE----	4	2	2	2	3	2	-	-	1	-	-	-
FEMALE--	3	1	1	3	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	2	1	-	-	2	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	102	78	92	96	71	71	39	21	5	-	1	-
WHITE-----MALE----	64	38	52	48	37	35	19	10	-	-	-	-
FEMALE--	15	25	28	37	29	32	18	11	5	-	-	-
ALL OTHER--MALE----	17	7	8	6	-	2	1	-	-	-	-	-
FEMALE--	6	8	4	5	5	2	1	-	-	-	1	-
BLACK---MALE-----	2	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	3	-	-	-	-	-	-	-
ARKANSAS -----	39	40	31	33	37	27	18	7	5	2	-	-
WHITE-----MALE----	23	25	13	20	15	9	6	3	1	-	-	-
FEMALE--	11	10	14	9	20	18	9	4	3	2	-	-
ALL OTHER--MALE----	4	4	4	3	2	-	2	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	1	-	1	-	-	-
BLACK---MALE-----	4	3	4	3	2	-	2	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	1	-	-	-	-	-
CALIFORNIA -----	568	479	431	410	385	333	193	95	30	5	1	2
WHITE-----MALE----	362	297	251	234	212	183	69	44	13	2	-	2
FEMALE--	139	122	131	132	131	131	99	40	14	3	1	-
ALL OTHER--MALE----	41	39	32	23	23	8	11	5	2	-	-	-
FEMALE--	26	21	17	21	19	11	14	6	1	-	-	-
BLACK---MALE-----	24	21	20	11	15	2	3	1	-	-	-	-
FEMALE--	16	10	9	9	7	5	2	1	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2675

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of liver (K70-K76)												
COLORADO -----	519	2	-	-	-	-	4	2	7	37	60	73
WHITE-----MALE----	307	2	-	-	-	-	2	2	4	21	38	50
FEMALE--	181	-	-	-	-	-	2	-	-	13	17	21
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	2	4	2
FEMALE--	14	-	-	-	-	-	-	-	3	1	1	-
BLACK---MALE-----	11	-	-	-	-	-	-	-	-	2	2	1
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
CONNECTICUT -----	455	-	-	-	-	-	-	2	8	25	36	58
WHITE-----MALE----	252	-	-	-	-	-	-	1	3	18	21	42
FEMALE--	157	-	-	-	-	-	-	-	4	6	10	11
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	-	1	1	4
FEMALE--	19	-	-	-	-	-	-	1	1	-	4	1
BLACK---MALE-----	26	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	18	-	-	-	-	-	-	1	1	-	4	1
DELAWARE -----	106	1	1	-	-	-	-	1	2	2	8	15
WHITE-----MALE----	48	1	-	-	-	-	-	1	1	2	4	6
FEMALE--	41	-	1	-	-	-	-	-	1	-	1	5
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	14	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ---	68	-	-	-	-	-	-	-	-	7	6	13
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	7	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	-	4	3	9
FEMALE--	19	-	-	-	-	-	-	-	-	2	1	3
BLACK---MALE-----	34	-	-	-	-	-	-	-	-	4	3	9
FEMALE--	19	-	-	-	-	-	-	-	-	2	1	3
FLORIDA -----	2,506	4	5	1	-	-	4	3	12	89	215	314
WHITE-----MALE----	1,452	2	3	-	-	-	2	1	8	41	128	217
FEMALE--	820	-	1	-	-	-	1	1	2	35	60	70
ALL OTHER--MALE----	137	2	-	-	-	-	-	1	1	7	15	19
FEMALE--	97	-	1	1	-	-	1	-	1	6	12	8
BLACK---MALE-----	133	2	-	-	-	-	-	1	1	6	14	18
FEMALE--	88	-	1	-	-	-	1	-	1	5	11	7
GEORGIA -----	860	6	-	1	-	-	3	4	8	38	65	118
WHITE-----MALE----	406	-	-	-	-	-	1	1	3	15	34	68
FEMALE--	250	-	-	-	-	-	-	-	3	6	14	24
ALL OTHER--MALE----	116	4	-	-	-	-	2	3	2	11	10	10
FEMALE--	88	2	-	1	-	-	-	-	-	6	7	16
BLACK---MALE-----	113	4	-	-	-	-	2	3	2	11	9	10
FEMALE--	82	2	-	1	-	-	-	-	-	6	6	15

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2675

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of liver (K70-K76)												
COLORADO -----	58	52	54	58	42	34	22	10	3	1	-	-
WHITE-----MALE----	38	32	30	32	19	21	11	2	2	1	-	-
FEMALE--	14	18	20	24	22	10	11	8	1	-	-	-
ALL OTHER--MALE----	4	-	3	-	1	1	-	-	-	-	-	-
FEMALE--	2	2	1	2	-	2	-	-	-	-	-	-
BLACK---MALE-----	4	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	2	1	1	1	-	1	-	-	-	-	-	-
CONNECTICUT -----	51	36	47	55	43	45	20	21	6	2	-	-
WHITE-----MALE----	31	20	25	31	24	20	8	5	3	-	-	-
FEMALE--	12	13	17	15	15	21	12	16	3	2	-	-
ALL OTHER--MALE----	6	1	2	7	4	1	-	-	-	-	-	-
FEMALE--	2	2	3	2	-	3	-	-	-	-	-	-
BLACK---MALE-----	6	1	2	7	4	1	-	-	-	-	-	-
FEMALE--	2	2	2	2	-	3	-	-	-	-	-	-
DELAWARE -----	11	14	8	12	9	8	5	5	2	2	-	-
WHITE-----MALE----	4	8	2	5	5	1	4	3	1	-	-	-
FEMALE--	2	6	3	5	4	7	1	2	1	2	-	-
ALL OTHER--MALE----	5	-	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	5	-	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	6	10	5	7	7	4	2	1	-	-	-	-
WHITE-----MALE----	2	1	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	3	7	1	3	2	1	1	-	-	-	-	-
FEMALE--	1	1	1	3	3	3	1	-	-	-	-	-
BLACK---MALE-----	3	7	1	3	2	1	1	-	-	-	-	-
FEMALE--	1	1	1	3	3	3	1	-	-	-	-	-
FLORIDA -----	254	271	249	260	298	250	153	86	31	4	2	1
WHITE-----MALE----	154	162	148	156	180	129	68	37	13	3	-	-
FEMALE--	66	80	71	88	97	110	76	42	17	1	2	-
ALL OTHER--MALE----	23	23	16	8	12	3	2	3	1	-	-	1
FEMALE--	11	6	14	8	9	8	7	4	-	-	-	-
BLACK---MALE-----	23	23	16	8	12	3	2	2	1	-	-	1
FEMALE--	10	6	13	7	8	8	7	3	-	-	-	-
GEORGIA -----	102	101	90	102	87	62	54	15	4	-	-	-
WHITE-----MALE----	50	46	47	48	39	31	15	8	-	-	-	-
FEMALE--	19	22	23	37	37	20	35	6	4	-	-	-
ALL OTHER--MALE----	21	22	13	8	3	5	1	1	-	-	-	-
FEMALE--	12	11	7	9	8	6	3	-	-	-	-	-
BLACK---MALE-----	21	22	13	7	2	5	1	1	-	-	-	-
FEMALE--	11	10	7	9	8	5	2	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2676

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of liver (K70-K76)												
HAWAII -----	11	10	11	17	14	19	10	5	-	2	-	-
WHITE-----MALE----	6	3	2	1	1	2	2	-	-	-	-	-
FEMALE--	2	2	1	3	1	4	3	1	-	-	-	-
ALL OTHER--MALE----	2	3	5	8	7	6	1	2	-	2	-	-
FEMALE--	1	2	3	5	5	7	4	2	-	-	-	-
BLACK---MALE-----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	16	12	19	13	15	13	8	7	1	-	-	-
WHITE-----MALE----	10	9	12	5	9	4	7	3	1	-	-	-
FEMALE--	3	2	5	8	6	9	1	4	-	-	-	-
ALL OTHER--MALE----	2	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	173	127	138	136	140	131	98	47	17	5	1	-
WHITE-----MALE----	93	72	80	77	76	66	38	16	5	1	-	-
FEMALE--	36	26	35	37	50	51	53	28	11	4	1	-
ALL OTHER--MALE----	33	17	14	12	9	7	-	-	-	-	-	-
FEMALE--	11	12	9	10	5	7	7	3	1	-	-	-
BLACK---MALE-----	32	15	12	10	9	5	-	-	-	-	-	-
FEMALE--	11	9	7	10	5	7	7	2	-	-	-	-
INDIANA -----	74	63	65	68	77	54	34	21	10	2	-	-
WHITE-----MALE----	40	38	43	39	37	30	12	6	6	-	-	-
FEMALE--	22	20	16	25	33	20	21	14	3	2	-	-
ALL OTHER--MALE----	10	2	5	3	4	2	-	-	-	-	-	-
FEMALE--	2	3	1	1	3	2	1	1	1	-	-	-
BLACK---MALE-----	10	2	5	3	4	2	-	-	-	-	-	-
FEMALE--	2	3	1	1	3	2	1	1	1	-	-	-
IOWA -----	24	22	23	27	37	30	28	15	6	2	-	-
WHITE-----MALE----	17	13	12	18	23	20	13	1	1	1	-	-
FEMALE--	7	7	9	9	14	9	14	14	5	1	-	-
ALL OTHER--MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	1	-	-	-	-	-
KANSAS -----	29	22	23	25	27	23	18	14	7	1	1	-
WHITE-----MALE----	21	13	13	16	14	11	7	6	3	-	1	-
FEMALE--	5	8	7	8	12	11	11	8	3	1	-	-
ALL OTHER--MALE----	3	-	3	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	-	1	-	-	-
BLACK---MALE-----	3	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2677

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of liver (K70-K76)												
KENTUCKY -----	495	-	1	-	-	-	-	4	7	24	37	51
WHITE-----MALE----	298	-	-	-	-	-	-	2	4	16	25	36
FEMALE--	161	-	-	-	-	-	-	1	3	5	7	11
ALL OTHER--MALE----	24	-	1	-	-	-	-	1	-	2	4	4
FEMALE--	12	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE-----	24	-	1	-	-	-	-	1	-	2	4	4
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	-
LOUISIANA -----	540	1	-	-	-	-	-	5	7	22	50	56
WHITE-----MALE----	230	-	-	-	-	-	-	2	2	8	24	27
FEMALE--	145	-	-	-	-	-	-	-	3	5	9	9
ALL OTHER--MALE----	105	1	-	-	-	-	-	1	2	4	12	13
FEMALE--	60	-	-	-	-	-	-	2	-	5	5	7
BLACK---MALE-----	102	1	-	-	-	-	-	-	2	4	12	12
FEMALE--	59	-	-	-	-	-	-	2	-	5	5	7
MAINE -----	158	-	-	-	-	-	1	-	1	6	7	13
WHITE-----MALE----	107	-	-	-	-	-	1	-	1	5	4	12
FEMALE--	50	-	-	-	-	-	-	-	-	1	3	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	595	2	-	-	-	2	1	4	7	29	43	69
WHITE-----MALE----	286	1	-	-	-	1	1	1	2	7	26	29
FEMALE--	153	1	-	-	-	-	-	1	-	6	7	13
ALL OTHER--MALE----	98	-	-	-	-	-	-	1	5	6	3	18
FEMALE--	58	-	-	-	-	1	-	1	-	10	7	9
BLACK---MALE-----	95	-	-	-	-	-	-	1	5	6	3	18
FEMALE--	57	-	-	-	-	1	-	1	-	10	7	9
MASSACHUSETTS -----	788	-	1	-	-	-	1	3	3	29	55	91
WHITE-----MALE----	473	-	1	-	-	-	-	1	2	19	34	64
FEMALE--	283	-	-	-	-	-	-	1	1	6	16	21
ALL OTHER--MALE----	16	-	-	-	-	-	1	1	-	1	2	3
FEMALE--	16	-	-	-	-	-	-	-	-	3	3	3
BLACK---MALE-----	12	-	-	-	-	-	1	1	-	1	-	3
FEMALE--	14	-	-	-	-	-	-	-	-	3	2	2
MICHIGAN -----	1,277	1	-	-	-	1	2	4	17	52	110	182
WHITE-----MALE----	642	-	-	-	-	-	1	1	9	24	51	99
FEMALE--	376	-	-	-	-	-	1	1	3	16	32	32
ALL OTHER--MALE----	160	1	-	-	-	-	-	1	2	7	15	32
FEMALE--	99	-	-	-	-	1	-	1	3	5	12	19
BLACK---MALE-----	150	1	-	-	-	-	-	1	2	7	14	28
FEMALE--	91	-	-	-	-	1	-	1	3	5	12	18

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2677

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of liver (K70-K76)												
KENTUCKY -----	50	53	51	56	52	54	29	18	5	3	-	-
WHITE-----MALE----	35	40	32	33	24	29	12	8	2	-	-	-
FEMALE--	10	11	17	19	25	23	14	10	2	3	-	-
ALL OTHER--MALE----	5	2	1	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	1	3	2	-	3	-	1	-	-	-
BLACK---MALE----	5	2	1	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	1	3	2	-	3	-	1	-	-	-
LOUISIANA -----	84	53	66	49	54	51	22	15	5	-	-	-
WHITE-----MALE----	39	25	34	12	19	22	8	6	2	-	-	-
FEMALE--	15	10	16	17	21	21	9	8	2	-	-	-
ALL OTHER--MALE----	22	13	9	12	9	3	2	1	1	-	-	-
FEMALE--	8	5	7	8	5	5	3	-	-	-	-	-
BLACK---MALE----	22	13	9	11	9	3	2	1	1	-	-	-
FEMALE--	8	5	7	8	5	5	2	-	-	-	-	-
MAINE -----	11	16	9	20	20	27	20	5	2	-	-	-
WHITE-----MALE----	5	12	6	11	17	17	9	5	2	-	-	-
FEMALE--	6	4	3	8	3	10	11	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	70	70	64	51	57	67	31	22	6	-	-	-
WHITE-----MALE----	41	32	38	24	29	28	12	11	3	-	-	-
FEMALE--	8	16	8	14	17	35	15	9	3	-	-	-
ALL OTHER--MALE----	17	14	12	8	9	2	1	2	-	-	-	-
FEMALE--	4	8	6	5	2	2	3	-	-	-	-	-
BLACK---MALE----	17	13	12	8	9	2	-	1	-	-	-	-
FEMALE--	4	7	6	5	2	2	3	-	-	-	-	-
MASSACHUSETTS -----	84	77	96	74	104	72	52	31	11	3	1	-
WHITE-----MALE----	55	44	65	42	56	44	25	15	4	1	1	-
FEMALE--	23	28	29	32	48	28	25	16	7	2	-	-
ALL OTHER--MALE----	4	1	2	-	-	-	1	-	-	-	-	-
FEMALE--	2	4	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	3	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	2	4	-	-	-	-	1	-	-	-	-	-
MICHIGAN -----	182	121	130	118	126	106	69	39	13	4	-	-
WHITE-----MALE----	93	65	75	62	59	50	33	14	4	2	-	-
FEMALE--	27	23	34	39	53	51	33	22	8	1	-	-
ALL OTHER--MALE----	40	25	15	10	7	2	1	2	-	-	-	-
FEMALE--	22	8	6	7	7	3	2	1	1	1	-	-
BLACK---MALE----	40	21	14	10	7	2	1	2	-	-	-	-
FEMALE--	20	6	5	6	6	3	2	1	1	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2678

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of liver (K70-K76)												
MINNESOTA -----	56	40	40	47	50	43	33	15	10	1	-	-
WHITE-----MALE----	30	22	22	27	29	15	13	8	4	-	-	-
FEMALE--	20	14	16	15	20	28	20	6	6	1	-	-
ALL OTHER--MALE----	4	2	1	2	-	-	-	1	-	-	-	-
FEMALE--	2	2	1	3	1	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	2	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	51	39	40	33	29	26	15	9	4	-	1	-
WHITE-----MALE----	33	18	22	18	11	11	6	3	1	-	-	-
FEMALE--	5	12	7	9	12	11	7	3	2	-	-	-
ALL OTHER--MALE----	8	4	4	3	1	-	1	1	-	-	-	-
FEMALE--	5	5	7	3	5	4	1	2	1	-	1	-
BLACK---MALE----	8	3	4	3	1	-	1	1	-	-	-	-
FEMALE--	4	4	6	3	5	4	1	2	1	-	1	-
MISSOURI -----	66	49	53	53	57	48	40	21	7	2	-	-
WHITE-----MALE----	41	36	32	33	32	19	19	7	2	1	-	-
FEMALE--	12	7	15	14	19	26	18	13	4	1	-	-
ALL OTHER--MALE----	10	4	3	4	3	2	1	-	1	-	-	-
FEMALE--	3	2	3	2	3	1	2	1	-	-	-	-
BLACK---MALE----	9	4	3	4	3	2	1	-	1	-	-	-
FEMALE--	3	2	3	2	3	1	2	1	-	-	-	-
MONTANA -----	12	16	25	5	10	9	8	4	3	-	-	-
WHITE-----MALE----	7	8	11	2	4	5	5	1	1	-	-	-
FEMALE--	4	4	3	2	6	4	3	3	2	-	-	-
ALL OTHER--MALE----	-	2	4	-	-	-	-	-	-	-	-	-
FEMALE--	1	2	7	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	16	11	20	18	10	17	12	9	2	-	1	-
WHITE-----MALE----	11	5	12	5	7	8	7	4	-	-	-	-
FEMALE--	4	3	5	10	3	8	4	5	2	-	1	-
ALL OTHER--MALE----	-	1	2	1	-	1	1	-	-	-	-	-
FEMALE--	1	2	1	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	2	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
NEVADA -----	49	58	40	27	27	33	13	6	2	1	-	-
WHITE-----MALE----	33	35	27	17	20	17	6	1	-	-	-	-
FEMALE--	12	15	9	9	6	16	7	4	1	1	-	-
ALL OTHER--MALE----	3	5	3	1	-	-	-	-	-	-	-	-
FEMALE--	1	3	1	-	1	-	-	1	1	-	-	-
BLACK---MALE----	1	2	3	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	1	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2680

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of liver (K70-K76)												
OHIO -----	1,321	2	1	1	-	1	-	3	7	55	105	142
WHITE-----MALE----	711	-	1	-	-	1	-	2	2	36	55	100
FEMALE--	442	2	-	1	-	-	-	-	5	14	23	18
ALL OTHER--MALE----	101	-	-	-	-	-	-	1	-	3	15	15
FEMALE--	67	-	-	-	-	-	-	-	-	2	12	9
BLACK---MALE-----	98	-	-	-	-	-	-	1	-	3	14	14
FEMALE--	64	-	-	-	-	-	-	-	-	2	12	9
OKLAHOMA -----	447	2	-	-	-	-	-	2	3	17	45	61
WHITE-----MALE----	215	2	-	-	-	-	-	-	1	6	23	34
FEMALE--	153	-	-	-	-	-	-	-	-	8	15	13
ALL OTHER--MALE----	47	-	-	-	-	-	-	1	1	3	6	9
FEMALE--	32	-	-	-	-	-	-	1	1	-	1	5
BLACK---MALE-----	13	-	-	-	-	-	-	1	1	-	1	4
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
OREGON -----	354	-	-	1	-	-	-	3	1	9	20	42
WHITE-----MALE----	224	-	-	1	-	-	-	1	1	5	10	30
FEMALE--	112	-	-	-	-	-	-	1	-	3	8	11
ALL OTHER--MALE----	8	-	-	-	-	-	-	1	-	1	1	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	3	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,606	1	-	1	2	-	3	4	25	55	104	159
WHITE-----MALE----	825	-	-	1	1	-	2	1	8	27	69	93
FEMALE--	576	-	-	-	-	-	1	2	13	19	22	36
ALL OTHER--MALE----	123	-	-	-	1	-	-	1	1	3	9	19
FEMALE--	82	1	-	-	-	-	-	-	3	6	4	11
BLACK---MALE-----	118	-	-	-	1	-	-	1	1	3	8	19
FEMALE--	78	1	-	-	-	-	-	-	3	6	4	10
RHODE ISLAND -----	156	-	-	-	-	-	-	1	-	5	13	14
WHITE-----MALE----	99	-	-	-	-	-	-	1	-	3	11	10
FEMALE--	53	-	-	-	-	-	-	-	-	2	2	3
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	601	-	-	-	-	-	2	3	7	18	58	77
WHITE-----MALE----	287	-	-	-	-	-	-	1	3	6	29	44
FEMALE--	152	-	-	-	-	-	1	-	3	6	10	7
ALL OTHER--MALE----	102	-	-	-	-	-	1	1	1	5	10	17
FEMALE--	60	-	-	-	-	-	-	1	-	1	9	9
BLACK---MALE-----	100	-	-	-	-	-	1	1	1	5	10	16
FEMALE--	57	-	-	-	-	-	-	1	-	1	8	9

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2680

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of liver (K70-K76)												
OHIO -----	151	132	142	148	139	136	95	43	16	2	-	-
WHITE-----MALE----	89	67	82	79	74	66	39	15	2	1	-	-
FEMALE--	32	40	40	57	52	65	53	25	14	1	-	-
ALL OTHER--MALE----	19	13	14	8	7	3	2	1	-	-	-	-
FEMALE--	11	12	6	4	6	2	1	2	-	-	-	-
BLACK---MALE----	19	12	14	8	7	3	2	1	-	-	-	-
FEMALE--	10	11	6	4	6	1	1	2	-	-	-	-
OKLAHOMA -----	57	46	39	45	42	36	30	13	7	2	-	-
WHITE-----MALE----	31	21	17	29	15	18	12	5	1	-	-	-
FEMALE--	11	11	15	14	20	17	15	7	5	2	-	-
ALL OTHER--MALE----	11	7	3	1	2	1	1	1	-	-	-	-
FEMALE--	4	7	4	1	5	-	2	-	1	-	-	-
BLACK---MALE----	4	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	1	-	-	-	1	-	-	-
OREGON -----	62	30	42	31	45	31	23	12	2	-	-	-
WHITE-----MALE----	49	18	33	19	24	16	9	7	1	-	-	-
FEMALE--	11	9	7	10	19	14	13	5	1	-	-	-
ALL OTHER--MALE----	1	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	2	-	2	2	1	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	174	138	135	158	209	184	139	82	29	4	-	-
WHITE-----MALE----	100	78	73	88	104	80	54	33	12	1	-	-
FEMALE--	39	31	35	53	85	96	78	48	16	2	-	-
ALL OTHER--MALE----	23	21	16	12	11	6	-	-	-	-	-	-
FEMALE--	12	8	11	5	9	2	7	1	1	1	-	-
BLACK---MALE----	23	20	15	12	9	6	-	-	-	-	-	-
FEMALE--	12	8	10	5	9	1	6	1	1	1	-	-
RHODE ISLAND -----	12	16	17	15	15	26	16	5	1	-	-	-
WHITE-----MALE----	11	7	9	10	7	18	9	3	-	-	-	-
FEMALE--	-	8	8	5	8	8	6	2	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	78	74	81	59	47	43	29	16	8	1	-	-
WHITE-----MALE----	34	40	42	33	17	19	12	6	1	-	-	-
FEMALE--	18	14	17	11	20	19	13	8	4	1	-	-
ALL OTHER--MALE----	20	10	11	10	6	5	2	2	1	-	-	-
FEMALE--	6	10	11	5	4	-	2	-	2	-	-	-
BLACK---MALE----	20	10	10	10	6	5	2	2	1	-	-	-
FEMALE--	6	10	11	4	3	-	2	-	2	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2681

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of liver (K70-K76)												
SOUTH DAKOTA -----	95	-	-	-	-	-	1	1	4	4	13	12
WHITE-----MALE----	31	-	-	-	-	-	1	-	1	1	3	2
FEMALE--	18	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	3	-	5	8
FEMALE--	18	-	-	-	-	-	-	1	-	3	4	2
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	723	-	-	-	1	-	1	-	8	23	73	93
WHITE-----MALE----	401	-	-	-	-	-	-	-	4	10	50	60
FEMALE--	224	-	-	-	1	-	1	-	3	3	13	17
ALL OTHER--MALE----	61	-	-	-	-	-	-	-	1	8	7	11
FEMALE--	37	-	-	-	-	-	-	-	-	2	3	5
BLACK---MALE-----	59	-	-	-	-	-	-	-	1	8	7	11
FEMALE--	36	-	-	-	-	-	-	-	-	2	3	5
TEXAS -----	2,573	6	2	1	1	1	10	14	34	82	236	360
WHITE-----MALE----	1,563	3	-	-	1	1	3	7	23	53	160	247
FEMALE--	765	3	1	1	-	-	4	5	6	20	50	66
ALL OTHER--MALE----	162	-	-	-	-	-	2	1	3	8	16	29
FEMALE--	83	-	1	-	-	-	1	1	2	1	10	18
BLACK---MALE-----	152	-	-	-	-	-	2	1	2	8	16	28
FEMALE--	72	-	1	-	-	-	1	1	1	1	10	17
UTAH -----	162	1	-	-	-	-	-	-	1	5	8	20
WHITE-----MALE----	89	1	-	-	-	-	-	-	-	1	6	14
FEMALE--	67	-	-	-	-	-	-	-	1	4	1	6
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	58	-	-	-	-	-	-	-	1	6	3	5
WHITE-----MALE----	37	-	-	-	-	-	-	-	-	5	2	4
FEMALE--	21	-	-	-	-	-	-	-	1	1	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	770	3	1	-	-	-	-	4	6	30	47	97
WHITE-----MALE----	378	1	-	-	-	-	-	2	3	12	28	53
FEMALE--	229	-	1	-	-	-	-	-	1	11	12	23
ALL OTHER--MALE----	106	2	-	-	-	-	-	-	1	6	4	14
FEMALE--	57	-	-	-	-	-	-	2	1	1	3	7
BLACK---MALE-----	99	2	-	-	-	-	-	-	1	5	4	12
FEMALE--	55	-	-	-	-	-	-	1	1	-	3	7

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2681

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of liver (K70-K76)												
SOUTH DAKOTA -----	13	9	7	5	9	6	6	4	1	-	-	-
WHITE-----MALE----	3	6	3	1	4	3	1	1	1	-	-	-
FEMALE--	1	-	3	-	3	2	5	3	-	-	-	-
ALL OTHER--MALE----	8	2	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	3	2	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	75	83	98	64	70	65	40	21	7	1	-	-
WHITE-----MALE----	47	46	54	38	36	29	20	4	2	1	-	-
FEMALE--	17	25	30	16	28	32	18	16	4	-	-	-
ALL OTHER--MALE----	7	8	9	5	1	2	-	1	1	-	-	-
FEMALE--	4	4	5	5	5	2	2	-	-	-	-	-
BLACK---MALE----	7	8	7	5	1	2	-	1	1	-	-	-
FEMALE--	4	4	5	4	5	2	2	-	-	-	-	-
TEXAS -----	314	304	258	266	248	213	123	70	24	5	-	1
WHITE-----MALE----	210	209	162	161	124	102	55	32	8	1	-	1
FEMALE--	68	72	77	77	110	94	60	34	13	4	-	-
ALL OTHER--MALE----	27	14	11	21	12	11	4	1	2	-	-	-
FEMALE--	9	9	8	7	2	6	4	3	1	-	-	-
BLACK---MALE----	27	12	8	21	12	9	3	1	2	-	-	-
FEMALE--	8	9	7	7	1	4	1	2	1	-	-	-
UTAH -----	17	20	14	15	19	19	13	8	1	1	-	-
WHITE-----MALE----	10	13	10	6	8	8	8	4	-	-	-	-
FEMALE--	5	6	4	9	9	11	5	4	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	9	4	3	7	5	9	4	1	1	-	-	-
WHITE-----MALE----	4	3	2	4	4	6	2	1	-	-	-	-
FEMALE--	5	1	1	3	1	3	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	93	86	93	87	67	75	47	27	5	2	-	-
WHITE-----MALE----	52	44	55	44	24	34	14	8	3	1	-	-
FEMALE--	15	17	16	35	28	32	27	9	1	1	-	-
ALL OTHER--MALE----	23	18	15	3	9	6	1	4	-	-	-	-
FEMALE--	3	7	7	5	6	3	5	6	1	-	-	-
BLACK---MALE----	23	18	15	3	7	5	1	3	-	-	-	-
FEMALE--	3	7	7	5	6	3	5	6	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2683

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Alcoholic liver disease (K70)												
UNITED STATES -	12,109	-	-	-	-	-	8	56	223	741	1,485	2,000
WHITE-----MALE----	7,770	-	-	-	-	-	4	36	132	397	867	1,301
FEMALE--	2,502	-	-	-	-	-	2	6	44	199	347	369
ALL OTHER--MALE----	1,215	-	-	-	-	-	1	9	25	89	180	209
FEMALE--	622	-	-	-	-	-	1	5	22	56	91	121
BLACK---MALE----	918	-	-	-	-	-	-	5	12	61	126	164
FEMALE--	462	-	-	-	-	-	-	2	15	33	67	95
ALABAMA -----	142	-	-	-	-	-	-	-	2	11	17	26
WHITE-----MALE----	69	-	-	-	-	-	-	-	-	5	6	7
FEMALE--	29	-	-	-	-	-	-	-	-	2	4	6
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	1	1	5	7
FEMALE--	16	-	-	-	-	-	-	-	1	3	2	6
BLACK---MALE----	28	-	-	-	-	-	-	-	1	1	5	7
FEMALE--	16	-	-	-	-	-	-	-	1	3	2	6
ALASKA -----	32	-	-	-	-	-	-	1	1	3	1	5
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	10	-	-	-	-	-	-	1	-	2	-	2
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ARIZONA -----	304	-	-	-	-	-	1	1	12	24	34	55
WHITE-----MALE----	175	-	-	-	-	-	-	-	3	10	17	35
FEMALE--	53	-	-	-	-	-	-	-	2	1	5	6
ALL OTHER--MALE----	47	-	-	-	-	-	-	-	4	10	9	7
FEMALE--	29	-	-	-	-	-	1	1	3	3	3	7
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ARKANSAS -----	68	-	-	-	-	-	-	-	1	3	14	11
WHITE-----MALE----	43	-	-	-	-	-	-	-	1	2	10	4
FEMALE--	15	-	-	-	-	-	-	-	-	1	3	4
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	2
CALIFORNIA -----	2,474	-	-	-	-	-	-	11	52	131	268	369
WHITE-----MALE----	1,659	-	-	-	-	-	-	10	38	82	167	249
FEMALE--	571	-	-	-	-	-	-	1	12	35	64	79
ALL OTHER--MALE----	169	-	-	-	-	-	-	-	1	9	30	25
FEMALE--	75	-	-	-	-	-	-	-	1	5	7	16
BLACK---MALE----	102	-	-	-	-	-	-	-	-	4	18	13
FEMALE--	52	-	-	-	-	-	-	-	1	2	4	13

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2683

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Alcoholic liver disease (K70)												
UNITED STATES -	1,888	1,575	1,394	1,085	806	533	218	76	17	2	-	2
WHITE-----MALE----	1,237	1,013	917	735	553	387	130	48	11	1	-	1
FEMALE--	339	316	287	226	175	100	64	22	5	1	-	-
ALL OTHER--MALE----	221	159	127	86	59	32	12	4	1	-	-	1
FEMALE--	91	87	63	38	19	14	12	2	-	-	-	-
BLACK---MALE----	177	124	87	74	50	24	9	3	1	-	-	1
FEMALE--	72	63	51	33	13	11	6	1	-	-	-	-
ALABAMA -----	31	19	10	13	8	4	1	-	-	-	-	-
WHITE-----MALE----	20	9	7	8	4	3	-	-	-	-	-	-
FEMALE--	5	4	1	3	2	1	1	-	-	-	-	-
ALL OTHER--MALE----	5	5	2	-	2	-	-	-	-	-	-	-
FEMALE--	1	1	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	5	5	2	-	2	-	-	-	-	-	-	-
FEMALE--	1	1	-	2	-	-	-	-	-	-	-	-
ALASKA -----	8	6	3	-	2	1	1	-	-	-	-	-
WHITE-----MALE----	4	2	2	-	1	1	-	-	-	-	-	-
FEMALE--	2	1	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	47	32	38	29	12	13	4	2	-	-	-	-
WHITE-----MALE----	32	14	20	21	9	10	2	2	-	-	-	-
FEMALE--	7	11	9	6	2	2	2	-	-	-	-	-
ALL OTHER--MALE----	5	2	8	2	-	-	-	-	-	-	-	-
FEMALE--	3	5	1	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ARKANSAS -----	11	5	9	6	6	2	-	-	-	-	-	-
WHITE-----MALE----	8	3	5	4	4	2	-	-	-	-	-	-
FEMALE--	1	-	3	2	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	399	308	296	239	182	135	54	22	6	1	-	1
WHITE-----MALE----	276	206	188	165	128	101	30	14	3	1	-	1
FEMALE--	80	69	76	61	37	30	18	6	3	-	-	-
ALL OTHER--MALE----	27	23	25	8	14	4	2	1	-	-	-	-
FEMALE--	16	10	7	5	3	-	4	1	-	-	-	-
BLACK---MALE----	16	14	17	6	9	2	2	1	-	-	-	-
FEMALE--	12	7	5	5	2	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2684

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Alcoholic liver disease (K70)												
COLORADO -----	270	-	-	-	-	-	1	2	4	24	43	37
WHITE-----MALE----	186	-	-	-	-	-	1	2	3	13	29	29
FEMALE--	69	-	-	-	-	-	-	-	-	8	11	7
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	2	2	1
FEMALE--	5	-	-	-	-	-	-	-	1	1	1	-
BLACK---MALE-----	6	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
CONNECTICUT -----	111	-	-	-	-	-	-	1	3	9	16	18
WHITE-----MALE----	80	-	-	-	-	-	-	1	2	6	11	13
FEMALE--	24	-	-	-	-	-	-	-	-	2	5	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	1
DELAWARE -----	33	-	-	-	-	-	-	-	1	1	6	6
WHITE-----MALE----	16	-	-	-	-	-	-	-	1	1	3	2
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	6	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	33	-	-	-	-	-	-	-	-	3	2	8
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	1	1	5
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE-----	17	-	-	-	-	-	-	-	-	1	1	5
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	2
FLORIDA -----	854	-	-	-	-	-	2	1	5	49	105	160
WHITE-----MALE----	553	-	-	-	-	-	1	1	4	25	59	106
FEMALE--	208	-	-	-	-	-	1	-	1	17	32	41
ALL OTHER--MALE----	60	-	-	-	-	-	-	-	-	5	8	9
FEMALE--	33	-	-	-	-	-	-	-	-	2	6	4
BLACK---MALE-----	58	-	-	-	-	-	-	-	-	4	7	9
FEMALE--	32	-	-	-	-	-	-	-	-	2	5	4
GEORGIA -----	221	-	-	-	-	-	-	2	3	19	25	45
WHITE-----MALE----	115	-	-	-	-	-	-	1	1	7	14	30
FEMALE--	41	-	-	-	-	-	-	-	2	2	5	7
ALL OTHER--MALE----	39	-	-	-	-	-	-	1	-	6	3	4
FEMALE--	26	-	-	-	-	-	-	-	-	4	3	4
BLACK---MALE-----	39	-	-	-	-	-	-	1	-	6	3	4
FEMALE--	25	-	-	-	-	-	-	-	-	4	2	4

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2684

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Alcoholic liver disease (K70)												
COLORADO -----	38	37	24	29	13	10	8	-	-	-	-	-
WHITE-----MALE----	31	24	17	21	6	7	3	-	-	-	-	-
FEMALE--	4	12	5	8	7	2	5	-	-	-	-	-
ALL OTHER--MALE----	3	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
CONNECTICUT -----	17	13	15	7	4	6	1	1	-	-	-	-
WHITE-----MALE----	14	7	11	5	4	4	1	1	-	-	-	-
FEMALE--	3	5	4	2	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	5	4	1	5	4	-	-	-	-	-	-	-
WHITE-----MALE----	1	2	-	4	2	-	-	-	-	-	-	-
FEMALE--	2	2	1	1	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	3	6	3	3	2	3	-	-	-	-	-	-
WHITE-----MALE----	1	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	4	-	2	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	2	-	-	-	-	-	-
BLACK---MALE----	2	4	-	2	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	2	-	-	-	-	-	-
FLORIDA -----	115	120	93	72	75	36	16	3	1	-	-	1
WHITE-----MALE----	71	80	61	51	58	24	9	2	1	-	-	-
FEMALE--	26	28	17	17	12	9	6	1	-	-	-	-
ALL OTHER--MALE----	11	10	9	1	5	1	-	-	-	-	-	1
FEMALE--	7	2	6	3	-	2	1	-	-	-	-	-
BLACK---MALE----	11	10	9	1	5	1	-	-	-	-	-	1
FEMALE--	7	2	6	3	-	2	1	-	-	-	-	-
GEORGIA -----	38	30	26	17	9	5	2	-	-	-	-	-
WHITE-----MALE----	17	10	14	13	5	3	-	-	-	-	-	-
FEMALE--	9	7	2	3	2	-	2	-	-	-	-	-
ALL OTHER--MALE----	7	9	7	1	-	1	-	-	-	-	-	-
FEMALE--	5	4	3	-	2	1	-	-	-	-	-	-
BLACK---MALE----	7	9	7	1	-	1	-	-	-	-	-	-
FEMALE--	5	4	3	-	2	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2686

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Alcoholic liver disease (K70)												
KENTUCKY -----	152	-	-	-	-	-	-	2	4	10	20	26
WHITE-----MALE----	111	-	-	-	-	-	-	1	3	6	12	20
FEMALE--	28	-	-	-	-	-	-	-	1	3	5	6
ALL OTHER--MALE----	12	-	-	-	-	-	-	1	-	1	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	12	-	-	-	-	-	-	1	-	1	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
LOUISIANA -----	146	-	-	-	-	-	-	-	4	10	20	25
WHITE-----MALE----	72	-	-	-	-	-	-	-	1	3	8	16
FEMALE--	21	-	-	-	-	-	-	-	2	2	2	1
ALL OTHER--MALE----	33	-	-	-	-	-	-	-	1	3	6	5
FEMALE--	20	-	-	-	-	-	-	-	-	2	4	3
BLACK---MALE-----	33	-	-	-	-	-	-	-	1	3	6	5
FEMALE--	19	-	-	-	-	-	-	-	-	2	4	3
MAINE -----	46	-	-	-	-	-	-	-	1	3	5	5
WHITE-----MALE----	40	-	-	-	-	-	-	-	1	3	4	5
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	167	-	-	-	-	-	-	-	3	9	17	27
WHITE-----MALE----	96	-	-	-	-	-	-	-	1	4	10	13
FEMALE--	29	-	-	-	-	-	-	-	-	3	5	3
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	2	-	1	5
FEMALE--	15	-	-	-	-	-	-	-	-	2	1	6
BLACK---MALE-----	27	-	-	-	-	-	-	-	2	-	1	5
FEMALE--	15	-	-	-	-	-	-	-	-	2	1	6
MASSACHUSETTS -----	180	-	-	-	-	-	-	1	2	9	19	31
WHITE-----MALE----	129	-	-	-	-	-	-	1	1	7	12	24
FEMALE--	39	-	-	-	-	-	-	-	1	-	5	4
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	6	-	-	-	-	-	-	-	-	2	1	2
BLACK---MALE-----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	2	1	1
MICHIGAN -----	415	-	-	-	-	-	-	3	12	35	49	77
WHITE-----MALE----	245	-	-	-	-	-	-	1	7	16	25	45
FEMALE--	89	-	-	-	-	-	-	1	3	15	14	15
ALL OTHER--MALE----	50	-	-	-	-	-	-	-	-	2	6	10
FEMALE--	31	-	-	-	-	-	-	1	2	2	4	7
BLACK---MALE-----	45	-	-	-	-	-	-	-	-	2	5	8
FEMALE--	27	-	-	-	-	-	-	1	2	2	4	6

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2686

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Alcoholic liver disease (K70)												
KENTUCKY -----	19	23	18	9	13	5	3	-	-	-	-	-
WHITE-----MALE----	14	19	14	6	9	4	3	-	-	-	-	-
FEMALE--	2	2	3	2	3	1	-	-	-	-	-	-
ALL OTHER--MALE----	3	2	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	2	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	25	17	18	12	9	2	4	-	-	-	-	-
WHITE-----MALE----	12	10	11	4	6	-	1	-	-	-	-	-
FEMALE--	4	2	3	2	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	6	3	3	3	2	-	1	-	-	-	-	-
FEMALE--	3	2	1	3	-	-	2	-	-	-	-	-
BLACK---MALE----	6	3	3	3	2	-	1	-	-	-	-	-
FEMALE--	3	2	1	3	-	-	1	-	-	-	-	-
MAINE -----	8	7	3	5	3	4	1	1	-	-	-	-
WHITE-----MALE----	4	7	2	5	3	4	1	1	-	-	-	-
FEMALE--	4	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	29	24	22	11	10	11	3	1	-	-	-	-
WHITE-----MALE----	18	11	16	6	7	7	2	1	-	-	-	-
FEMALE--	3	6	3	1	1	3	1	-	-	-	-	-
ALL OTHER--MALE----	7	5	2	3	2	-	-	-	-	-	-	-
FEMALE--	1	2	1	1	-	1	-	-	-	-	-	-
BLACK---MALE----	7	5	2	3	2	-	-	-	-	-	-	-
FEMALE--	1	2	1	1	-	1	-	-	-	-	-	-
MASSACHUSETTS -----	29	14	18	21	16	14	4	2	-	-	-	-
WHITE-----MALE----	21	10	13	14	10	14	2	-	-	-	-	-
FEMALE--	6	3	4	7	6	-	1	2	-	-	-	-
ALL OTHER--MALE----	1	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	72	48	42	27	23	20	4	3	-	-	-	-
WHITE-----MALE----	47	27	27	17	15	15	2	1	-	-	-	-
FEMALE--	9	5	8	7	5	3	2	2	-	-	-	-
ALL OTHER--MALE----	10	12	5	3	2	-	-	-	-	-	-	-
FEMALE--	6	4	2	-	1	2	-	-	-	-	-	-
BLACK---MALE----	10	10	5	3	2	-	-	-	-	-	-	-
FEMALE--	5	3	1	-	1	2	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2689

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Alcoholic liver disease (K70)												
OHIO -----	54	42	46	29	24	17	8	3	-	-	-	-
WHITE-----MALE----	34	28	30	22	18	13	7	3	-	-	-	-
FEMALE--	7	8	10	4	3	3	-	-	-	-	-	-
ALL OTHER--MALE----	8	4	5	2	2	1	1	-	-	-	-	-
FEMALE--	5	2	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	8	3	5	2	2	1	1	-	-	-	-	-
FEMALE--	4	1	1	1	1	-	-	-	-	-	-	-
OKLAHOMA -----	20	20	14	12	6	3	3	-	1	-	-	-
WHITE-----MALE----	12	10	9	8	5	3	-	-	-	-	-	-
FEMALE--	4	5	4	3	1	-	1	-	1	-	-	-
ALL OTHER--MALE----	3	3	1	1	-	-	1	-	-	-	-	-
FEMALE--	1	2	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
OREGON -----	35	16	26	13	16	7	-	1	-	-	-	-
WHITE-----MALE----	28	9	21	11	11	6	-	1	-	-	-	-
FEMALE--	7	6	3	1	4	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	53	36	27	28	20	14	5	1	1	-	-	-
WHITE-----MALE----	30	28	18	17	15	9	3	-	1	-	-	-
FEMALE--	13	5	2	4	3	3	2	1	-	-	-	-
ALL OTHER--MALE----	8	2	3	5	2	2	-	-	-	-	-	-
FEMALE--	2	1	4	2	-	-	-	-	-	-	-	-
BLACK---MALE----	8	2	3	5	1	2	-	-	-	-	-	-
FEMALE--	2	1	4	2	-	-	-	-	-	-	-	-
RHODE ISLAND -----	7	7	6	6	1	6	2	-	-	-	-	-
WHITE-----MALE----	6	4	5	6	-	4	2	-	-	-	-	-
FEMALE--	-	3	1	-	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	45	46	47	26	14	11	3	4	-	-	-	-
WHITE-----MALE----	22	28	28	16	6	7	1	3	-	-	-	-
FEMALE--	10	5	8	4	4	1	1	-	-	-	-	-
ALL OTHER--MALE----	11	4	6	5	3	3	-	1	-	-	-	-
FEMALE--	2	9	5	1	1	-	1	-	-	-	-	-
BLACK---MALE----	11	4	6	5	3	3	-	1	-	-	-	-
FEMALE--	2	9	5	1	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2690

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Alcoholic liver disease (K70)												
SOUTH DAKOTA -----	46	-	-	-	-	-	-	1	3	3	7	7
WHITE-----MALE----	14	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	2	-	2	4
FEMALE--	14	-	-	-	-	-	-	1	-	3	4	2
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	241	-	-	-	-	-	-	-	3	14	37	36
WHITE-----MALE----	165	-	-	-	-	-	-	-	2	9	28	23
FEMALE--	43	-	-	-	-	-	-	-	1	2	5	8
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	-	3	3	4
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	20	-	-	-	-	-	-	-	-	3	3	4
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	1
TEXAS -----	821	-	-	-	-	-	-	6	20	37	105	154
WHITE-----MALE----	600	-	-	-	-	-	-	5	13	26	72	115
FEMALE--	138	-	-	-	-	-	-	1	4	8	18	25
ALL OTHER--MALE----	58	-	-	-	-	-	-	-	2	3	7	8
FEMALE--	25	-	-	-	-	-	-	-	1	-	8	6
BLACK---MALE----	55	-	-	-	-	-	-	-	2	3	7	8
FEMALE--	25	-	-	-	-	-	-	-	1	-	8	6
UTAH -----	57	-	-	-	-	-	-	-	1	3	5	11
WHITE-----MALE----	39	-	-	-	-	-	-	-	-	1	5	6
FEMALE--	16	-	-	-	-	-	-	-	1	2	-	5
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	26	-	-	-	-	-	-	-	-	5	2	3
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	4	1	2
FEMALE--	10	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	208	-	-	-	-	-	-	1	5	12	15	36
WHITE-----MALE----	121	-	-	-	-	-	-	1	3	5	8	25
FEMALE--	40	-	-	-	-	-	-	-	-	3	5	6
ALL OTHER--MALE----	38	-	-	-	-	-	-	-	1	4	2	3
FEMALE--	9	-	-	-	-	-	-	-	1	-	-	2
BLACK---MALE----	36	-	-	-	-	-	-	-	1	3	2	3
FEMALE--	9	-	-	-	-	-	-	-	1	-	-	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2692

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Chronic hepatitis, not elsewhere classified (K73)												
UNITED STATES -	440	-	2	-	3	1	3	8	6	9	23	22
WHITE-----MALE----	88	-	1	-	1	-	1	3	-	3	7	9
FEMALE--	286	-	1	-	1	-	-	-	5	4	10	6
ALL OTHER--MALE----	17	-	-	-	1	-	1	1	-	1	3	2
FEMALE--	49	-	-	-	-	1	1	4	1	1	3	5
BLACK---MALE-----	13	-	-	-	1	-	1	1	-	1	3	1
FEMALE--	35	-	-	-	-	1	1	4	1	-	2	4
ALABAMA -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	9	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	69	-	-	-	-	-	-	1	2	-	8	3
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	5	1
FEMALE--	42	-	-	-	-	-	-	-	2	-	1	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	6	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2692

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Chronic hepatitis, not elsewhere classified (K73)												
UNITED STATES -	32	36	36	68	53	64	39	26	8	1	-	-
WHITE-----MALE----	10	8	4	9	6	10	8	6	2	-	-	-
FEMALE--	14	23	30	45	43	51	28	18	6	1	-	-
ALL OTHER--MALE----	3	1	-	3	1	-	-	-	-	-	-	-
FEMALE--	5	4	2	11	3	3	3	2	-	-	-	-
BLACK---MALE----	3	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	3	2	2	7	3	1	2	2	-	-	-	-
ALABAMA -----	-	-	-	3	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
ALASKA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	1	1	2	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	2	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	1	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1	8	6	13	10	8	5	3	1	-	-	-
WHITE-----MALE----	1	2	-	1	2	-	1	1	1	-	-	-
FEMALE--	-	5	6	8	6	8	3	2	-	-	-	-
ALL OTHER--MALE----	-	1	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2699

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Chronic hepatitis, not elsewhere classified (K73)												
SOUTH DAKOTA -----	1	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	36	-	-	-	-	-	1	1	-	-	3	4
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	23	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	1
UTAH -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	13	-	-	-	-	-	-	2	-	1	1	1
WHITE-----MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2699

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Chronic hepatitis, not elsewhere classified (K73)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	1	1	-	-	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	2	2	-	6	8	6	2	1	-	-	-	-
WHITE-----MALE----	-	1	-	2	-	-	1	-	-	-	-	-
FEMALE--	1	1	-	3	8	6	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
UTAH -----	1	-	2	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	2	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	1	1	3	1	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	3	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2701

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Fibrosis and cirrhosis of liver (K74)												
UNITED STATES -	1,360	1,336	1,397	1,598	1,872	1,770	1,205	640	178	27	4	1
WHITE-----MALE----	798	754	779	809	894	765	462	251	63	11	1	1
FEMALE--	300	383	434	610	820	910	676	352	101	15	3	-
ALL OTHER--MALE----	191	131	112	87	75	46	22	16	6	-	-	-
FEMALE--	71	68	72	92	83	49	45	21	8	1	-	-
BLACK---MALE----	170	109	93	71	62	34	14	9	4	-	-	-
FEMALE--	59	50	51	63	57	33	31	15	8	1	-	-
ALABAMA -----	34	34	23	33	26	29	10	13	5	-	-	-
WHITE-----MALE----	19	23	15	20	13	12	4	6	1	-	-	-
FEMALE--	6	5	6	10	11	14	6	4	2	-	-	-
ALL OTHER--MALE----	6	6	-	1	-	2	-	2	-	-	-	-
FEMALE--	3	-	2	2	2	1	-	1	2	-	-	-
BLACK---MALE----	5	6	-	1	-	2	-	2	-	-	-	-
FEMALE--	3	-	2	2	2	1	-	1	2	-	-	-
ALASKA -----	-	1	-	5	2	1	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	2	2	-	-	-	1	-	-	-
FEMALE--	-	-	-	3	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	41	21	39	42	32	45	21	11	2	-	-	-
WHITE-----MALE----	27	11	24	20	14	16	10	5	-	-	-	-
FEMALE--	6	7	13	14	16	26	11	6	2	-	-	-
ALL OTHER--MALE----	7	2	-	4	-	2	-	-	-	-	-	-
FEMALE--	1	1	2	4	2	1	-	-	-	-	-	-
BLACK---MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ARKANSAS -----	14	27	13	19	22	14	10	5	3	1	-	-
WHITE-----MALE----	9	18	4	12	7	2	2	2	1	-	-	-
FEMALE--	4	7	7	6	14	12	7	3	2	1	-	-
ALL OTHER--MALE----	1	2	2	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	1	2	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
CALIFORNIA -----	110	119	99	107	149	151	98	50	18	1	1	-
WHITE-----MALE----	60	61	54	50	62	65	27	22	6	-	-	-
FEMALE--	36	42	35	38	68	75	58	22	9	1	1	-
ALL OTHER--MALE----	7	8	4	11	7	3	8	3	2	-	-	-
FEMALE--	7	8	6	8	12	8	5	3	1	-	-	-
BLACK---MALE----	4	3	1	5	6	-	1	-	-	-	-	-
FEMALE--	3	3	4	2	2	2	1	1	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2702

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Fibrosis and cirrhosis of liver (K74)												
COLORADO -----	147	-	-	-	-	-	2	-	2	7	10	17
WHITE-----MALE----	73	-	-	-	-	-	-	-	-	6	6	10
FEMALE--	66	-	-	-	-	-	2	-	-	1	2	7
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	5	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	219	-	-	-	-	-	-	-	3	9	12	29
WHITE-----MALE----	110	-	-	-	-	-	-	-	1	7	5	22
FEMALE--	86	-	-	-	-	-	-	-	2	2	4	7
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	3	-
BLACK---MALE-----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	3	-
DELAWARE -----	34	-	-	-	-	-	-	-	-	-	1	4
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ---	23	-	-	-	-	-	-	-	-	2	4	2
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	2	2	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	11	-	-	-	-	-	-	-	-	2	2	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
FLORIDA -----	1,190	-	-	-	-	-	-	1	3	26	71	112
WHITE-----MALE----	665	-	-	-	-	-	-	-	2	9	45	85
FEMALE--	448	-	-	-	-	-	-	1	1	16	20	20
ALL OTHER--MALE----	45	-	-	-	-	-	-	-	-	-	5	3
FEMALE--	32	-	-	-	-	-	-	-	-	1	1	4
BLACK---MALE-----	44	-	-	-	-	-	-	-	-	-	5	3
FEMALE--	26	-	-	-	-	-	-	-	-	-	1	3
GEORGIA -----	398	-	-	-	-	-	-	1	1	7	26	48
WHITE-----MALE----	208	-	-	-	-	-	-	-	1	4	16	28
FEMALE--	130	-	-	-	-	-	-	-	-	2	5	9
ALL OTHER--MALE----	28	-	-	-	-	-	-	1	-	-	4	1
FEMALE--	32	-	-	-	-	-	-	-	-	1	1	10
BLACK---MALE-----	26	-	-	-	-	-	-	1	-	-	3	1
FEMALE--	28	-	-	-	-	-	-	-	-	1	1	9

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2702

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Fibrosis and cirrhosis of liver (K74)												
COLORADO -----	7	7	19	20	21	17	9	8	1	-	-	-
WHITE-----MALE----	3	4	8	8	9	12	4	2	1	-	-	-
FEMALE--	3	2	11	11	11	5	5	6	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
CONNECTICUT -----	20	12	22	31	28	22	12	16	3	-	-	-
WHITE-----MALE----	8	7	9	15	16	9	5	4	2	-	-	-
FEMALE--	7	5	9	9	9	12	7	12	1	-	-	-
ALL OTHER--MALE----	3	-	2	5	3	-	-	-	-	-	-	-
FEMALE--	2	-	2	2	-	1	-	-	-	-	-	-
BLACK---MALE----	3	-	2	5	3	-	-	-	-	-	-	-
FEMALE--	2	-	2	2	-	1	-	-	-	-	-	-
DELAWARE -----	2	5	2	4	4	6	2	3	-	1	-	-
WHITE-----MALE----	2	4	1	1	2	-	1	2	-	-	-	-
FEMALE--	-	1	-	2	2	6	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	2	1	3	5	1	2	1	-	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	1	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	1	-	-	-	-	-
BLACK---MALE----	-	1	1	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	1	-	-	-	-	-
FLORIDA -----	97	104	122	148	170	158	97	59	18	2	2	-
WHITE-----MALE----	58	58	75	85	99	74	41	25	8	1	-	-
FEMALE--	28	36	40	54	61	78	49	32	9	1	2	-
ALL OTHER--MALE----	9	8	3	5	6	2	2	1	1	-	-	-
FEMALE--	2	2	4	4	4	4	5	1	-	-	-	-
BLACK---MALE----	9	8	3	5	6	2	2	-	1	-	-	-
FEMALE--	2	2	3	3	3	4	5	-	-	-	-	-
GEORGIA -----	37	45	39	44	63	36	39	10	2	-	-	-
WHITE-----MALE----	22	29	23	20	30	19	11	5	-	-	-	-
FEMALE--	5	7	14	17	27	13	25	4	2	-	-	-
ALL OTHER--MALE----	7	7	1	2	2	1	1	1	-	-	-	-
FEMALE--	3	2	1	5	4	3	2	-	-	-	-	-
BLACK---MALE----	7	7	1	2	1	1	1	1	-	-	-	-
FEMALE--	2	2	1	5	4	2	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2703

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Fibrosis and cirrhosis of liver (K74)												
HAWAII -----	1	3	5	8	7	9	5	2	-	-	-	-
WHITE-----MALE----	-	1	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	3	3	-	-	-	-	-
ALL OTHER--MALE----	1	-	3	4	3	2	-	1	-	-	-	-
FEMALE--	-	1	1	3	4	3	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	1	4	6	4	8	4	4	-	-	-	-
WHITE-----MALE----	-	1	2	1	2	3	3	1	-	-	-	-
FEMALE--	1	-	2	5	2	5	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	77	57	72	77	90	86	66	30	10	1	-	-
WHITE-----MALE----	41	30	42	39	48	44	24	10	3	-	-	-
FEMALE--	19	16	19	23	37	37	38	17	7	1	-	-
ALL OTHER--MALE----	11	7	8	8	3	2	-	-	-	-	-	-
FEMALE--	6	4	3	7	2	3	4	3	-	-	-	-
BLACK---MALE----	11	5	6	7	3	1	-	-	-	-	-	-
FEMALE--	6	4	2	7	2	3	4	2	-	-	-	-
INDIANA -----	34	30	33	41	47	35	20	13	2	1	-	-
WHITE-----MALE----	14	19	21	21	21	21	8	5	1	-	-	-
FEMALE--	12	10	10	18	21	11	11	8	1	1	-	-
ALL OTHER--MALE----	7	1	2	1	3	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	2	2	1	-	-	-	-	-
BLACK---MALE----	7	1	2	1	3	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	2	2	1	-	-	-	-	-
IOWA -----	6	7	4	10	17	15	11	8	3	1	-	-
WHITE-----MALE----	4	4	1	7	12	11	5	1	-	1	-	-
FEMALE--	2	2	2	3	5	4	6	7	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
KANSAS -----	8	13	12	10	14	5	11	8	5	-	1	-
WHITE-----MALE----	6	8	6	5	7	2	3	4	2	-	1	-
FEMALE--	-	5	5	5	6	3	8	4	2	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2704

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Fibrosis and cirrhosis of liver (K74)												
KENTUCKY -----	210	-	-	-	-	-	-	-	1	7	9	15
WHITE-----MALE----	119	-	-	-	-	-	-	-	-	6	7	12
FEMALE--	80	-	-	-	-	-	-	-	1	-	1	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	5	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	214	-	-	-	-	-	-	1	2	3	12	21
WHITE-----MALE----	94	-	-	-	-	-	-	1	1	2	8	8
FEMALE--	70	-	-	-	-	-	-	-	1	-	2	6
ALL OTHER--MALE----	33	-	-	-	-	-	-	-	-	-	2	4
FEMALE--	17	-	-	-	-	-	-	-	-	1	-	3
BLACK---MALE-----	32	-	-	-	-	-	-	-	-	-	2	4
FEMALE--	17	-	-	-	-	-	-	-	-	1	-	3
MAINE -----	77	-	-	-	-	-	1	-	-	2	2	5
WHITE-----MALE----	47	-	-	-	-	-	1	-	-	2	-	4
FEMALE--	29	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	270	-	-	-	-	-	-	3	1	8	19	24
WHITE-----MALE----	125	-	-	-	-	-	-	-	1	2	11	8
FEMALE--	91	-	-	-	-	-	1	-	-	2	1	9
ALL OTHER--MALE----	32	-	-	-	-	-	-	1	-	1	2	5
FEMALE--	22	-	-	-	-	-	-	1	-	3	5	2
BLACK---MALE-----	31	-	-	-	-	-	-	1	-	1	2	5
FEMALE--	21	-	-	-	-	-	-	1	-	3	5	2
MASSACHUSETTS -----	352	-	-	-	-	-	-	1	-	10	20	36
WHITE-----MALE----	202	-	-	-	-	-	-	-	-	7	13	22
FEMALE--	140	-	-	-	-	-	-	-	-	2	5	12
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	-	-	1	2
FEMALE--	5	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE-----	4	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	1	1	-
MICHIGAN -----	602	-	-	-	-	1	1	1	2	13	42	77
WHITE-----MALE----	277	-	-	-	-	-	-	-	2	5	20	40
FEMALE--	197	-	-	-	-	-	1	-	-	1	13	9
ALL OTHER--MALE----	84	-	-	-	-	-	-	1	-	4	4	19
FEMALE--	44	-	-	-	-	1	-	-	-	3	5	9
BLACK---MALE-----	79	-	-	-	-	-	-	1	-	4	4	17
FEMALE--	41	-	-	-	-	1	-	-	-	3	5	9

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2704

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Fibrosis and cirrhosis of liver (K74)												
KENTUCKY -----	15	20	23	33	24	31	18	11	3	-	-	-
WHITE-----MALE----	11	14	13	21	10	14	5	5	1	-	-	-
FEMALE--	3	6	10	10	14	16	10	6	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	3	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	3	-	1	-	-	-
LOUISIANA -----	33	18	25	18	28	32	8	10	3	-	-	-
WHITE-----MALE----	21	7	10	2	10	18	2	3	1	-	-	-
FEMALE--	5	4	9	8	13	10	5	6	1	-	-	-
ALL OTHER--MALE----	6	6	3	4	3	2	1	1	1	-	-	-
FEMALE--	1	1	3	4	2	2	-	-	-	-	-	-
BLACK---MALE----	6	6	3	3	3	2	1	1	1	-	-	-
FEMALE--	1	1	3	4	2	2	-	-	-	-	-	-
MAINE -----	2	7	5	12	11	16	9	4	1	-	-	-
WHITE-----MALE----	-	4	4	5	10	8	4	4	1	-	-	-
FEMALE--	2	3	1	6	1	8	5	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	24	35	26	27	34	38	17	12	2	-	-	-
WHITE-----MALE----	16	17	16	15	16	12	6	3	2	-	-	-
FEMALE--	3	9	1	8	13	25	10	9	-	-	-	-
ALL OTHER--MALE----	4	5	6	3	4	1	-	-	-	-	-	-
FEMALE--	1	4	3	1	1	-	1	-	-	-	-	-
BLACK---MALE----	4	4	6	3	4	1	-	-	-	-	-	-
FEMALE--	1	3	3	1	1	-	1	-	-	-	-	-
MASSACHUSETTS -----	25	33	48	30	61	39	26	17	5	1	-	-
WHITE-----MALE----	13	22	36	16	31	21	13	7	1	-	-	-
FEMALE--	10	9	12	14	30	18	13	10	4	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	2	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	81	51	62	63	74	60	48	19	6	1	-	-
WHITE-----MALE----	31	24	35	31	31	23	25	7	2	1	-	-
FEMALE--	11	14	18	24	35	35	22	10	4	-	-	-
ALL OTHER--MALE----	28	11	6	4	3	1	1	2	-	-	-	-
FEMALE--	11	2	3	4	5	1	-	-	-	-	-	-
BLACK---MALE----	28	9	5	4	3	1	1	2	-	-	-	-
FEMALE--	10	2	3	3	4	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2705

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Fibrosis and cirrhosis of liver (K74)												
MINNESOTA -----	20	15	14	15	26	24	17	10	6	1	-	-
WHITE-----MALE----	11	10	9	6	14	6	4	6	3	-	-	-
FEMALE--	5	5	5	7	11	18	13	4	3	1	-	-
ALL OTHER--MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	14	21	17	18	22	13	7	6	1	-	-	-
WHITE-----MALE----	10	13	11	10	8	6	2	2	-	-	-	-
FEMALE--	1	7	3	6	11	7	4	3	1	-	-	-
ALL OTHER--MALE----	1	1	2	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	1	3	-	1	1	-	-	-	-
BLACK---MALE----	1	1	2	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	3	-	1	1	-	-	-	-
MISSOURI -----	24	20	28	20	40	33	28	15	3	1	-	-
WHITE-----MALE----	14	16	17	12	23	9	14	6	1	1	-	-
FEMALE--	4	3	7	7	13	22	13	8	2	-	-	-
ALL OTHER--MALE----	5	1	2	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	2	1	3	1	1	1	-	-	-	-
BLACK---MALE----	5	1	2	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	2	1	3	1	1	1	-	-	-	-
MONTANA -----	1	4	12	2	4	4	4	1	1	-	-	-
WHITE-----MALE----	1	2	4	1	1	1	3	-	-	-	-	-
FEMALE--	-	1	2	1	3	3	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	4	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	2	1	4	8	4	11	8	1	-	-	-	-
WHITE-----MALE----	1	-	1	1	3	5	3	1	-	-	-	-
FEMALE--	1	-	1	6	1	6	4	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	17	15	17	12	13	17	6	2	1	-	-	-
WHITE-----MALE----	11	8	12	6	9	8	3	1	-	-	-	-
FEMALE--	5	4	3	6	4	9	3	-	-	-	-	-
ALL OTHER--MALE----	1	2	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2707

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Fibrosis and cirrhosis of liver (K74)												
OHIO -----	598	-	-	-	-	1	-	-	1	13	20	46
WHITE-----MALE----	310	-	-	-	-	1	-	-	1	5	13	33
FEMALE--	231	-	-	-	-	-	-	-	-	5	5	6
ALL OTHER--MALE----	32	-	-	-	-	-	-	-	-	2	-	3
FEMALE--	25	-	-	-	-	-	-	-	-	1	2	4
BLACK---MALE-----	32	-	-	-	-	-	-	-	-	2	-	3
FEMALE--	25	-	-	-	-	-	-	-	-	1	2	4
OKLAHOMA -----	205	-	-	-	-	-	-	2	-	7	16	18
WHITE-----MALE----	92	-	-	-	-	-	-	-	-	-	6	11
FEMALE--	78	-	-	-	-	-	-	-	-	5	6	4
ALL OTHER--MALE----	20	-	-	-	-	-	-	1	-	2	3	2
FEMALE--	15	-	-	-	-	-	-	1	-	-	1	1
BLACK---MALE-----	6	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	117	-	-	-	-	-	-	-	-	2	1	6
WHITE-----MALE----	65	-	-	-	-	-	-	-	-	1	-	4
FEMALE--	47	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	783	-	-	-	-	-	-	-	5	10	39	64
WHITE-----MALE----	381	-	-	-	-	-	-	-	1	7	26	43
FEMALE--	332	-	-	-	-	-	-	-	4	3	10	15
ALL OTHER--MALE----	43	-	-	-	-	-	-	-	-	-	2	6
FEMALE--	27	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	41	-	-	-	-	-	-	-	-	-	1	6
FEMALE--	25	-	-	-	-	-	-	-	-	-	1	-
RHODE ISLAND -----	71	-	-	-	-	-	-	-	-	1	1	6
WHITE-----MALE----	38	-	-	-	-	-	-	-	-	1	1	4
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	161	-	-	-	-	-	-	1	2	3	6	13
WHITE-----MALE----	71	-	-	-	-	-	-	-	1	2	3	8
FEMALE--	56	-	-	-	-	-	-	-	1	1	-	2
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	11	-	-	-	-	-	-	1	-	-	2	1
BLACK---MALE-----	22	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	10	-	-	-	-	-	-	1	-	-	2	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2707

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Fibrosis and cirrhosis of liver (K74)												
OHIO -----	67	62	58	87	77	82	59	21	3	1	-	-
WHITE-----MALE----	44	27	34	47	40	37	20	7	-	1	-	-
FEMALE--	15	21	15	35	33	43	38	12	3	-	-	-
ALL OTHER--MALE----	4	6	7	5	3	1	1	-	-	-	-	-
FEMALE--	4	8	2	-	1	1	-	2	-	-	-	-
BLACK---MALE----	4	6	7	5	3	1	1	-	-	-	-	-
FEMALE--	4	8	2	-	1	1	-	2	-	-	-	-
OKLAHOMA -----	25	14	19	23	30	20	19	8	3	1	-	-
WHITE-----MALE----	17	5	7	17	9	9	10	1	-	-	-	-
FEMALE--	2	2	8	6	15	11	9	7	2	1	-	-
ALL OTHER--MALE----	4	4	2	-	2	-	-	-	-	-	-	-
FEMALE--	2	3	2	-	4	-	-	-	1	-	-	-
BLACK---MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	-	1	-	-	-
OREGON -----	17	9	13	12	18	16	17	6	-	-	-	-
WHITE-----MALE----	13	5	9	6	8	7	9	3	-	-	-	-
FEMALE--	3	2	4	5	10	9	7	3	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	63	58	74	85	111	115	94	45	18	2	-	-
WHITE-----MALE----	37	29	39	45	50	46	32	18	7	1	-	-
FEMALE--	11	18	22	35	51	66	59	27	11	-	-	-
ALL OTHER--MALE----	8	9	8	3	4	3	-	-	-	-	-	-
FEMALE--	7	2	5	2	6	-	3	-	-	1	-	-
BLACK---MALE----	8	9	7	3	4	3	-	-	-	-	-	-
FEMALE--	7	2	4	2	6	-	2	-	-	1	-	-
RHODE ISLAND -----	3	9	6	4	12	16	10	2	1	-	-	-
WHITE-----MALE----	3	3	3	2	5	11	4	1	-	-	-	-
FEMALE--	-	5	3	2	7	5	6	1	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	16	19	19	20	18	23	16	4	1	-	-	-
WHITE-----MALE----	6	10	9	11	4	9	6	2	-	-	-	-
FEMALE--	4	5	6	4	9	12	9	2	1	-	-	-
ALL OTHER--MALE----	5	4	3	3	2	2	1	-	-	-	-	-
FEMALE--	1	-	1	2	3	-	-	-	-	-	-	-
BLACK---MALE----	5	4	2	3	2	2	1	-	-	-	-	-
FEMALE--	1	-	1	1	3	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2708

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Fibrosis and cirrhosis of liver (K74)												
SOUTH DAKOTA -----	3	1	4	2	4	4	5	2	1	-	-	-
WHITE-----MALE----	1	1	2	-	2	2	1	1	1	-	-	-
FEMALE--	1	-	2	-	1	2	4	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	2	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	36	35	45	28	46	40	29	13	5	1	-	-
WHITE-----MALE----	21	23	22	18	21	17	15	1	1	1	-	-
FEMALE--	9	8	15	5	24	21	13	11	3	-	-	-
ALL OTHER--MALE----	4	3	6	2	-	2	-	1	1	-	-	-
FEMALE--	2	1	2	3	1	-	1	-	-	-	-	-
BLACK---MALE----	4	3	6	2	-	2	-	1	1	-	-	-
FEMALE--	2	1	2	2	1	-	1	-	-	-	-	-
TEXAS -----	133	149	120	138	146	126	78	41	11	2	-	1
WHITE-----MALE----	88	94	70	81	74	45	34	19	4	-	-	1
FEMALE--	31	37	40	46	69	73	41	21	6	2	-	-
ALL OTHER--MALE----	11	10	6	9	2	4	1	-	1	-	-	-
FEMALE--	3	8	4	2	1	4	2	1	-	-	-	-
BLACK---MALE----	11	9	5	9	2	2	-	-	1	-	-	-
FEMALE--	2	8	3	2	-	3	-	1	-	-	-	-
UTAH -----	3	10	3	8	7	13	7	5	-	1	-	-
WHITE-----MALE----	1	7	2	4	2	6	3	3	-	-	-	-
FEMALE--	1	2	1	4	5	7	4	2	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	2	1	-	2	4	1	-	-	-	-	-
WHITE-----MALE----	-	2	1	-	2	2	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	38	29	40	45	34	50	30	15	3	1	-	-
WHITE-----MALE----	23	15	19	20	14	22	9	6	2	1	-	-
FEMALE--	6	5	9	23	12	22	16	6	-	-	-	-
ALL OTHER--MALE----	9	6	9	-	7	3	1	1	-	-	-	-
FEMALE--	-	3	3	2	1	3	4	2	1	-	-	-
BLACK---MALE----	9	6	9	-	5	3	1	1	-	-	-	-
FEMALE--	-	3	3	2	1	3	4	2	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2710

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of liver (K71-K72,K75-K76)												
UNITED STATES -	826	673	668	710	787	707	552	359	163	48	6	1
WHITE-----MALE----	403	332	311	344	360	331	232	132	53	11	1	1
FEMALE--	219	198	227	266	332	298	265	193	95	33	3	-
ALL OTHER--MALE----	134	86	70	56	46	36	17	16	3	3	-	-
FEMALE--	70	57	60	44	49	42	38	18	12	1	2	-
BLACK---MALE----	110	74	64	50	39	29	12	10	3	1	-	-
FEMALE--	56	42	46	33	43	32	26	13	10	1	1	-
ALABAMA -----	20	17	13	21	32	12	6	8	3	-	-	-
WHITE-----MALE----	10	10	5	11	12	4	2	3	1	-	-	-
FEMALE--	7	4	4	5	14	7	2	3	1	-	-	-
ALL OTHER--MALE----	2	2	3	4	4	-	-	-	-	-	-	-
FEMALE--	1	1	1	1	2	1	2	2	1	-	-	-
BLACK---MALE----	2	1	3	4	4	-	-	-	-	-	-	-
FEMALE--	1	1	1	1	2	1	2	2	1	-	-	-
ALASKA -----	-	-	1	-	-	2	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	13	24	14	23	27	12	13	8	3	-	1	-
WHITE-----MALE----	5	13	8	7	14	9	6	3	-	-	-	-
FEMALE--	2	6	5	15	11	3	5	5	3	-	-	-
ALL OTHER--MALE----	5	3	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	2	1	1	2	-	1	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ARKANSAS -----	13	7	9	8	9	10	8	2	2	1	-	-
WHITE-----MALE----	5	4	4	4	4	5	4	1	-	-	-	-
FEMALE--	6	2	4	1	5	5	2	1	1	1	-	-
ALL OTHER--MALE----	1	-	1	2	-	-	2	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	1	2	-	-	2	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	-	-	-	-	-
CALIFORNIA -----	58	44	30	51	44	39	36	20	5	3	-	1
WHITE-----MALE----	25	28	9	18	20	17	11	7	3	1	-	1
FEMALE--	23	6	14	25	20	18	20	10	2	2	-	-
ALL OTHER--MALE----	7	7	3	2	1	1	1	1	-	-	-	-
FEMALE--	3	3	4	6	3	3	4	2	-	-	-	-
BLACK---MALE----	4	3	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	2	3	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2711

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of liver (K71-K72,K75-K76)												
COLORADO -----	98	2	-	-	-	-	1	-	1	6	7	18
WHITE-----MALE----	47	2	-	-	-	-	1	-	1	2	3	10
FEMALE--	43	-	-	-	-	-	-	-	-	4	4	7
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	122	-	-	-	-	-	-	1	2	7	8	11
WHITE-----MALE----	61	-	-	-	-	-	-	-	-	5	5	7
FEMALE--	45	-	-	-	-	-	-	-	2	2	1	3
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	6	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE-----	10	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	5	-	-	-	-	-	-	1	-	-	1	-
DELAWARE -----	35	1	1	-	-	-	-	-	1	1	1	5
WHITE-----MALE----	17	1	-	-	-	-	-	-	-	1	1	3
FEMALE--	11	-	1	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	11	-	-	-	-	-	-	-	-	1	-	3
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE-----	5	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	1
FLORIDA -----	434	4	5	1	-	-	1	1	4	12	38	42
WHITE-----MALE----	229	2	3	-	-	-	1	-	2	6	24	26
FEMALE--	144	-	1	-	-	-	-	-	-	1	8	9
ALL OTHER--MALE----	32	2	-	-	-	-	-	1	1	2	2	7
FEMALE--	29	-	1	1	-	-	-	-	1	3	4	-
BLACK---MALE-----	31	2	-	-	-	-	-	1	1	2	2	6
FEMALE--	27	-	1	-	-	-	-	-	1	3	4	-
GEORGIA -----	229	6	-	1	-	-	3	1	4	12	13	25
WHITE-----MALE----	78	-	-	-	-	-	1	-	1	4	4	10
FEMALE--	73	-	-	-	-	-	-	-	1	2	4	8
ALL OTHER--MALE----	49	4	-	-	-	-	2	1	2	5	3	5
FEMALE--	29	2	-	1	-	-	-	-	-	1	2	2
BLACK---MALE-----	48	4	-	-	-	-	2	1	2	5	3	5
FEMALE--	28	2	-	1	-	-	-	-	-	1	2	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2711

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of liver (K71-K72,K75-K76)												
COLORADO -----	13	7	11	9	8	6	5	1	2	1	-	-
WHITE-----MALE----	4	4	5	3	4	2	4	-	1	1	-	-
FEMALE--	7	3	4	5	4	2	1	1	1	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	14	11	9	16	11	16	7	4	3	2	-	-
WHITE-----MALE----	9	6	4	11	4	7	2	-	1	-	-	-
FEMALE--	2	3	4	3	6	6	5	4	2	2	-	-
ALL OTHER--MALE----	3	1	-	2	1	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	2	-	-	-	-	-	-
BLACK---MALE----	3	1	-	2	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	-	-	-	-	-
DELAWARE -----	4	5	4	2	1	1	3	2	2	1	-	-
WHITE-----MALE----	1	2	1	-	1	1	3	1	1	-	-	-
FEMALE--	-	3	1	1	-	-	-	1	1	1	-	-
ALL OTHER--MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	3	2	1	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	-	-	-	-	-	-	-
FLORIDA -----	41	44	32	36	46	54	37	23	11	2	-	-
WHITE-----MALE----	24	24	11	20	23	31	17	9	4	2	-	-
FEMALE--	12	13	13	13	18	21	19	9	7	-	-	-
ALL OTHER--MALE----	3	5	4	2	1	-	-	2	-	-	-	-
FEMALE--	2	2	4	1	4	2	1	3	-	-	-	-
BLACK---MALE----	3	5	4	2	1	-	-	2	-	-	-	-
FEMALE--	1	2	4	1	4	2	1	3	-	-	-	-
GEORGIA -----	27	24	24	38	14	19	11	5	2	-	-	-
WHITE-----MALE----	11	6	10	13	4	7	4	3	-	-	-	-
FEMALE--	5	7	6	16	7	7	6	2	2	-	-	-
ALL OTHER--MALE----	7	6	5	5	1	3	-	-	-	-	-	-
FEMALE--	4	5	3	4	2	2	1	-	-	-	-	-
BLACK---MALE----	7	6	5	4	1	3	-	-	-	-	-	-
FEMALE--	4	4	3	4	2	2	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2713

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of liver (K71-K72,K75-K76)												
KENTUCKY -----	125	-	1	-	-	-	-	2	2	7	8	9
WHITE-----MALE----	66	-	-	-	-	-	-	1	1	4	6	3
FEMALE--	47	-	-	-	-	-	-	1	1	2	1	3
ALL OTHER--MALE----	7	-	1	-	-	-	-	-	-	-	1	3
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	7	-	1	-	-	-	-	-	-	-	1	3
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	174	1	-	-	-	-	-	4	1	9	18	10
WHITE-----MALE----	64	-	-	-	-	-	-	1	-	3	8	3
FEMALE--	50	-	-	-	-	-	-	-	-	3	5	2
ALL OTHER--MALE----	38	1	-	-	-	-	-	1	1	1	4	4
FEMALE--	22	-	-	-	-	-	-	2	-	2	1	1
BLACK---MALE-----	36	1	-	-	-	-	-	-	1	1	4	3
FEMALE--	22	-	-	-	-	-	-	2	-	2	1	1
MAINE -----	34	-	-	-	-	-	-	-	-	1	-	3
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	15	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	151	2	-	-	-	2	1	1	3	12	7	18
WHITE-----MALE----	63	1	-	-	-	1	1	1	-	1	5	8
FEMALE--	30	1	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	39	-	-	-	-	-	-	-	3	5	-	8
FEMALE--	19	-	-	-	-	1	-	-	-	5	1	1
BLACK---MALE-----	37	-	-	-	-	-	-	-	3	5	-	8
FEMALE--	19	-	-	-	-	1	-	-	-	5	1	1
MASSACHUSETTS -----	248	-	1	-	-	-	1	1	1	10	15	24
WHITE-----MALE----	140	-	1	-	-	-	-	-	1	5	9	18
FEMALE--	98	-	-	-	-	-	-	1	-	4	5	5
ALL OTHER--MALE----	5	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE-----	3	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
MICHIGAN -----	242	1	-	-	-	-	1	-	3	4	18	25
WHITE-----MALE----	115	-	-	-	-	-	1	-	-	3	6	14
FEMALE--	78	-	-	-	-	-	-	-	-	-	4	5
ALL OTHER--MALE----	26	1	-	-	-	-	-	-	2	1	5	3
FEMALE--	23	-	-	-	-	-	-	-	1	-	3	3
BLACK---MALE-----	26	1	-	-	-	-	-	-	2	1	5	3
FEMALE--	22	-	-	-	-	-	-	-	1	-	3	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2713

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of liver (K71-K72,K75-K76)												
KENTUCKY -----	15	10	10	13	14	16	7	6	2	3	-	-
WHITE-----MALE----	10	7	5	6	5	11	3	3	1	-	-	-
FEMALE--	4	3	4	6	7	4	4	3	1	3	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	2	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	2	-	-	-	-	-	-	-
LOUISIANA -----	26	18	22	17	17	14	10	5	2	-	-	-
WHITE-----MALE----	6	8	13	6	3	4	5	3	1	-	-	-
FEMALE--	6	4	4	6	7	6	4	2	1	-	-	-
ALL OTHER--MALE----	10	4	3	4	4	1	-	-	-	-	-	-
FEMALE--	4	2	2	1	3	3	1	-	-	-	-	-
BLACK---MALE----	10	4	3	4	4	1	-	-	-	-	-	-
FEMALE--	4	2	2	1	3	3	1	-	-	-	-	-
MAINE -----	1	2	1	3	6	6	10	-	1	-	-	-
WHITE-----MALE----	1	1	-	1	4	4	4	-	1	-	-	-
FEMALE--	-	1	1	2	2	2	6	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	14	11	16	12	12	17	11	9	3	-	-	-
WHITE-----MALE----	6	4	6	3	6	8	4	7	1	-	-	-
FEMALE--	1	1	4	5	2	7	4	-	2	-	-	-
ALL OTHER--MALE----	6	4	4	2	3	1	1	2	-	-	-	-
FEMALE--	1	2	2	2	1	1	2	-	-	-	-	-
BLACK---MALE----	6	4	4	2	3	1	-	1	-	-	-	-
FEMALE--	1	2	2	2	1	1	2	-	-	-	-	-
MASSACHUSETTS -----	30	29	28	23	26	19	20	12	5	2	1	-
WHITE-----MALE----	21	12	16	12	14	9	9	8	3	1	1	-
FEMALE--	7	15	11	11	12	10	10	4	2	1	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	1	-	-	-	-	-
MICHIGAN -----	26	21	23	26	27	26	15	16	7	3	-	-
WHITE-----MALE----	14	13	13	13	12	12	6	5	2	1	-	-
FEMALE--	6	4	5	7	12	13	7	10	4	1	-	-
ALL OTHER--MALE----	2	2	4	3	2	1	-	-	-	-	-	-
FEMALE--	4	2	1	3	1	-	2	1	1	1	-	-
BLACK---MALE----	2	2	4	3	2	1	-	-	-	-	-	-
FEMALE--	4	1	1	3	1	-	2	1	1	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2716

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of liver (K71-K72,K75-K76)												
OHIO -----	327	2	1	1	-	-	-	1	4	14	25	28
WHITE-----MALE----	146	-	1	-	-	-	-	1	1	13	9	21
FEMALE--	137	2	-	1	-	-	-	-	3	1	7	3
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	-	-	4	2
FEMALE--	22	-	-	-	-	-	-	-	-	-	5	2
BLACK---MALE----	22	-	-	-	-	-	-	-	-	-	4	2
FEMALE--	21	-	-	-	-	-	-	-	-	-	5	2
OKLAHOMA -----	99	2	-	-	-	-	-	-	1	6	6	15
WHITE-----MALE----	43	2	-	-	-	-	-	-	-	2	4	8
FEMALE--	39	-	-	-	-	-	-	-	-	3	2	5
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	1	1	-	2
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	57	-	-	1	-	-	-	-	1	1	3	7
WHITE-----MALE----	32	-	-	1	-	-	-	-	1	-	2	6
FEMALE--	22	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	517	1	-	1	-	-	3	4	13	29	32	45
WHITE-----MALE----	254	-	-	1	-	-	2	1	3	12	20	18
FEMALE--	175	-	-	-	-	-	1	2	7	9	6	12
ALL OTHER--MALE----	48	-	-	-	-	-	-	1	1	2	4	8
FEMALE--	40	1	-	-	-	-	-	-	2	6	2	7
BLACK---MALE----	46	-	-	-	-	-	-	1	1	2	4	8
FEMALE--	38	1	-	-	-	-	-	-	2	6	2	6
RHODE ISLAND -----	28	-	-	-	-	-	-	-	-	1	2	3
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	9	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	141	-	-	-	-	-	2	1	3	5	13	17
WHITE-----MALE----	53	-	-	-	-	-	-	-	1	2	6	8
FEMALE--	44	-	-	-	-	-	1	-	2	1	3	1
ALL OTHER--MALE----	22	-	-	-	-	-	1	1	-	1	2	3
FEMALE--	22	-	-	-	-	-	-	-	-	1	2	5
BLACK---MALE----	22	-	-	-	-	-	1	1	-	1	2	3
FEMALE--	22	-	-	-	-	-	-	-	-	1	2	5

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2716

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of liver (K71-K72,K75-K76)												
OHIO -----	29	26	38	29	37	33	26	19	13	1	-	-
WHITE-----MALE----	11	11	18	10	16	15	12	5	2	-	-	-
FEMALE--	10	10	15	16	15	16	13	13	11	1	-	-
ALL OTHER--MALE----	6	3	2	1	2	1	-	1	-	-	-	-
FEMALE--	2	2	3	2	4	1	1	-	-	-	-	-
BLACK---MALE----	6	3	2	1	2	1	-	1	-	-	-	-
FEMALE--	2	2	3	2	4	-	1	-	-	-	-	-
OKLAHOMA -----	12	12	6	5	6	12	8	5	3	-	-	-
WHITE-----MALE----	2	6	1	4	1	6	2	4	1	-	-	-
FEMALE--	5	4	3	1	4	5	5	-	2	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	1	2	2	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	7	4	3	5	10	4	5	4	2	-	-	-
WHITE-----MALE----	6	3	3	1	5	1	-	2	1	-	-	-
FEMALE--	1	1	-	4	4	2	5	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	57	43	32	44	77	51	38	35	10	2	-	-
WHITE-----MALE----	33	21	15	26	39	25	19	15	4	-	-	-
FEMALE--	14	7	10	13	30	23	15	19	5	2	-	-
ALL OTHER--MALE----	7	10	5	4	5	1	-	-	-	-	-	-
FEMALE--	3	5	2	1	3	2	4	1	1	-	-	-
BLACK---MALE----	7	9	5	4	4	1	-	-	-	-	-	-
FEMALE--	3	5	2	1	3	1	4	1	1	-	-	-
RHODE ISLAND -----	2	-	3	4	2	4	4	3	-	-	-	-
WHITE-----MALE----	2	-	1	1	2	3	3	2	-	-	-	-
FEMALE--	-	-	2	3	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	16	9	15	12	15	9	10	7	6	1	-	-
WHITE-----MALE----	6	2	5	6	7	3	5	1	1	-	-	-
FEMALE--	3	4	3	2	7	6	3	5	2	1	-	-
ALL OTHER--MALE----	4	2	2	2	1	-	1	1	1	-	-	-
FEMALE--	3	1	5	2	-	-	1	-	2	-	-	-
BLACK---MALE----	4	2	2	2	1	-	1	1	1	-	-	-
FEMALE--	3	1	5	2	-	-	1	-	2	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2717

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of liver (K71-K72,K75-K76)												
SOUTH DAKOTA -----	2	1	1	-	2	-	1	2	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	1	2	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	7	14	15	9	12	17	7	7	2	-	-	-
WHITE-----MALE----	4	3	4	3	7	6	2	3	1	-	-	-
FEMALE--	1	9	9	5	3	9	5	4	1	-	-	-
ALL OTHER--MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	1	2	2	-	-	-	-	-	-
BLACK---MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	1	2	2	-	-	-	-	-	-
TEXAS -----	58	47	44	50	45	44	33	19	12	3	-	-
WHITE-----MALE----	31	28	24	31	16	27	13	7	4	1	-	-
FEMALE--	17	17	18	17	25	12	17	9	7	2	-	-
ALL OTHER--MALE----	6	2	1	2	3	3	2	1	-	-	-	-
FEMALE--	4	-	1	-	1	2	1	2	1	-	-	-
BLACK---MALE----	6	2	1	2	3	3	2	1	-	-	-	-
FEMALE--	4	-	1	-	1	1	-	1	1	-	-	-
UTAH -----	3	2	1	3	6	5	5	3	1	-	-	-
WHITE-----MALE----	-	1	1	1	3	1	4	1	-	-	-	-
FEMALE--	3	1	-	2	2	4	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	4	1	-	3	1	4	1	-	1	-	-	-
WHITE-----MALE----	3	-	-	2	1	3	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	19	20	21	23	23	17	15	9	2	1	-	-
WHITE-----MALE----	10	11	12	13	6	9	5	2	1	-	-	-
FEMALE--	4	5	3	6	11	7	9	3	1	1	-	-
ALL OTHER--MALE----	4	1	4	2	1	1	-	2	-	-	-	-
FEMALE--	1	3	2	2	5	-	1	2	-	-	-	-
BLACK---MALE----	4	1	4	2	1	1	-	1	-	-	-	-
FEMALE--	1	3	2	2	5	-	1	2	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2719

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cholelithiasis and other disorders of gallbladder (K80-K82)												
UNITED STATES -	2,810	-	-	1	1	2	7	6	13	22	31	43
WHITE-----MALE----	1,111	-	-	-	1	1	2	2	3	10	12	16
FEMALE--	1,346	-	-	-	-	-	4	1	4	7	9	10
ALL OTHER--MALE----	133	-	-	-	-	-	1	-	2	2	3	7
FEMALE--	220	-	-	1	-	1	-	3	4	3	7	10
BLACK---MALE-----	96	-	-	-	-	-	1	-	2	1	3	5
FEMALE--	184	-	-	1	-	1	-	3	3	3	7	9
ALABAMA -----	65	-	-	-	-	-	-	-	1	1	1	-
WHITE-----MALE----	27	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
ALASKA -----	4	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	46	-	-	-	1	-	-	-	-	1	1	-
WHITE-----MALE----	18	-	-	-	1	-	-	-	-	1	1	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	45	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	22	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	348	-	-	-	-	-	2	1	1	3	6	5
WHITE-----MALE----	153	-	-	-	-	-	-	-	1	1	3	3
FEMALE--	141	-	-	-	-	-	2	1	-	-	2	1
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	29	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE-----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	1	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2719

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cholelithiasis and other disorders of gallbladder (K80-K82)												
UNITED STATES -	66	80	109	184	266	419	507	528	358	143	24	-
WHITE-----MALE----	23	41	51	87	119	203	220	193	99	26	2	-
FEMALE--	26	23	36	64	96	170	234	296	236	109	21	-
ALL OTHER--MALE----	7	7	11	13	23	21	17	11	6	1	1	-
FEMALE--	10	9	11	20	28	25	36	28	17	7	-	-
BLACK---MALE----	6	5	9	10	15	15	12	9	3	-	-	-
FEMALE--	8	8	7	18	22	22	27	24	15	6	-	-
ALABAMA -----	1	4	1	5	9	12	8	12	7	3	-	-
WHITE-----MALE----	-	1	-	1	6	7	5	3	2	1	-	-
FEMALE--	1	2	1	4	-	4	3	6	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	2	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	2	1	1	-	-
BLACK---MALE----	-	-	-	-	2	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	2	1	1	-	-
ALASKA -----	-	-	-	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	1	-	4	3	3	17	11	3	-	1	-
WHITE-----MALE----	-	-	-	1	1	1	7	3	2	-	-	-
FEMALE--	-	1	-	2	2	2	8	6	1	-	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ARKANSAS -----	1	-	2	3	4	4	8	14	6	3	-	-
WHITE-----MALE----	1	-	2	2	3	-	5	8	1	-	-	-
FEMALE--	-	-	-	-	1	4	3	6	4	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
CALIFORNIA -----	14	16	16	22	34	60	59	57	38	11	3	-
WHITE-----MALE----	5	10	5	12	15	29	28	26	14	1	-	-
FEMALE--	5	1	7	6	13	24	21	27	20	9	2	-
ALL OTHER--MALE----	2	2	3	2	3	4	3	-	2	1	1	-
FEMALE--	2	3	1	2	3	3	7	4	2	-	-	-
BLACK---MALE----	1	1	1	-	1	2	1	-	-	-	-	-
FEMALE--	-	2	1	2	2	2	2	3	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2720

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cholelithiasis and other disorders of gallbladder (K80-K82)												
COLORADO -----	1	-	-	1	2	5	4	12	7	2	1	-
WHITE-----MALE----	-	-	-	-	2	3	3	3	3	-	-	-
FEMALE--	1	-	-	-	-	1	1	9	4	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	2	1	3	3	6	9	10	4	3	1	-
WHITE-----MALE----	-	2	1	1	2	1	4	8	1	-	-	-
FEMALE--	1	-	-	1	1	5	5	2	3	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	1	1	1	1	2	2	2	1	-	-
WHITE-----MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	1	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	3	4	7	9	11	22	34	34	17	10	-	-
WHITE-----MALE----	1	3	4	6	4	16	20	16	4	4	-	-
FEMALE--	2	1	3	1	2	5	12	16	13	6	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	1	2	-	-	-	-
FEMALE--	-	-	-	2	3	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	2	-	-	-	-
FEMALE--	-	-	-	2	2	1	1	-	-	-	-	-
GEORGIA -----	2	2	-	6	3	16	7	17	3	-	1	-
WHITE-----MALE----	-	1	-	1	1	7	-	9	1	-	-	-
FEMALE--	1	-	-	4	2	6	6	7	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	2	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	2	1	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2721

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cholelithiasis and other disorders of gallbladder (K80-K82)												
HAWAII -----	-	-	-	1	1	1	3	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	1	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	2	1	1	5	4	5	2	2	1	-
WHITE-----MALE----	-	-	1	-	1	1	2	2	-	-	-	-
FEMALE--	-	-	1	1	-	4	2	3	2	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	5	4	3	6	16	18	13	19	16	5	2	-
WHITE-----MALE----	1	1	-	2	10	9	5	7	3	-	-	-
FEMALE--	1	1	2	2	3	6	6	11	13	5	2	-
ALL OTHER--MALE----	1	1	1	1	1	3	1	-	-	-	-	-
FEMALE--	2	1	-	1	2	-	1	1	-	-	-	-
BLACK---MALE----	1	1	1	1	1	3	-	-	-	-	-	-
FEMALE--	2	1	-	1	2	-	1	1	-	-	-	-
INDIANA -----	1	2	4	1	3	8	6	7	7	2	-	-
WHITE-----MALE----	-	1	4	-	1	6	1	2	3	1	-	-
FEMALE--	1	-	-	1	2	2	4	4	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
IOWA -----	-	-	-	-	5	5	7	8	2	5	1	-
WHITE-----MALE----	-	-	-	-	1	4	5	4	-	3	-	-
FEMALE--	-	-	-	-	3	1	2	4	2	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
KANSAS -----	-	2	1	1	1	10	3	5	7	3	-	-
WHITE-----MALE----	-	1	1	-	1	4	2	4	-	-	-	-
FEMALE--	-	-	-	-	-	5	1	1	7	3	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2722

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cholelithiasis and other disorders of gallbladder (K80-K82)												
KENTUCKY -----	53	-	-	-	-	-	-	-	-	-	-	3
WHITE-----MALE----	22	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	40	-	-	-	-	-	-	-	1	-	-	2
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE-----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	1
MAINE -----	14	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	36	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	66	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	31	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	85	-	-	-	-	1	-	-	1	-	1	1
WHITE-----MALE----	35	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	41	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2722

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cholelithiasis and other disorders of gallbladder (K80-K82)												
KENTUCKY -----	2	4	5	5	2	4	9	8	10	1	-	-
WHITE-----MALE----	2	3	4	2	1	2	3	1	3	-	-	-
FEMALE--	-	-	1	1	1	1	6	6	6	1	-	-
ALL OTHER--MALE----	-	1	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	1	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
LOUISIANA -----	-	1	4	1	1	7	9	8	3	3	-	-
WHITE-----MALE----	-	-	2	1	-	1	4	1	1	-	-	-
FEMALE--	-	-	1	-	-	4	1	3	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	1	-	1	2	4	3	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	1	-	1	2	4	3	-	1	-	-
MAINE -----	-	-	-	-	2	3	5	1	3	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	2	4	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	2	-	2	6	5	7	4	8	-	1	-
WHITE-----MALE----	-	1	-	1	2	1	4	2	1	-	-	-
FEMALE--	-	1	-	-	1	3	2	2	5	-	1	-
ALL OTHER--MALE----	-	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	1	-	2	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	1	-	2	-	-	-
MASSACHUSETTS -----	1	2	2	6	10	11	11	11	8	3	-	-
WHITE-----MALE----	-	1	1	4	6	5	7	4	3	-	-	-
FEMALE--	-	1	-	2	2	5	4	7	5	3	-	-
ALL OTHER--MALE----	-	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	1	1	7	12	14	18	13	8	5	1	-
WHITE-----MALE----	-	-	-	3	4	10	6	8	1	1	-	-
FEMALE--	-	1	1	3	7	2	10	5	7	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	1	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	1	2	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2725

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cholelithiasis and other disorders of gallbladder (K80-K82)												
OHIO -----	92	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	29	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	58	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	50	-	-	-	-	-	1	-	2	1	-	1
WHITE-----MALE----	21	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	25	-	-	-	-	-	1	-	1	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	36	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	126	-	-	-	-	-	1	-	-	1	-	2
WHITE-----MALE----	47	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	75	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	13	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	54	-	-	-	-	-	-	1	-	2	-	1
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	1	-	-	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2725

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cholelithiasis and other disorders of gallbladder (K80-K82)												
OHIO -----	3	2	2	9	11	16	20	10	13	3	1	-
WHITE-----MALE----	1	1	1	5	5	3	7	2	2	1	-	-
FEMALE--	2	1	1	4	4	11	13	7	11	2	1	-
ALL OTHER--MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
OKLAHOMA -----	-	-	5	-	1	5	8	14	7	5	-	-
WHITE-----MALE----	-	-	3	-	1	3	3	6	2	1	-	-
FEMALE--	-	-	1	-	-	1	3	8	5	4	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	-	1	6	4	8	5	4	6	-	-	-
WHITE-----MALE----	-	-	-	3	1	5	2	2	2	-	-	-
FEMALE--	1	-	1	3	3	3	3	2	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	4	9	2	8	12	25	33	21	5	2	-
WHITE-----MALE----	1	2	4	2	4	2	13	10	6	-	1	-
FEMALE--	-	2	4	-	3	10	11	22	15	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	1	-	-	-	-
RHODE ISLAND -----	-	-	1	1	2	1	1	2	4	-	-	-
WHITE-----MALE----	-	-	1	1	2	-	-	2	3	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	-	1	4	6	7	13	8	7	2	-	-
WHITE-----MALE----	1	-	-	1	1	-	3	1	-	1	-	-
FEMALE--	-	-	-	3	4	5	6	5	5	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	3	2	2	1	-	-	-
BLACK---MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	3	2	2	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2726

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cholelithiasis and other disorders of gallbladder (K80-K82)												
SOUTH DAKOTA -----	1	-	-	1	2	1	2	2	3	2	-	-
WHITE-----MALE----	-	-	-	1	1	-	1	1	3	-	-	-
FEMALE--	1	-	-	-	-	1	1	1	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	2	5	6	13	14	13	16	8	1	-	-
WHITE-----MALE----	1	-	1	3	6	5	5	3	-	-	-	-
FEMALE--	-	2	4	2	5	8	7	12	7	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	1	-	-	1	1	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	1	-	-	1	1	1	-	-	1	-	-	-
TEXAS -----	3	2	13	14	23	22	46	34	24	10	2	-
WHITE-----MALE----	1	2	7	6	11	15	23	10	6	1	-	-
FEMALE--	1	-	2	2	11	4	22	21	16	8	2	-
ALL OTHER--MALE----	1	-	2	2	1	-	-	-	1	-	-	-
FEMALE--	-	-	2	4	-	3	1	3	1	1	-	-
BLACK---MALE----	1	-	2	2	1	-	-	-	1	-	-	-
FEMALE--	-	-	1	4	-	3	1	3	1	1	-	-
UTAH -----	1	-	1	3	2	2	2	4	3	2	-	-
WHITE-----MALE----	-	-	-	1	-	2	1	1	1	1	-	-
FEMALE--	1	-	1	2	1	-	1	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	1	-	1	2	2	-	3	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	1	1	2	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	1	4	3	4	6	9	10	9	2	-	-
WHITE-----MALE----	-	1	3	-	3	3	5	4	-	-	-	-
FEMALE--	-	-	-	3	1	2	3	4	7	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	2	-	-	-
FEMALE--	1	-	1	-	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	2	-	-	-
FEMALE--	1	-	1	-	-	-	-	2	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2728

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders of biliary tract and pancreas (K83-K86)												
UNITED STATES -	270	306	292	354	487	586	570	517	303	92	21	-
WHITE-----MALE----	136	150	129	182	229	280	221	153	68	19	4	-
FEMALE--	75	86	105	98	194	241	293	315	206	62	14	-
ALL OTHER--MALE----	43	40	32	46	32	32	23	20	12	5	-	-
FEMALE--	16	30	26	28	32	33	33	29	17	6	3	-
BLACK---MALE----	38	38	27	40	29	23	17	16	9	3	-	-
FEMALE--	15	23	23	21	29	26	26	26	13	5	3	-
ALABAMA -----	2	13	9	7	12	17	12	10	4	1	-	-
WHITE-----MALE----	1	9	7	3	9	9	3	3	2	-	-	-
FEMALE--	1	3	1	2	2	7	6	7	1	1	-	-
ALL OTHER--MALE----	-	1	-	2	-	-	1	-	1	-	-	-
FEMALE--	-	-	1	-	1	1	2	-	-	-	-	-
BLACK---MALE----	-	1	-	2	-	-	1	-	1	-	-	-
FEMALE--	-	-	1	-	1	1	2	-	-	-	-	-
ALASKA -----	-	1	1	2	-	-	1	1	1	-	-	-
WHITE-----MALE----	-	1	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ARIZONA -----	4	9	9	5	9	11	14	8	5	-	-	-
WHITE-----MALE----	3	3	6	3	6	9	4	4	1	-	-	-
FEMALE--	1	5	3	2	2	2	9	3	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	8	2	3	5	6	9	9	7	3	1	-	-
WHITE-----MALE----	4	1	1	1	1	6	2	4	1	-	-	-
FEMALE--	2	-	2	1	1	3	4	3	2	-	-	-
ALL OTHER--MALE----	2	1	-	2	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	2	-	-	1	-	-
BLACK---MALE----	2	1	-	2	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	2	-	-	1	-	-
CALIFORNIA -----	27	33	19	30	38	44	41	35	23	5	1	-
WHITE-----MALE----	13	20	5	13	13	22	17	14	3	-	-	-
FEMALE--	10	7	13	13	17	15	19	13	16	4	1	-
ALL OTHER--MALE----	3	2	1	2	7	4	3	5	-	-	-	-
FEMALE--	1	4	-	2	1	3	2	3	4	1	-	-
BLACK---MALE----	1	1	-	1	5	2	-	2	-	-	-	-
FEMALE--	-	1	-	1	1	1	2	3	2	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2729

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders of biliary tract and pancreas (K83-K86)												
COLORADO -----	2	3	7	7	9	4	9	7	5	1	1	-
WHITE-----MALE----	-	1	2	2	2	2	5	3	1	1	-	-
FEMALE--	2	1	4	5	7	2	4	4	4	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	1	3	4	8	5	10	13	2	2	-	-
WHITE-----MALE----	1	1	1	4	4	4	5	6	-	1	-	-
FEMALE--	-	-	1	-	4	1	5	6	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	1	-	-	-	-
DELAWARE -----	2	1	-	2	1	2	3	2	-	1	-	-
WHITE-----MALE----	1	1	-	2	-	-	3	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	1	3	1	-	2	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	2	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	1	1	-	1	1	1	-	-	-	-
BLACK---MALE-----	1	-	2	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	1	1	-	1	1	1	-	-	-	-
FLORIDA -----	9	22	22	27	27	53	40	31	9	2	-	-
WHITE-----MALE----	5	13	8	17	13	30	17	14	2	1	-	-
FEMALE--	3	6	6	5	10	17	19	17	7	-	-	-
ALL OTHER--MALE----	1	3	5	5	4	3	2	-	-	1	-	-
FEMALE--	-	-	3	-	-	3	2	-	-	-	-	-
BLACK---MALE-----	1	3	4	5	4	2	2	-	-	-	-	-
FEMALE--	-	-	3	-	-	2	2	-	-	-	-	-
GEORGIA -----	15	7	7	5	7	13	8	12	9	2	-	-
WHITE-----MALE----	7	4	3	4	5	3	3	3	1	-	-	-
FEMALE--	5	-	-	-	1	6	4	7	5	2	-	-
ALL OTHER--MALE----	2	1	3	-	1	1	-	2	-	-	-	-
FEMALE--	1	2	1	1	-	3	1	-	3	-	-	-
BLACK---MALE-----	2	1	3	-	1	1	-	2	-	-	-	-
FEMALE--	1	2	1	1	-	3	1	-	3	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2730

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Disorders of biliary tract and pancreas (K83-K86)												
HAWAII -----	18	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	19	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	180	1	-	2	-	1	3	3	6	7	9	11
WHITE-----MALE----	67	-	-	-	-	-	2	1	3	4	4	6
FEMALE--	83	1	-	2	-	1	1	1	1	1	1	2
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	1	2	3	2
FEMALE--	12	-	-	-	-	-	-	1	1	-	1	1
BLACK---MALE----	16	-	-	-	-	-	-	-	1	2	3	1
FEMALE--	11	-	-	-	-	-	-	1	1	-	1	1
INDIANA -----	115	-	-	-	-	-	-	4	2	3	6	11
WHITE-----MALE----	52	-	-	-	-	-	-	3	1	1	3	3
FEMALE--	46	-	-	-	-	-	-	-	1	-	3	4
ALL OTHER--MALE----	9	-	-	-	-	-	-	1	-	2	-	2
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	8	-	-	-	-	-	-	1	-	1	-	2
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	2
IOWA -----	50	-	-	-	-	-	-	-	1	1	1	3
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	27	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	63	-	-	-	-	-	-	1	1	2	2	7
WHITE-----MALE----	30	-	-	-	-	-	-	1	1	1	2	4
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2730

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders of biliary tract and pancreas (K83-K86)												
HAWAII -----	2	-	1	1	1	6	1	1	3	-	-	-
WHITE-----MALE----	2	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	4	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	-	2	2	1	4	1	1	4	1	-	-
WHITE-----MALE----	-	-	2	2	1	2	1	1	2	-	-	-
FEMALE--	1	-	-	-	-	2	-	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	3	11	11	9	17	29	20	22	11	3	1	-
WHITE-----MALE----	3	2	6	6	7	10	7	5	1	-	-	-
FEMALE--	-	7	3	-	8	15	10	15	10	3	1	-
ALL OTHER--MALE----	-	2	2	3	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	2	2	3	1	-	-	-	-
BLACK---MALE----	-	2	2	3	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	2	2	2	1	-	-	-	-
INDIANA -----	5	9	7	14	14	8	12	8	10	2	-	-
WHITE-----MALE----	1	4	4	10	7	6	4	1	4	-	-	-
FEMALE--	3	4	3	1	5	2	7	6	5	2	-	-
ALL OTHER--MALE----	1	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	-	1	1	1	-	-	-
BLACK---MALE----	1	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	-	1	1	1	-	-	-
IOWA -----	-	3	2	2	5	8	5	8	7	4	-	-
WHITE-----MALE----	-	-	1	2	3	2	1	4	2	1	-	-
FEMALE--	-	1	1	-	2	6	3	4	5	3	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	2	6	3	4	4	11	7	7	6	-	-	-
WHITE-----MALE----	2	3	-	2	1	6	4	3	-	-	-	-
FEMALE--	-	3	3	2	3	4	3	4	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2731

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders of biliary tract and pancreas (K83-K86)												
KENTUCKY -----	9	2	5	4	7	7	13	8	8	1	-	-
WHITE-----MALE----	8	-	4	1	4	1	6	2	2	-	-	-
FEMALE--	1	2	1	3	3	6	6	6	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
LOUISIANA -----	11	10	4	12	6	8	8	6	2	3	-	-
WHITE-----MALE----	3	6	2	3	-	5	3	1	-	1	-	-
FEMALE--	2	3	1	6	3	2	3	3	2	-	-	-
ALL OTHER--MALE----	5	1	-	1	-	-	2	2	-	1	-	-
FEMALE--	1	-	1	2	3	1	-	-	-	1	-	-
BLACK---MALE-----	5	1	-	1	-	-	2	2	-	1	-	-
FEMALE--	1	-	1	2	3	1	-	-	-	1	-	-
MAINE -----	5	1	-	1	2	3	3	2	2	-	-	-
WHITE-----MALE----	5	1	-	1	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	2	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	8	6	6	6	9	8	10	4	2	2	-
WHITE-----MALE----	-	2	2	3	2	4	1	6	-	-	1	-
FEMALE--	1	2	3	1	4	5	4	3	4	1	-	-
ALL OTHER--MALE----	1	2	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	2	1	2	-	-	3	1	-	-	1	-
BLACK---MALE-----	1	2	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	2	1	2	-	-	3	1	-	-	1	-
MASSACHUSETTS -----	9	9	5	8	19	17	21	15	7	4	1	-
WHITE-----MALE----	4	3	2	2	14	10	6	1	1	-	-	-
FEMALE--	4	4	3	4	4	7	15	14	6	4	1	-
ALL OTHER--MALE----	1	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
MICHIGAN -----	8	10	13	13	26	21	37	21	19	3	-	-
WHITE-----MALE----	4	3	6	6	12	8	12	3	3	-	-	-
FEMALE--	2	3	3	4	12	11	20	16	15	3	-	-
ALL OTHER--MALE----	1	4	3	1	1	2	3	1	1	-	-	-
FEMALE--	1	-	1	2	1	-	2	1	-	-	-	-
BLACK---MALE-----	1	4	3	1	1	2	3	1	1	-	-	-
FEMALE--	1	-	1	2	1	-	2	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2732

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders of biliary tract and pancreas (K83-K86)												
MINNESOTA -----	1	3	4	10	4	8	13	7	7	2	1	-
WHITE-----MALE----	1	2	2	7	2	5	6	2	1	-	-	-
FEMALE--	-	1	2	2	2	3	7	5	6	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	4	4	2	4	6	2	4	6	5	-	-	-
WHITE-----MALE----	-	1	1	2	2	-	2	2	1	-	-	-
FEMALE--	-	-	1	-	2	1	2	1	3	-	-	-
ALL OTHER--MALE----	2	2	-	1	1	-	-	1	1	-	-	-
FEMALE--	2	1	-	1	1	1	-	2	-	-	-	-
BLACK---MALE----	2	2	-	1	1	-	-	1	1	-	-	-
FEMALE--	2	1	-	1	1	1	-	2	-	-	-	-
MISSOURI -----	5	4	2	6	11	16	6	14	9	3	1	-
WHITE-----MALE----	1	2	-	3	4	5	1	2	2	1	1	-
FEMALE--	3	2	2	2	7	11	5	12	5	1	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
MONTANA -----	-	1	1	1	-	3	-	6	3	-	-	-
WHITE-----MALE----	-	1	1	-	-	2	-	3	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	2	3	1	1	3	4	3	3	1	-	-
WHITE-----MALE----	-	2	2	1	1	3	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	3	3	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
NEVADA -----	3	1	3	3	4	3	1	2	3	-	-	-
WHITE-----MALE----	1	-	3	1	2	3	-	1	-	-	-	-
FEMALE--	2	-	-	1	-	-	1	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2734

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Disorders of biliary tract and pancreas (K83-K86)												
OHIO -----	192	-	1	-	-	-	3	3	4	4	7	6
WHITE-----MALE----	80	-	1	-	-	-	-	1	1	1	2	1
FEMALE--	86	-	-	-	-	-	-	2	2	1	2	5
ALL OTHER--MALE----	13	-	-	-	-	-	2	-	1	1	2	-
FEMALE--	13	-	-	-	-	-	1	-	-	1	1	-
BLACK---MALE-----	12	-	-	-	-	-	1	-	1	1	2	-
FEMALE--	13	-	-	-	-	-	1	-	-	1	1	-
OKLAHOMA -----	82	-	-	-	-	-	-	-	1	4	4	5
WHITE-----MALE----	34	-	-	-	-	-	-	-	1	3	2	1
FEMALE--	38	-	-	-	-	-	-	-	-	-	2	4
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	38	-	-	-	-	-	-	1	-	-	1	1
WHITE-----MALE----	17	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	227	-	-	-	-	-	1	4	1	11	8	8
WHITE-----MALE----	105	-	-	-	-	-	-	-	1	8	7	3
FEMALE--	90	-	-	-	-	-	-	1	-	2	1	1
ALL OTHER--MALE----	17	-	-	-	-	-	-	2	-	-	-	2
FEMALE--	15	-	-	-	-	-	1	1	-	1	-	2
BLACK---MALE-----	16	-	-	-	-	-	-	2	-	-	-	1
FEMALE--	12	-	-	-	-	-	1	1	-	-	-	2
RHODE ISLAND -----	18	-	-	-	-	-	1	-	-	-	-	1
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	122	1	-	-	-	-	-	2	4	7	8	10
WHITE-----MALE----	41	-	-	-	-	-	-	1	1	3	2	2
FEMALE--	40	1	-	-	-	-	-	1	1	2	-	2
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	1	2	5	6
FEMALE--	14	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE-----	27	-	-	-	-	-	-	-	1	2	5	6
FEMALE--	13	-	-	-	-	-	-	-	1	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2734

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders of biliary tract and pancreas (K83-K86)												
OHIO -----	10	10	10	12	29	30	23	25	9	6	-	-
WHITE-----MALE----	6	4	5	8	15	14	8	9	3	1	-	-
FEMALE--	2	5	5	3	10	12	14	13	5	5	-	-
ALL OTHER--MALE----	1	-	-	1	1	2	-	2	-	-	-	-
FEMALE--	1	1	-	-	3	2	1	1	1	-	-	-
BLACK---MALE----	1	-	-	1	1	2	-	2	-	-	-	-
FEMALE--	1	1	-	-	3	2	1	1	1	-	-	-
OKLAHOMA -----	4	3	9	5	12	11	8	7	7	1	1	-
WHITE-----MALE----	1	3	-	1	6	6	2	2	4	1	1	-
FEMALE--	2	-	5	2	4	5	6	5	3	-	-	-
ALL OTHER--MALE----	-	-	3	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	2	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
OREGON -----	-	1	1	3	8	5	8	4	4	1	-	-
WHITE-----MALE----	-	1	-	2	3	2	3	1	2	-	-	-
FEMALE--	-	-	1	1	5	3	5	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	18	12	16	18	16	31	27	30	16	7	3	-
WHITE-----MALE----	13	6	6	10	4	14	13	13	5	1	1	-
FEMALE--	3	4	6	5	8	14	13	15	10	6	1	-
ALL OTHER--MALE----	2	2	1	3	1	2	-	1	1	-	-	-
FEMALE--	-	-	3	-	3	1	1	1	-	-	1	-
BLACK---MALE----	2	2	1	3	1	2	-	1	1	-	-	-
FEMALE--	-	-	2	-	3	1	-	1	-	-	1	-
RHODE ISLAND -----	-	1	-	1	4	1	3	1	4	1	-	-
WHITE-----MALE----	-	1	-	-	4	-	2	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	12	7	10	7	15	8	9	14	6	1	1	-
WHITE-----MALE----	2	2	4	3	9	3	4	4	-	1	-	-
FEMALE--	2	1	4	1	3	4	3	9	6	-	-	-
ALL OTHER--MALE----	5	2	1	1	2	1	1	-	-	-	-	-
FEMALE--	3	2	1	2	1	-	1	1	-	-	1	-
BLACK---MALE----	5	2	1	1	2	1	1	-	-	-	-	-
FEMALE--	3	2	1	2	1	-	-	1	-	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2735

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Disorders of biliary tract and pancreas (K83-K86)												
SOUTH DAKOTA -----	13	1	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
TENNESSEE -----	117	-	-	-	-	-	2	1	3	4	6	8
WHITE-----MALE----	53	-	-	-	-	-	1	-	2	-	4	3
FEMALE--	39	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	1	2	1	2
FEMALE--	12	-	-	-	-	-	1	1	-	1	1	2
BLACK---MALE-----	12	-	-	-	-	-	-	-	1	2	1	2
FEMALE--	12	-	-	-	-	-	1	1	-	1	1	2
TEXAS -----	327	-	1	3	1	-	4	4	7	12	29	14
WHITE-----MALE----	153	-	1	1	-	-	2	2	4	5	18	9
FEMALE--	129	-	-	1	1	-	-	1	1	5	3	3
ALL OTHER--MALE----	19	-	-	-	-	-	1	-	1	-	7	1
FEMALE--	26	-	-	1	-	-	1	1	1	2	1	1
BLACK---MALE-----	17	-	-	-	-	-	1	-	1	-	6	1
FEMALE--	24	-	-	1	-	-	1	1	1	2	1	1
UTAH -----	26	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	13	-	-	-	-	-	-	-	-	-	1	3
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	99	-	-	-	-	-	1	-	3	7	2	3
WHITE-----MALE----	33	-	-	-	-	-	-	-	2	3	-	1
FEMALE--	45	-	-	-	-	-	1	-	1	1	1	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	2	1	1
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE-----	11	-	-	-	-	-	-	-	-	2	1	1
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2735

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders of biliary tract and pancreas (K83-K86)												
SOUTH DAKOTA -----	-	1	-	-	-	1	2	4	-	1	-	-
WHITE-----MALE----	-	1	-	-	-	1	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	8	11	8	13	11	16	11	9	4	2	-	-
WHITE-----MALE----	4	7	2	8	5	6	5	3	2	1	-	-
FEMALE--	3	2	4	2	5	7	6	6	1	1	-	-
ALL OTHER--MALE----	1	1	2	1	1	-	-	-	1	-	-	-
FEMALE--	-	1	-	2	-	3	-	-	-	-	-	-
BLACK---MALE----	1	1	1	1	1	-	-	-	1	-	-	-
FEMALE--	-	1	-	2	-	3	-	-	-	-	-	-
TEXAS -----	15	18	20	25	33	34	45	34	18	8	2	-
WHITE-----MALE----	8	8	8	17	16	17	20	8	5	4	-	-
FEMALE--	3	6	9	6	15	16	20	22	12	3	2	-
ALL OTHER--MALE----	2	-	1	-	2	-	2	-	1	1	-	-
FEMALE--	2	4	2	2	-	1	3	4	-	-	-	-
BLACK---MALE----	2	-	1	-	2	-	1	-	1	1	-	-
FEMALE--	2	4	2	1	-	1	2	4	-	-	-	-
UTAH -----	2	2	3	4	4	-	3	3	3	1	-	-
WHITE-----MALE----	2	1	3	3	3	-	1	2	1	-	-	-
FEMALE--	-	1	-	1	1	-	2	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	3	-	1	1	-	4	-	-	-	-	-	-
WHITE-----MALE----	3	-	1	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	8	7	7	7	9	9	9	10	14	2	1	-
WHITE-----MALE----	5	1	3	2	4	3	4	3	1	1	-	-
FEMALE--	3	2	2	3	4	3	4	7	12	-	1	-
ALL OTHER--MALE----	-	3	1	2	-	2	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	1	1	-	1	1	-	-
BLACK---MALE----	-	3	1	2	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	1	-	1	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2737

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pancreatitis (K85,K86.0-K86.1)												
UNITED STATES -	224	240	244	271	354	397	378	309	161	36	8	-
WHITE-----MALE----	112	119	107	142	172	183	138	83	33	8	3	-
FEMALE--	63	62	87	71	137	172	205	196	117	23	5	-
ALL OTHER--MALE----	36	35	28	38	25	23	15	12	5	2	-	-
FEMALE--	13	24	22	20	20	19	20	18	6	3	-	-
BLACK---MALE-----	33	33	23	32	23	15	12	11	3	1	-	-
FEMALE--	12	20	19	15	19	15	15	17	3	3	-	-
ALABAMA -----	2	11	8	6	8	13	7	6	2	1	-	-
WHITE-----MALE----	1	8	6	3	7	6	2	1	2	-	-	-
FEMALE--	1	2	1	2	1	7	4	5	-	1	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
ALASKA -----	-	1	1	2	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	6	7	5	9	7	11	2	1	-	-	-
WHITE-----MALE----	2	2	4	3	6	6	2	1	-	-	-	-
FEMALE--	-	3	3	2	2	1	8	1	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	7	2	3	4	5	7	5	4	1	1	-	-
WHITE-----MALE----	4	1	1	-	1	4	2	2	-	-	-	-
FEMALE--	2	-	2	1	-	3	1	2	1	-	-	-
ALL OTHER--MALE----	1	1	-	2	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	1	-	-	1	-	-
BLACK---MALE-----	1	1	-	2	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	1	-	-	1	-	-
CALIFORNIA -----	24	24	16	23	31	35	30	19	13	2	-	-
WHITE-----MALE----	13	18	4	10	12	16	13	9	1	-	-	-
FEMALE--	7	2	11	9	12	13	14	6	10	2	-	-
ALL OTHER--MALE----	3	2	1	2	6	4	2	2	-	-	-	-
FEMALE--	1	2	-	2	1	2	1	2	2	-	-	-
BLACK---MALE-----	1	1	-	1	5	2	-	1	-	-	-	-
FEMALE--	-	1	-	1	1	1	1	2	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2738

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pancreatitis (K85,K86.0-K86.1)												
COLORADO -----	1	2	6	7	5	2	3	3	3	-	1	-
WHITE-----MALE----	-	1	2	2	1	2	2	1	1	-	-	-
FEMALE--	1	1	3	5	4	-	1	2	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	1	1	4	4	3	6	9	1	1	-	-
WHITE-----MALE----	1	1	-	4	2	3	3	2	-	-	-	-
FEMALE--	-	-	1	-	2	-	3	6	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
DELAWARE -----	-	1	-	2	-	1	2	1	-	1	-	-
WHITE-----MALE----	-	1	-	2	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	1	2	1	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	-	1	-	-	-	-
BLACK---MALE-----	1	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	-	1	-	-	-	-
FLORIDA -----	8	19	19	17	20	41	29	18	6	2	-	-
WHITE-----MALE----	4	10	7	9	9	23	12	7	1	1	-	-
FEMALE--	3	6	5	3	8	13	15	11	5	-	-	-
ALL OTHER--MALE----	1	3	4	5	3	3	-	-	-	1	-	-
FEMALE--	-	-	3	-	-	2	2	-	-	-	-	-
BLACK---MALE-----	1	3	3	5	3	2	-	-	-	-	-	-
FEMALE--	-	-	3	-	-	1	2	-	-	-	-	-
GEORGIA -----	13	6	5	4	6	8	3	7	3	-	-	-
WHITE-----MALE----	6	3	2	3	4	2	-	2	-	-	-	-
FEMALE--	5	-	-	-	1	4	2	4	3	-	-	-
ALL OTHER--MALE----	1	1	3	-	1	-	-	1	-	-	-	-
FEMALE--	1	2	-	1	-	2	1	-	-	-	-	-
BLACK---MALE-----	1	1	3	-	1	-	-	1	-	-	-	-
FEMALE--	1	2	-	1	-	2	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2739

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pancreatitis (K85,K86.0-K86.1)												
HAWAII -----	14	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	11	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	122	-	-	2	-	1	3	3	6	7	8	9
WHITE-----MALE----	45	-	-	-	-	-	2	1	3	4	3	5
FEMALE--	52	-	-	2	-	1	1	1	1	1	1	2
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	1	2	3	2
FEMALE--	8	-	-	-	-	-	-	1	1	-	1	-
BLACK---MALE-----	15	-	-	-	-	-	-	-	1	2	3	1
FEMALE--	8	-	-	-	-	-	-	1	1	-	1	-
INDIANA -----	98	-	-	-	-	-	-	3	2	3	6	9
WHITE-----MALE----	46	-	-	-	-	-	-	2	1	1	3	2
FEMALE--	37	-	-	-	-	-	-	-	1	-	3	3
ALL OTHER--MALE----	9	-	-	-	-	-	-	1	-	2	-	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE-----	8	-	-	-	-	-	-	1	-	1	-	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	2
IOWA -----	32	-	-	-	-	-	-	-	-	1	1	3
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	17	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	44	-	-	-	-	-	-	-	1	2	2	5
WHITE-----MALE----	19	-	-	-	-	-	-	-	1	1	2	2
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2740

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pancreatitis (K85,K86.0-K86.1)												
KENTUCKY -----	9	2	1	2	6	6	11	5	6	-	-	-
WHITE-----MALE----	8	-	1	-	4	1	6	1	1	-	-	-
FEMALE--	1	2	-	2	2	5	4	4	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
LOUISIANA -----	10	10	4	8	4	8	5	5	2	1	-	-
WHITE-----MALE----	2	6	2	2	-	5	2	1	-	1	-	-
FEMALE--	2	3	1	4	1	2	1	2	2	-	-	-
ALL OTHER--MALE----	5	1	-	1	-	-	2	2	-	-	-	-
FEMALE--	1	-	1	1	3	1	-	-	-	-	-	-
BLACK---MALE-----	5	1	-	1	-	-	2	2	-	-	-	-
FEMALE--	1	-	1	1	3	1	-	-	-	-	-	-
MAINE -----	4	1	-	1	1	2	1	2	-	-	-	-
WHITE-----MALE----	4	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	5	3	6	6	5	6	7	3	-	1	-
WHITE-----MALE----	-	1	1	3	2	2	1	4	-	-	1	-
FEMALE--	1	1	1	1	4	3	3	3	3	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	2	1	2	-	-	2	-	-	-	-	-
BLACK---MALE-----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	2	1	2	-	-	2	-	-	-	-	-
MASSACHUSETTS -----	8	5	5	6	13	8	12	5	2	-	-	-
WHITE-----MALE----	3	2	2	2	10	5	2	-	1	-	-	-
FEMALE--	4	1	3	2	2	3	10	5	1	-	-	-
ALL OTHER--MALE----	1	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
MICHIGAN -----	5	9	12	12	18	13	32	10	9	1	-	-
WHITE-----MALE----	2	2	6	6	9	7	11	2	-	-	-	-
FEMALE--	1	3	3	4	8	5	16	7	9	1	-	-
ALL OTHER--MALE----	1	4	2	1	-	1	3	1	-	-	-	-
FEMALE--	1	-	1	1	1	-	2	-	-	-	-	-
BLACK---MALE-----	1	4	2	1	-	1	3	1	-	-	-	-
FEMALE--	1	-	1	1	1	-	2	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2741

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pancreatitis (K85,K86.0-K86.1)												
MINNESOTA -----	1	2	4	9	1	5	10	4	3	-	1	-
WHITE-----MALE----	1	1	2	7	1	3	5	2	-	-	-	-
FEMALE--	-	1	2	1	-	2	5	2	3	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	4	2	1	1	4	2	3	3	4	-	-	-
WHITE-----MALE----	-	1	-	1	2	-	1	1	1	-	-	-
FEMALE--	-	-	1	-	1	1	2	-	3	-	-	-
ALL OTHER--MALE----	2	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	2	-	-	-	-
BLACK---MALE----	2	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	2	-	-	-	-
MISSOURI -----	4	2	2	5	8	13	6	11	5	-	1	-
WHITE-----MALE----	1	1	-	3	3	3	1	1	1	-	1	-
FEMALE--	2	1	2	2	5	10	5	10	3	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA -----	-	-	1	1	-	3	-	4	2	-	-	-
WHITE-----MALE----	-	-	1	-	-	2	-	2	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	1	3	1	1	3	1	2	2	1	-	-
WHITE-----MALE----	-	1	2	1	1	3	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	2	1	3	2	2	3	-	-	1	-	-	-
WHITE-----MALE----	1	-	3	1	1	3	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2743

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pancreatitis (K85,K86.0-K86.1)												
OHIO -----	137	-	1	-	-	-	3	3	4	4	6	5
WHITE-----MALE----	56	-	1	-	-	-	-	1	1	1	1	1
FEMALE--	63	-	-	-	-	-	-	2	2	1	2	4
ALL OTHER--MALE----	10	-	-	-	-	-	2	-	1	1	2	-
FEMALE--	8	-	-	-	-	-	1	-	-	1	1	-
BLACK---MALE-----	9	-	-	-	-	-	1	-	1	1	2	-
FEMALE--	8	-	-	-	-	-	1	-	-	1	1	-
OKLAHOMA -----	60	-	-	-	-	-	-	-	1	3	4	2
WHITE-----MALE----	23	-	-	-	-	-	-	-	1	3	2	-
FEMALE--	29	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	19	-	-	-	-	-	-	1	-	-	1	1
WHITE-----MALE----	8	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	166	-	-	-	-	-	1	3	1	11	6	8
WHITE-----MALE----	75	-	-	-	-	-	-	-	1	8	5	3
FEMALE--	66	-	-	-	-	-	-	1	-	2	1	1
ALL OTHER--MALE----	15	-	-	-	-	-	-	2	-	-	-	2
FEMALE--	10	-	-	-	-	-	1	-	-	1	-	2
BLACK---MALE-----	14	-	-	-	-	-	-	2	-	-	-	1
FEMALE--	7	-	-	-	-	-	1	-	-	-	-	2
RHODE ISLAND -----	11	-	-	-	-	-	1	-	-	-	-	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	97	1	-	-	-	-	-	2	4	7	8	8
WHITE-----MALE----	31	-	-	-	-	-	-	1	1	3	2	1
FEMALE--	34	1	-	-	-	-	-	1	1	2	-	2
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	1	2	5	5
FEMALE--	10	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE-----	22	-	-	-	-	-	-	-	1	2	5	5
FEMALE--	9	-	-	-	-	-	-	-	1	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2743

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pancreatitis (K85,K86.0-K86.1)												
OHIO -----	8	9	6	9	17	21	18	15	6	2	-	-
WHITE-----MALE----	5	3	4	7	9	10	6	3	3	-	-	-
FEMALE--	1	5	2	2	6	10	12	9	3	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	2	-	-	-	-
FEMALE--	1	1	-	-	2	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	2	-	-	-	-
FEMALE--	1	1	-	-	2	-	-	1	-	-	-	-
OKLAHOMA -----	4	3	9	2	8	7	6	6	4	1	-	-
WHITE-----MALE----	1	3	-	-	3	3	1	2	3	1	-	-
FEMALE--	2	-	5	1	3	4	5	4	1	-	-	-
ALL OTHER--MALE----	-	-	3	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
OREGON -----	-	1	-	1	5	3	2	2	1	1	-	-
WHITE-----MALE----	-	1	-	-	1	1	1	-	1	-	-	-
FEMALE--	-	-	-	1	4	2	1	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	16	9	12	16	13	19	16	20	9	5	1	-
WHITE-----MALE----	11	5	4	9	3	8	6	9	2	-	1	-
FEMALE--	3	2	5	4	8	9	9	7	5	-	-	-
ALL OTHER--MALE----	2	2	1	3	1	1	-	1	-	-	-	-
FEMALE--	-	-	2	-	1	1	1	1	-	-	-	-
BLACK---MALE----	2	2	1	3	1	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	1	-	-	-	-
RHODE ISLAND -----	-	1	-	1	3	-	2	-	2	-	-	-
WHITE-----MALE----	-	1	-	-	3	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	8	6	10	6	12	6	5	10	3	1	-	-
WHITE-----MALE----	2	2	4	3	8	1	1	1	-	1	-	-
FEMALE--	1	1	4	1	3	4	2	8	3	-	-	-
ALL OTHER--MALE----	4	1	1	1	-	1	1	-	-	-	-	-
FEMALE--	1	2	1	1	1	-	1	1	-	-	-	-
BLACK---MALE----	4	1	1	1	-	1	1	-	-	-	-	-
FEMALE--	1	2	1	1	1	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2744

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pancreatitis (K85,K86.0-K86.1)												
SOUTH DAKOTA -----	-	1	-	-	-	1	1	2	-	1	-	-
WHITE-----MALE----	-	1	-	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	7	10	7	10	11	6	7	8	1	-	-	-
WHITE-----MALE----	3	7	2	6	5	2	4	3	1	-	-	-
FEMALE--	3	1	3	2	5	2	3	5	-	-	-	-
ALL OTHER--MALE----	1	1	2	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	2	-	-	-	-	-	-
BLACK---MALE----	1	1	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	2	-	-	-	-	-	-
TEXAS -----	12	17	16	19	27	23	29	25	14	5	1	-
WHITE-----MALE----	5	7	6	13	13	11	12	6	3	2	-	-
FEMALE--	3	6	7	5	12	12	15	16	10	2	1	-
ALL OTHER--MALE----	2	-	1	-	2	-	1	-	1	1	-	-
FEMALE--	2	4	2	1	-	-	1	3	-	-	-	-
BLACK---MALE----	2	-	1	-	2	-	1	-	1	1	-	-
FEMALE--	2	4	2	-	-	-	1	3	-	-	-	-
UTAH -----	2	1	3	3	3	-	1	3	1	-	-	-
WHITE-----MALE----	2	1	3	3	2	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	3	-	-	1	-	3	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	6	6	6	4	7	6	9	3	8	2	1	-
WHITE-----MALE----	3	-	2	1	4	1	4	1	1	1	-	-
FEMALE--	3	2	2	2	3	3	4	2	7	-	1	-
ALL OTHER--MALE----	-	3	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	1	-	-	1	-	-
BLACK---MALE----	-	3	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	1	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2746

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other disorders of biliary tract and pancreas (K83,K86.2-K86.9)												
UNITED STATES -	46	66	48	83	133	189	192	208	142	56	13	-
WHITE-----MALE----	24	31	22	40	57	97	83	70	35	11	1	-
FEMALE--	12	24	18	27	57	69	88	119	89	39	9	-
ALL OTHER--MALE----	7	5	4	8	7	9	8	8	7	3	-	-
FEMALE--	3	6	4	8	12	14	13	11	11	3	3	-
BLACK---MALE----	5	5	4	8	6	8	5	5	6	2	-	-
FEMALE--	3	3	4	6	10	11	11	9	10	2	3	-
ALABAMA -----	-	2	1	1	4	4	5	4	2	-	-	-
WHITE-----MALE----	-	1	1	-	2	3	1	2	-	-	-	-
FEMALE--	-	1	-	-	1	-	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ARIZONA -----	2	3	2	-	-	4	3	6	4	-	-	-
WHITE-----MALE----	1	1	2	-	-	3	2	3	1	-	-	-
FEMALE--	1	2	-	-	-	1	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	-	1	1	2	4	3	2	-	-	-
WHITE-----MALE----	-	-	-	1	-	2	-	2	1	-	-	-
FEMALE--	-	-	-	-	1	-	3	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
CALIFORNIA -----	3	9	3	7	7	9	11	16	10	3	1	-
WHITE-----MALE----	-	2	1	3	1	6	4	5	2	-	-	-
FEMALE--	3	5	2	4	5	2	5	7	6	2	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	3	-	-	-	-
FEMALE--	-	2	-	-	-	1	1	1	2	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2747

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other disorders of biliary tract and pancreas (K83,K86.2-K86.9)												
COLORADO -----	1	1	1	-	4	2	6	4	2	1	-	-
WHITE-----MALE----	-	-	-	-	1	-	3	2	-	1	-	-
FEMALE--	1	-	1	-	3	2	3	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	2	-	4	2	4	4	1	1	-	-
WHITE-----MALE----	-	-	1	-	2	1	2	4	-	1	-	-
FEMALE--	-	-	-	-	2	1	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DELAWARE -----	2	-	-	-	1	1	1	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	1	-	-	1	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
FLORIDA -----	1	3	3	10	7	12	11	13	3	-	-	-
WHITE-----MALE----	1	3	1	8	4	7	5	7	1	-	-	-
FEMALE--	-	-	1	2	2	4	4	6	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
GEORGIA -----	2	1	2	1	1	5	5	5	6	2	-	-
WHITE-----MALE----	1	1	1	1	1	1	3	1	1	-	-	-
FEMALE--	-	-	-	-	-	2	2	3	2	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	3	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	3	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2748

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other disorders of biliary tract and pancreas (K83,K86.2-K86.9)												
HAWAII -----	-	-	-	-	-	1	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	-	1	2	1	-	2	1	-	-
WHITE-----MALE----	-	-	-	-	1	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2	5	2	4	4	14	6	9	4	3	1	-
WHITE-----MALE----	2	2	1	3	1	6	3	2	-	-	-	-
FEMALE--	-	3	1	-	3	7	1	7	4	3	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
INDIANA -----	1	-	-	2	-	1	2	3	4	1	-	-
WHITE-----MALE----	-	-	-	1	-	1	1	-	1	-	-	-
FEMALE--	1	-	-	1	-	-	1	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
IOWA -----	-	2	-	1	2	-	-	4	5	3	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	2	1	1	-	-
FEMALE--	-	-	-	-	1	-	-	2	4	2	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	3	1	-	-	5	2	2	3	-	-	-
WHITE-----MALE----	-	2	-	-	-	3	1	2	-	-	-	-
FEMALE--	-	1	1	-	-	2	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2749

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other disorders of biliary tract and pancreas (K83,K86.2-K86.9)												
KENTUCKY -----	-	-	4	2	1	1	2	3	2	1	-	-
WHITE-----MALE----	-	-	3	1	-	-	-	1	1	-	-	-
FEMALE--	-	-	1	1	1	1	2	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	-	-	4	2	-	3	1	-	2	-	-
WHITE-----MALE----	1	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	2	2	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	1	-	-
MAINE -----	1	-	-	-	1	1	2	-	2	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	3	3	-	-	4	2	3	1	2	1	-
WHITE-----MALE----	-	1	1	-	-	2	-	2	-	-	-	-
FEMALE--	-	1	2	-	-	2	1	-	1	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	1	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	1	-
MASSACHUSETTS -----	1	4	-	2	6	9	9	10	5	4	1	-
WHITE-----MALE----	1	1	-	-	4	5	4	1	-	-	-	-
FEMALE--	-	3	-	2	2	4	5	9	5	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	3	1	1	1	8	8	5	11	10	2	-	-
WHITE-----MALE----	2	1	-	-	3	1	1	1	3	-	-	-
FEMALE--	1	-	-	-	4	6	4	9	6	2	-	-
ALL OTHER--MALE----	-	-	1	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2753

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other disorders of biliary tract and pancreas (K83,K86.2-K86.9)												
SOUTH DAKOTA -----	5	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	28	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
TEXAS -----	69	-	1	-	-	-	-	-	-	2	1	1
WHITE-----MALE----	34	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	28	-	-	-	-	-	-	-	-	2	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	8	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	3	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	28	-	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2753

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other disorders of biliary tract and pancreas (K83,K86.2-K86.9)												
SOUTH DAKOTA -----	-	-	-	-	-	-	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	1	1	3	-	10	4	1	3	2	-	-
WHITE-----MALE----	1	-	-	2	-	4	1	-	1	1	-	-
FEMALE--	-	1	1	-	-	5	3	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
TEXAS -----	3	1	4	6	6	11	16	9	4	3	1	-
WHITE-----MALE----	3	1	2	4	3	6	8	2	2	2	-	-
FEMALE--	-	-	2	1	3	4	5	6	2	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	-	-	-	-
UTAH -----	-	1	-	1	1	-	2	-	2	1	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	1	-	1	-	-	1	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	1	1	3	2	3	-	7	6	-	-	-
WHITE-----MALE----	2	1	1	1	-	2	-	2	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	5	5	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2755

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other diseases of digestive system (K90,K92)												
UNITED STATES -	8,091	24	17	3	2	5	6	13	15	40	91	133
WHITE-----MALE----	3,048	15	6	2	1	1	3	8	9	15	48	70
FEMALE--	3,986	3	1	1	-	3	2	1	1	11	15	25
ALL OTHER--MALE----	500	3	8	-	-	1	1	1	4	8	19	27
FEMALE--	557	3	2	-	1	-	-	3	1	6	9	11
BLACK---MALE----	435	3	6	-	-	1	1	1	4	8	17	26
FEMALE--	502	3	1	-	1	-	-	3	1	6	8	11
ALABAMA -----	175	1	-	-	-	-	-	-	2	-	3	5
WHITE-----MALE----	51	1	-	-	-	-	-	-	1	-	1	2
FEMALE--	79	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	23	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	22	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	23	-	-	-	-	-	-	-	1	-	-	1
ALASKA -----	6	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	138	-	-	-	-	-	1	1	-	-	-	1
WHITE-----MALE----	65	-	-	-	-	-	1	1	-	-	-	1
FEMALE--	63	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	95	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	38	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	45	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	1
CALIFORNIA -----	268	2	-	-	1	-	-	-	-	1	4	4
WHITE-----MALE----	120	2	-	-	-	-	-	-	-	1	2	2
FEMALE--	115	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	21	-	-	-	1	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	12	-	-	-	1	-	-	-	-	-	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2755

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other diseases of digestive system (K90,K92)												
UNITED STATES -	193	203	299	387	697	1,111	1,435	1,595	1,133	551	138	-
WHITE-----MALE----	103	98	150	189	305	480	604	551	274	104	12	-
FEMALE--	37	48	75	119	287	476	685	906	779	402	109	-
ALL OTHER--MALE----	32	34	44	42	56	76	65	40	21	16	2	-
FEMALE--	21	23	30	37	49	79	81	98	59	29	15	-
BLACK---MALE----	28	30	42	30	52	62	56	34	18	14	2	-
FEMALE--	19	22	27	35	45	65	74	85	55	27	14	-
ALABAMA -----	4	4	6	9	19	20	36	28	29	7	2	-
WHITE-----MALE----	1	1	2	4	3	7	16	6	5	1	-	-
FEMALE--	1	-	1	2	11	9	12	15	19	5	1	-
ALL OTHER--MALE----	1	1	2	1	4	1	5	4	2	-	-	-
FEMALE--	1	2	1	2	1	3	3	3	3	1	1	-
BLACK---MALE----	1	1	2	1	4	1	5	4	2	-	-	-
FEMALE--	1	2	1	2	1	3	3	3	3	1	1	-
ALASKA -----	-	-	-	1	-	-	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	4	2	8	13	13	33	26	23	8	3	-
WHITE-----MALE----	1	2	2	4	9	7	17	10	6	3	1	-
FEMALE--	-	2	-	2	3	5	16	13	15	5	2	-
ALL OTHER--MALE----	1	-	-	1	1	-	-	2	2	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	1	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ARKANSAS -----	5	2	8	5	8	10	17	15	14	8	-	-
WHITE-----MALE----	4	2	3	4	4	4	8	6	3	-	-	-
FEMALE--	1	-	4	1	4	6	5	8	9	7	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	2	-	-	-
FEMALE--	-	-	1	-	-	-	4	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	2	-	-	-
FEMALE--	-	-	1	-	-	-	4	-	-	1	-	-
CALIFORNIA -----	8	13	5	8	24	36	46	57	38	18	3	-
WHITE-----MALE----	6	8	5	6	9	19	17	22	17	4	-	-
FEMALE--	1	3	-	2	10	13	22	28	19	12	3	-
ALL OTHER--MALE----	1	1	-	-	3	1	2	1	1	1	-	-
FEMALE--	-	1	-	-	2	3	5	6	1	1	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	-	1	-	-	1	2	3	2	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2756

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other diseases of digestive system (K90,K92)												
COLORADO -----	1	1	2	6	8	18	26	22	27	11	2	-
WHITE-----MALE----	1	-	2	5	5	7	13	8	9	4	-	-
FEMALE--	-	1	-	1	3	10	13	14	17	7	2	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	6	3	11	20	29	33	20	9	2	-
WHITE-----MALE----	-	-	5	-	5	9	16	6	5	2	-	-
FEMALE--	-	-	-	2	6	9	12	27	15	7	2	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	2	-	-	-	-	-	-
DELAWARE -----	-	1	1	4	2	3	8	8	6	1	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	1	2	-	-	-
FEMALE--	-	-	-	-	-	-	7	6	4	1	-	-
ALL OTHER--MALE----	-	1	-	3	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	2	1	1	-	-	-	-
BLACK---MALE----	-	1	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	2	1	1	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	1	1	3	4	7	5	8	2	1	-
WHITE-----MALE----	-	-	-	-	-	-	4	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	2	1	2	-	1	1	-	-
FEMALE--	-	-	-	1	1	3	1	3	7	1	1	-
BLACK---MALE----	-	-	1	-	2	1	2	-	1	1	-	-
FEMALE--	-	-	-	1	1	3	1	3	7	1	1	-
FLORIDA -----	5	12	7	17	21	55	68	77	45	25	2	-
WHITE-----MALE----	2	8	2	10	9	22	35	30	12	7	-	-
FEMALE--	1	1	1	4	12	27	28	39	30	16	2	-
ALL OTHER--MALE----	2	3	2	-	-	4	5	-	1	-	-	-
FEMALE--	-	-	2	3	-	2	-	8	2	2	-	-
BLACK---MALE----	2	3	2	-	-	3	5	-	1	-	-	-
FEMALE--	-	-	2	3	-	2	-	8	2	2	-	-
GEORGIA -----	10	17	11	12	22	29	37	34	24	7	2	-
WHITE-----MALE----	4	4	7	6	5	6	17	10	4	-	-	-
FEMALE--	-	2	2	5	8	12	14	11	15	5	1	-
ALL OTHER--MALE----	4	8	2	-	3	4	1	4	1	1	-	-
FEMALE--	2	3	-	1	6	7	5	9	4	1	1	-
BLACK---MALE----	4	7	2	-	3	4	1	4	1	1	-	-
FEMALE--	2	2	-	1	6	7	5	9	4	1	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2757

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other diseases of digestive system (K90,K92)												
HAWAII -----	2	1	-	3	1	10	3	8	1	3	1	-
WHITE-----MALE----	-	-	-	-	1	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	1	1	-
ALL OTHER--MALE----	1	1	-	3	-	5	1	2	-	1	-	-
FEMALE--	1	-	-	-	-	4	1	4	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	2	2	1	5	2	5	12	7	3	-	-
WHITE-----MALE----	-	2	2	1	3	2	1	3	1	1	-	-
FEMALE--	-	-	-	-	2	-	4	9	6	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	8	8	18	10	27	56	61	89	47	27	3	-
WHITE-----MALE----	3	4	8	6	7	24	23	29	9	3	-	-
FEMALE--	3	1	3	-	14	24	30	52	34	24	3	-
ALL OTHER--MALE----	1	2	2	-	4	6	2	4	-	-	-	-
FEMALE--	1	1	5	4	2	2	6	4	4	-	-	-
BLACK---MALE-----	1	2	2	-	4	4	2	4	-	-	-	-
FEMALE--	1	1	5	4	2	2	6	4	4	-	-	-
INDIANA -----	5	4	6	14	21	22	42	43	21	19	3	-
WHITE-----MALE----	3	3	4	8	10	11	14	18	4	4	-	-
FEMALE--	2	1	2	4	7	9	25	22	16	15	3	-
ALL OTHER--MALE----	-	-	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	3	1	2	3	1	-	-	-
BLACK---MALE-----	-	-	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	2	3	1	-	-	-
IOWA -----	1	2	2	2	5	15	19	32	22	14	6	-
WHITE-----MALE----	-	1	1	2	5	9	9	17	5	5	1	-
FEMALE--	1	1	1	-	-	6	9	15	17	9	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
KANSAS -----	2	2	3	1	7	14	21	22	14	10	2	-
WHITE-----MALE----	-	2	2	1	5	7	12	7	3	1	-	-
FEMALE--	1	-	-	-	2	5	8	13	11	8	2	-
ALL OTHER--MALE----	1	-	1	-	-	1	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2758

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other diseases of digestive system (K90,K92)												
KENTUCKY -----	7	3	7	14	17	23	27	36	17	10	1	-
WHITE-----MALE----	6	2	5	7	8	7	9	13	3	2	-	-
FEMALE--	1	-	1	6	5	15	14	20	13	8	1	-
ALL OTHER--MALE----	-	-	-	1	3	1	2	-	1	-	-	-
FEMALE--	-	1	1	-	1	-	2	3	-	-	-	-
BLACK---MALE----	-	-	-	-	3	1	2	-	1	-	-	-
FEMALE--	-	1	1	-	1	-	2	3	-	-	-	-
LOUISIANA -----	3	2	3	12	8	13	14	22	13	3	2	-
WHITE-----MALE----	1	1	1	3	1	4	8	4	3	-	-	-
FEMALE--	-	-	2	5	3	5	4	11	5	1	1	-
ALL OTHER--MALE----	1	1	-	-	3	2	1	2	1	2	1	-
FEMALE--	1	-	-	4	1	2	1	5	4	-	-	-
BLACK---MALE----	1	1	-	-	3	2	1	2	1	2	1	-
FEMALE--	1	-	-	4	1	2	1	5	4	-	-	-
MAINE -----	1	1	-	-	3	9	8	9	9	6	4	-
WHITE-----MALE----	1	-	-	-	2	4	2	3	2	2	-	-
FEMALE--	-	1	-	-	1	5	6	6	7	4	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	7	3	4	19	15	23	30	26	22	9	3	-
WHITE-----MALE----	1	1	2	6	8	7	9	6	7	2	1	-
FEMALE--	1	1	2	4	3	14	15	17	13	3	2	-
ALL OTHER--MALE----	4	1	-	4	1	1	3	-	-	2	-	-
FEMALE--	1	-	-	5	3	1	3	3	2	2	-	-
BLACK---MALE----	4	-	-	4	1	1	2	-	-	2	-	-
FEMALE--	1	-	-	4	3	1	3	3	2	2	-	-
MASSACHUSETTS -----	10	6	13	10	22	45	52	56	41	19	8	-
WHITE-----MALE----	8	4	7	5	13	22	16	20	5	4	-	-
FEMALE--	1	2	5	3	8	21	33	36	35	13	7	-
ALL OTHER--MALE----	1	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	2	-	2	-	-	1	2	1	-
BLACK---MALE----	1	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	1	-	-	1	-	-
MICHIGAN -----	4	7	9	13	38	49	63	74	55	22	2	-
WHITE-----MALE----	2	2	3	7	12	16	26	27	16	4	1	-
FEMALE--	1	1	3	4	21	26	27	44	36	17	1	-
ALL OTHER--MALE----	1	3	2	2	1	4	3	1	1	-	-	-
FEMALE--	-	1	1	-	4	3	7	2	2	1	-	-
BLACK---MALE----	1	3	2	2	1	3	3	1	1	-	-	-
FEMALE--	-	1	1	-	3	3	7	2	2	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2761

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other diseases of digestive system (K90,K92)												
OHIO -----	398	4	-	-	-	-	-	1	1	-	4	7
WHITE-----MALE----	135	1	-	-	-	-	-	-	-	-	2	4
FEMALE--	230	2	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	17	1	-	-	-	-	-	-	1	-	1	-
FEMALE--	16	-	-	-	-	-	-	1	-	-	-	2
BLACK---MALE-----	17	1	-	-	-	-	-	-	1	-	1	-
FEMALE--	16	-	-	-	-	-	-	1	-	-	-	2
OKLAHOMA -----	126	1	-	-	-	-	-	-	-	1	1	2
WHITE-----MALE----	53	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	63	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	94	1	-	-	-	-	-	1	-	-	-	1
WHITE-----MALE----	37	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	54	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	598	-	-	-	-	1	1	-	4	3	5	10
WHITE-----MALE----	222	-	-	-	-	-	-	-	4	2	3	6
FEMALE--	317	-	-	-	-	1	1	-	-	1	1	4
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	35	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	21	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	35	-	-	-	-	-	-	-	-	-	1	-
RHODE ISLAND -----	36	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	151	-	-	-	-	-	-	-	-	2	4	5
WHITE-----MALE----	41	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	64	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	19	-	-	-	-	-	-	-	-	2	-	1
BLACK---MALE-----	27	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	19	-	-	-	-	-	-	-	-	2	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2761

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other diseases of digestive system (K90,K92)												
OHIO -----	5	6	16	13	31	62	75	73	60	34	6	-
WHITE-----MALE----	2	1	9	6	15	26	32	21	13	3	-	-
FEMALE--	1	2	5	5	10	32	41	48	46	31	5	-
ALL OTHER--MALE----	-	1	2	2	4	2	1	2	-	-	-	-
FEMALE--	2	2	-	-	2	2	1	2	1	-	1	-
BLACK---MALE----	-	1	2	2	4	2	1	2	-	-	-	-
FEMALE--	2	2	-	-	2	2	1	2	1	-	1	-
OKLAHOMA -----	2	2	7	8	5	19	23	31	16	6	2	-
WHITE-----MALE----	2	2	1	5	2	7	13	10	4	3	1	-
FEMALE--	-	-	4	2	2	12	9	19	10	3	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	2	2	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	1	-
OREGON -----	2	-	3	-	10	10	15	31	10	8	2	-
WHITE-----MALE----	1	-	2	-	5	4	5	13	5	1	-	-
FEMALE--	1	-	-	-	4	6	9	18	5	7	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
PENNSYLVANIA -----	15	12	19	21	43	84	113	130	87	39	11	-
WHITE-----MALE----	6	6	12	7	16	37	54	44	15	9	1	-
FEMALE--	5	1	3	9	19	35	52	79	67	29	10	-
ALL OTHER--MALE----	3	1	2	4	5	5	2	1	1	-	-	-
FEMALE--	1	4	2	1	3	7	5	6	4	1	-	-
BLACK---MALE----	3	1	2	4	3	4	2	1	1	-	-	-
FEMALE--	1	4	2	1	3	7	5	6	4	1	-	-
RHODE ISLAND -----	-	-	1	1	2	4	9	10	2	7	-	-
WHITE-----MALE----	-	-	-	-	1	2	6	6	2	1	-	-
FEMALE--	-	-	1	1	1	2	3	4	-	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
SOUTH CAROLINA -----	5	8	6	7	12	27	22	26	18	4	5	-
WHITE-----MALE----	1	3	1	5	3	8	6	8	2	-	-	-
FEMALE--	-	2	-	1	5	11	11	13	15	3	3	-
ALL OTHER--MALE----	3	2	4	1	3	5	2	3	-	-	-	-
FEMALE--	1	1	1	-	1	3	3	2	1	1	2	-
BLACK---MALE----	3	2	4	1	3	5	2	3	-	-	-	-
FEMALE--	1	1	1	-	1	3	3	2	1	1	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2762

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other diseases of digestive system (K90,K92)												
SOUTH DAKOTA -----	-	-	2	-	3	3	3	3	9	2	1	-
WHITE-----MALE----	-	-	-	-	2	2	1	1	2	2	-	-
FEMALE--	-	-	1	-	1	-	1	2	7	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	8	9	14	8	29	35	27	29	7	1	-
WHITE-----MALE----	1	1	6	7	3	18	16	9	10	1	-	-
FEMALE--	-	6	1	2	4	10	11	15	16	4	1	-
ALL OTHER--MALE----	1	-	2	4	-	-	3	2	1	1	-	-
FEMALE--	1	1	-	1	1	1	5	1	2	1	-	-
BLACK---MALE----	1	-	2	4	-	-	3	2	1	1	-	-
FEMALE--	1	1	-	1	1	1	5	1	2	1	-	-
TEXAS -----	12	12	19	21	39	46	65	58	54	25	9	-
WHITE-----MALE----	8	8	8	12	24	22	34	25	14	-	1	-
FEMALE--	1	1	7	7	12	16	25	31	36	20	5	-
ALL OTHER--MALE----	-	2	3	2	3	5	3	-	-	2	-	-
FEMALE--	3	1	1	-	-	3	3	2	4	3	3	-
BLACK---MALE----	-	2	3	1	3	5	3	-	-	2	-	-
FEMALE--	3	1	1	-	-	2	3	2	4	3	3	-
UTAH -----	1	2	2	4	1	7	15	13	11	3	1	-
WHITE-----MALE----	1	2	1	2	-	4	4	6	3	1	-	-
FEMALE--	-	-	1	2	1	3	10	7	8	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	1	3	7	6	4	3	2	-
WHITE-----MALE----	-	-	-	-	1	1	4	-	2	1	-	-
FEMALE--	-	-	-	-	-	2	3	6	2	2	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	10	5	12	8	27	34	36	37	24	11	6	-
WHITE-----MALE----	7	2	3	2	14	15	12	6	2	4	-	-
FEMALE--	2	1	5	4	10	11	12	25	18	5	5	-
ALL OTHER--MALE----	-	2	2	1	1	4	8	1	1	-	-	-
FEMALE--	1	-	2	1	2	4	4	5	3	2	1	-
BLACK---MALE----	-	2	2	1	1	4	8	1	1	-	-	-
FEMALE--	1	-	2	1	2	4	3	5	3	2	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2764

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XII. Diseases of the skin and subcutaneous tissue (L00-L98)												
UNITED STATES -	3,753	3	4	-	3	3	15	23	21	40	67	85
WHITE-----MALE----	961	1	1	-	-	1	3	1	6	10	19	29
FEMALE--	1,816	-	2	-	-	1	5	11	6	12	22	20
ALL OTHER--MALE----	340	2	1	-	1	-	1	4	3	6	14	9
FEMALE--	636	-	-	-	2	1	6	7	6	12	12	27
BLACK---MALE-----	310	1	1	-	1	-	1	4	3	6	13	8
FEMALE--	586	-	-	-	1	-	5	7	6	11	9	25
ALABAMA -----	72	1	-	-	1	-	1	-	-	3	3	2
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	12	1	-	-	-	-	-	-	-	2	2	-
FEMALE--	29	-	-	-	1	-	1	-	-	1	-	1
BLACK---MALE-----	12	1	-	-	-	-	-	-	-	2	2	-
FEMALE--	29	-	-	-	1	-	1	-	-	1	-	1
ALASKA -----	5	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	63	-	-	-	-	-	-	2	1	-	2	1
WHITE-----MALE----	20	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	39	-	-	-	-	-	-	1	1	-	2	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	48	-	-	-	-	-	1	-	-	-	1	-
WHITE-----MALE----	16	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
CALIFORNIA -----	237	-	1	-	1	2	1	1	2	2	8	14
WHITE-----MALE----	63	-	1	-	-	1	-	-	1	-	5	4
FEMALE--	125	-	-	-	-	-	1	1	-	1	3	5
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	31	-	-	-	1	1	-	-	1	1	-	4
BLACK---MALE-----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	1	1	-	4

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2764

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XII. Diseases of the skin and subcutaneous tissue (L00-L98)												
UNITED STATES -	85	125	158	197	350	473	629	665	502	251	53	1
WHITE-----MALE----	28	47	63	48	108	136	174	163	88	29	6	-
FEMALE--	32	41	51	92	137	213	319	361	305	155	31	-
ALL OTHER--MALE----	9	16	20	24	50	49	52	36	26	15	1	1
FEMALE--	16	21	24	33	55	75	84	105	83	52	15	-
BLACK---MALE----	7	14	18	24	45	43	49	34	22	14	1	1
FEMALE--	13	20	22	30	49	69	79	102	76	47	15	-
ALABAMA -----	1	1	2	3	10	11	12	8	7	5	1	-
WHITE-----MALE----	1	-	1	1	5	2	2	3	-	-	-	-
FEMALE--	-	-	-	1	-	4	4	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	3	-	2	-	-	-
FEMALE--	-	1	1	-	4	5	3	3	3	4	1	-
BLACK---MALE----	-	-	-	1	1	-	3	-	2	-	-	-
FEMALE--	-	1	1	-	4	5	3	3	3	4	1	-
ALASKA -----	-	-	-	-	-	1	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	1	6	5	4	9	7	12	7	3	-	-
WHITE-----MALE----	1	1	3	1	3	4	-	6	-	-	-	-
FEMALE--	-	-	3	4	1	4	7	6	7	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	1	1	4	2	7	11	11	6	1	2	-
WHITE-----MALE----	-	-	1	-	2	3	5	4	-	-	-	-
FEMALE--	-	1	-	2	-	3	5	5	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	1	-	1	-
FEMALE--	-	-	-	2	-	1	-	2	2	1	1	-
BLACK---MALE----	-	-	-	-	-	-	1	-	1	-	1	-
FEMALE--	-	-	-	2	-	1	-	2	2	1	1	-
CALIFORNIA -----	8	11	9	11	26	26	34	38	32	10	-	-
WHITE-----MALE----	3	2	3	4	6	10	11	5	6	1	-	-
FEMALE--	3	7	2	7	14	10	17	26	21	7	-	-
ALL OTHER--MALE----	1	1	3	-	3	4	2	2	1	-	-	-
FEMALE--	1	1	1	-	3	2	4	5	4	2	-	-
BLACK---MALE----	-	-	3	-	1	3	1	-	-	-	-	-
FEMALE--	-	1	-	-	2	2	3	2	1	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2765

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XII. Diseases of the skin and subcutaneous tissue (L00-L98)												
COLORADO -----	1	4	1	1	3	9	9	7	5	4	1	-
WHITE-----MALE----	-	2	-	1	2	3	5	3	2	-	-	-
FEMALE--	1	2	1	-	1	6	4	4	2	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	3	5	1	5	6	7	8	2	1	-
WHITE-----MALE----	-	-	1	1	-	1	1	3	3	-	-	-
FEMALE--	1	-	1	4	1	4	5	4	5	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	2	-	-	-	1	2	1	1	1	-	-
WHITE-----MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	1	-	1	4	3	2	3	2	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	1	2	1	-	-	-	-	-
FEMALE--	1	-	-	-	3	1	1	3	2	2	-	-
BLACK---MALE-----	-	1	-	1	1	2	1	-	-	-	-	-
FEMALE--	1	-	-	-	3	1	1	3	2	2	-	-
FLORIDA -----	5	7	7	8	26	36	42	36	24	5	3	-
WHITE-----MALE----	1	2	4	-	11	10	15	15	7	-	-	-
FEMALE--	3	4	-	6	9	17	18	18	12	3	3	-
ALL OTHER--MALE----	-	-	-	2	2	3	3	-	3	1	-	-
FEMALE--	1	1	3	-	4	6	6	3	2	1	-	-
BLACK---MALE-----	-	-	-	2	2	3	3	-	3	1	-	-
FEMALE--	1	1	3	-	4	6	6	3	2	1	-	-
GEORGIA -----	5	5	6	7	12	14	27	35	24	16	-	-
WHITE-----MALE----	1	2	2	1	3	4	3	5	3	2	-	-
FEMALE--	1	2	-	-	1	6	11	14	10	7	-	-
ALL OTHER--MALE----	2	1	3	4	2	1	7	5	2	2	-	-
FEMALE--	1	-	1	2	6	3	6	11	9	5	-	-
BLACK---MALE-----	2	1	3	4	2	1	7	5	2	2	-	-
FEMALE--	1	-	1	2	6	3	6	11	9	5	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2766

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XII. Diseases of the skin and subcutaneous tissue (L00-L98)												
HAWAII -----	-	1	1	2	3	5	1	1	1	2	-	-
WHITE-----MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	3	1	-	-	1	-	-
FEMALE--	-	-	-	2	3	1	-	-	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	1	-	-	2	-	3	-	1	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	3	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	5	11	8	7	21	26	43	47	33	15	3	-
WHITE-----MALE----	1	6	2	2	7	9	16	19	6	4	-	-
FEMALE--	1	4	2	2	11	11	17	20	18	8	1	-
ALL OTHER--MALE----	1	-	1	3	2	4	4	2	3	1	-	-
FEMALE--	2	1	3	-	1	2	6	6	6	2	2	-
BLACK---MALE----	1	-	-	3	2	4	4	2	3	1	-	-
FEMALE--	2	1	3	-	1	2	5	6	6	2	2	-
INDIANA -----	3	1	8	5	3	10	10	11	13	5	1	-
WHITE-----MALE----	2	1	4	1	-	2	2	4	5	2	-	-
FEMALE--	1	-	4	3	2	7	7	4	7	3	1	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	2	1	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	2	1	-	-	-
IOWA -----	1	-	-	2	4	1	4	6	5	4	1	-
WHITE-----MALE----	-	-	-	-	1	-	2	-	3	1	-	-
FEMALE--	1	-	-	1	3	1	2	6	2	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
KANSAS -----	2	1	1	1	2	2	3	4	7	2	2	-
WHITE-----MALE----	1	-	-	-	1	-	1	-	4	-	-	-
FEMALE--	1	1	1	1	1	1	2	4	3	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2767

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XII. Diseases of the skin and subcutaneous tissue (L00-L98)												
KENTUCKY -----	47	-	-	-	-	-	-	-	-	1	-	2
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA -----	101	-	-	-	-	-	-	4	-	1	2	-
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	33	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	28	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	29	-	-	-	-	-	-	3	-	-	1	-
BLACK---MALE-----	28	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	29	-	-	-	-	-	-	3	-	-	1	-
MAINE -----	11	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	85	-	-	-	-	-	1	-	-	-	2	1
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	23	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	23	-	-	-	-	-	1	-	-	-	-	-
MASSACHUSETTS -----	93	-	-	-	-	-	-	-	1	-	1	1
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	61	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	126	-	-	-	-	-	1	1	-	-	2	6
WHITE-----MALE----	30	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	55	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	30	-	-	-	-	-	1	1	-	-	-	4
BLACK---MALE-----	11	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	28	-	-	-	-	-	1	1	-	-	-	4

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2767

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XII. Diseases of the skin and subcutaneous tissue (L00-L98)												
KENTUCKY -----	1	4	2	3	5	2	9	8	5	5	-	-
WHITE-----MALE----	1	2	-	-	2	-	3	1	2	-	-	-
FEMALE--	-	1	1	2	3	2	5	6	2	3	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	1	2	-	-
FEMALE--	-	-	1	1	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	-	-	-	1	1	2	-	-
FEMALE--	-	-	1	1	-	-	1	-	-	-	-	-
LOUISIANA -----	2	5	4	4	13	16	14	20	10	4	2	-
WHITE-----MALE----	-	1	-	1	-	2	2	-	4	-	-	-
FEMALE--	-	-	1	1	2	4	7	8	6	1	2	-
ALL OTHER--MALE----	1	3	2	1	9	5	3	2	-	1	-	-
FEMALE--	1	1	1	1	2	5	2	10	-	2	-	-
BLACK---MALE-----	1	3	2	1	9	5	3	2	-	1	-	-
FEMALE--	1	1	1	1	2	5	2	10	-	2	-	-
MAINE -----	-	-	1	-	2	1	1	3	-	2	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	2	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	-	4	6	11	8	21	9	13	6	2	-
WHITE-----MALE----	-	-	2	1	4	1	3	1	4	-	-	-
FEMALE--	-	-	-	2	6	4	10	4	6	3	1	-
ALL OTHER--MALE----	1	-	1	-	1	2	1	-	-	1	-	-
FEMALE--	-	-	1	3	-	1	7	4	3	2	1	-
BLACK---MALE-----	1	-	1	-	1	2	1	-	-	1	-	-
FEMALE--	-	-	1	3	-	1	7	4	3	2	1	-
MASSACHUSETTS -----	1	2	4	7	11	6	14	25	14	4	2	-
WHITE-----MALE----	-	2	1	1	7	2	2	5	2	1	-	-
FEMALE--	1	-	2	4	3	3	10	19	12	3	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	2	1	1	1	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	2	1	1	1	1	-	-	-	-
MICHIGAN -----	2	2	6	9	12	24	21	17	13	10	-	-
WHITE-----MALE----	-	2	4	2	4	9	3	4	1	-	-	-
FEMALE--	-	-	1	5	5	10	12	6	8	7	-	-
ALL OTHER--MALE----	-	-	1	-	2	1	1	3	1	-	-	-
FEMALE--	2	-	-	2	1	4	5	4	3	3	-	-
BLACK---MALE-----	-	-	1	-	2	1	1	3	1	-	-	-
FEMALE--	2	-	-	2	1	3	4	4	3	3	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2770

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XII. Diseases of the skin and subcutaneous tissue (L00-L98)												
OHIO -----	139	-	-	-	-	-	1	2	2	1	1	2
WHITE-----MALE----	36	-	-	-	-	-	1	-	-	1	-	1
FEMALE--	76	-	-	-	-	-	-	1	1	-	1	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	6	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	1	-	-	-
OKLAHOMA -----	48	-	-	-	-	-	1	-	1	-	2	1
WHITE-----MALE----	14	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	25	-	-	-	-	-	1	-	-	-	2	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	38	-	-	-	-	-	-	-	1	1	1	2
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	23	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
PENNSYLVANIA -----	195	-	-	-	-	-	-	1	1	1	5	4
WHITE-----MALE----	58	-	-	-	-	-	-	-	1	-	2	1
FEMALE--	102	-	-	-	-	-	-	1	-	1	2	1
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE-----	13	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	2
RHODE ISLAND -----	15	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	77	-	-	-	-	-	-	1	-	-	2	2
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	25	-	-	-	-	-	-	1	-	-	1	1
BLACK---MALE-----	10	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	25	-	-	-	-	-	-	1	-	-	1	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2770

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XII. Diseases of the skin and subcutaneous tissue (L00-L98)												
OHIO -----	3	5	4	7	14	16	22	22	21	13	3	-
WHITE-----MALE----	-	-	2	5	5	4	4	6	3	3	1	-
FEMALE--	3	3	2	2	5	7	13	12	15	8	2	-
ALL OTHER--MALE----	-	-	-	-	2	1	1	1	-	-	-	-
FEMALE--	-	2	-	-	2	4	4	3	3	2	-	-
BLACK---MALE----	-	-	-	-	2	1	1	1	-	-	-	-
FEMALE--	-	2	-	-	2	4	3	3	3	2	-	-
OKLAHOMA -----	2	-	1	1	3	8	8	7	7	5	1	-
WHITE-----MALE----	1	-	-	-	1	3	3	2	2	-	-	-
FEMALE--	-	-	1	1	1	3	4	4	3	4	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	2	1	-	2	1	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	1	-	-	-
OREGON -----	-	1	-	1	6	5	6	8	4	2	-	-
WHITE-----MALE----	-	-	-	-	3	1	2	2	-	-	-	-
FEMALE--	-	1	-	1	3	3	3	5	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
PENNSYLVANIA -----	4	5	11	15	15	21	39	34	26	7	6	-
WHITE-----MALE----	3	2	5	5	5	7	10	10	5	-	2	-
FEMALE--	-	2	4	7	7	10	26	17	15	7	2	-
ALL OTHER--MALE----	-	-	1	2	1	3	3	1	1	-	-	-
FEMALE--	1	1	1	1	2	1	-	6	5	-	2	-
BLACK---MALE----	-	-	1	2	1	3	3	1	1	-	-	-
FEMALE--	1	1	1	1	2	1	-	6	5	-	2	-
RHODE ISLAND -----	-	-	1	1	2	4	2	1	4	-	-	-
WHITE-----MALE----	-	-	1	-	-	3	-	-	2	-	-	-
FEMALE--	-	-	-	1	1	1	2	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	7	4	5	12	10	13	11	8	2	-
WHITE-----MALE----	-	-	3	1	-	4	3	2	1	-	-	-
FEMALE--	-	-	-	1	1	5	4	4	6	4	2	-
ALL OTHER--MALE----	-	-	2	-	2	2	-	1	1	1	-	-
FEMALE--	-	-	2	2	2	1	3	6	3	3	-	-
BLACK---MALE----	-	-	2	-	2	2	-	1	1	1	-	-
FEMALE--	-	-	2	2	2	1	3	6	3	3	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2771

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XII. Diseases of the skin and subcutaneous tissue (L00-L98)												
SOUTH DAKOTA -----	14	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	80	1	-	-	-	-	-	1	-	-	1	-
WHITE-----MALE----	11	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	41	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	1	-
TEXAS -----	274	1	2	-	-	-	-	1	2	3	3	7
WHITE-----MALE----	62	-	-	-	-	-	-	-	1	1	-	3
FEMALE--	152	-	2	-	-	-	-	1	-	2	3	1
ALL OTHER--MALE----	20	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	40	-	-	-	-	-	-	-	1	-	-	2
BLACK---MALE-----	18	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	39	-	-	-	-	-	-	-	1	-	-	2
UTAH -----	21	-	-	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	107	-	-	-	-	-	-	-	1	2	2	1
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	54	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	18	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	14	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	18	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2771

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XII. Diseases of the skin and subcutaneous tissue (L00-L98)												
SOUTH DAKOTA -----	1	-	-	2	1	-	-	4	2	4	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	1	-	-	-	4	2	3	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	-	7	7	9	14	13	16	5	3	1	-
WHITE-----MALE----	1	-	1	-	1	1	2	4	-	-	-	-
FEMALE--	1	-	3	6	4	7	9	7	2	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	3	1	2	-	1	-	-
FEMALE--	-	-	3	-	3	3	1	3	3	1	1	-
BLACK---MALE----	-	-	-	1	1	3	1	2	-	1	-	-
FEMALE--	-	-	3	-	3	3	1	3	3	1	1	-
TEXAS -----	7	15	17	13	21	33	38	51	34	22	4	-
WHITE-----MALE----	2	5	5	3	4	9	6	14	5	2	2	-
FEMALE--	3	3	9	8	12	19	19	29	25	14	2	-
ALL OTHER--MALE----	-	3	2	1	2	3	3	3	1	-	-	-
FEMALE--	2	4	1	1	3	2	10	5	3	6	-	-
BLACK---MALE----	-	3	2	1	2	2	3	3	1	-	-	-
FEMALE--	2	4	1	1	3	2	10	5	2	6	-	-
UTAH -----	-	1	-	1	2	2	3	6	3	1	-	-
WHITE-----MALE----	-	-	-	1	-	1	1	1	-	-	-	-
FEMALE--	-	1	-	-	2	1	2	5	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	-	-	1	-	1	-	1	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	5	3	4	11	11	18	24	15	8	-	1
WHITE-----MALE----	-	2	1	1	2	3	4	3	1	2	-	-
FEMALE--	1	1	2	2	2	6	8	15	10	5	-	-
ALL OTHER--MALE----	-	1	-	-	6	1	1	3	-	-	-	1
FEMALE--	-	1	-	1	1	1	5	3	4	1	-	-
BLACK---MALE----	-	1	-	-	6	1	1	3	-	-	-	1
FEMALE--	-	1	-	1	1	1	5	3	4	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2772

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XII. Diseases of the skin and subcutaneous tissue (L00-L98)												
WASHINGTON -----	1	3	-	2	1	5	4	6	6	3	2	-
WHITE-----MALE----	-	2	-	2	-	2	2	1	-	-	-	-
FEMALE--	1	-	-	-	-	2	2	5	4	3	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	1	1	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA -----	1	1	1	1	3	1	7	4	2	3	-	-
WHITE-----MALE----	1	-	-	1	1	1	4	-	2	2	-	-
FEMALE--	-	1	1	-	1	-	3	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
WISCONSIN -----	-	2	2	3	5	13	13	16	8	4	-	-
WHITE-----MALE----	-	2	2	-	1	2	6	4	-	1	-	-
FEMALE--	-	-	-	1	2	8	7	12	7	3	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	2	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	2	-	-	1	-	-	-
WYOMING -----	-	-	-	-	2	2	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2773

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Infections of skin and subcutaneous tissue (L00-L08)												
UNITED STATES -	1,141	1	-	-	-	-	1	5	7	15	24	29
WHITE-----MALE----	416	-	-	-	-	-	-	-	4	6	9	16
FEMALE--	573	-	-	-	-	-	-	3	2	5	8	7
ALL OTHER--MALE----	65	1	-	-	-	-	-	1	-	-	4	3
FEMALE--	87	-	-	-	-	-	1	1	1	4	3	3
BLACK---MALE-----	52	1	-	-	-	-	-	1	-	-	4	3
FEMALE--	76	-	-	-	-	-	1	1	1	4	1	3
ALABAMA -----	22	1	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
ALASKA -----	3	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	23	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	11	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	93	-	-	-	-	-	-	-	2	-	5	5
WHITE-----MALE----	29	-	-	-	-	-	-	-	1	-	3	3
FEMALE--	55	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2773

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Infections of skin and subcutaneous tissue (L00-L08)												
UNITED STATES -	32	60	68	68	121	146	168	180	142	62	11	1
WHITE-----MALE----	16	33	34	25	54	56	66	61	29	6	1	-
FEMALE--	11	16	24	30	50	71	86	103	101	47	9	-
ALL OTHER--MALE----	3	6	3	7	9	8	7	5	5	2	-	1
FEMALE--	2	5	7	6	8	11	9	11	7	7	1	-
BLACK---MALE----	2	5	2	7	7	5	6	3	3	2	-	1
FEMALE--	2	5	6	5	5	10	8	11	6	6	1	-
ALABAMA -----	-	-	2	2	3	3	5	1	2	1	-	-
WHITE-----MALE----	-	-	1	1	2	1	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	2	2	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	1	-	-	-
ALASKA -----	-	-	-	-	-	1	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	1	3	2	2	2	1	7	3	1	-	-
WHITE-----MALE----	-	1	1	1	2	1	-	4	-	-	-	-
FEMALE--	-	-	2	1	-	1	1	3	3	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	1	-	-	2	3	4	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	2	2	3	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	2	6	3	2	11	11	14	14	12	6	-	-
WHITE-----MALE----	-	1	2	-	3	2	7	2	5	-	-	-
FEMALE--	2	5	1	2	8	7	5	10	6	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	2	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2774

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Infections of skin and subcutaneous tissue (L00-L08)												
COLORADO -----	1	2	-	1	3	1	5	3	1	-	-	-
WHITE-----MALE----	-	1	-	1	2	1	3	2	-	-	-	-
FEMALE--	1	1	-	-	1	-	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	3	-	2	4	2	5	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	1	1	-	-	-
FEMALE--	-	-	-	2	-	1	4	1	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	1	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
FLORIDA -----	3	3	1	4	14	18	10	15	9	1	-	-
WHITE-----MALE----	1	1	1	-	9	6	4	8	3	-	-	-
FEMALE--	2	1	-	2	5	9	4	7	6	1	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	3	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	2	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	3	1	-	-	-	-	-
GEORGIA -----	2	2	2	1	3	4	5	4	4	4	-	-
WHITE-----MALE----	1	2	1	-	2	1	-	2	1	-	-	-
FEMALE--	-	-	-	-	-	3	4	1	3	3	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	1	-	-
BLACK---MALE-----	1	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2776

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Infections of skin and subcutaneous tissue (L00-L08)												
KENTUCKY -----	11	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	16	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	18	-	-	-	-	-	-	-	-	-	2	1
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	41	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	26	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	41	-	-	-	-	-	-	1	-	-	1	1
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2779

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Infections of skin and subcutaneous tissue (L00-L08)												
OHIO -----	1	2	2	2	7	7	4	8	5	1	2	-
WHITE-----MALE----	-	-	1	2	1	3	2	3	2	-	-	-
FEMALE--	1	-	1	-	4	4	2	4	3	1	2	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	1	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	1	-	-	1	-	-	-	-
OKLAHOMA -----	1	-	-	-	-	2	2	2	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	2	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	1	-	1	3	3	3	4	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	2	-	-	-	-
FEMALE--	-	1	-	1	2	3	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3	3	5	6	7	5	12	6	3	2	1	-
WHITE-----MALE----	3	2	3	4	3	3	3	4	-	-	-	-
FEMALE--	-	1	2	2	4	2	8	2	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
RHODE ISLAND -----	-	-	1	1	-	2	2	1	2	-	-	-
WHITE-----MALE----	-	-	1	-	-	2	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	2	1	1	3	2	4	2	1	1	-
WHITE-----MALE----	-	-	2	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	2	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	2	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2780

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Infections of skin and subcutaneous tissue (L00-L08)												
SOUTH DAKOTA -----	6	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	19	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	78	-	-	-	-	-	-	-	-	2	-	4
WHITE-----MALE----	27	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	44	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
UTAH -----	6	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	32	-	-	-	-	-	-	-	-	2	2	1
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2780

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Infections of skin and subcutaneous tissue (L00-L08)												
SOUTH DAKOTA -----	-	-	-	1	1	-	-	1	1	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	3	1	1	2	8	2	1	1	-	-
WHITE-----MALE----	-	-	1	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	1	1	1	1	5	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	1	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	1	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
TEXAS -----	3	5	7	3	11	12	6	9	9	5	2	-
WHITE-----MALE----	2	4	4	2	3	4	1	2	1	-	-	-
FEMALE--	1	-	3	1	7	8	3	6	7	5	2	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
UTAH -----	-	1	-	-	1	-	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	4	2	1	4	1	4	5	4	1	-	1
WHITE-----MALE----	-	2	1	1	2	-	1	1	-	-	-	-
FEMALE--	-	1	1	-	-	-	2	3	4	1	-	-
ALL OTHER--MALE----	-	1	-	-	2	1	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	1	-	-	2	1	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2782

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified diseases of skin and subcutaneous tissue (L10-L98)												
UNITED STATES -	2,612	2	4	-	3	3	14	18	14	25	43	56
WHITE-----MALE----	545	1	1	-	-	1	3	1	2	4	10	13
FEMALE--	1,243	-	2	-	-	1	5	8	4	7	14	13
ALL OTHER--MALE----	275	1	1	-	1	-	1	3	3	6	10	6
FEMALE--	549	-	-	-	2	1	5	6	5	8	9	24
BLACK---MALE----	258	-	1	-	1	-	1	3	3	6	9	5
FEMALE--	510	-	-	-	1	-	4	6	5	7	8	22
ALABAMA -----	50	-	-	-	1	-	1	-	-	2	2	2
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	2	2	-
FEMALE--	25	-	-	-	1	-	1	-	-	-	-	1
BLACK---MALE----	9	-	-	-	-	-	-	-	-	2	2	-
FEMALE--	25	-	-	-	1	-	1	-	-	-	-	1
ALASKA -----	2	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	40	-	-	-	-	-	-	2	1	-	2	1
WHITE-----MALE----	10	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	28	-	-	-	-	-	-	1	1	-	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	37	-	-	-	-	-	1	-	-	-	1	-
WHITE-----MALE----	8	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
CALIFORNIA -----	144	-	1	-	1	2	1	1	-	2	3	9
WHITE-----MALE----	34	-	1	-	-	1	-	-	-	-	2	1
FEMALE--	70	-	-	-	-	-	1	1	-	1	1	3
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	27	-	-	-	1	1	-	-	-	1	-	4
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	1	-	4

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2782

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified diseases of skin and subcutaneous tissue (L10-L98)												
UNITED STATES -	53	65	90	129	229	327	461	485	360	189	42	-
WHITE-----MALE----	12	14	29	23	54	80	108	102	59	23	5	-
FEMALE--	21	25	27	62	87	142	233	258	204	108	22	-
ALL OTHER--MALE----	6	10	17	17	41	41	45	31	21	13	1	-
FEMALE--	14	16	17	27	47	64	75	94	76	45	14	-
BLACK---MALE----	5	9	16	17	38	38	43	31	19	12	1	-
FEMALE--	11	15	16	25	44	59	71	91	70	41	14	-
ALABAMA -----	1	1	-	1	7	8	7	7	5	4	1	-
WHITE-----MALE----	1	-	-	-	3	1	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	2	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	2	-	2	-	-	-
FEMALE--	-	1	-	-	4	5	2	3	2	4	1	-
BLACK---MALE----	-	-	-	1	-	-	2	-	2	-	-	-
FEMALE--	-	1	-	-	4	5	2	3	2	4	1	-
ALASKA -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	-	3	3	2	7	6	5	4	2	-	-
WHITE-----MALE----	1	-	2	-	1	3	-	2	-	-	-	-
FEMALE--	-	-	1	3	1	3	6	3	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	1	-	4	2	5	8	7	5	1	2	-
WHITE-----MALE----	-	-	-	-	2	1	3	1	-	-	-	-
FEMALE--	-	1	-	2	-	3	4	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	1	-	1	-
FEMALE--	-	-	-	2	-	1	-	2	2	1	1	-
BLACK---MALE----	-	-	-	-	-	-	1	-	1	-	1	-
FEMALE--	-	-	-	2	-	1	-	2	2	1	1	-
CALIFORNIA -----	6	5	6	9	15	15	20	24	20	4	-	-
WHITE-----MALE----	3	1	1	4	3	8	4	3	1	1	-	-
FEMALE--	1	2	1	5	6	3	12	16	15	2	-	-
ALL OTHER--MALE----	1	1	3	-	3	2	2	-	-	-	-	-
FEMALE--	1	1	1	-	3	2	2	5	4	1	-	-
BLACK---MALE----	-	-	3	-	1	2	1	-	-	-	-	-
FEMALE--	-	1	-	-	2	2	2	2	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2783

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified diseases of skin and subcutaneous tissue (L10-L98)												
COLORADO -----	-	2	1	-	-	8	4	4	4	4	1	-
WHITE-----MALE----	-	1	-	-	-	2	2	1	2	-	-	-
FEMALE--	-	1	1	-	-	6	2	3	1	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	3	2	1	3	2	5	3	2	1	-
WHITE-----MALE----	-	-	1	-	-	-	1	2	2	-	-	-
FEMALE--	1	-	1	2	1	3	1	3	1	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	2	-	-	-	1	1	1	1	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	1	-	1	4	3	2	2	2	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	1	2	1	-	-	-	-	-
FEMALE--	1	-	-	-	3	1	1	2	2	2	-	-
BLACK---MALE----	-	1	-	1	1	2	1	-	-	-	-	-
FEMALE--	1	-	-	-	3	1	1	2	2	2	-	-
FLORIDA -----	2	4	6	4	12	18	32	21	15	4	3	-
WHITE-----MALE----	-	1	3	-	2	4	11	7	4	-	-	-
FEMALE--	1	3	-	4	4	8	14	11	6	2	3	-
ALL OTHER--MALE----	-	-	-	-	2	3	2	-	3	1	-	-
FEMALE--	1	-	3	-	4	3	5	3	2	1	-	-
BLACK---MALE----	-	-	-	-	2	3	2	-	3	1	-	-
FEMALE--	1	-	3	-	4	3	5	3	2	1	-	-
GEORGIA -----	3	3	4	6	9	10	22	31	20	12	-	-
WHITE-----MALE----	-	-	1	1	1	3	3	3	2	2	-	-
FEMALE--	1	2	-	-	1	3	7	13	7	4	-	-
ALL OTHER--MALE----	1	1	2	4	2	1	6	5	2	2	-	-
FEMALE--	1	-	1	1	5	3	6	10	9	4	-	-
BLACK---MALE----	1	1	2	4	2	1	6	5	2	2	-	-
FEMALE--	1	-	1	1	5	3	6	10	9	4	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2784

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified diseases of skin and subcutaneous tissue (L10-L98)												
HAWAII -----	-	-	-	2	-	4	-	1	-	2	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	1	-	-
FEMALE--	-	-	-	2	-	1	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	-	-	-	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	3	7	5	4	17	18	34	32	23	11	3	-
WHITE-----MALE----	-	4	1	-	5	6	10	11	5	3	-	-
FEMALE--	1	2	1	2	9	8	14	13	10	6	1	-
ALL OTHER--MALE----	1	-	1	2	2	4	4	2	2	1	-	-
FEMALE--	1	1	2	-	1	-	6	6	6	1	2	-
BLACK---MALE-----	1	-	-	2	2	4	4	2	2	1	-	-
FEMALE--	1	1	2	-	1	-	5	6	6	1	2	-
INDIANA -----	2	-	4	3	1	6	8	9	12	3	1	-
WHITE-----MALE----	2	-	2	-	-	1	1	2	4	2	-	-
FEMALE--	-	-	2	2	1	4	7	4	7	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	2	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	2	1	-	-	-
IOWA -----	1	-	-	1	2	1	3	4	4	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	2	-	-	-
FEMALE--	1	-	-	-	2	1	2	4	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
KANSAS -----	2	1	-	-	1	1	3	2	7	1	2	-
WHITE-----MALE----	1	-	-	-	1	-	1	-	4	-	-	-
FEMALE--	1	1	-	-	-	-	2	2	3	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2785

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified diseases of skin and subcutaneous tissue (L10-L98)												
KENTUCKY -----	36	-	-	-	-	-	-	-	-	1	-	2
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA -----	85	-	-	-	-	-	-	4	-	-	1	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	24	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	26	-	-	-	-	-	-	3	-	-	1	-
BLACK---MALE-----	24	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	26	-	-	-	-	-	-	3	-	-	1	-
MAINE -----	9	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	67	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	1	-	-	-	-	-
MASSACHUSETTS -----	52	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	35	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	85	-	-	-	-	-	1	-	-	-	1	5
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	28	-	-	-	-	-	1	-	-	-	-	4
BLACK---MALE-----	10	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	26	-	-	-	-	-	1	-	-	-	-	4

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2785

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified diseases of skin and subcutaneous tissue (L10-L98)												
KENTUCKY -----	-	3	-	3	5	1	7	4	5	5	-	-
WHITE-----MALE----	-	1	-	-	2	-	2	1	2	-	-	-
FEMALE--	-	1	-	2	3	1	4	2	2	3	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	1	2	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	-	-	-	1	1	2	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
LOUISIANA -----	1	2	3	4	11	16	13	17	7	4	2	-
WHITE-----MALE----	-	-	-	1	-	2	1	-	4	-	-	-
FEMALE--	-	-	-	1	2	4	7	7	3	1	2	-
ALL OTHER--MALE----	-	1	2	1	8	5	3	2	-	1	-	-
FEMALE--	1	1	1	1	1	5	2	8	-	2	-	-
BLACK---MALE-----	-	1	2	1	8	5	3	2	-	1	-	-
FEMALE--	1	1	1	1	1	5	2	8	-	2	-	-
MAINE -----	-	-	1	-	1	1	-	3	-	2	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	2	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	-	2	6	11	8	17	7	8	4	2	-
WHITE-----MALE----	-	-	1	1	4	1	1	1	1	-	-	-
FEMALE--	-	-	-	2	6	4	8	2	5	3	1	-
ALL OTHER--MALE----	1	-	-	-	1	2	1	-	-	-	-	-
FEMALE--	-	-	1	3	-	1	7	4	2	1	1	-
BLACK---MALE-----	1	-	-	-	1	2	1	-	-	-	-	-
FEMALE--	-	-	1	3	-	1	7	4	2	1	1	-
MASSACHUSETTS -----	-	-	3	3	5	4	10	15	7	3	-	-
WHITE-----MALE----	-	-	1	1	3	1	-	3	1	1	-	-
FEMALE--	-	-	2	1	1	2	8	12	6	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	-	-	-	-	-
MICHIGAN -----	1	2	3	6	8	13	15	14	10	6	-	-
WHITE-----MALE----	-	2	1	1	1	3	3	2	1	-	-	-
FEMALE--	-	-	1	3	4	5	6	5	5	3	-	-
ALL OTHER--MALE----	-	-	1	-	2	1	1	3	1	-	-	-
FEMALE--	1	-	-	2	1	4	5	4	3	3	-	-
BLACK---MALE-----	-	-	1	-	2	1	1	3	1	-	-	-
FEMALE--	1	-	-	2	1	3	4	4	3	3	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2788

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified diseases of skin and subcutaneous tissue (L10-L98)												
OHIO -----	95	-	-	-	-	-	1	-	2	-	1	2
WHITE-----MALE----	21	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	53	-	-	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	1	-	-	-
OKLAHOMA -----	36	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	21	-	-	-	-	-	-	-	1	1	1	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
PENNSYLVANIA -----	137	-	-	-	-	-	-	-	-	1	3	3
WHITE-----MALE----	31	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	74	-	-	-	-	-	-	-	-	1	2	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE-----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	2
RHODE ISLAND -----	6	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	57	-	-	-	-	-	-	1	-	-	-	1
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2788

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified diseases of skin and subcutaneous tissue (L10-L98)												
OHIO -----	2	3	2	5	7	9	18	14	16	12	1	-
WHITE-----MALE----	-	-	1	3	4	1	2	3	1	3	1	-
FEMALE--	2	3	1	2	1	3	11	8	12	7	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	4	4	2	3	2	-	-
BLACK---MALE-----	-	-	-	-	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	4	3	2	3	2	-	-
OKLAHOMA -----	1	-	1	1	3	6	6	5	6	5	1	-
WHITE-----MALE----	-	-	-	-	1	1	3	2	1	-	-	-
FEMALE--	-	-	1	1	1	3	2	2	3	4	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	2	1	-	2	1	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	1	-	-	-
OREGON -----	-	-	-	-	3	2	3	4	4	2	-	-
WHITE-----MALE----	-	-	-	-	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	3	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
PENNSYLVANIA -----	1	2	6	9	8	16	27	28	23	5	5	-
WHITE-----MALE----	-	-	2	1	2	4	7	6	5	-	2	-
FEMALE--	-	1	2	5	3	8	18	15	12	5	2	-
ALL OTHER--MALE----	-	-	1	2	1	3	2	1	1	-	-	-
FEMALE--	1	1	1	1	2	1	-	6	5	-	1	-
BLACK---MALE-----	-	-	1	2	1	3	2	1	1	-	-	-
FEMALE--	1	1	1	1	2	1	-	6	5	-	1	-
RHODE ISLAND -----	-	-	-	-	2	2	-	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	5	3	4	9	8	9	9	7	1	-
WHITE-----MALE----	-	-	1	1	-	3	3	1	1	-	-	-
FEMALE--	-	-	-	1	-	4	3	3	5	3	1	-
ALL OTHER--MALE----	-	-	2	-	2	1	-	1	1	1	-	-
FEMALE--	-	-	2	1	2	1	2	4	2	3	-	-
BLACK---MALE-----	-	-	2	-	2	1	-	1	1	1	-	-
FEMALE--	-	-	2	1	2	1	2	4	2	3	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2789

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified diseases of skin and subcutaneous tissue (L10-L98)												
SOUTH DAKOTA -----	1	-	-	1	-	-	-	3	1	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	1	-	-	-	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	-	4	6	8	12	5	14	4	2	1	-
WHITE-----MALE----	1	-	-	-	1	1	-	3	-	-	-	-
FEMALE--	1	-	2	5	3	6	4	6	1	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	2	-	2	-	-	-	-
FEMALE--	-	-	2	-	3	3	1	3	3	1	1	-
BLACK---MALE----	-	-	-	1	1	2	-	2	-	-	-	-
FEMALE--	-	-	2	-	3	3	1	3	3	1	1	-
TEXAS -----	4	10	10	10	10	21	32	42	25	17	2	-
WHITE-----MALE----	-	1	1	1	1	5	5	12	4	2	2	-
FEMALE--	2	3	6	7	5	11	16	23	18	9	-	-
ALL OTHER--MALE----	-	2	2	1	1	3	3	2	-	-	-	-
FEMALE--	2	4	1	1	3	2	8	5	3	6	-	-
BLACK---MALE----	-	2	2	1	1	2	3	2	-	-	-	-
FEMALE--	2	4	1	1	3	2	8	5	2	6	-	-
UTAH -----	-	-	-	1	1	2	1	4	3	1	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	4	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	1	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	1	1	3	7	10	14	19	11	7	-	-
WHITE-----MALE----	-	-	-	-	-	3	3	2	1	2	-	-
FEMALE--	1	-	1	2	2	6	6	12	6	4	-	-
ALL OTHER--MALE----	-	-	-	-	4	-	1	3	-	-	-	-
FEMALE--	-	1	-	1	1	1	4	2	4	1	-	-
BLACK---MALE----	-	-	-	-	4	-	1	3	-	-	-	-
FEMALE--	-	1	-	1	1	1	4	2	4	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2790

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified diseases of skin and subcutaneous tissue (L10-L98)												
WASHINGTON -----	1	1	-	1	1	2	2	3	3	2	1	-
WHITE-----MALE----	-	-	-	1	-	1	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	2	2	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA -----	-	1	1	-	2	1	7	3	1	2	-	-
WHITE-----MALE----	-	-	-	-	1	1	4	-	1	1	-	-
FEMALE--	-	1	1	-	-	-	3	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
WISCONSIN -----	-	-	1	2	3	9	8	9	3	2	-	-
WHITE-----MALE----	-	-	1	-	1	1	4	2	-	-	-	-
FEMALE--	-	-	-	-	1	6	4	7	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	-	-	1	-	-	-
WYOMING -----	-	-	-	-	1	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2791

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)												
UNITED STATES -	13,764	14	10	7	27	45	107	145	172	258	387	470
WHITE-----MALE----	3,359	4	4	3	6	4	17	26	32	37	87	109
FEMALE--	8,320	5	1	-	8	15	31	53	68	99	135	172
ALL OTHER--MALE----	676	5	2	1	2	13	19	17	20	35	49	52
FEMALE--	1,409	-	3	3	11	13	40	49	52	87	116	137
BLACK---MALE-----	588	5	1	1	2	12	16	16	19	33	47	46
FEMALE--	1,199	-	3	1	11	11	36	46	50	77	106	124
ALABAMA -----	243	2	-	-	-	2	3	3	3	6	12	9
WHITE-----MALE----	48	-	-	-	-	-	-	1	1	-	2	1
FEMALE--	118	-	-	-	-	-	2	1	1	1	4	3
ALL OTHER--MALE----	29	2	-	-	-	2	-	1	-	1	4	2
FEMALE--	48	-	-	-	-	-	1	-	1	4	2	3
BLACK---MALE-----	29	2	-	-	-	2	-	1	-	1	4	2
FEMALE--	46	-	-	-	-	-	1	-	1	4	2	3
ALASKA -----	13	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	246	-	-	-	1	-	3	4	3	4	6	9
WHITE-----MALE----	70	-	-	-	-	-	-	1	-	-	-	4
FEMALE--	161	-	-	-	1	-	1	2	3	4	5	4
ALL OTHER--MALE----	4	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	11	-	-	-	-	-	1	-	-	-	1	1
BLACK---MALE-----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	4	-	-	-	-	-	1	-	-	-	-	-
ARKANSAS -----	133	-	-	-	-	-	-	1	4	4	2	3
WHITE-----MALE----	40	-	-	-	-	-	-	-	2	1	1	-
FEMALE--	79	-	-	-	-	-	-	-	1	2	1	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	9	-	-	-	-	-	-	1	1	-	-	2
BLACK---MALE-----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	9	-	-	-	-	-	-	1	1	-	-	2
CALIFORNIA -----	1,329	2	1	-	2	6	12	15	16	37	41	68
WHITE-----MALE----	348	-	1	-	1	1	4	5	5	9	14	18
FEMALE--	790	2	-	-	1	2	5	7	6	17	16	29
ALL OTHER--MALE----	60	-	-	-	-	2	2	-	2	-	4	6
FEMALE--	131	-	-	-	-	1	1	3	3	11	7	15
BLACK---MALE-----	36	-	-	-	-	1	2	-	1	-	2	3
FEMALE--	75	-	-	-	-	1	-	2	3	5	4	11

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2791

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)												
UNITED STATES -	522	585	720	980	1,345	1,920	2,065	1,876	1,419	539	151	-
WHITE-----MALE----	115	179	198	292	395	556	549	414	244	77	11	-
FEMALE--	259	261	381	554	778	1,176	1,353	1,348	1,073	430	120	-
ALL OTHER--MALE----	39	43	46	49	76	70	56	47	28	5	2	-
FEMALE--	109	102	95	85	96	118	107	67	74	27	18	-
BLACK---MALE----	32	38	40	46	65	54	47	43	20	3	2	-
FEMALE--	97	82	81	66	75	97	86	53	64	19	14	-
ALABAMA -----	10	15	15	21	28	27	31	26	16	9	5	-
WHITE-----MALE----	1	2	2	7	12	6	8	2	2	-	1	-
FEMALE--	3	6	3	12	13	16	17	17	11	5	3	-
ALL OTHER--MALE----	-	3	4	-	2	2	2	4	-	-	-	-
FEMALE--	6	4	6	2	1	3	4	3	3	4	1	-
BLACK---MALE----	-	3	4	-	2	2	2	4	-	-	-	-
FEMALE--	5	4	6	2	1	3	4	3	3	3	1	-
ALASKA -----	1	-	1	1	2	2	2	-	1	2	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	2	-	-	-	2	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	11	13	11	20	27	47	41	27	15	4	-	-
WHITE-----MALE----	3	5	4	9	8	15	12	5	4	-	-	-
FEMALE--	7	7	6	10	16	30	28	22	11	4	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	1	1	1	2	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	-	-	-	-	-
ARKANSAS -----	7	6	6	13	14	22	19	14	14	4	-	-
WHITE-----MALE----	3	1	2	4	4	10	7	4	1	-	-	-
FEMALE--	2	4	4	9	9	11	9	10	12	4	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	2	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	1	-	1	-	-	-
BLACK---MALE----	1	1	-	-	-	-	2	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	1	-	1	-	-	-
CALIFORNIA -----	63	77	64	98	127	173	176	177	115	47	12	-
WHITE-----MALE----	19	24	21	27	35	39	59	36	19	10	1	-
FEMALE--	27	37	37	57	73	109	109	129	86	32	9	-
ALL OTHER--MALE----	7	3	2	5	10	10	1	1	4	1	-	-
FEMALE--	10	13	4	9	9	15	7	11	6	4	2	-
BLACK---MALE----	5	3	1	5	6	3	1	1	2	-	-	-
FEMALE--	8	6	4	3	4	6	5	7	3	2	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2792

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)												
COLORADO -----	188	-	-	-	-	-	3	1	-	-	3	7
WHITE-----MALE----	48	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	130	-	-	-	-	-	1	1	-	-	2	6
ALL OTHER--MALE----	5	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	4	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	129	-	-	-	-	-	-	-	1	2	3	5
WHITE-----MALE----	26	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	97	-	-	-	-	-	-	-	1	1	1	4
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
DELAWARE -----	42	-	-	-	-	-	1	-	-	-	3	1
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	7	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ---	31	-	-	-	-	-	-	1	2	-	2	2
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	14	-	-	-	-	-	-	1	1	-	1	1
BLACK---MALE-----	5	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	14	-	-	-	-	-	-	1	1	-	1	1
FLORIDA -----	835	-	-	-	2	4	10	17	11	19	31	30
WHITE-----MALE----	212	-	-	-	1	-	-	1	1	2	3	8
FEMALE--	492	-	-	-	-	2	1	7	6	8	13	11
ALL OTHER--MALE----	48	-	-	-	-	2	3	3	1	1	6	6
FEMALE--	83	-	-	-	1	-	6	6	3	8	9	5
BLACK---MALE-----	47	-	-	-	-	2	3	3	1	1	6	6
FEMALE--	79	-	-	-	1	-	6	6	3	8	7	4
GEORGIA -----	359	1	1	1	2	3	5	8	11	11	18	15
WHITE-----MALE----	75	1	-	1	-	-	-	1	1	2	4	2
FEMALE--	168	-	-	-	1	-	-	1	3	-	3	5
ALL OTHER--MALE----	43	-	-	-	1	1	2	1	2	3	4	4
FEMALE--	73	-	1	-	-	2	3	5	5	6	7	4
BLACK---MALE-----	43	-	-	-	1	1	2	1	2	3	4	4
FEMALE--	71	-	1	-	-	2	3	4	5	6	7	4

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2792

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)												
COLORADO -----	5	9	7	17	20	34	34	23	17	7	1	-
WHITE-----MALE----	1	4	2	6	3	10	7	10	3	-	1	-
FEMALE--	3	4	5	10	16	24	26	13	13	6	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	1	-	1	-	1	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
CONNECTICUT -----	6	7	6	6	10	17	25	16	11	12	2	-
WHITE-----MALE----	1	3	3	-	3	4	7	3	1	-	-	-
FEMALE--	5	3	2	6	7	12	18	13	10	12	2	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	7	4	4	7	4	5	4	1	-	-
WHITE-----MALE----	-	-	3	1	2	2	-	1	1	-	-	-
FEMALE--	-	-	4	2	1	2	4	3	1	1	-	-
ALL OTHER--MALE----	-	1	-	1	1	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	2	-	-	-
BLACK---MALE----	-	1	-	1	1	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	2	-	-	-
DISTRICT OF COLUMBIA ---	1	-	2	3	5	1	4	2	3	3	-	-
WHITE-----MALE----	-	-	-	-	2	-	2	1	-	1	-	-
FEMALE--	-	-	-	-	2	-	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	1	-	2	1	-	1	1	1	1	2	-	-
BLACK---MALE----	-	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	1	-	2	1	-	1	1	1	1	2	-	-
FLORIDA -----	31	31	53	54	89	118	126	99	77	28	5	-
WHITE-----MALE----	7	5	13	17	27	41	38	28	17	3	-	-
FEMALE--	14	16	26	28	55	69	81	66	59	25	5	-
ALL OTHER--MALE----	3	3	4	4	3	2	4	3	-	-	-	-
FEMALE--	7	7	10	5	4	6	3	2	1	-	-	-
BLACK---MALE----	3	3	4	4	3	1	4	3	-	-	-	-
FEMALE--	7	7	9	5	4	6	3	2	1	-	-	-
GEORGIA -----	14	18	21	40	33	45	40	31	24	12	5	-
WHITE-----MALE----	1	6	5	13	8	14	9	4	2	1	-	-
FEMALE--	5	7	11	17	14	20	24	22	20	10	5	-
ALL OTHER--MALE----	3	1	2	3	6	3	4	3	-	-	-	-
FEMALE--	5	4	3	7	5	8	3	2	2	1	-	-
BLACK---MALE----	3	1	2	3	6	3	4	3	-	-	-	-
FEMALE--	5	4	3	7	4	8	3	2	2	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2793

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)												
HAWAII -----	1	1	2	1	8	8	13	4	7	1	4	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	1	-	-	-	4	-	1	-	1	-
ALL OTHER--MALE----	-	-	1	-	2	4	2	1	2	-	-	-
FEMALE--	-	1	-	1	6	4	7	3	3	1	3	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	1	1	3	8	9	16	21	9	2	3	-
WHITE-----MALE----	1	-	-	1	2	2	5	5	2	-	1	-
FEMALE--	-	-	1	2	5	7	11	16	7	2	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	13	23	34	35	57	92	108	105	70	27	12	-
WHITE-----MALE----	4	8	10	8	17	29	26	18	13	8	-	-
FEMALE--	5	10	17	21	35	50	75	78	55	18	9	-
ALL OTHER--MALE----	-	-	3	4	3	4	3	4	-	1	-	-
FEMALE--	4	5	4	2	2	9	4	5	2	-	3	-
BLACK---MALE-----	-	-	2	4	3	4	3	3	-	1	-	-
FEMALE--	3	4	3	1	1	9	3	5	2	-	3	-
INDIANA -----	8	12	16	18	29	41	54	32	35	14	5	-
WHITE-----MALE----	-	6	6	3	8	8	12	9	5	4	1	-
FEMALE--	6	4	10	13	20	31	37	23	28	10	4	-
ALL OTHER--MALE----	1	-	-	2	-	2	2	-	-	-	-	-
FEMALE--	1	2	-	-	1	-	3	-	2	-	-	-
BLACK---MALE-----	1	-	-	2	-	2	2	-	-	-	-	-
FEMALE--	1	2	-	-	1	-	3	-	2	-	-	-
IOWA -----	5	8	6	9	17	20	33	26	23	11	1	-
WHITE-----MALE----	3	2	-	4	6	9	6	6	4	3	-	-
FEMALE--	2	6	6	5	11	10	26	20	18	7	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
KANSAS -----	2	4	10	9	20	23	22	33	34	9	6	-
WHITE-----MALE----	-	2	2	2	8	6	8	8	13	2	-	-
FEMALE--	2	2	8	6	12	16	14	24	21	6	6	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2794

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)												
KENTUCKY -----	232	-	1	-	-	-	2	3	3	2	3	9
WHITE-----MALE----	56	-	-	-	-	-	-	1	1	-	1	3
FEMALE--	158	-	-	-	-	-	1	1	-	2	-	5
ALL OTHER--MALE----	5	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	13	-	-	-	-	-	1	1	1	-	2	1
BLACK---MALE-----	4	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	12	-	-	-	-	-	1	1	1	-	2	-
LOUISIANA -----	242	-	-	-	-	1	4	5	5	10	7	7
WHITE-----MALE----	46	-	-	-	-	-	1	1	2	1	-	1
FEMALE--	120	-	-	-	-	-	-	1	1	2	3	-
ALL OTHER--MALE----	24	-	-	-	-	1	-	1	-	2	2	-
FEMALE--	52	-	-	-	-	-	3	2	2	5	2	6
BLACK---MALE-----	23	-	-	-	-	1	-	1	-	2	2	-
FEMALE--	52	-	-	-	-	-	3	2	2	5	2	6
MAINE -----	78	-	-	-	-	-	-	-	2	1	-	3
WHITE-----MALE----	22	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	55	-	-	-	-	-	-	-	2	1	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	284	-	1	-	1	3	1	1	3	11	7	11
WHITE-----MALE----	50	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	152	-	-	-	-	2	1	-	-	1	1	3
ALL OTHER--MALE----	30	-	-	-	-	1	-	1	3	3	1	1
FEMALE--	52	-	1	-	1	-	-	-	-	6	5	7
BLACK---MALE-----	27	-	-	-	-	1	-	1	3	3	1	1
FEMALE--	51	-	1	-	1	-	-	-	-	6	5	7
MASSACHUSETTS -----	267	-	-	-	-	-	-	4	-	3	5	6
WHITE-----MALE----	73	-	-	-	-	-	-	1	-	1	2	1
FEMALE--	175	-	-	-	-	-	-	1	-	2	3	4
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE-----	4	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	1	-	-	-	1
MICHIGAN -----	464	1	1	-	-	-	3	4	7	8	14	11
WHITE-----MALE----	111	1	1	-	-	-	-	-	3	1	2	4
FEMALE--	287	-	-	-	-	-	1	3	1	1	4	1
ALL OTHER--MALE----	20	-	-	-	-	-	1	-	1	1	1	1
FEMALE--	46	-	-	-	-	-	1	1	2	5	7	5
BLACK---MALE-----	19	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	41	-	-	-	-	-	1	1	2	5	7	4

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2794

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)												
KENTUCKY -----	8	7	14	17	18	38	32	34	27	12	2	-
WHITE-----MALE----	1	2	6	5	7	13	5	7	2	2	-	-
FEMALE--	7	3	8	10	10	24	25	27	24	10	1	-
ALL OTHER--MALE----	-	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	-	-	1	-	1	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	1	-	1	-	1	-
LOUISIANA -----	12	14	17	23	15	36	30	27	23	5	1	-
WHITE-----MALE----	2	4	3	6	6	8	4	5	2	-	-	-
FEMALE--	3	6	9	13	8	18	17	16	17	5	1	-
ALL OTHER--MALE----	2	-	2	1	1	4	2	5	1	-	-	-
FEMALE--	5	4	3	3	-	6	7	1	3	-	-	-
BLACK---MALE----	1	-	2	1	1	4	2	5	1	-	-	-
FEMALE--	5	4	3	3	-	6	7	1	3	-	-	-
MAINE -----	2	1	1	4	10	10	16	11	15	2	-	-
WHITE-----MALE----	1	1	-	3	2	3	4	3	3	1	-	-
FEMALE--	1	-	1	1	8	6	12	8	12	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	13	22	16	12	30	38	42	30	29	10	3	-
WHITE-----MALE----	-	4	4	5	7	10	10	4	4	1	-	-
FEMALE--	3	9	6	5	16	23	27	20	24	8	3	-
ALL OTHER--MALE----	3	3	4	-	4	2	1	3	-	-	-	-
FEMALE--	7	6	2	2	3	3	4	3	1	1	-	-
BLACK---MALE----	2	3	4	-	4	1	1	2	-	-	-	-
FEMALE--	7	6	2	2	3	3	4	3	1	-	-	-
MASSACHUSETTS -----	7	6	12	17	28	39	43	39	35	19	4	-
WHITE-----MALE----	1	-	5	5	12	12	10	13	9	1	-	-
FEMALE--	4	3	5	11	15	27	29	26	24	17	4	-
ALL OTHER--MALE----	-	-	1	-	-	-	2	-	1	-	-	-
FEMALE--	2	3	1	1	1	-	2	-	1	1	-	-
BLACK---MALE----	-	-	1	-	-	-	2	-	-	-	-	-
FEMALE--	2	2	1	1	1	-	2	-	-	1	-	-
MICHIGAN -----	24	20	14	31	51	68	72	76	43	9	7	-
WHITE-----MALE----	3	5	5	7	14	20	16	21	7	1	-	-
FEMALE--	14	12	9	18	31	40	51	52	36	7	6	-
ALL OTHER--MALE----	4	-	-	3	2	2	2	2	-	-	-	-
FEMALE--	3	3	-	3	4	6	3	1	-	1	-	-
BLACK---MALE----	4	-	-	3	2	2	2	2	-	-	-	-
FEMALE--	2	3	-	2	3	6	3	1	-	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2795

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)												
MINNESOTA -----	312	2	1	-	-	1	1	1	2	2	10	6
WHITE-----MALE----	74	1	-	-	-	-	1	-	-	-	1	2
FEMALE--	222	-	-	-	-	1	-	-	1	-	7	4
ALL OTHER--MALE----	5	1	1	-	-	-	-	-	-	1	-	-
FEMALE--	11	-	-	-	-	-	-	1	1	1	2	-
BLACK---MALE-----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	1	1	-	2	-
MISSISSIPPI -----	115	-	-	-	1	1	3	2	7	5	8	4
WHITE-----MALE----	21	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	56	-	-	-	1	1	-	-	2	1	3	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	33	-	-	-	-	-	3	1	5	3	3	1
BLACK---MALE-----	5	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	32	-	-	-	-	-	3	1	5	3	3	1
MISSOURI -----	308	-	1	-	1	2	1	4	3	5	5	16
WHITE-----MALE----	84	-	-	-	-	-	1	2	-	-	1	5
FEMALE--	173	-	-	-	-	1	-	1	1	1	3	2
ALL OTHER--MALE----	16	-	-	-	-	1	-	-	-	-	1	2
FEMALE--	35	-	1	-	1	-	-	1	2	4	-	7
BLACK---MALE-----	16	-	-	-	-	1	-	-	-	-	1	2
FEMALE--	34	-	1	-	1	-	-	1	2	4	-	7
MONTANA -----	64	-	-	-	-	-	-	-	-	1	1	2
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	45	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	118	-	-	-	2	-	1	-	1	2	2	3
WHITE-----MALE----	29	-	-	-	1	-	-	-	1	-	1	1
FEMALE--	85	-	-	-	1	-	1	-	-	2	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	83	-	-	-	-	2	-	-	2	1	5	5
WHITE-----MALE----	25	-	-	-	-	1	-	-	-	-	2	1
FEMALE--	45	-	-	-	-	-	-	-	1	-	2	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	1	-	-	1	1	1	1
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	1	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2795

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)												
MINNESOTA -----	7	7	7	9	21	48	42	53	62	22	8	-
WHITE-----MALE----	1	2	-	1	5	18	15	15	10	-	2	-
FEMALE--	5	4	7	8	15	29	26	36	51	22	6	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	1	1	-	-	1	1	-	1	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	1	1	-	-	-
MISSISSIPPI -----	3	5	8	15	15	12	10	5	5	4	2	-
WHITE-----MALE----	-	4	1	3	3	4	2	-	2	-	-	-
FEMALE--	2	-	5	7	11	6	4	5	3	2	2	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	2	4	1	2	4	-	-	2	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	2	3	1	2	4	-	-	2	-	-
MISSOURI -----	20	16	13	21	23	42	47	46	29	11	2	-
WHITE-----MALE----	3	6	4	10	10	13	15	7	4	3	-	-
FEMALE--	14	7	7	10	11	20	26	38	22	7	2	-
ALL OTHER--MALE----	1	2	-	-	-	5	1	-	3	-	-	-
FEMALE--	2	1	2	1	2	4	5	1	-	1	-	-
BLACK---MALE-----	1	2	-	-	-	5	1	-	3	-	-	-
FEMALE--	2	1	2	1	2	3	5	1	-	1	-	-
MONTANA -----	-	-	5	5	2	6	11	13	14	3	1	-
WHITE-----MALE----	-	-	1	1	-	3	5	3	3	-	-	-
FEMALE--	-	-	3	3	3	6	10	11	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	4	6	10	4	13	18	20	20	10	1	-
WHITE-----MALE----	-	2	3	5	-	3	6	3	3	-	-	-
FEMALE--	1	2	3	3	4	10	12	17	16	10	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
NEVADA -----	3	7	6	11	9	10	12	5	3	1	1	-
WHITE-----MALE----	1	4	1	3	2	5	4	-	-	1	-	-
FEMALE--	1	3	3	8	6	5	5	5	3	-	1	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	3	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2797

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)												
OHIO -----	646	-	-	-	1	1	5	2	4	10	11	12
WHITE-----MALE----	157	-	-	-	-	-	1	-	-	3	1	4
FEMALE--	409	-	-	-	-	-	3	2	2	6	3	2
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	56	-	-	-	1	1	1	-	2	-	7	4
BLACK---MALE----	24	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	53	-	-	-	1	-	-	-	2	-	7	4
OKLAHOMA -----	202	-	-	-	2	-	1	1	2	4	4	4
WHITE-----MALE----	55	-	-	-	-	-	-	1	1	1	1	1
FEMALE--	125	-	-	-	1	-	-	-	1	2	3	-
ALL OTHER--MALE----	7	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	1	-	-	1	-	3
BLACK---MALE----	4	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	1	-	-	-	-	3
OREGON -----	234	-	-	-	-	-	1	-	-	1	3	2
WHITE-----MALE----	53	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	172	-	-	-	-	-	1	-	-	-	2	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	634	1	-	-	2	1	1	5	3	10	22	20
WHITE-----MALE----	167	-	-	-	-	-	-	-	1	3	6	8
FEMALE--	397	-	-	-	-	-	-	2	1	3	8	9
ALL OTHER--MALE----	25	1	-	-	-	-	1	-	1	2	3	1
FEMALE--	45	-	-	-	2	1	-	3	-	2	5	2
BLACK---MALE----	25	1	-	-	-	-	1	-	1	2	3	1
FEMALE--	44	-	-	-	2	1	-	3	-	2	5	2
RHODE ISLAND -----	49	-	-	-	-	-	-	1	-	-	1	5
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	31	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	1
SOUTH CAROLINA -----	223	-	-	-	1	2	1	3	1	6	6	11
WHITE-----MALE----	39	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	98	-	-	-	-	-	-	-	-	2	1	1
ALL OTHER--MALE----	28	-	-	-	-	-	-	1	-	1	1	1
FEMALE--	58	-	-	-	1	2	1	2	1	2	3	8
BLACK---MALE----	28	-	-	-	-	-	-	1	-	1	1	1
FEMALE--	57	-	-	-	1	2	1	2	1	2	3	8

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2797

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)												
OHIO -----	21	22	41	36	65	89	108	102	77	33	6	-
WHITE-----MALE----	8	9	9	16	22	24	23	17	14	6	-	-
FEMALE--	8	8	26	16	33	59	77	78	55	26	5	-
ALL OTHER--MALE----	-	2	2	3	5	1	3	3	2	-	-	-
FEMALE--	5	3	4	1	5	5	5	4	6	1	1	-
BLACK---MALE----	-	2	2	3	5	1	3	3	2	-	-	-
FEMALE--	5	3	4	-	5	5	5	4	6	1	1	-
OKLAHOMA -----	12	9	10	14	25	24	34	32	15	9	-	-
WHITE-----MALE----	1	2	2	2	7	14	7	9	2	4	-	-
FEMALE--	10	6	6	11	15	9	25	20	11	5	-	-
ALL OTHER--MALE----	-	1	-	-	3	1	-	-	1	-	-	-
FEMALE--	1	-	2	1	-	-	2	3	1	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	1	-	-	-
FEMALE--	1	-	1	1	-	-	1	2	-	-	-	-
OREGON -----	3	5	11	12	14	31	38	50	44	16	3	-
WHITE-----MALE----	1	4	5	6	3	6	10	10	4	2	-	-
FEMALE--	2	1	4	6	11	25	26	39	40	12	3	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	1	-	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	2	-	-
PENNSYLVANIA -----	18	13	28	46	71	106	105	92	60	21	9	-
WHITE-----MALE----	5	7	6	11	24	33	31	20	10	2	-	-
FEMALE--	9	5	15	31	39	67	73	67	44	18	6	-
ALL OTHER--MALE----	-	-	4	1	4	1	-	4	-	1	1	-
FEMALE--	4	1	3	3	4	5	1	1	6	-	2	-
BLACK---MALE----	-	-	4	1	4	1	-	4	-	1	1	-
FEMALE--	4	1	2	3	4	5	1	1	6	-	2	-
RHODE ISLAND -----	1	5	1	3	6	6	8	7	4	1	-	-
WHITE-----MALE----	-	2	1	1	2	-	3	1	2	-	-	-
FEMALE--	1	3	-	2	4	6	4	6	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	12	13	13	23	26	27	32	24	13	8	1	-
WHITE-----MALE----	2	1	6	2	6	7	6	3	3	-	-	-
FEMALE--	3	2	1	14	10	14	18	17	6	8	1	-
ALL OTHER--MALE----	-	2	2	1	7	4	3	3	2	-	-	-
FEMALE--	7	8	4	6	3	2	5	1	2	-	-	-
BLACK---MALE----	-	2	2	1	7	4	3	3	2	-	-	-
FEMALE--	7	8	4	6	2	2	5	1	2	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2798

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)												
SOUTH DAKOTA -----	51	-	-	-	-	-	-	-	1	1	1	-
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	35	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	317	-	-	-	1	1	1	2	6	6	10	11
WHITE-----MALE----	74	-	-	-	1	-	-	-	2	-	2	3
FEMALE--	195	-	-	-	-	1	-	2	3	1	2	3
ALL OTHER--MALE----	13	-	-	-	-	-	1	-	1	2	-	-
FEMALE--	35	-	-	-	-	-	-	-	-	3	6	5
BLACK---MALE-----	13	-	-	-	-	-	1	-	1	2	-	-
FEMALE--	35	-	-	-	-	-	-	-	-	3	6	5
TEXAS -----	940	1	1	1	1	4	12	13	12	14	34	38
WHITE-----MALE----	224	-	-	1	-	1	2	2	2	2	11	7
FEMALE--	570	1	1	-	1	1	2	4	2	6	11	13
ALL OTHER--MALE----	45	-	-	-	-	1	4	1	1	1	2	5
FEMALE--	101	-	-	-	-	1	4	6	7	5	10	13
BLACK---MALE-----	39	-	-	-	-	1	3	1	1	-	2	5
FEMALE--	97	-	-	-	-	1	4	6	7	5	10	13
UTAH -----	141	1	-	-	-	-	-	1	2	1	2	3
WHITE-----MALE----	30	1	-	-	-	-	-	-	-	1	1	1
FEMALE--	110	-	-	-	-	-	-	1	2	-	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	38	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	345	-	1	-	-	-	6	2	1	4	12	12
WHITE-----MALE----	68	-	1	-	-	-	1	-	-	-	1	-
FEMALE--	182	-	-	-	-	-	1	-	1	2	2	4
ALL OTHER--MALE----	32	-	-	-	-	-	-	1	-	2	5	2
FEMALE--	63	-	-	-	-	-	4	1	-	-	4	6
BLACK---MALE-----	32	-	-	-	-	-	-	1	-	2	5	2
FEMALE--	55	-	-	-	-	-	3	1	-	-	4	6

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2798

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XIII. Diseases of the musculoskeletal system and connective tissue (M00-M99)												
SOUTH DAKOTA -----	1	3	1	5	4	3	6	14	6	4	1	-
WHITE-----MALE----	-	-	-	1	1	1	2	5	1	-	-	-
FEMALE--	1	3	-	2	3	2	4	9	5	4	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	13	12	25	19	28	49	50	38	39	2	4	-
WHITE-----MALE----	3	3	5	6	5	13	19	6	5	1	-	-
FEMALE--	7	7	19	12	16	34	28	29	28	1	2	-
ALL OTHER--MALE----	2	1	1	-	3	-	1	1	-	-	-	-
FEMALE--	1	1	-	1	4	2	2	2	6	-	2	-
BLACK---MALE-----	2	1	1	-	3	-	1	1	-	-	-	-
FEMALE--	1	1	-	1	4	2	2	2	6	-	2	-
TEXAS -----	55	49	48	79	105	134	128	114	62	30	5	-
WHITE-----MALE----	9	12	14	22	28	29	38	28	11	4	1	-
FEMALE--	38	22	28	44	69	94	82	80	43	24	4	-
ALL OTHER--MALE----	3	5	2	6	2	5	4	2	1	-	-	-
FEMALE--	5	10	4	7	6	6	4	4	7	2	-	-
BLACK---MALE-----	2	3	2	5	2	5	4	2	1	-	-	-
FEMALE--	4	9	4	6	6	6	4	3	7	2	-	-
UTAH -----	4	1	3	10	13	16	26	32	19	6	1	-
WHITE-----MALE----	-	-	-	3	5	5	2	7	2	2	-	-
FEMALE--	4	1	3	7	8	11	24	25	16	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	-	1	5	9	7	5	6	1	2	-
WHITE-----MALE----	1	-	-	-	2	1	2	2	-	-	-	-
FEMALE--	1	-	-	1	3	8	5	3	6	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	15	22	22	33	32	39	42	50	37	12	3	-
WHITE-----MALE----	3	6	4	9	7	7	9	11	8	1	-	-
FEMALE--	5	6	12	14	16	22	27	32	26	10	2	-
ALL OTHER--MALE----	2	3	-	3	4	6	1	2	1	-	-	-
FEMALE--	5	7	6	7	5	4	5	5	2	1	1	-
BLACK---MALE-----	2	3	-	3	4	6	1	2	1	-	-	-
FEMALE--	4	5	5	6	5	4	5	3	2	1	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2800

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Rheumatoid arthritis and related inflammatory polyarthropathies (M05-M08)												
UNITED STATES -	57	85	155	256	390	556	576	346	170	26	4	-
WHITE-----MALE----	11	27	42	69	111	123	115	65	15	1	-	-
FEMALE--	39	45	97	166	253	394	431	265	143	21	3	-
ALL OTHER--MALE----	1	2	3	5	10	10	6	2	1	1	-	-
FEMALE--	6	11	13	16	16	29	24	14	11	3	1	-
BLACK---MALE----	1	2	2	5	9	5	5	2	1	-	-	-
FEMALE--	6	7	11	10	9	21	16	10	9	2	1	-
ALABAMA -----	1	2	2	4	12	4	12	4	1	1	-	-
WHITE-----MALE----	-	-	1	1	4	2	2	-	-	-	-	-
FEMALE--	1	1	-	3	8	2	9	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	1	-	-	1	-	-
ALASKA -----	-	-	-	-	1	1	1	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	3	5	6	6	16	15	7	6	2	-	-
WHITE-----MALE----	-	2	2	1	2	3	1	2	3	-	-	-
FEMALE--	1	1	2	4	4	13	14	5	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
ARKANSAS -----	1	1	-	4	5	10	8	5	1	-	-	-
WHITE-----MALE----	1	-	-	1	2	5	3	1	-	-	-	-
FEMALE--	-	1	-	3	2	5	4	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CALIFORNIA -----	4	7	16	20	32	44	45	30	13	2	-	-
WHITE-----MALE----	-	2	4	5	10	8	13	7	1	-	-	-
FEMALE--	4	4	12	14	19	30	29	18	10	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	1	-	-
FEMALE--	-	1	-	-	2	6	3	5	2	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	2	3	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2801

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Rheumatoid arthritis and related inflammatory polyarthropathies (M05-M08)												
COLORADO -----	50	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	24	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	4	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
FLORIDA -----	136	-	-	-	-	-	1	-	-	-	1	5
WHITE-----MALE----	27	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	97	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	1	-	-	-	-	-
GEORGIA -----	71	-	-	-	-	-	-	-	1	-	2	1
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	44	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2801

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Rheumatoid arthritis and related inflammatory polyarthropathies (M05-M08)												
COLORADO -----	1	1	2	8	8	13	9	7	1	-	-	-
WHITE-----MALE----	-	-	1	2	1	4	2	3	-	-	-	-
FEMALE--	1	-	1	6	7	9	7	4	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	-	1	2	4	7	5	2	1	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	2	4	7	4	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	2	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	1	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
FLORIDA -----	3	6	9	15	27	23	25	14	5	2	-	-
WHITE-----MALE----	2	1	1	3	8	4	4	1	1	-	-	-
FEMALE--	1	4	6	10	18	18	20	11	4	2	-	-
ALL OTHER--MALE----	-	-	1	1	1	1	-	1	-	-	-	-
FEMALE--	-	1	1	1	-	-	1	1	-	-	-	-
BLACK---MALE-----	-	-	1	1	1	-	-	1	-	-	-	-
FEMALE--	-	1	1	1	-	-	1	1	-	-	-	-
GEORGIA -----	2	1	5	12	7	13	12	8	7	-	-	-
WHITE-----MALE----	-	-	2	4	3	2	3	-	1	-	-	-
FEMALE--	1	1	3	5	4	8	8	7	6	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	2	-	3	1	1	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	2	-	3	1	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2802

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Rheumatoid arthritis and related inflammatory polyarthropathies (M05-M08)												
HAWAII -----	-	-	-	1	4	4	8	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	4	3	4	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	2	1	2	3	4	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	2	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1	4	5	7	12	21	32	19	3	1	-	-
WHITE-----MALE----	-	1	1	1	4	4	5	2	-	-	-	-
FEMALE--	1	3	4	5	6	16	27	17	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
INDIANA -----	1	1	2	5	11	18	18	10	5	-	-	-
WHITE-----MALE----	-	1	1	2	4	5	6	4	-	-	-	-
FEMALE--	1	-	1	3	7	12	12	6	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	-	2	2	3	5	3	6	6	1	-	-	-
WHITE-----MALE----	-	-	-	-	2	1	1	1	-	-	-	-
FEMALE--	-	2	2	3	3	2	5	5	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	2	3	1	8	3	5	7	3	-	1	-
WHITE-----MALE----	-	1	-	-	3	1	1	1	-	-	-	-
FEMALE--	-	1	3	1	5	1	4	6	3	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2803

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Rheumatoid arthritis and related inflammatory polyarthropathies (M05-M08)												
KENTUCKY -----	-	-	3	6	6	11	9	6	2	-	-	-
WHITE-----MALE----	-	-	1	2	3	2	2	1	-	-	-	-
FEMALE--	-	-	2	4	3	9	7	5	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	2	1	6	5	4	7	2	2	-	-	-
WHITE-----MALE----	-	1	1	-	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	6	4	1	6	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-
MAINE -----	-	-	1	-	3	2	3	3	5	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	3	1	3	3	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	5	2	4	8	10	10	6	4	2	-	-
WHITE-----MALE----	-	1	-	3	4	3	1	-	-	-	-	-
FEMALE--	1	3	2	1	4	6	9	5	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	1	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	1	-	-	-	-
MASSACHUSETTS -----	-	1	6	4	6	9	11	5	7	2	2	-
WHITE-----MALE----	-	-	2	-	2	2	2	3	2	-	-	-
FEMALE--	-	1	4	4	4	7	8	2	5	2	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MICHIGAN -----	-	7	4	5	16	21	15	19	6	-	-	-
WHITE-----MALE----	-	3	2	2	4	5	2	6	-	-	-	-
FEMALE--	-	3	2	3	10	14	13	13	6	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2806

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Rheumatoid arthritis and related inflammatory polyarthropathies (M05-M08)												
OHIO -----	2	4	7	11	18	34	28	18	8	2	1	-
WHITE-----MALE----	-	3	1	5	5	4	2	1	-	-	-	-
FEMALE--	1	1	5	5	12	28	25	17	6	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	2	1	-	2	1	1	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	2	1	-	2	1	1	-
OKLAHOMA -----	1	3	-	1	8	9	14	7	2	1	-	-
WHITE-----MALE----	-	1	-	1	1	4	2	3	-	1	-	-
FEMALE--	1	2	-	-	6	4	11	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	1	2	4	7	10	13	9	5	1	-	-
WHITE-----MALE----	-	-	1	2	1	-	3	-	-	-	-	-
FEMALE--	-	1	1	2	6	10	10	9	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	1	6	8	24	31	27	10	12	1	-	-
WHITE-----MALE----	-	-	-	2	8	6	5	1	-	-	-	-
FEMALE--	1	1	6	6	15	23	22	9	12	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
RHODE ISLAND -----	-	1	-	-	1	2	1	-	3	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	2	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	2	4	5	4	7	5	1	-	-	-
WHITE-----MALE----	1	-	1	1	2	1	-	2	-	-	-	-
FEMALE--	-	-	1	2	1	3	4	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2807

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Rheumatoid arthritis and related inflammatory polyarthropathies (M05-M08)												
SOUTH DAKOTA -----	1	-	1	3	2	1	1	3	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	1	1	-	3	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	3	9	6	10	14	20	8	7	-	-	-
WHITE-----MALE----	1	1	1	2	1	2	6	1	-	-	-	-
FEMALE--	1	2	7	4	8	12	13	7	6	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
TEXAS -----	10	5	11	25	26	38	34	22	5	-	-	-
WHITE-----MALE----	1	-	3	6	7	4	5	5	-	-	-	-
FEMALE--	9	4	7	19	19	32	27	16	4	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	1	1	-	-	-
BLACK---MALE----	-	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	1	1	-	-	-
UTAH -----	1	-	-	5	5	5	7	2	3	-	-	-
WHITE-----MALE----	-	-	-	2	4	-	1	1	-	-	-	-
FEMALE--	1	-	-	3	1	5	6	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	2	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	4	4	14	10	12	18	7	3	-	-	-
WHITE-----MALE----	-	-	-	1	1	1	5	-	-	-	-	-
FEMALE--	1	2	3	10	8	8	11	5	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	2	1	3	1	3	2	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	3	1	3	2	1	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2809

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Systemic lupus erythematosus (M32)												
UNITED STATES -	1,339	1	-	1	9	22	59	69	61	116	138	129
WHITE-----MALE----	134	-	-	-	-	1	4	4	1	6	10	7
FEMALE--	704	-	-	-	2	4	20	25	26	47	59	51
ALL OTHER--MALE----	67	1	-	-	-	6	6	3	3	12	8	8
FEMALE--	434	-	-	1	7	11	29	37	31	51	61	63
BLACK---MALE-----	62	1	-	-	-	5	6	3	3	12	8	6
FEMALE--	385	-	-	1	7	9	26	35	29	44	54	56
ALABAMA -----	29	-	-	-	-	1	2	1	-	4	3	2
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	1	1	-	1	1	-
ALL OTHER--MALE----	4	-	-	-	-	1	-	-	-	-	2	1
FEMALE--	10	-	-	-	-	-	1	-	-	3	-	1
BLACK---MALE-----	4	-	-	-	-	1	-	-	-	-	2	1
FEMALE--	9	-	-	-	-	-	1	-	-	3	-	1
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	19	-	-	-	-	-	2	2	2	2	2	3
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	16	-	-	-	-	-	1	2	2	2	2	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ARKANSAS -----	18	-	-	-	-	-	-	1	2	2	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	1	1	-	-	1
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	1	1	-	-	1
CALIFORNIA -----	156	-	-	-	1	3	5	7	3	15	17	17
WHITE-----MALE----	16	-	-	-	-	-	-	1	-	2	2	1
FEMALE--	92	-	-	-	1	1	4	5	2	5	11	6
ALL OTHER--MALE----	8	-	-	-	-	1	-	-	-	-	-	3
FEMALE--	40	-	-	-	-	1	1	1	1	8	4	7
BLACK---MALE-----	5	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	27	-	-	-	-	1	-	-	1	4	3	5

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2809

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Systemic lupus erythematosus (M32)												
UNITED STATES -	117	111	104	93	76	106	76	37	11	3	-	-
WHITE-----MALE----	8	12	15	13	16	16	13	5	2	1	-	-
FEMALE--	69	60	61	59	45	76	58	32	8	2	-	-
ALL OTHER--MALE----	3	7	3	2	2	1	2	-	-	-	-	-
FEMALE--	37	32	25	19	13	13	3	-	1	-	-	-
BLACK---MALE-----	3	7	2	2	1	1	2	-	-	-	-	-
FEMALE--	34	27	23	17	10	9	3	-	1	-	-	-
ALABAMA -----	4	1	1	-	1	4	3	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	1	-	1	-	-	-
FEMALE--	1	-	1	-	-	3	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	1	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	-	2	1	-	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	2	-	2	-	2	2	2	1	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	2	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
CALIFORNIA -----	11	20	10	12	7	12	10	5	-	1	-	-
WHITE-----MALE----	-	1	2	1	2	2	1	1	-	-	-	-
FEMALE--	5	15	5	9	1	8	9	4	-	1	-	-
ALL OTHER--MALE----	1	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	5	3	3	1	3	2	-	-	-	-	-	-
BLACK---MALE-----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	5	2	3	1	-	2	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2810

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Systemic lupus erythematosus (M32)												
COLORADO -----	21	-	-	-	-	-	2	1	-	-	2	5
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	17	-	-	-	-	-	1	1	-	-	1	4
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	9	-	-	-	-	-	-	-	1	-	1	2
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
DELAWARE -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	119	-	-	-	1	2	7	11	4	8	21	8
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	68	-	-	-	-	1	-	5	2	5	9	7
ALL OTHER--MALE----	9	-	-	-	-	1	2	-	-	1	2	-
FEMALE--	34	-	-	-	1	-	5	6	2	2	8	1
BLACK---MALE-----	9	-	-	-	-	1	2	-	-	1	2	-
FEMALE--	32	-	-	-	1	-	5	6	2	2	6	1
GEORGIA -----	53	-	-	-	-	2	3	5	5	5	6	3
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	2	-	1	1
ALL OTHER--MALE----	6	-	-	-	-	-	1	1	1	1	1	-
FEMALE--	30	-	-	-	-	2	2	4	2	4	4	2
BLACK---MALE-----	6	-	-	-	-	-	1	1	1	1	1	-
FEMALE--	30	-	-	-	-	2	2	4	2	4	4	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2810

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Systemic lupus erythematosus (M32)												
COLORADO -----	-	2	2	2	1	3	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	2	2	1	1	3	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	2	-	1	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	2	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
FLORIDA -----	11	11	6	5	5	8	8	1	2	-	-	-
WHITE-----MALE----	-	-	2	1	1	1	-	-	1	-	-	-
FEMALE--	6	7	2	3	4	7	8	1	1	-	-	-
ALL OTHER--MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	3	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	3	1	1	-	-	-	-	-	-	-	-
GEORGIA -----	4	5	2	4	3	5	1	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	2	-	-	-	-	-	-
FEMALE--	2	-	1	1	3	2	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	4	1	3	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	4	1	3	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2812

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Systemic lupus erythematosus (M32)												
KENTUCKY -----	16	-	-	-	-	-	-	1	1	1	2	3
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	1	1	-	2	1
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	1	1	-	2	-
LOUISIANA -----	37	-	-	-	-	1	2	1	1	7	4	2
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	1	2	-
ALL OTHER--MALE----	4	-	-	-	-	1	-	-	-	2	1	-
FEMALE--	18	-	-	-	-	-	2	1	1	4	1	2
BLACK---MALE-----	4	-	-	-	-	1	-	-	-	2	1	-
FEMALE--	18	-	-	-	-	-	2	1	1	4	1	2
MAINE -----	3	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	33	-	-	-	1	-	1	-	-	3	4	7
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	1	-	-	1	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	1	-	-	-	-	2	3	5
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	1	-	-	-	-	2	3	5
MASSACHUSETTS -----	18	-	-	-	-	-	-	-	-	2	1	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
MICHIGAN -----	41	-	-	-	-	-	1	2	2	3	6	3
WHITE-----MALE----	7	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	22	-	-	-	-	-	1	1	-	-	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	1	1	2	2	3
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	1	1	2	2	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2812

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Systemic lupus erythematosus (M32)												
KENTUCKY -----	1	-	-	2	1	1	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
LOUISIANA -----	3	1	2	6	1	2	3	1	-	-	-	-
WHITE-----MALE----	1	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	2	-	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	2	-	-	2	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	2	-	-	2	-	-	-	-	-
MAINE -----	1	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	4	5	1	1	1	4	-	-	-	-	-
WHITE-----MALE----	-	1	1	-	-	-	2	-	-	-	-	-
FEMALE--	-	1	2	-	1	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	2	2	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	2	2	1	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	1	3	3	3	1	2	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	2	2	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	-	-	-	-	-	-	-
MICHIGAN -----	3	5	4	1	3	5	2	1	-	-	-	-
WHITE-----MALE----	-	-	2	-	1	-	1	-	-	-	-	-
FEMALE--	2	4	2	1	2	4	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2815

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Systemic lupus erythematosus (M32)												
OHIO -----	44	-	-	-	-	1	3	1	1	3	3	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	-	-	-	-	-	2	1	-	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	1	1	-	1	-	3	1
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	1	-	3	1
OKLAHOMA -----	35	-	-	-	1	-	1	-	1	2	2	3
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	1	-	-	-	1	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	1	-	-	1	-	3
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	3
OREGON -----	6	-	-	-	-	-	1	-	-	-	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	54	1	-	-	2	1	-	4	1	6	7	4
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	29	-	-	-	-	-	-	2	-	3	3	3
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	14	-	-	-	2	1	-	2	-	2	3	-
BLACK---MALE-----	2	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	14	-	-	-	2	1	-	2	-	2	3	-
RHODE ISLAND -----	3	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
SOUTH CAROLINA -----	33	-	-	-	-	-	-	2	1	2	2	6
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	17	-	-	-	-	-	-	2	1	1	1	5
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	17	-	-	-	-	-	-	2	1	1	1	5

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2816

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Systemic lupus erythematosus (M32)												
SOUTH DAKOTA -----	2	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	28	-	-	-	-	-	1	-	1	1	4	3
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	4	2
BLACK---MALE-----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	4	2
TEXAS -----	125	-	-	-	-	2	8	7	8	6	8	13
WHITE-----MALE----	12	-	-	-	-	-	1	1	-	-	1	1
FEMALE--	70	-	-	-	-	-	2	1	1	2	3	7
ALL OTHER--MALE----	3	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	40	-	-	-	-	1	4	4	7	4	4	5
BLACK---MALE-----	3	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	37	-	-	-	-	1	4	4	7	4	4	5
UTAH -----	8	-	-	-	-	-	-	1	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	28	-	-	-	-	-	1	1	-	2	2	3
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	10	-	-	-	-	-	1	1	-	-	-	1
BLACK---MALE-----	5	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	9	-	-	-	-	-	1	1	-	-	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2816

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Systemic lupus erythematosus (M32)												
SOUTH DAKOTA -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	-	4	-	2	5	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	4	-	-	4	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
TEXAS -----	20	7	13	7	10	8	8	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	3	1	4	-	-	-	-	-
FEMALE--	16	4	11	5	7	7	4	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	3	2	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	2	1	-	-	-	-	-	-	-	-
UTAH -----	1	-	-	-	1	-	3	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	1	-	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4	6	2	3	1	1	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	1	2	-	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	3	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	3	-	1	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2818

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)												
UNITED STATES -	4,790	2	3	2	6	12	29	47	78	90	161	193
WHITE-----MALE----	1,188	1	1	2	2	2	9	13	19	7	37	49
FEMALE--	2,832	-	-	-	2	7	6	17	28	34	54	66
ALL OTHER--MALE----	270	1	-	-	-	2	4	7	13	16	25	20
FEMALE--	500	-	2	-	2	1	10	10	18	33	45	58
BLACK---MALE-----	227	1	-	-	-	2	3	6	13	15	24	18
FEMALE--	429	-	2	-	2	1	9	9	18	31	42	53
ALABAMA -----	81	1	-	-	-	-	-	1	1	2	5	3
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	37	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	12	1	-	-	-	-	-	1	-	1	1	-
FEMALE--	20	-	-	-	-	-	-	-	1	1	1	2
BLACK---MALE-----	12	1	-	-	-	-	-	1	-	1	1	-
FEMALE--	20	-	-	-	-	-	-	-	1	1	1	2
ALASKA -----	6	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	79	-	-	-	1	-	-	1	-	1	3	4
WHITE-----MALE----	27	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	43	-	-	-	1	-	-	-	-	1	2	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	53	-	-	-	-	-	-	-	2	1	2	-
WHITE-----MALE----	20	-	-	-	-	-	-	-	2	1	1	-
FEMALE--	29	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	445	-	-	-	-	2	3	4	7	13	10	26
WHITE-----MALE----	112	-	-	-	-	1	2	1	1	2	4	5
FEMALE--	260	-	-	-	-	1	1	1	3	8	3	11
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	50	-	-	-	-	-	-	2	2	3	2	8
BLACK---MALE-----	11	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	26	-	-	-	-	-	-	2	2	1	-	6

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2818

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)												
UNITED STATES -	227	245	299	385	530	644	649	528	429	177	54	-
WHITE-----MALE----	49	73	75	104	133	199	185	114	78	32	4	-
FEMALE--	105	111	165	232	326	389	413	383	312	134	48	-
ALL OTHER--MALE----	21	21	23	18	24	24	20	19	11	1	-	-
FEMALE--	52	40	36	31	47	32	31	12	28	10	2	-
BLACK---MALE----	16	16	20	15	19	17	18	16	8	-	-	-
FEMALE--	45	32	28	21	40	25	25	10	26	9	1	-
ALABAMA -----	4	7	6	8	6	10	5	7	6	5	4	-
WHITE-----MALE----	-	1	1	1	3	2	-	-	1	-	1	-
FEMALE--	1	3	-	5	3	6	3	5	3	4	2	-
ALL OTHER--MALE----	-	1	3	-	-	1	1	2	-	-	-	-
FEMALE--	3	2	2	2	-	1	1	-	2	1	1	-
BLACK---MALE----	-	1	3	-	-	1	1	2	-	-	-	-
FEMALE--	3	2	2	2	-	1	1	-	2	1	1	-
ALASKA -----	1	-	1	1	1	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	6	6	4	8	13	14	12	4	1	1	-	-
WHITE-----MALE----	2	1	1	6	4	5	4	1	-	-	-	-
FEMALE--	3	4	3	2	6	7	8	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	2	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	2	4	2	8	7	8	6	2	7	2	-	-
WHITE-----MALE----	1	1	1	3	2	4	2	1	1	-	-	-
FEMALE--	-	2	1	5	5	3	3	1	6	2	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
CALIFORNIA -----	30	25	26	39	48	66	55	52	28	10	1	-
WHITE-----MALE----	11	6	7	8	13	15	18	12	2	4	-	-
FEMALE--	13	9	17	23	30	38	34	39	24	4	1	-
ALL OTHER--MALE----	2	2	1	2	3	7	1	-	1	-	-	-
FEMALE--	4	8	1	6	2	6	2	1	1	2	-	-
BLACK---MALE----	2	2	-	2	2	1	1	-	-	-	-	-
FEMALE--	3	3	1	-	2	2	1	1	1	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2819

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)												
COLORADO -----	52	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	38	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	48	-	-	-	-	-	-	-	-	2	1	2
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	35	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
DELAWARE -----	22	-	-	-	-	-	1	-	-	-	-	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ---	9	-	-	-	-	-	-	1	1	-	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
FLORIDA -----	300	-	-	-	1	2	1	4	5	9	9	15
WHITE-----MALE----	73	-	-	-	1	-	-	1	1	-	1	5
FEMALE--	171	-	-	-	-	1	1	2	2	3	3	2
ALL OTHER--MALE----	23	-	-	-	-	1	-	1	1	-	4	4
FEMALE--	33	-	-	-	-	-	-	-	1	6	1	4
BLACK---MALE-----	23	-	-	-	-	1	-	1	1	-	4	4
FEMALE--	31	-	-	-	-	-	-	-	1	6	1	3
GEORGIA -----	107	-	1	1	-	-	2	3	5	2	4	7
WHITE-----MALE----	17	-	-	1	-	-	-	1	1	-	-	-
FEMALE--	50	-	-	-	-	-	-	1	1	-	1	3
ALL OTHER--MALE----	16	-	-	-	-	-	1	-	1	1	2	2
FEMALE--	24	-	1	-	-	-	1	1	2	1	1	2
BLACK---MALE-----	16	-	-	-	-	-	1	-	1	1	2	2
FEMALE--	22	-	1	-	-	-	1	-	2	1	1	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2819

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)												
COLORADO -----	2	3	3	4	4	9	7	6	9	2	-	-
WHITE-----MALE----	1	1	1	1	1	2	1	2	2	-	-	-
FEMALE--	1	2	2	2	3	7	6	4	7	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	3	2	5	2	3	6	7	5	4	6	-	-
WHITE-----MALE----	-	1	3	-	-	2	3	1	1	-	-	-
FEMALE--	3	1	2	2	3	4	4	4	3	6	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	5	3	1	5	2	3	1	-	-	-
WHITE-----MALE----	-	-	2	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	3	2	-	2	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	-	-	2	-	1	-	1	1	-	-
WHITE-----MALE----	-	-	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
FLORIDA -----	11	9	24	24	37	46	43	31	22	6	1	-
WHITE-----MALE----	3	2	4	8	9	14	13	8	3	-	-	-
FEMALE--	3	4	12	11	25	29	27	21	18	6	1	-
ALL OTHER--MALE----	2	1	2	2	2	-	2	1	-	-	-	-
FEMALE--	3	2	6	3	1	3	1	1	1	-	-	-
BLACK---MALE-----	2	1	2	2	2	-	2	1	-	-	-	-
FEMALE--	3	2	5	3	1	3	1	1	1	-	-	-
GEORGIA -----	3	7	8	14	16	9	11	5	4	4	1	-
WHITE-----MALE----	-	2	1	3	3	2	1	1	-	1	-	-
FEMALE--	-	5	5	9	5	4	8	2	3	2	1	-
ALL OTHER--MALE----	-	-	1	1	3	1	2	1	-	-	-	-
FEMALE--	3	-	1	1	5	2	-	1	1	1	-	-
BLACK---MALE-----	-	-	1	1	3	1	2	1	-	-	-	-
FEMALE--	3	-	1	1	4	2	-	1	1	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2820

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)												
HAWAII -----	-	-	2	-	3	-	1	1	3	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	2	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	1	2	5	4	4	3	1	2	-
WHITE-----MALE----	-	-	-	-	-	2	-	-	2	-	-	-
FEMALE--	-	-	-	1	2	3	4	4	1	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	6	9	20	16	30	33	32	37	34	10	5	-
WHITE-----MALE----	1	4	6	3	8	10	7	6	9	4	-	-
FEMALE--	3	3	10	11	21	18	23	28	23	6	5	-
ALL OTHER--MALE----	-	-	1	1	-	3	1	2	-	-	-	-
FEMALE--	2	2	3	1	1	2	1	1	2	-	-	-
BLACK---MALE-----	-	-	1	1	-	3	1	1	-	-	-	-
FEMALE--	1	2	2	-	1	2	-	1	2	-	-	-
INDIANA -----	4	6	9	5	8	9	20	9	15	6	1	-
WHITE-----MALE----	-	3	4	-	1	3	2	2	3	3	-	-
FEMALE--	3	2	5	5	6	6	15	7	11	3	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	2	-	1	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	2	-	1	-	-	-
IOWA -----	3	4	2	2	7	11	12	8	5	2	-	-
WHITE-----MALE----	2	-	-	1	2	5	4	2	2	1	-	-
FEMALE--	1	4	2	1	5	6	7	6	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
KANSAS -----	1	1	4	4	9	6	13	8	12	5	3	-
WHITE-----MALE----	-	-	-	-	3	2	5	-	4	1	-	-
FEMALE--	1	1	4	4	6	4	8	7	8	3	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2821

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)												
KENTUCKY -----	81	-	-	-	-	-	2	1	2	1	1	4
WHITE-----MALE----	16	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	57	-	-	-	-	-	1	1	-	1	-	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	-	-	-	-	1	-	-	-	-	-
LOUISIANA -----	96	-	-	-	-	-	2	3	4	3	2	3
WHITE-----MALE----	18	-	-	-	-	-	1	1	2	1	-	-
FEMALE--	47	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	18	-	-	-	-	-	1	1	1	1	1	3
BLACK---MALE-----	12	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	18	-	-	-	-	-	1	1	1	1	1	3
MAINE -----	26	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	104	-	-	-	-	1	-	1	2	7	2	4
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	51	-	-	-	-	1	-	-	-	-	-	1
ALL OTHER--MALE----	18	-	-	-	-	-	-	1	2	3	-	1
FEMALE--	20	-	-	-	-	-	-	-	-	4	2	2
BLACK---MALE-----	16	-	-	-	-	-	-	1	2	3	-	1
FEMALE--	20	-	-	-	-	-	-	-	-	4	2	2
MASSACHUSETTS -----	98	-	-	-	-	-	-	3	-	1	4	4
WHITE-----MALE----	29	-	-	-	-	-	-	1	-	1	2	1
FEMALE--	64	-	-	-	-	-	-	1	-	-	2	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	-
MICHIGAN -----	166	1	1	-	-	-	1	1	5	3	7	3
WHITE-----MALE----	34	1	1	-	-	-	-	-	2	-	-	2
FEMALE--	110	-	-	-	-	-	-	1	1	1	1	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	16	-	-	-	-	-	1	-	1	2	5	-
BLACK---MALE-----	6	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	15	-	-	-	-	-	1	-	1	2	5	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2821

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)												
KENTUCKY -----	6	7	3	4	6	14	9	6	9	6	-	-
WHITE-----MALE----	1	2	-	1	1	3	-	1	1	2	-	-
FEMALE--	5	3	3	2	4	11	8	5	7	4	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	1	-	-	-
BLACK---MALE-----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	1	-	-	-
LOUISIANA -----	5	7	9	5	3	19	8	13	8	1	1	-
WHITE-----MALE----	1	1	1	1	-	3	2	2	2	-	-	-
FEMALE--	1	4	6	4	3	10	4	6	5	1	1	-
ALL OTHER--MALE----	2	-	1	-	-	3	1	4	-	-	-	-
FEMALE--	1	2	1	-	-	3	1	1	1	-	-	-
BLACK---MALE-----	1	-	1	-	-	3	1	4	-	-	-	-
FEMALE--	1	2	1	-	-	3	1	1	1	-	-	-
MAINE -----	-	1	-	1	4	4	5	3	5	1	-	-
WHITE-----MALE----	-	1	-	1	-	1	1	1	1	1	-	-
FEMALE--	-	-	-	-	4	2	4	2	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	9	7	6	5	8	14	14	17	6	1	-	-
WHITE-----MALE----	-	1	2	1	1	2	5	2	1	-	-	-
FEMALE--	2	3	2	3	5	9	8	11	5	1	-	-
ALL OTHER--MALE----	3	1	2	-	1	1	-	3	-	-	-	-
FEMALE--	4	2	-	1	1	2	1	1	-	-	-	-
BLACK---MALE-----	2	1	2	-	1	1	-	2	-	-	-	-
FEMALE--	4	2	-	1	1	2	1	1	-	-	-	-
MASSACHUSETTS -----	5	3	2	7	12	10	16	13	10	6	2	-
WHITE-----MALE----	1	-	2	2	6	2	6	4	1	-	-	-
FEMALE--	2	2	-	5	6	8	10	9	8	6	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	14	5	4	16	21	21	26	18	14	2	3	-
WHITE-----MALE----	1	1	-	3	4	9	6	3	1	-	-	-
FEMALE--	9	4	4	12	14	11	19	14	13	2	3	-
ALL OTHER--MALE----	2	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	2	-	-	1	2	1	1	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	2	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2822

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)												
MINNESOTA -----	109	-	-	-	-	-	-	-	1	-	3	3
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	86	-	-	-	-	-	-	-	1	-	3	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	42	-	-	-	1	1	-	1	1	3	4	2
WHITE-----MALE----	10	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	19	-	-	-	1	1	-	-	-	1	2	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	10	-	-	-	-	-	-	-	1	2	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	10	-	-	-	-	-	-	-	1	2	-	-
MISSOURI -----	106	-	1	-	-	-	1	1	1	1	2	7
WHITE-----MALE----	38	-	-	-	-	-	1	1	-	-	1	3
FEMALE--	54	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	1	-	-	-	-	-	1	1	-	2
BLACK---MALE-----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	1	-	-	-	-	-	1	1	-	2
MONTANA -----	20	-	-	-	-	-	-	-	-	1	-	2
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	47	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	34	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	27	-	-	-	-	1	-	-	-	1	2	1
WHITE-----MALE----	10	-	-	-	-	1	-	-	-	-	2	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2822

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)												
MINNESOTA -----	3	3	5	5	10	14	11	21	16	9	5	-
WHITE-----MALE----	1	1	-	-	2	5	3	4	2	-	1	-
FEMALE--	2	2	5	5	7	9	7	17	13	9	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
MISSISSIPPI -----	1	2	2	5	7	6	4	1	-	1	-	-
WHITE-----MALE----	-	1	1	1	2	2	1	-	-	-	-	-
FEMALE--	-	-	1	2	5	3	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	1	3	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	1	3	-	-	-	-	-
MISSOURI -----	7	7	4	11	12	12	15	10	11	2	1	-
WHITE-----MALE----	3	4	2	5	4	4	4	2	2	2	-	-
FEMALE--	4	2	2	6	6	5	11	8	7	-	1	-
ALL OTHER--MALE----	-	1	-	-	-	2	-	-	2	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	2	-	-	2	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	-	-	-	-
MONTANA -----	-	-	3	1	1	1	1	3	4	3	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	1	2	-	-	-
FEMALE--	-	-	2	1	1	-	-	2	2	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	2	4	7	2	5	6	8	7	3	1	-
WHITE-----MALE----	-	-	1	4	-	1	3	1	3	-	-	-
FEMALE--	1	2	3	3	2	4	3	7	4	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	2	2	3	2	4	3	3	1	1	-	1	-
WHITE-----MALE----	-	2	-	1	-	3	1	-	-	-	-	-
FEMALE--	1	-	1	1	3	-	-	1	1	-	1	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2824

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)												
OHIO -----	232	-	-	-	1	-	1	1	2	2	7	7
WHITE-----MALE----	59	-	-	-	-	-	1	-	-	-	1	4
FEMALE--	146	-	-	-	-	-	-	1	1	1	3	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	21	-	-	-	1	-	-	-	1	-	3	1
BLACK---MALE-----	6	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	20	-	-	-	1	-	-	-	1	-	3	1
OKLAHOMA -----	66	-	-	-	-	-	-	1	1	-	1	-
WHITE-----MALE----	18	-	-	-	-	-	-	1	1	-	1	-
FEMALE--	40	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	69	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	41	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	225	-	-	-	-	-	1	1	2	1	8	6
WHITE-----MALE----	62	-	-	-	-	-	-	-	1	-	1	4
FEMALE--	143	-	-	-	-	-	-	-	1	-	4	1
ALL OTHER--MALE----	8	-	-	-	-	-	1	-	-	1	2	-
FEMALE--	12	-	-	-	-	-	-	1	-	-	1	1
BLACK---MALE-----	8	-	-	-	-	-	1	-	-	1	2	-
FEMALE--	11	-	-	-	-	-	-	1	-	-	1	1
RHODE ISLAND -----	18	-	-	-	-	-	-	1	-	-	1	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
SOUTH CAROLINA -----	71	-	-	-	1	1	1	-	-	2	3	3
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	21	-	-	-	1	1	1	-	-	1	2	3
BLACK---MALE-----	10	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	20	-	-	-	1	1	1	-	-	1	2	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2824

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)												
OHIO -----	9	10	17	14	21	29	37	28	27	16	3	-
WHITE-----MALE----	3	4	2	6	8	9	8	5	5	3	-	-
FEMALE--	3	3	11	7	11	19	27	22	20	13	3	-
ALL OTHER--MALE----	-	1	2	-	1	-	-	-	-	-	-	-
FEMALE--	3	2	2	1	1	1	2	1	2	-	-	-
BLACK---MALE-----	-	1	2	-	1	-	-	-	-	-	-	-
FEMALE--	3	2	2	-	1	1	2	1	2	-	-	-
OKLAHOMA -----	5	3	6	7	11	9	9	10	1	2	-	-
WHITE-----MALE----	-	1	1	1	4	6	1	-	-	1	-	-
FEMALE--	4	1	4	5	5	3	7	9	1	1	-	-
ALL OTHER--MALE----	-	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	-	1	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	1	-	-	-	-
OREGON -----	1	2	6	7	5	10	7	10	11	7	1	-
WHITE-----MALE----	-	2	2	3	1	4	4	3	2	1	-	-
FEMALE--	1	-	2	4	4	6	3	7	9	4	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	2	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	2	-	-
PENNSYLVANIA -----	11	7	15	26	25	36	35	22	20	6	3	-
WHITE-----MALE----	3	4	5	6	6	11	9	6	4	2	-	-
FEMALE--	6	2	7	18	17	25	26	15	14	4	3	-
ALL OTHER--MALE----	-	-	2	1	-	-	-	1	-	-	-	-
FEMALE--	2	1	1	1	2	-	-	-	2	-	-	-
BLACK---MALE-----	-	-	2	1	-	-	-	1	-	-	-	-
FEMALE--	2	1	-	1	2	-	-	-	2	-	-	-
RHODE ISLAND -----	-	2	-	1	3	3	2	4	-	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	1	-	1	2	3	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	6	6	5	6	11	8	10	4	3	1	-	-
WHITE-----MALE----	1	-	2	-	1	2	3	-	1	-	-	-
FEMALE--	1	2	-	5	5	4	6	4	1	1	-	-
ALL OTHER--MALE----	-	1	1	-	4	1	1	-	1	-	-	-
FEMALE--	4	3	2	1	1	1	-	-	-	-	-	-
BLACK---MALE-----	-	1	1	-	4	1	1	-	1	-	-	-
FEMALE--	4	3	2	1	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2825

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)												
SOUTH DAKOTA -----	17	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	99	-	-	-	-	-	-	1	2	5	4	5
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	57	-	-	-	-	-	-	1	2	1	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	2	2	2
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	2	2	2
TEXAS -----	341	-	-	1	-	1	2	3	3	6	15	18
WHITE-----MALE----	79	-	-	1	-	-	1	-	1	1	3	3
FEMALE--	200	-	-	-	-	1	-	1	1	3	7	5
ALL OTHER--MALE----	23	-	-	-	-	-	1	-	1	1	-	2
FEMALE--	39	-	-	-	-	-	-	2	-	1	5	8
BLACK---MALE-----	17	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	39	-	-	-	-	-	-	2	-	1	5	8
UTAH -----	29	-	-	-	-	-	-	-	1	-	1	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	14	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	122	-	-	-	-	-	4	-	1	1	9	7
WHITE-----MALE----	29	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	53	-	-	-	-	-	1	-	1	1	-	1
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	4	2
FEMALE--	28	-	-	-	-	-	3	-	-	-	4	4
BLACK---MALE-----	12	-	-	-	-	-	-	-	-	-	4	2
FEMALE--	23	-	-	-	-	-	2	-	-	-	4	4

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2825

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other arthropathies and related disorders (M00,M02,M10-M31,M33-M35)												
SOUTH DAKOTA -----	-	3	-	2	2	2	2	3	-	1	-	-
WHITE-----MALE----	-	-	-	1	-	1	1	3	-	-	-	-
FEMALE--	-	3	-	1	2	1	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	6	3	9	10	14	12	6	16	1	1	-
WHITE-----MALE----	1	1	-	2	2	6	6	-	2	1	-	-
FEMALE--	2	3	3	7	6	8	4	6	11	-	1	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	-	2	-	3	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	-	2	-	3	-	-	-
TEXAS -----	17	24	14	28	48	44	42	35	27	10	3	-
WHITE-----MALE----	2	7	5	6	6	10	15	11	6	-	1	-
FEMALE--	12	10	7	14	36	32	22	23	15	9	2	-
ALL OTHER--MALE----	2	4	1	4	1	3	1	1	1	-	-	-
FEMALE--	1	3	1	4	5	1	2	-	5	1	-	-
BLACK---MALE----	1	2	1	3	1	1	3	1	1	-	-	-
FEMALE--	1	3	1	4	5	1	2	-	5	1	-	-
UTAH -----	2	1	1	3	2	4	4	5	3	1	-	-
WHITE-----MALE----	-	-	-	1	-	2	1	3	-	-	-	-
FEMALE--	2	1	1	2	2	3	2	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	1	1	3	5	-	1	-	2	-
WHITE-----MALE----	1	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	1	3	3	-	1	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	7	8	10	10	11	10	10	17	12	5	-	-
WHITE-----MALE----	1	4	1	5	4	2	2	4	4	1	-	-
FEMALE--	2	2	6	2	4	6	6	11	7	3	-	-
ALL OTHER--MALE----	1	1	-	1	-	2	1	-	-	-	-	-
FEMALE--	3	1	3	2	3	-	1	2	1	1	-	-
BLACK---MALE----	1	1	-	1	-	2	1	-	-	-	-	-
FEMALE--	3	1	2	1	3	-	1	-	1	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2827

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Dorsopathies (M40-M54)												
UNITED STATES -	23	29	41	63	78	127	164	141	85	27	7	-
WHITE-----MALE----	15	11	21	28	37	39	64	45	27	4	1	-
FEMALE--	4	14	17	27	29	75	85	91	52	20	5	-
ALL OTHER--MALE----	1	3	2	7	8	7	5	1	1	1	-	-
FEMALE--	3	1	1	1	4	6	10	4	5	2	1	-
BLACK---MALE----	1	3	2	7	8	7	2	1	-	1	-	-
FEMALE--	2	1	1	1	4	6	8	3	4	1	1	-
ALABAMA -----	1	3	1	3	3	1	4	2	1	-	-	-
WHITE-----MALE----	1	-	-	1	2	-	3	-	-	-	-	-
FEMALE--	-	2	-	2	1	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALASKA -----	-	-	-	-	-	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	1	-	1	-	1	4	1	2	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	2	-	1	-	-	-
FEMALE--	1	1	-	1	-	-	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	1	1	-	1	1	1	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	-	2	1	4	5	5	17	16	12	5	-	-
WHITE-----MALE----	-	1	1	1	1	2	9	6	6	1	-	-
FEMALE--	-	1	-	3	3	3	7	10	5	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2828

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Dorsopathies (M40-M54)												
COLORADO -----	2	-	-	-	1	2	4	5	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	3	-	-	-	-
FEMALE--	1	-	-	-	1	1	4	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
CONNECTICUT -----	1	-	-	-	1	2	5	1	-	-	1	-
WHITE-----MALE----	1	-	-	-	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	3	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	1	-	1	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	1	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	1	5	5	6	10	8	8	9	-	1	-
WHITE-----MALE----	-	-	2	2	4	4	5	4	2	-	-	-
FEMALE--	-	1	3	2	1	5	3	4	7	-	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
GEORGIA -----	1	2	2	1	-	5	3	5	-	-	-	-
WHITE-----MALE----	-	2	1	-	-	3	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	2	5	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2833

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Dorsopathies (M40-M54)												
OHIO -----	40	-	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	11	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	15	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	39	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	6	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	13	-	-	-	-	1	-	-	-	1	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2833

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Dorsopathies (M40-M54)												
OHIO -----	2	1	3	4	8	3	9	6	1	1	-	-
WHITE-----MALE----	1	-	-	3	6	2	5	2	-	-	-	-
FEMALE--	1	-	3	-	1	1	3	4	1	1	-	-
ALL OTHER--MALE----	-	1	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	2	3	2	-	-	3	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	3	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	1	5	5	3	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	3	3	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	-	1	1	6	7	7	9	2	1	1	-
WHITE-----MALE----	1	-	-	1	4	2	5	2	2	-	-	-
FEMALE--	-	-	1	-	2	5	2	7	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	1	1	2	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	2	-	4	2	2	-	1	-	-	-
WHITE-----MALE----	-	-	2	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2834

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Dorsopathies (M40-M54)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	1	3	1	1	7	1	2	-	-	-	-
WHITE-----MALE----	-	-	2	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	1	6	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
TEXAS -----	3	5	-	8	5	13	14	8	6	-	-	-
WHITE-----MALE----	3	3	-	4	2	4	5	3	2	-	-	-
FEMALE--	-	2	-	3	2	7	9	5	4	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
UTAH -----	-	-	-	1	1	1	1	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	1	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	1	2	2	3	4	2	2	-	-	-	-
WHITE-----MALE----	-	1	1	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	1	-	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2837

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Soft tissue disorders (M60-M79)												
COLORADO -----	16	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	9	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	4	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
FLORIDA -----	48	-	-	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	38	-	-	-	-	1	-	-	-	2	5	3
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	13	-	-	-	-	1	-	-	-	1	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	1	2	-
BLACK---MALE-----	13	-	-	-	-	1	-	-	-	1	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	1	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2839

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Soft tissue disorders (M60-M79)												
KENTUCKY -----	20	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	15	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	6	-	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	24	-	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	20	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	32	-	-	-	-	-	1	-	-	2	-	3
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	1	-	-	1	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2839

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Soft tissue disorders (M60-M79)												
KENTUCKY -----	-	-	3	2	-	4	3	5	1	1	-	-
WHITE-----MALE----	-	-	2	1	-	2	1	2	-	-	-	-
FEMALE--	-	-	1	1	-	2	1	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
LOUISIANA -----	1	1	2	2	3	3	2	-	-	-	-	-
WHITE-----MALE----	-	1	-	1	3	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	2	1	-	-	-	-	-
MAINE -----	-	-	-	1	1	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	3	1	1	5	7	2	2	1	-	-	-
WHITE-----MALE----	-	1	-	-	1	2	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	4	1	-	1	-	-	-
ALL OTHER--MALE----	-	1	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	1	1	-	-	-	-
BLACK---MALE----	-	1	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	1	1	-	-	-	-
MASSACHUSETTS -----	2	1	1	1	3	5	-	2	4	-	-	-
WHITE-----MALE----	-	-	-	1	2	3	-	-	2	-	-	-
FEMALE--	2	-	-	-	1	2	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	5	-	1	2	3	6	2	4	3	-	-	-
WHITE-----MALE----	1	-	-	1	2	2	1	2	2	-	-	-
FEMALE--	2	-	1	-	-	4	1	1	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2842

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Soft tissue disorders (M60-M79)												
OHIO -----	3	2	4	2	8	6	5	3	7	-	-	-
WHITE-----MALE----	2	1	3	1	2	2	2	2	4	-	-	-
FEMALE--	1	-	1	1	5	3	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	1	1	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	1	1	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	1	-	-	-
OKLAHOMA -----	-	-	-	-	1	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	1	-	1	-	-	2	3	2	-	-	-
WHITE-----MALE----	-	1	-	1	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	1	2	4	5	7	5	10	-	-	1	-
WHITE-----MALE----	-	1	1	1	1	5	5	4	-	-	-	-
FEMALE--	1	-	-	3	2	1	-	6	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	1	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	1	-	-	-	-	1	-
RHODE ISLAND -----	1	-	-	2	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	2	2	5	2	3	1	2	3	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	2	1	-	-	-
FEMALE--	-	2	2	4	-	1	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	2	1	-	-	-
FEMALE--	-	2	2	4	-	1	1	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2843

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Soft tissue disorders (M60-M79)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	1	3	1	-	-	3	2	-	-	-	-
WHITE-----MALE----	-	1	1	1	-	-	1	-	-	-	-	-
FEMALE--	2	-	2	-	-	-	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	1	7	6	6	11	7	5	6	2	1	-	-
WHITE-----MALE----	-	2	5	4	8	3	2	2	1	1	-	-
FEMALE--	1	2	-	2	3	3	2	3	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	3	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	3	-	-	-	-	1	1	-	-	-	-
UTAH -----	-	-	1	-	2	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	2	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	3	2	2	3	5	3	3	1	-	-	-
WHITE-----MALE----	1	1	1	2	-	2	1	2	1	-	-	-
FEMALE--	-	1	-	-	2	1	2	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2845

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Osteopathies, chondropathies and other disorders of musculoskeletal system and connective tissue (M80-M99)												
UNITED STATES -	30	45	60	103	163	338	484	727	660	295	80	-
WHITE-----MALE----	12	21	22	43	52	114	113	147	94	36	5	-
FEMALE--	11	14	21	39	86	192	324	530	531	247	61	-
ALL OTHER--MALE----	4	6	10	12	17	15	18	21	9	1	1	-
FEMALE--	3	4	7	9	8	17	29	29	26	11	13	-
BLACK---MALE----	3	6	9	12	15	13	15	20	6	1	1	-
FEMALE--	3	4	7	8	6	17	24	23	21	6	10	-
ALABAMA -----	-	1	3	2	4	4	5	8	6	2	1	-
WHITE-----MALE----	-	-	-	1	2	-	-	1	-	-	-	-
FEMALE--	-	-	1	1	-	4	3	6	5	1	1	-
ALL OTHER--MALE----	-	1	-	-	2	-	1	1	-	-	-	-
FEMALE--	-	-	2	-	-	-	1	-	1	1	-	-
BLACK---MALE----	-	1	-	-	2	-	1	1	-	-	-	-
FEMALE--	-	-	2	-	-	-	1	-	1	-	-	-
ALASKA -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	3	-	-	4	9	7	13	5	1	-	-
WHITE-----MALE----	-	2	-	-	1	3	2	2	-	-	-	-
FEMALE--	-	1	-	-	3	6	4	11	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	1	5	4	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	4	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	2	7	6	15	24	33	37	67	57	26	11	-
WHITE-----MALE----	1	3	4	7	5	6	11	9	9	4	1	-
FEMALE--	-	3	1	5	16	25	25	52	44	21	8	-
ALL OTHER--MALE----	1	-	1	1	2	2	-	1	2	-	-	-
FEMALE--	-	1	-	2	1	-	1	5	2	1	2	-
BLACK---MALE----	-	-	1	1	-	1	-	1	1	-	-	-
FEMALE--	-	1	-	2	-	-	1	3	-	1	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2846

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Osteopathies, chondropathies and other disorders of musculoskeletal system and connective tissue (M80-M99)												
COLORADO -----	-	-	-	1	2	5	12	5	2	4	1	-
WHITE-----MALE----	-	-	-	-	-	1	3	2	-	-	1	-
FEMALE--	-	-	-	1	2	4	8	3	2	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	-	2	3	3	4	5	5	4	1	-
WHITE-----MALE----	-	-	-	-	1	1	1	1	-	-	-	-
FEMALE--	1	-	-	2	2	2	3	4	5	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	-	-	1	1	-	2	3	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE-----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	1	-	3	2	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	1	-	-
FLORIDA -----	2	2	4	4	10	18	31	43	35	20	3	-
WHITE-----MALE----	1	1	2	3	3	11	8	14	8	3	-	-
FEMALE--	1	-	1	1	6	6	22	28	27	17	3	-
ALL OTHER--MALE----	-	1	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
GEORGIA -----	-	-	2	5	2	10	11	12	12	7	3	-
WHITE-----MALE----	-	-	-	3	2	4	3	2	1	-	-	-
FEMALE--	-	-	2	1	-	5	5	8	10	7	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	2	-	-	-	-
FEMALE--	-	-	-	1	-	1	2	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	2	-	-	-	-
FEMALE--	-	-	-	1	-	1	2	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2848

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Osteopathies, chondropathies and other disorders of musculoskeletal system and connective tissue (M80-M99)												
KENTUCKY -----	1	-	2	1	3	7	8	14	14	5	2	-
WHITE-----MALE----	-	-	1	-	2	5	1	2	1	-	-	-
FEMALE--	1	-	1	1	1	2	7	12	13	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
LOUISIANA -----	1	2	2	3	1	5	7	8	13	4	-	-
WHITE-----MALE----	-	1	-	2	-	2	1	3	-	-	-	-
FEMALE--	1	1	1	-	1	2	4	4	11	4	-	-
ALL OTHER--MALE----	-	-	1	1	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	2	-	-	-
BLACK---MALE-----	-	-	1	1	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	2	-	-	-
MAINE -----	1	-	-	2	1	1	6	2	5	-	-	-
WHITE-----MALE----	1	-	-	2	-	-	2	1	2	-	-	-
FEMALE--	-	-	-	-	1	1	4	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	3	1	1	4	3	10	5	15	6	3	-
WHITE-----MALE----	-	-	-	1	-	1	2	1	2	-	-	-
FEMALE--	-	2	-	-	2	2	6	4	12	6	3	-
ALL OTHER--MALE----	-	1	1	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	1	-	1	-	-	-
BLACK---MALE-----	-	1	1	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	1	-	1	-	-	-
MASSACHUSETTS -----	-	-	-	1	4	12	10	16	14	11	-	-
WHITE-----MALE----	-	-	-	1	2	4	-	4	4	1	-	-
FEMALE--	-	-	-	-	2	8	7	12	10	9	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
MICHIGAN -----	1	3	-	7	6	11	19	30	16	7	4	-
WHITE-----MALE----	-	1	-	1	1	2	5	8	3	1	-	-
FEMALE--	1	1	-	2	5	5	10	21	13	5	3	-
ALL OTHER--MALE----	-	-	-	3	-	1	2	1	-	-	-	-
FEMALE--	-	1	-	1	-	3	2	-	-	1	1	-
BLACK---MALE-----	-	-	-	3	-	1	2	1	-	-	-	-
FEMALE--	-	1	-	-	-	3	2	-	-	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2851

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Osteopathies, chondropathies and other disorders of musculoskeletal system and connective tissue (M80-M99)												
OHIO -----	2	1	4	2	7	16	28	39	32	14	2	-
WHITE-----MALE----	1	1	3	-	1	7	6	6	5	3	-	-
FEMALE--	1	-	1	1	3	7	19	28	25	11	2	-
ALL OTHER--MALE----	-	-	-	1	2	1	1	2	1	-	-	-
FEMALE--	-	-	-	-	1	1	2	3	1	-	-	-
BLACK---MALE----	-	-	-	1	2	1	1	2	1	-	-	-
FEMALE--	-	-	-	-	1	1	2	3	1	-	-	-
OKLAHOMA -----	1	-	-	2	-	3	6	9	11	6	-	-
WHITE-----MALE----	-	-	-	-	-	2	2	4	2	2	-	-
FEMALE--	1	-	-	2	-	1	4	4	8	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
OREGON -----	1	1	2	-	2	8	11	23	23	7	2	-
WHITE-----MALE----	-	1	2	-	1	1	2	4	1	1	-	-
FEMALE--	1	-	-	-	1	7	8	18	22	6	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	1	2	3	8	21	27	36	26	13	4	-
WHITE-----MALE----	-	-	-	-	5	8	7	6	4	-	-	-
FEMALE--	-	1	-	2	1	10	19	26	18	13	2	-
ALL OTHER--MALE----	-	-	2	-	2	1	-	3	-	-	1	-
FEMALE--	-	-	-	1	-	2	1	1	4	-	1	-
BLACK---MALE----	-	-	2	-	2	1	-	3	-	-	1	-
FEMALE--	-	-	-	1	-	2	1	1	4	-	1	-
RHODE ISLAND -----	-	2	-	-	1	-	4	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	-	1	-	-	-
FEMALE--	-	2	-	-	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	1	1	2	4	8	10	13	5	7	1	-
WHITE-----MALE----	-	1	-	-	1	3	3	1	1	-	-	-
FEMALE--	-	-	-	2	1	4	5	10	4	7	1	-
ALL OTHER--MALE----	-	-	1	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	1	-	-	-	-
BLACK---MALE----	-	-	1	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2852

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Osteopathies, chondropathies and other disorders of musculoskeletal system and connective tissue (M80-M99)												
SOUTH DAKOTA -----	-	-	-	-	-	-	2	7	4	3	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	2	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	5	3	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	1	3	2	5	9	12	18	16	1	3	-
WHITE-----MALE----	1	-	1	-	2	4	5	5	3	-	-	-
FEMALE--	-	1	2	1	1	4	7	10	11	1	1	-
ALL OTHER--MALE----	1	-	-	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	2	2	-	2	-
BLACK---MALE-----	1	-	-	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	2	2	-	2	-
TEXAS -----	4	1	4	5	5	24	25	43	22	19	2	-
WHITE-----MALE----	3	-	1	2	2	7	7	7	2	3	-	-
FEMALE--	-	-	3	1	2	13	18	33	19	15	2	-
ALL OTHER--MALE----	1	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	1	-	1	-	4	-	2	1	1	-	-
BLACK---MALE-----	1	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	1	-	1	-	4	-	1	1	1	-	-
UTAH -----	-	-	1	1	2	5	10	24	11	4	1	-
WHITE-----MALE----	-	-	-	-	-	2	-	3	2	1	-	-
FEMALE--	-	-	1	1	2	3	10	21	8	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	1	4	-	2	3	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	3	-	2	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	-	2	2	4	7	9	20	20	7	3	-
WHITE-----MALE----	1	-	1	-	1	2	1	4	3	-	-	-
FEMALE--	-	-	-	1	2	4	7	13	16	7	2	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	1	1	-	-	-
FEMALE--	-	-	1	-	-	-	1	2	-	-	1	-
BLACK---MALE-----	-	-	-	1	1	1	-	1	1	-	-	-
FEMALE--	-	-	1	-	-	-	1	2	-	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2857

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Osteoporosis (M80-M81)												
KENTUCKY -----	-	-	1	-	1	3	5	9	11	3	1	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	1	2	5	8	11	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	-	-	2	2	5	8	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	2	4	8	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	1	-	-	-	-	1	5	2	3	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	4	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	-	-	-	6	4	10	6	3	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	5	4	9	6	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MASSACHUSETTS -----	-	-	-	-	-	5	2	10	9	9	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	2	-	1	-	-
FEMALE--	-	-	-	-	-	5	2	8	9	8	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	-	-	1	2	5	7	17	8	6	2	-
WHITE-----MALE----	-	-	-	-	-	1	-	2	-	-	-	-
FEMALE--	-	-	-	1	2	3	6	15	8	5	2	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2860

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Osteoporosis (M80-M81)												
OHIO -----	-	-	-	-	1	5	16	25	20	10	2	-
WHITE-----MALE----	-	-	-	-	-	1	1	4	1	1	-	-
FEMALE--	-	-	-	-	1	4	15	21	19	9	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	2	-	1	3	4	8	5	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	1	1	-	-
FEMALE--	-	-	-	2	-	1	3	3	7	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	6	9	18	17	5	2	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	6	7	16	16	5	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	-	1	-	7	15	15	18	9	1	-
WHITE-----MALE----	-	-	-	-	-	1	2	-	3	-	-	-
FEMALE--	-	-	-	1	-	6	13	15	15	9	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	1	-	1	1	4	4	11	4	5	1	-
WHITE-----MALE----	-	1	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	1	1	3	3	9	3	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2863

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue (M83-M99)												
UNITED STATES -	27	43	53	76	125	185	211	256	208	75	16	-
WHITE-----MALE----	10	20	22	39	46	90	78	91	56	20	-	-
FEMALE--	10	13	16	16	58	66	94	122	126	50	9	-
ALL OTHER--MALE----	4	6	10	12	16	12	18	19	5	-	1	-
FEMALE--	3	4	5	9	5	17	21	24	21	5	6	-
BLACK---MALE----	3	6	9	12	14	11	15	18	5	-	1	-
FEMALE--	3	4	5	8	5	17	21	23	19	4	6	-
ALABAMA -----	-	1	3	-	3	2	3	3	2	-	-	-
WHITE-----MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	1	2	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	2	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	1	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	2	-	-	-	1	-	1	-	-	-
ALASKA -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	3	-	-	4	4	4	4	-	-	-	-
WHITE-----MALE----	-	2	-	-	1	3	2	2	-	-	-	-
FEMALE--	-	1	-	-	3	1	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	2	7	6	12	14	10	11	21	14	4	2	-
WHITE-----MALE----	1	3	4	5	3	2	4	4	3	1	-	-
FEMALE--	-	3	1	4	9	6	6	13	9	2	2	-
ALL OTHER--MALE----	1	-	1	1	2	2	-	1	1	-	-	-
FEMALE--	-	1	-	2	-	-	1	3	1	1	-	-
BLACK---MALE----	-	-	1	1	-	1	-	1	1	-	-	-
FEMALE--	-	1	-	2	-	-	1	3	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2864

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue (M83-M99)												
COLORADO -----	-	-	-	-	1	1	5	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	3	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	-	2	3	2	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	1	-	-	2	2	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	-	-	1	1	-	2	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	1	2	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	1	-	-
FLORIDA -----	2	2	4	4	7	8	12	17	14	6	-	-
WHITE-----MALE----	1	1	2	3	2	7	3	9	4	2	-	-
FEMALE--	1	-	1	1	4	-	8	7	10	4	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
GEORGIA -----	-	-	-	4	2	7	8	5	4	1	1	-
WHITE-----MALE----	-	-	-	3	2	3	3	2	1	-	-	-
FEMALE--	-	-	-	-	-	3	2	1	2	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	2	-	-	-	-
FEMALE--	-	-	-	1	-	1	2	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	2	-	-	-	-
FEMALE--	-	-	-	1	-	1	2	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2866

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue (M83-M99)												
KENTUCKY -----	1	-	1	1	2	4	3	5	3	2	1	-
WHITE-----MALE----	-	-	1	-	2	4	1	1	1	-	-	-
FEMALE--	1	-	-	1	-	-	2	4	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
LOUISIANA -----	1	2	2	3	1	3	5	3	5	3	-	-
WHITE-----MALE----	-	1	-	2	-	2	1	2	-	-	-	-
FEMALE--	1	1	1	-	1	-	2	-	3	3	-	-
ALL OTHER--MALE----	-	-	1	1	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	2	-	-	-
BLACK---MALE-----	-	-	1	1	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	2	-	-	-
MAINE -----	-	-	-	2	1	-	1	-	2	-	-	-
WHITE-----MALE----	-	-	-	2	-	-	1	-	2	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	3	1	1	4	3	4	1	5	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	2	1	1	-	-	-
FEMALE--	-	2	-	-	2	2	1	-	3	-	-	-
ALL OTHER--MALE----	-	1	1	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE-----	-	1	1	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	1	-	-	-
MASSACHUSETTS -----	-	-	-	1	4	7	8	6	5	2	-	-
WHITE-----MALE----	-	-	-	1	2	4	-	2	4	-	-	-
FEMALE--	-	-	-	-	2	3	5	4	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
MICHIGAN -----	1	3	-	6	4	6	12	13	8	1	2	-
WHITE-----MALE----	-	1	-	1	1	1	5	6	3	1	-	-
FEMALE--	1	1	-	1	3	2	4	6	5	-	1	-
ALL OTHER--MALE----	-	-	-	3	-	-	2	1	-	-	-	-
FEMALE--	-	1	-	1	-	3	1	-	-	-	1	-
BLACK---MALE-----	-	-	-	3	-	-	2	1	-	-	-	-
FEMALE--	-	1	-	-	-	3	1	-	-	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2869

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue (M83-M99)												
OHIO -----	2	1	4	2	6	11	12	14	12	4	-	-
WHITE-----MALE----	1	1	3	-	1	6	5	2	4	2	-	-
FEMALE--	1	-	1	1	2	3	4	7	6	2	-	-
ALL OTHER--MALE----	-	-	-	1	2	1	1	2	1	-	-	-
FEMALE--	-	-	-	-	1	1	2	3	1	-	-	-
BLACK---MALE----	-	-	-	1	2	1	1	2	1	-	-	-
FEMALE--	-	-	-	-	1	1	2	3	1	-	-	-
OKLAHOMA -----	1	-	-	-	-	2	3	5	3	1	-	-
WHITE-----MALE----	-	-	-	-	-	2	2	3	1	1	-	-
FEMALE--	1	-	-	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
OREGON -----	1	1	2	-	2	2	2	5	6	2	-	-
WHITE-----MALE----	-	1	2	-	1	1	1	3	-	1	-	-
FEMALE--	1	-	-	-	1	1	1	2	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	1	2	2	8	14	12	21	8	4	3	-
WHITE-----MALE----	-	-	-	-	5	7	5	6	1	-	-	-
FEMALE--	-	1	-	1	1	4	6	11	3	4	1	-
ALL OTHER--MALE----	-	-	2	-	2	1	-	3	-	-	1	-
FEMALE--	-	-	-	1	-	2	1	1	4	-	1	-
BLACK---MALE----	-	-	2	-	2	1	-	3	-	-	1	-
FEMALE--	-	-	-	1	-	2	1	1	4	-	1	-
RHODE ISLAND -----	-	2	-	-	1	-	3	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	2	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	1	1	3	4	6	2	1	2	-	-
WHITE-----MALE----	-	-	-	-	1	3	3	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	2	1	1	2	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2870

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue (M83-M99)												
SOUTH DAKOTA -----	-	-	-	-	-	-	1	2	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	2	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	-	3	2	4	7	6	8	8	-	2	-
WHITE-----MALE----	1	-	1	-	2	4	3	4	2	-	-	-
FEMALE--	-	-	2	1	-	2	3	1	4	-	-	-
ALL OTHER--MALE----	1	-	-	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	2	2	-	2	-
BLACK---MALE----	1	-	-	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	2	2	-	2	-
TEXAS -----	3	1	3	4	4	13	10	18	9	4	-	-
WHITE-----MALE----	2	-	1	2	2	4	5	5	2	2	-	-
FEMALE--	-	-	2	-	1	5	5	11	6	2	-	-
ALL OTHER--MALE----	1	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	1	-	1	-	4	-	1	1	-	-	-
BLACK---MALE----	1	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	1	-	1	-	4	-	1	1	-	-	-
UTAH -----	-	-	1	-	1	2	-	1	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	1	2	-	-	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	-	2	1	1	6	4	6	7	3	-	-
WHITE-----MALE----	1	-	1	-	-	2	1	2	2	-	-	-
FEMALE--	-	-	-	-	-	3	2	2	4	3	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	1	2	-	-	-	-
BLACK---MALE----	-	-	-	1	1	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	1	2	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2872

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XIV. Diseases of the genitourinary system (N00-N98)												
UNITED STATES -	54,560	191	22	13	19	42	73	105	203	342	574	855
WHITE-----MALE----	19,460	70	6	6	8	15	27	35	57	94	196	290
FEMALE--	25,131	38	9	3	5	12	31	34	59	94	146	215
ALL OTHER--MALE----	4,289	48	3	1	2	8	3	18	44	80	129	215
FEMALE--	5,680	35	4	3	4	7	12	18	43	74	103	135
BLACK---MALE----	3,817	44	2	1	1	8	3	15	40	77	117	206
FEMALE--	5,111	34	3	2	4	6	11	18	40	67	94	125
ALABAMA -----	1,294	12	-	-	-	1	3	2	3	10	18	32
WHITE-----MALE----	370	7	-	-	-	-	1	1	-	-	3	12
FEMALE--	502	1	-	-	-	-	1	1	2	1	4	4
ALL OTHER--MALE----	184	2	-	-	-	1	-	-	-	3	9	12
FEMALE--	238	2	-	-	-	-	1	-	1	6	2	4
BLACK---MALE----	184	2	-	-	-	1	-	-	-	3	9	12
FEMALE--	236	2	-	-	-	-	1	-	1	6	2	4
ALASKA -----	47	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	882	5	1	1	-	-	2	2	5	5	11	14
WHITE-----MALE----	371	1	-	-	-	-	1	1	-	-	2	8
FEMALE--	430	3	1	1	-	-	1	-	3	3	4	4
ALL OTHER--MALE----	30	-	-	-	-	-	-	1	1	-	2	1
FEMALE--	51	1	-	-	-	-	-	-	1	2	3	1
BLACK---MALE----	10	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	21	1	-	-	-	-	-	-	-	-	1	-
ARKANSAS -----	712	3	1	-	-	1	-	4	3	9	10	8
WHITE-----MALE----	241	1	-	-	-	-	-	3	2	3	3	4
FEMALE--	326	1	-	-	-	1	-	1	-	2	4	3
ALL OTHER--MALE----	61	-	-	-	-	-	-	-	-	3	1	-
FEMALE--	84	1	1	-	-	-	-	-	1	1	2	1
BLACK---MALE----	61	-	-	-	-	-	-	-	-	3	1	-
FEMALE--	84	1	1	-	-	-	-	-	1	1	2	1
CALIFORNIA -----	3,939	9	5	1	1	3	4	10	16	25	52	54
WHITE-----MALE----	1,339	2	3	1	-	3	2	5	5	8	21	22
FEMALE--	1,901	3	1	-	-	-	2	3	7	10	11	14
ALL OTHER--MALE----	315	1	1	-	1	-	-	2	3	3	7	14
FEMALE--	384	3	-	-	-	-	-	-	1	4	13	4
BLACK---MALE----	168	-	-	-	-	-	-	1	2	2	4	10
FEMALE--	200	3	-	-	-	-	-	-	1	2	10	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2872

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XIV. Diseases of the genitourinary system (N00-N98)												
UNITED STATES -	1,191	1,546	2,235	3,474	5,362	8,293	10,032	9,935	6,863	2,639	548	3
WHITE-----MALE----	397	534	793	1,301	2,105	3,379	3,923	3,493	2,013	614	102	2
FEMALE--	331	466	738	1,194	2,026	3,537	4,742	5,297	4,070	1,722	362	-
ALL OTHER--MALE----	258	287	342	441	520	610	538	376	254	94	17	1
FEMALE--	205	259	362	538	711	767	829	769	526	209	67	-
BLACK---MALE----	235	260	305	393	466	549	473	320	206	82	13	1
FEMALE--	188	234	331	481	628	686	742	685	482	191	59	-
ALABAMA -----	25	48	71	80	118	202	230	227	157	46	9	-
WHITE-----MALE----	5	12	24	19	40	66	68	62	39	9	2	-
FEMALE--	6	10	14	23	37	75	98	114	84	23	4	-
ALL OTHER--MALE----	10	18	20	16	16	29	25	12	5	6	-	-
FEMALE--	4	8	13	22	25	32	39	39	29	8	3	-
BLACK---MALE----	10	18	20	16	16	29	25	12	5	6	-	-
FEMALE--	4	8	13	22	25	32	37	39	29	8	3	-
ALASKA -----	1	-	1	5	6	12	6	5	5	3	1	-
WHITE-----MALE----	1	-	1	1	3	6	2	1	-	2	-	-
FEMALE--	-	-	-	1	1	5	3	2	2	1	1	-
ALL OTHER--MALE----	-	-	-	2	2	1	1	1	2	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	18	24	38	76	126	134	158	131	98	26	7	-
WHITE-----MALE----	9	10	18	31	58	63	66	62	35	6	-	-
FEMALE--	6	10	15	33	57	65	78	64	59	17	6	-
ALL OTHER--MALE----	3	1	-	5	3	-	9	1	1	2	-	-
FEMALE--	-	3	5	7	8	6	5	4	3	1	1	-
BLACK---MALE----	1	1	-	2	1	-	3	-	-	-	-	-
FEMALE--	-	1	4	3	3	3	2	1	2	-	-	-
ARKANSAS -----	22	23	34	41	66	106	138	105	98	34	6	-
WHITE-----MALE----	7	9	10	15	32	43	44	35	21	6	3	-
FEMALE--	8	7	10	15	19	44	73	56	59	21	2	-
ALL OTHER--MALE----	3	5	5	5	7	8	11	3	6	4	-	-
FEMALE--	4	2	9	6	8	11	10	11	12	3	1	-
BLACK---MALE----	3	5	5	5	7	8	11	3	6	4	-	-
FEMALE--	4	2	9	6	8	11	10	11	12	3	1	-
CALIFORNIA -----	102	119	157	208	371	611	733	715	513	188	42	-
WHITE-----MALE----	40	47	44	60	135	227	256	262	150	40	6	-
FEMALE--	32	37	62	92	146	274	371	376	307	125	28	-
ALL OTHER--MALE----	14	19	22	25	41	59	42	28	23	8	2	-
FEMALE--	16	16	29	31	49	51	64	49	33	15	6	-
BLACK---MALE----	10	11	16	15	20	35	21	8	8	4	1	-
FEMALE--	12	12	21	17	20	24	28	23	16	5	3	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2873

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XIV. Diseases of the genitourinary system (N00-N98)												
COLORADO -----	549	2	-	-	-	-	4	1	3	2	6	5
WHITE-----MALE----	228	2	-	-	-	-	2	-	1	1	3	1
FEMALE--	285	-	-	-	-	-	2	1	2	1	3	4
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	744	-	-	1	-	-	-	-	3	8	8	10
WHITE-----MALE----	296	-	-	-	-	-	-	-	-	1	3	3
FEMALE--	388	-	-	1	-	-	-	-	2	5	3	2
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	38	-	-	-	-	-	-	-	1	1	2	2
BLACK---MALE----	20	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	38	-	-	-	-	-	-	-	1	1	2	2
DELAWARE -----	159	1	2	-	-	-	1	-	1	-	1	3
WHITE-----MALE----	51	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	69	-	1	-	-	-	1	-	1	-	1	-
ALL OTHER--MALE----	24	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	15	1	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	24	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	14	1	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ---	132	-	-	-	-	-	-	-	2	1	5	3
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	47	-	-	-	-	-	-	-	2	-	3	3
FEMALE--	70	-	-	-	-	-	-	-	-	1	2	-
BLACK---MALE----	46	-	-	-	-	-	-	-	2	-	3	3
FEMALE--	68	-	-	-	-	-	-	-	-	1	2	-
FLORIDA -----	2,831	13	-	-	-	2	1	4	5	16	17	40
WHITE-----MALE----	1,204	4	-	-	-	-	-	2	3	3	4	15
FEMALE--	1,221	1	-	-	-	-	-	2	1	4	5	11
ALL OTHER--MALE----	168	7	-	-	-	1	-	-	-	1	3	5
FEMALE--	238	1	-	-	-	1	1	-	1	8	5	9
BLACK---MALE----	165	7	-	-	-	1	-	-	-	1	3	5
FEMALE--	230	1	-	-	-	1	1	-	1	7	5	9
GEORGIA -----	1,750	10	1	-	2	2	7	2	15	14	31	55
WHITE-----MALE----	432	2	-	-	1	-	2	-	1	2	9	10
FEMALE--	624	1	1	-	-	-	2	-	1	1	6	13
ALL OTHER--MALE----	276	5	-	-	1	1	-	2	9	6	6	17
FEMALE--	418	2	-	-	-	1	3	-	4	5	10	15
BLACK---MALE----	270	4	-	-	1	1	-	2	8	5	6	17
FEMALE--	415	2	-	-	-	1	3	-	4	5	10	15

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2873

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XIV. Diseases of the genitourinary system (N00-N98)												
COLORADO -----	14	8	22	34	55	85	104	100	62	33	9	-
WHITE-----MALE----	8	4	8	14	23	47	49	38	22	3	2	-
FEMALE--	5	2	12	14	25	34	49	56	39	30	6	-
ALL OTHER--MALE----	1	-	1	3	1	1	3	2	1	-	-	-
FEMALE--	-	2	1	3	6	3	3	4	-	-	1	-
BLACK---MALE----	1	-	1	2	1	1	3	2	1	-	-	-
FEMALE--	-	2	1	1	4	3	3	4	-	-	1	-
CONNECTICUT -----	16	19	28	43	73	88	149	132	103	54	9	-
WHITE-----MALE----	8	6	12	21	36	40	62	48	40	15	1	-
FEMALE--	6	9	10	16	30	43	78	80	60	36	7	-
ALL OTHER--MALE----	1	1	2	3	5	1	5	-	-	-	-	-
FEMALE--	1	3	4	3	2	4	4	4	3	3	1	-
BLACK---MALE----	1	1	1	3	5	1	4	-	-	-	-	-
FEMALE--	1	3	4	3	2	4	4	4	3	3	1	-
DELAWARE -----	3	1	13	9	24	18	28	21	22	8	3	-
WHITE-----MALE----	1	-	6	4	10	7	11	6	3	2	-	-
FEMALE--	1	-	3	2	6	5	14	12	14	6	2	-
ALL OTHER--MALE----	1	1	3	2	7	3	1	1	2	-	1	-
FEMALE--	-	-	1	1	1	3	2	2	3	-	-	-
BLACK---MALE----	1	1	3	2	7	3	1	1	2	-	1	-
FEMALE--	-	-	1	1	1	3	2	2	2	-	-	-
DISTRICT OF COLUMBIA ---	3	5	5	11	8	27	15	21	17	6	3	-
WHITE-----MALE----	-	-	-	-	-	3	3	-	1	1	-	-
FEMALE--	-	-	-	1	-	1	1	1	2	1	-	-
ALL OTHER--MALE----	2	2	2	3	2	14	2	9	1	1	1	-
FEMALE--	1	3	3	7	6	9	9	11	13	3	2	-
BLACK---MALE----	2	2	2	3	2	14	2	9	1	1	-	-
FEMALE--	1	3	3	7	6	9	9	10	13	2	2	-
FLORIDA -----	44	71	85	170	262	441	545	541	395	155	24	-
WHITE-----MALE----	18	25	45	68	111	204	244	247	148	56	7	-
FEMALE--	14	20	18	63	97	179	239	246	218	88	15	-
ALL OTHER--MALE----	5	9	9	19	25	24	35	14	7	2	2	-
FEMALE--	7	17	13	20	29	34	27	34	22	9	-	-
BLACK---MALE----	5	9	9	19	25	23	33	14	7	2	2	-
FEMALE--	7	17	13	20	27	34	23	33	22	9	-	-
GEORGIA -----	56	63	79	142	185	232	325	266	178	69	16	-
WHITE-----MALE----	12	10	15	39	66	64	99	56	34	9	1	-
FEMALE--	11	15	23	29	45	82	116	134	96	40	8	-
ALL OTHER--MALE----	23	18	20	32	18	37	36	22	13	8	2	-
FEMALE--	10	20	21	42	56	49	74	54	35	12	5	-
BLACK---MALE----	22	18	20	32	18	35	36	22	13	8	2	-
FEMALE--	10	20	21	40	56	49	74	54	34	12	5	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2874

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XIV. Diseases of the genitourinary system (N00-N98)												
HAWAII -----	151	-	-	1	-	-	1	-	-	-	5	3
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	-	3	1
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	58	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	54	-	-	1	-	-	1	-	-	-	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	169	1	-	-	-	-	-	-	1	2	4	2
WHITE-----MALE----	76	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	90	1	-	-	-	-	-	-	1	2	3	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2,862	15	2	-	-	1	1	2	14	16	29	42
WHITE-----MALE----	1,032	4	1	-	-	1	-	-	5	2	8	15
FEMALE--	1,274	4	1	-	-	-	-	1	2	2	9	7
ALL OTHER--MALE----	248	3	-	-	-	-	1	-	3	10	9	10
FEMALE--	308	4	-	-	-	-	-	1	4	2	3	10
BLACK---MALE-----	236	3	-	-	-	-	1	-	2	9	9	10
FEMALE--	297	4	-	-	-	-	-	1	4	2	3	10
INDIANA -----	1,502	6	-	1	1	-	2	6	5	5	8	25
WHITE-----MALE----	580	2	-	1	-	-	2	2	5	1	3	16
FEMALE--	762	2	-	-	-	-	-	2	-	3	-	5
ALL OTHER--MALE----	67	1	-	-	-	-	-	1	-	-	3	2
FEMALE--	93	1	-	-	1	-	-	1	-	1	2	2
BLACK---MALE-----	65	1	-	-	-	-	-	1	-	-	3	2
FEMALE--	91	1	-	-	1	-	-	1	-	1	2	2
IOWA -----	541	-	-	-	1	-	2	-	1	1	4	4
WHITE-----MALE----	223	-	-	-	-	-	1	-	-	-	3	2
FEMALE--	304	-	-	-	1	-	1	-	1	1	1	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	644	-	1	-	1	1	-	1	4	4	5	9
WHITE-----MALE----	272	-	1	-	-	1	-	-	3	-	3	3
FEMALE--	311	-	-	-	-	-	-	-	1	4	1	3
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	34	-	-	-	1	-	-	1	-	-	1	1
BLACK---MALE-----	24	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	33	-	-	-	1	-	-	1	-	-	1	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2874

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XIV. Diseases of the genitourinary system (N00-N98)												
HAWAII -----	1	6	9	13	16	26	23	22	18	6	1	-
WHITE-----MALE----	-	-	1	2	1	3	5	3	1	-	-	-
FEMALE--	-	1	1	2	1	2	1	6	1	2	-	-
ALL OTHER--MALE----	-	2	4	6	6	11	10	6	10	2	-	-
FEMALE--	1	3	3	3	8	10	7	7	6	2	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	3	3	9	7	13	23	28	40	20	12	1	-
WHITE-----MALE----	3	2	5	6	5	12	13	17	8	3	-	-
FEMALE--	-	1	4	1	8	10	14	23	12	9	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ILLINOIS -----	67	80	117	191	318	391	531	534	347	136	28	-
WHITE-----MALE----	18	19	38	55	138	165	237	190	98	32	6	-
FEMALE--	16	21	39	66	115	150	231	286	216	89	19	-
ALL OTHER--MALE----	18	29	21	30	33	31	18	19	9	4	-	-
FEMALE--	15	11	19	40	32	45	45	39	24	11	3	-
BLACK---MALE-----	17	27	21	30	31	30	17	17	8	4	-	-
FEMALE--	15	11	18	39	31	42	44	36	24	11	2	-
INDIANA -----	20	40	66	94	157	243	284	282	165	77	15	-
WHITE-----MALE----	7	12	24	43	70	113	110	92	59	17	1	-
FEMALE--	6	21	29	33	67	112	146	169	102	53	12	-
ALL OTHER--MALE----	3	6	6	5	13	9	7	8	2	1	-	-
FEMALE--	4	1	7	13	7	9	21	13	2	6	2	-
BLACK---MALE-----	3	6	6	5	13	9	7	7	2	-	-	-
FEMALE--	4	1	6	12	7	9	21	13	2	6	2	-
IOWA -----	9	8	17	25	37	76	83	121	99	41	12	-
WHITE-----MALE----	3	4	7	15	14	36	36	50	34	17	1	-
FEMALE--	5	4	10	8	21	38	47	68	61	24	11	-
ALL OTHER--MALE----	1	-	-	1	1	2	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	2	4	-	-	-
BLACK---MALE-----	1	-	-	-	1	2	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	3	-	-	-
KANSAS -----	8	11	19	36	54	93	133	124	86	43	11	-
WHITE-----MALE----	2	5	5	16	28	45	67	47	33	11	2	-
FEMALE--	5	3	9	11	22	41	53	70	50	30	8	-
ALL OTHER--MALE----	-	2	3	4	1	4	7	3	-	1	-	-
FEMALE--	1	1	2	5	3	3	6	4	3	1	1	-
BLACK---MALE-----	-	2	2	4	1	3	6	3	-	1	-	-
FEMALE--	1	1	2	5	3	3	5	4	3	1	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2875

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XIV. Diseases of the genitourinary system (N00-N98)												
KENTUCKY -----	1,034	1	-	-	-	-	3	6	5	6	12	12
WHITE-----MALE----	411	-	-	-	-	-	2	2	1	3	4	8
FEMALE--	518	-	-	-	-	-	1	4	3	2	8	2
ALL OTHER--MALE----	49	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	56	1	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	48	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	56	1	-	-	-	-	-	-	1	-	-	1
LOUISIANA -----	1,214	1	1	-	1	3	2	2	5	16	15	39
WHITE-----MALE----	321	-	-	-	-	1	1	1	1	1	5	5
FEMALE--	415	-	-	-	-	1	-	-	-	3	3	6
ALL OTHER--MALE----	188	1	-	-	-	1	-	-	1	7	4	20
FEMALE--	290	-	1	-	1	-	1	1	3	5	3	8
BLACK---MALE----	185	1	-	-	-	1	-	-	1	7	4	19
FEMALE--	287	-	1	-	1	-	1	1	3	5	3	8
MAINE -----	245	-	-	-	-	-	-	-	1	-	1	1
WHITE-----MALE----	107	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	138	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	963	4	-	-	-	-	1	3	4	7	18	17
WHITE-----MALE----	259	1	-	-	-	-	-	1	1	-	5	4
FEMALE--	377	1	-	-	-	-	-	-	1	-	1	2
ALL OTHER--MALE----	139	2	-	-	-	-	1	-	1	6	7	6
FEMALE--	188	-	-	-	-	-	-	2	1	1	5	5
BLACK---MALE----	134	2	-	-	-	-	1	-	1	6	7	6
FEMALE--	181	-	-	-	-	-	-	2	1	1	5	4
MASSACHUSETTS -----	1,630	2	1	-	-	1	-	1	4	5	14	22
WHITE-----MALE----	692	2	-	-	-	1	-	-	1	1	6	16
FEMALE--	829	-	1	-	-	-	-	1	1	3	6	4
ALL OTHER--MALE----	48	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	61	-	-	-	-	-	-	-	1	1	1	2
BLACK---MALE----	43	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	55	-	-	-	-	-	-	-	1	1	1	2
MICHIGAN -----	1,950	13	1	-	1	2	1	2	11	10	20	21
WHITE-----MALE----	687	4	-	-	-	-	1	2	3	2	6	8
FEMALE--	878	3	-	-	1	-	-	-	2	1	1	4
ALL OTHER--MALE----	179	4	-	-	-	1	-	-	3	5	11	6
FEMALE--	206	2	1	-	-	1	-	-	3	2	2	3
BLACK---MALE----	170	4	-	-	-	1	-	-	3	5	11	6
FEMALE--	192	2	-	-	-	1	-	-	2	2	2	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2875

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XIV. Diseases of the genitourinary system (N00-N98)												
KENTUCKY -----	25	24	50	71	103	143	194	204	115	51	9	-
WHITE-----MALE----	11	10	21	28	44	69	81	73	40	12	2	-
FEMALE--	10	10	19	38	43	55	102	116	62	36	7	-
ALL OTHER--MALE----	4	1	6	3	8	9	2	7	6	1	-	-
FEMALE--	-	3	4	2	8	10	9	8	7	2	-	-
BLACK---MALE----	4	1	6	3	7	9	2	7	6	1	-	-
FEMALE--	-	3	4	2	8	10	9	8	7	2	-	-
LOUISIANA -----	37	40	68	98	126	193	184	196	139	37	11	-
WHITE-----MALE----	6	7	20	26	30	69	52	62	28	3	3	-
FEMALE--	3	7	17	28	27	60	78	83	72	22	5	-
ALL OTHER--MALE----	13	12	8	18	25	25	20	18	12	3	-	-
FEMALE--	15	14	23	26	44	39	34	33	27	9	3	-
BLACK---MALE----	13	12	8	16	25	25	20	18	12	3	-	-
FEMALE--	15	14	23	26	44	37	34	33	26	9	3	-
MAINE -----	5	4	10	12	15	46	39	49	44	15	3	-
WHITE-----MALE----	3	2	4	6	9	23	18	19	12	7	1	-
FEMALE--	2	2	6	6	6	23	21	30	32	8	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	37	34	51	71	102	152	176	128	118	31	9	-
WHITE-----MALE----	5	9	15	20	20	44	59	41	27	6	1	-
FEMALE--	11	6	12	21	38	60	68	63	69	18	6	-
ALL OTHER--MALE----	11	13	12	8	17	22	16	8	9	-	-	-
FEMALE--	10	6	12	22	27	26	33	16	13	7	2	-
BLACK---MALE----	10	13	11	8	17	22	15	7	8	-	-	-
FEMALE--	9	5	11	22	27	25	31	16	13	7	2	-
MASSACHUSETTS -----	22	36	57	113	150	269	331	315	190	75	22	-
WHITE-----MALE----	10	19	26	62	73	124	142	127	60	15	7	-
FEMALE--	8	8	22	35	64	133	180	172	122	56	13	-
ALL OTHER--MALE----	2	6	3	7	6	8	6	7	1	-	-	-
FEMALE--	2	3	6	9	7	4	3	9	7	4	2	-
BLACK---MALE----	1	6	3	6	5	8	5	6	1	-	-	-
FEMALE--	2	3	6	9	5	2	3	7	7	4	2	-
MICHIGAN -----	43	64	64	126	202	325	352	346	231	100	15	-
WHITE-----MALE----	16	19	22	39	75	127	152	126	60	23	2	-
FEMALE--	4	22	19	52	80	139	159	182	139	60	10	-
ALL OTHER--MALE----	13	8	12	14	20	32	17	13	14	5	1	-
FEMALE--	10	15	11	21	27	27	24	25	18	12	2	-
BLACK---MALE----	12	8	12	12	20	31	16	11	12	5	1	-
FEMALE--	10	12	11	20	23	25	23	25	17	12	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2876

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XIV. Diseases of the genitourinary system (N00-N98)												
MINNESOTA -----	851	2	-	-	-	1	4	2	-	2	6	17
WHITE-----MALE----	382	1	-	-	-	1	1	1	-	1	1	8
FEMALE--	423	-	-	-	-	-	3	1	-	-	4	6
ALL OTHER--MALE----	23	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	23	-	-	-	-	-	-	-	-	1	-	3
BLACK---MALE-----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	1
MISSISSIPPI -----	854	7	-	-	-	1	2	-	3	7	15	18
WHITE-----MALE----	223	1	-	-	-	-	-	-	-	2	4	4
FEMALE--	287	-	-	-	-	-	1	-	-	1	5	5
ALL OTHER--MALE----	142	4	-	-	-	-	1	-	1	-	4	5
FEMALE--	202	2	-	-	-	1	-	-	2	4	2	4
BLACK---MALE-----	141	4	-	-	-	-	1	-	1	-	4	5
FEMALE--	201	2	-	-	-	1	-	-	2	4	2	4
MISSOURI -----	1,280	2	-	-	-	1	1	3	5	5	16	24
WHITE-----MALE----	444	-	-	-	-	-	-	1	-	1	4	12
FEMALE--	658	-	-	-	-	1	-	1	1	1	4	5
ALL OTHER--MALE----	83	1	-	-	-	-	-	1	3	2	5	3
FEMALE--	95	1	-	-	-	-	1	-	1	1	3	4
BLACK---MALE-----	78	1	-	-	-	-	-	1	3	2	5	3
FEMALE--	93	1	-	-	-	-	1	-	1	1	3	4
MONTANA -----	161	2	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	72	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	78	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	318	-	-	-	-	-	-	1	-	1	4	2
WHITE-----MALE----	128	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	168	-	-	-	-	-	-	1	-	1	3	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	11	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	393	2	-	1	-	-	-	1	1	2	6	6
WHITE-----MALE----	189	1	-	-	-	-	-	-	1	1	5	2
FEMALE--	159	1	-	1	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	25	-	-	-	-	-	-	1	-	-	-	2
BLACK---MALE-----	14	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	18	-	-	-	-	-	-	1	-	-	-	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2876

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XIV. Diseases of the genitourinary system (N00-N98)												
MINNESOTA -----	10	21	18	36	60	112	155	194	137	63	11	-
WHITE-----MALE----	2	7	9	19	36	53	75	95	49	23	-	-
FEMALE--	8	9	7	11	21	48	75	96	84	39	11	-
ALL OTHER--MALE----	-	4	1	3	2	7	-	1	2	1	-	-
FEMALE--	-	1	1	3	1	4	5	2	2	-	-	-
BLACK---MALE----	-	2	1	1	1	4	-	-	-	1	-	-
FEMALE--	-	-	-	1	-	-	3	-	1	-	-	-
MISSISSIPPI -----	21	31	43	58	103	123	138	144	97	37	5	1
WHITE-----MALE----	4	6	11	18	30	42	39	42	14	6	-	-
FEMALE--	1	5	8	12	29	41	52	56	55	15	1	-
ALL OTHER--MALE----	8	10	12	12	21	14	17	16	10	5	1	1
FEMALE--	8	10	12	16	23	26	30	30	18	11	3	-
BLACK---MALE----	8	10	11	12	21	14	17	16	10	5	1	1
FEMALE--	8	10	11	16	23	26	30	30	18	11	3	-
MISSOURI -----	18	34	41	83	129	157	236	232	207	65	21	-
WHITE-----MALE----	5	15	11	33	51	59	85	89	65	10	3	-
FEMALE--	11	12	20	30	55	72	123	126	130	51	15	-
ALL OTHER--MALE----	1	4	4	12	12	12	8	8	5	1	1	-
FEMALE--	1	3	6	8	11	14	20	9	7	3	2	-
BLACK---MALE----	1	4	2	11	11	12	8	8	5	1	-	-
FEMALE--	1	3	6	8	11	14	20	7	7	3	2	-
MONTANA -----	-	5	3	12	11	24	29	32	22	19	-	-
WHITE-----MALE----	-	1	1	7	4	13	15	14	12	4	-	-
FEMALE--	-	-	1	3	7	10	14	16	10	15	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	2	-	-	-	-
FEMALE--	-	4	-	2	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
NEBRASKA -----	5	9	16	17	24	47	65	58	42	26	1	-
WHITE-----MALE----	3	5	10	8	10	21	22	28	11	9	-	-
FEMALE--	1	1	3	7	11	25	38	30	29	17	1	-
ALL OTHER--MALE----	-	-	3	1	1	-	3	-	1	-	-	-
FEMALE--	1	3	-	1	2	1	2	-	1	-	-	-
BLACK---MALE----	-	-	3	1	1	-	3	-	1	-	-	-
FEMALE--	-	3	-	1	2	1	2	-	1	-	-	-
NEVADA -----	8	21	19	34	58	70	62	56	36	8	2	-
WHITE-----MALE----	4	10	7	17	29	41	36	28	6	1	-	-
FEMALE--	2	7	6	9	25	24	21	25	26	7	2	-
ALL OTHER--MALE----	2	1	5	3	2	1	3	-	2	-	-	-
FEMALE--	-	3	1	5	2	4	2	3	2	-	-	-
BLACK---MALE----	1	-	3	3	-	1	3	-	2	-	-	-
FEMALE--	-	3	-	3	1	3	2	1	2	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2878

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XIV. Diseases of the genitourinary system (N00-N98)												
OHIO -----	2,553	5	-	-	2	-	1	3	7	18	26	26
WHITE-----MALE----	916	1	-	-	2	-	-	1	2	9	14	7
FEMALE--	1,273	3	-	-	-	-	1	-	2	2	6	9
ALL OTHER--MALE----	155	-	-	-	-	-	-	-	2	4	2	5
FEMALE--	209	1	-	-	-	-	-	2	1	3	4	5
BLACK---MALE----	153	-	-	-	-	-	-	-	2	4	2	4
FEMALE--	201	1	-	-	-	-	-	2	1	3	4	5
OKLAHOMA -----	771	5	-	-	1	1	2	2	1	6	8	12
WHITE-----MALE----	259	1	-	-	1	-	1	-	1	2	1	6
FEMALE--	389	1	-	-	-	-	1	2	-	2	2	4
ALL OTHER--MALE----	49	2	-	-	-	-	-	-	-	1	2	1
FEMALE--	74	1	-	-	-	1	-	-	-	1	3	1
BLACK---MALE----	30	2	-	-	-	-	-	-	-	1	-	1
FEMALE--	47	1	-	-	-	1	-	-	-	-	1	1
OREGON -----	483	1	-	-	-	-	1	-	2	4	3	1
WHITE-----MALE----	197	-	-	-	-	-	1	-	2	3	1	-
FEMALE--	262	1	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3,542	7	-	-	-	-	2	5	3	21	20	40
WHITE-----MALE----	1,360	3	-	-	-	-	1	-	1	8	8	9
FEMALE--	1,724	1	-	-	-	-	1	4	-	6	6	11
ALL OTHER--MALE----	209	1	-	-	-	-	-	-	1	2	5	12
FEMALE--	249	2	-	-	-	-	-	1	1	5	1	8
BLACK---MALE----	200	1	-	-	-	-	-	-	1	2	5	12
FEMALE--	239	2	-	-	-	-	-	1	1	4	1	8
RHODE ISLAND -----	226	-	-	-	-	-	-	-	2	2	1	1
WHITE-----MALE----	92	-	-	-	-	-	-	-	1	2	1	1
FEMALE--	131	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	924	2	-	-	-	-	2	2	5	3	13	18
WHITE-----MALE----	251	-	-	-	-	-	1	-	2	1	1	5
FEMALE--	350	1	-	-	-	-	1	-	-	1	2	6
ALL OTHER--MALE----	139	-	-	-	-	-	-	1	3	1	4	5
FEMALE--	184	1	-	-	-	-	-	1	-	-	6	2
BLACK---MALE----	137	-	-	-	-	-	-	1	3	1	3	5
FEMALE--	183	1	-	-	-	-	-	1	-	-	6	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2878

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XIV. Diseases of the genitourinary system (N00-N98)												
OHIO -----	54	74	107	169	252	419	479	445	314	123	29	-
WHITE-----MALE----	20	17	38	74	103	146	200	156	87	32	7	-
FEMALE--	21	33	47	61	105	207	229	252	194	82	19	-
ALL OTHER--MALE----	7	12	9	17	14	29	22	17	11	4	-	-
FEMALE--	6	12	13	17	30	37	28	20	22	5	3	-
BLACK---MALE----	7	12	9	17	14	29	22	17	11	3	-	-
FEMALE--	5	12	12	15	26	37	28	20	22	5	3	-
OKLAHOMA -----	16	22	29	65	64	118	122	151	106	34	6	-
WHITE-----MALE----	4	10	6	29	29	43	46	39	32	6	2	-
FEMALE--	4	5	12	22	23	60	62	93	64	28	4	-
ALL OTHER--MALE----	5	2	4	6	5	6	7	3	5	-	-	-
FEMALE--	3	5	7	8	7	9	7	16	5	-	-	-
BLACK---MALE----	1	1	2	3	2	5	6	2	4	-	-	-
FEMALE--	1	3	4	3	4	8	5	13	2	-	-	-
OREGON -----	8	10	11	19	31	87	91	92	89	27	6	-
WHITE-----MALE----	6	3	5	9	12	39	40	38	29	7	2	-
FEMALE--	1	5	4	6	17	46	47	52	55	20	4	-
ALL OTHER--MALE----	-	2	2	2	2	1	1	1	2	-	-	-
FEMALE--	1	-	-	2	-	1	3	1	3	-	-	-
BLACK---MALE----	-	1	1	1	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	2	-	-	-
PENNSYLVANIA -----	67	80	113	206	379	590	716	696	430	144	23	-
WHITE-----MALE----	23	41	51	84	159	261	292	243	135	35	6	-
FEMALE--	14	24	34	76	155	267	354	388	268	100	15	-
ALL OTHER--MALE----	22	10	18	23	29	28	29	18	7	3	1	-
FEMALE--	8	5	10	23	36	34	41	47	20	6	1	-
BLACK---MALE----	19	10	17	22	28	28	29	16	6	3	1	-
FEMALE--	8	5	10	23	34	34	39	43	19	6	1	-
RHODE ISLAND -----	5	3	6	11	19	35	40	48	37	13	2	1
WHITE-----MALE----	2	1	4	6	7	20	16	16	11	3	-	1
FEMALE--	3	2	2	4	11	15	24	32	25	10	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
SOUTH CAROLINA -----	32	38	49	63	111	153	148	138	109	34	4	-
WHITE-----MALE----	9	12	15	11	30	45	54	40	20	5	-	-
FEMALE--	10	9	12	20	35	57	53	59	66	16	2	-
ALL OTHER--MALE----	8	8	11	20	25	18	15	11	5	4	-	-
FEMALE--	5	9	11	12	21	33	26	28	18	9	2	-
BLACK---MALE----	8	7	11	20	25	18	15	11	5	4	-	-
FEMALE--	5	9	11	12	21	33	26	27	18	9	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2879

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XIV. Diseases of the genitourinary system (N00-N98)												
SOUTH DAKOTA -----	178	1	-	-	-	-	-	-	-	1	3	2
WHITE-----MALE----	77	1	-	-	-	-	-	-	-	1	2	1
FEMALE--	84	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,133	2	-	-	2	-	2	5	4	7	10	21
WHITE-----MALE----	362	-	-	-	1	-	-	2	1	4	3	7
FEMALE--	555	1	-	-	-	-	1	3	2	1	2	7
ALL OTHER--MALE----	65	1	-	-	-	-	-	-	-	-	3	5
FEMALE--	151	-	-	-	1	-	1	-	1	2	2	2
BLACK---MALE-----	64	1	-	-	-	-	-	-	-	-	3	5
FEMALE--	147	-	-	-	1	-	1	-	1	2	2	2
TEXAS -----	2,992	17	-	3	-	7	4	8	16	22	47	71
WHITE-----MALE----	1,049	12	-	2	-	2	1	5	7	9	21	22
FEMALE--	1,388	3	-	-	-	2	2	1	5	5	8	16
ALL OTHER--MALE----	245	2	-	1	-	2	-	-	2	5	9	24
FEMALE--	310	-	-	-	-	1	1	2	2	3	9	9
BLACK---MALE-----	230	2	-	1	-	2	-	-	1	5	9	23
FEMALE--	291	-	-	-	-	1	1	2	1	3	9	8
UTAH -----	252	-	-	-	-	1	1	1	1	5	1	2
WHITE-----MALE----	101	-	-	-	-	1	-	1	1	1	1	-
FEMALE--	144	-	-	-	-	-	1	-	-	4	-	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	92	1	-	-	1	-	-	-	-	1	-	2
WHITE-----MALE----	36	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	55	1	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,516	6	1	-	-	3	1	4	9	9	17	23
WHITE-----MALE----	439	3	-	-	-	-	-	1	1	3	2	6
FEMALE--	639	1	-	-	-	3	1	-	4	1	7	6
ALL OTHER--MALE----	193	1	1	-	-	-	-	2	2	3	4	8
FEMALE--	245	1	-	-	-	-	-	1	2	2	4	3
BLACK---MALE-----	186	1	1	-	-	-	-	2	2	3	4	8
FEMALE--	237	1	-	-	-	-	-	1	2	2	4	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2879

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XIV. Diseases of the genitourinary system (N00-N98)												
SOUTH DAKOTA -----	3	4	6	10	10	22	35	35	28	14	4	-
WHITE-----MALE----	-	-	4	4	6	14	18	14	10	2	-	-
FEMALE--	1	2	-	3	4	7	16	18	17	12	4	-
ALL OTHER--MALE----	1	2	2	1	-	-	1	2	1	-	-	-
FEMALE--	1	-	-	2	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	34	43	58	65	91	179	198	195	146	61	10	-
WHITE-----MALE----	13	13	19	27	29	61	70	64	39	7	2	-
FEMALE--	10	13	21	24	40	87	102	106	86	43	6	-
ALL OTHER--MALE----	5	7	9	9	3	6	9	4	3	1	-	-
FEMALE--	6	10	9	5	19	25	17	21	18	10	2	-
BLACK---MALE----	5	7	9	8	3	6	9	4	3	1	-	-
FEMALE--	6	9	9	5	19	24	16	20	18	10	2	-
TEXAS -----	68	97	123	188	266	425	499	507	422	159	43	-
WHITE-----MALE----	26	45	45	73	116	157	186	159	118	31	12	-
FEMALE--	16	28	48	70	93	198	236	280	243	107	27	-
ALL OTHER--MALE----	13	12	15	14	31	32	31	24	19	9	-	-
FEMALE--	13	12	15	31	26	38	46	44	42	12	4	-
BLACK---MALE----	13	10	13	14	30	29	28	22	19	9	-	-
FEMALE--	12	10	13	30	26	34	43	42	40	12	4	-
UTAH -----	5	4	8	7	21	36	64	42	36	12	5	-
WHITE-----MALE----	-	-	1	2	12	15	33	17	11	4	1	-
FEMALE--	5	4	7	5	8	20	29	23	24	8	4	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
VERMONT -----	-	1	1	3	11	11	17	24	16	1	2	-
WHITE-----MALE----	-	1	1	1	4	4	10	6	6	1	-	-
FEMALE--	-	-	-	2	7	6	7	18	10	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	45	57	69	118	148	229	292	246	169	60	10	-
WHITE-----MALE----	10	22	23	44	46	75	86	66	42	8	1	-
FEMALE--	6	16	18	33	49	96	134	129	90	39	6	-
ALL OTHER--MALE----	15	10	11	22	27	28	25	15	16	2	1	-
FEMALE--	14	9	17	19	26	30	47	36	21	11	2	-
BLACK---MALE----	14	10	11	21	24	28	25	14	15	2	1	-
FEMALE--	14	9	17	18	26	27	46	33	21	11	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2881

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of urinary system (N00-N39)												
UNITED STATES -	53,615	184	22	13	18	42	69	101	193	325	556	837
WHITE-----MALE----	18,974	69	6	6	8	15	27	35	56	93	196	289
FEMALE--	24,812	35	9	3	5	12	29	31	54	86	137	202
ALL OTHER--MALE----	4,213	48	3	1	2	8	3	18	43	79	128	215
FEMALE--	5,616	32	4	3	3	7	10	17	40	67	95	131
BLACK---MALE----	3,752	44	2	1	1	8	3	15	39	76	116	206
FEMALE--	5,055	31	3	2	3	6	9	17	38	63	86	121
ALABAMA -----	1,282	11	-	-	-	1	3	2	3	10	18	32
WHITE-----MALE----	363	7	-	-	-	-	1	1	-	-	3	12
FEMALE--	501	1	-	-	-	-	1	1	2	1	4	4
ALL OTHER--MALE----	182	2	-	-	-	1	-	-	-	3	9	12
FEMALE--	236	1	-	-	-	-	1	-	1	6	2	4
BLACK---MALE----	182	2	-	-	-	1	-	-	-	3	9	12
FEMALE--	234	1	-	-	-	-	1	-	1	6	2	4
ALASKA -----	46	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	867	5	1	1	-	-	2	2	4	5	11	14
WHITE-----MALE----	361	1	-	-	-	-	1	1	-	-	2	8
FEMALE--	426	3	1	1	-	-	1	-	2	3	4	4
ALL OTHER--MALE----	30	-	-	-	-	-	-	1	1	-	2	1
FEMALE--	50	1	-	-	-	-	-	-	1	2	3	1
BLACK---MALE----	10	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	21	1	-	-	-	-	-	-	-	-	1	-
ARKANSAS -----	704	3	1	-	-	1	-	4	3	9	10	7
WHITE-----MALE----	238	1	-	-	-	-	-	3	2	3	3	4
FEMALE--	323	1	-	-	-	1	-	1	-	2	4	2
ALL OTHER--MALE----	59	-	-	-	-	-	-	-	-	3	1	-
FEMALE--	84	1	1	-	-	-	-	-	1	1	2	1
BLACK---MALE----	59	-	-	-	-	-	-	-	-	3	1	-
FEMALE--	84	1	1	-	-	-	-	-	1	1	2	1
CALIFORNIA -----	3,800	9	5	1	1	3	4	10	13	20	51	52
WHITE-----MALE----	1,248	2	3	1	-	3	2	5	4	7	21	21
FEMALE--	1,868	3	1	-	-	-	2	3	5	8	10	14
ALL OTHER--MALE----	306	1	1	-	1	-	-	2	3	3	7	14
FEMALE--	378	3	-	-	-	-	-	-	1	2	13	3
BLACK---MALE----	164	-	-	-	-	-	-	1	2	2	4	10
FEMALE--	196	3	-	-	-	-	-	-	1	2	10	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2881

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of urinary system (N00-N39)												
UNITED STATES -	1,167	1,526	2,209	3,427	5,285	8,174	9,858	9,752	6,734	2,586	535	2
WHITE-----MALE----	394	527	779	1,281	2,065	3,315	3,816	3,380	1,933	585	97	2
FEMALE--	314	460	731	1,177	2,001	3,498	4,691	5,246	4,033	1,703	355	-
ALL OTHER--MALE----	255	282	337	437	512	597	529	363	245	91	17	-
FEMALE--	204	257	362	532	707	764	822	763	523	207	66	-
BLACK---MALE----	232	255	300	389	459	538	465	311	199	80	13	-
FEMALE--	188	232	331	476	624	683	736	679	479	190	58	-
ALABAMA -----	25	47	71	78	117	201	227	225	156	46	9	-
WHITE-----MALE----	5	11	24	18	39	66	66	61	38	9	2	-
FEMALE--	6	10	14	23	37	75	98	113	84	23	4	-
ALL OTHER--MALE----	10	18	20	16	16	28	24	12	5	6	-	-
FEMALE--	4	8	13	21	25	32	39	39	29	8	3	-
BLACK---MALE----	10	18	20	16	16	28	24	12	5	6	-	-
FEMALE--	4	8	13	21	25	32	37	39	29	8	3	-
ALASKA -----	1	-	1	5	6	11	6	5	5	3	1	-
WHITE-----MALE----	1	-	1	1	3	5	2	1	-	2	-	-
FEMALE--	-	-	-	1	1	5	3	2	2	1	1	-
ALL OTHER--MALE----	-	-	-	2	2	1	1	1	2	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	18	24	38	75	124	133	155	128	95	25	7	-
WHITE-----MALE----	9	10	18	30	57	63	63	60	32	6	-	-
FEMALE--	6	10	15	33	56	64	78	63	59	17	6	-
ALL OTHER--MALE----	3	1	-	5	3	-	9	1	1	2	-	-
FEMALE--	-	3	5	7	8	6	5	4	3	-	1	-
BLACK---MALE----	1	1	-	2	1	-	3	-	-	-	-	-
FEMALE--	-	1	4	3	3	3	2	1	2	-	-	-
ARKANSAS -----	22	22	34	41	65	106	137	102	97	34	6	-
WHITE-----MALE----	7	8	10	15	32	43	44	33	21	6	3	-
FEMALE--	8	7	10	15	19	44	72	55	59	21	2	-
ALL OTHER--MALE----	3	5	5	5	6	8	11	3	5	4	-	-
FEMALE--	4	2	9	6	8	11	10	11	12	3	1	-
BLACK---MALE----	3	5	5	5	6	8	11	3	5	4	-	-
FEMALE--	4	2	9	6	8	11	10	11	12	3	1	-
CALIFORNIA -----	99	117	154	200	363	594	708	690	484	181	41	-
WHITE-----MALE----	39	47	42	57	129	216	237	242	130	35	5	-
FEMALE--	30	35	61	88	144	271	367	373	301	124	28	-
ALL OTHER--MALE----	14	19	22	24	41	57	41	26	21	7	2	-
FEMALE--	16	16	29	31	49	50	63	49	32	15	6	-
BLACK---MALE----	10	11	16	14	20	33	20	8	8	4	1	-
FEMALE--	12	12	21	17	20	23	27	23	15	5	3	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2882

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of urinary system (N00-N39)												
COLORADO -----	537	2	-	-	-	-	4	1	3	1	6	5
WHITE-----MALE----	221	2	-	-	-	-	2	-	1	1	3	1
FEMALE--	280	-	-	-	-	-	2	1	2	-	3	4
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	734	-	-	1	-	-	-	-	3	7	8	10
WHITE-----MALE----	290	-	-	-	-	-	-	-	-	1	3	3
FEMALE--	384	-	-	1	-	-	-	-	2	4	3	2
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	38	-	-	-	-	-	-	-	1	1	2	2
BLACK---MALE-----	20	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	38	-	-	-	-	-	-	-	1	1	2	2
DELAWARE -----	157	1	2	-	-	-	1	-	1	-	1	3
WHITE-----MALE----	50	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	68	-	1	-	-	-	1	-	1	-	1	-
ALL OTHER--MALE----	24	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	15	1	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	24	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	14	1	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ---	130	-	-	-	-	-	-	-	2	1	5	3
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	46	-	-	-	-	-	-	-	2	-	3	3
FEMALE--	70	-	-	-	-	-	-	-	-	1	2	-
BLACK---MALE-----	45	-	-	-	-	-	-	-	2	-	3	3
FEMALE--	68	-	-	-	-	-	-	-	-	1	2	-
FLORIDA -----	2,777	12	-	-	-	2	1	4	5	15	16	39
WHITE-----MALE----	1,179	4	-	-	-	-	-	2	3	3	4	15
FEMALE--	1,203	-	-	-	-	-	-	2	1	4	5	10
ALL OTHER--MALE----	161	7	-	-	-	1	-	-	-	1	3	5
FEMALE--	234	1	-	-	-	1	1	-	1	7	4	9
BLACK---MALE-----	158	7	-	-	-	1	-	-	-	1	3	5
FEMALE--	226	1	-	-	-	1	1	-	1	6	4	9
GEORGIA -----	1,731	10	1	-	2	2	7	2	14	14	30	53
WHITE-----MALE----	429	2	-	-	1	-	2	-	1	2	9	10
FEMALE--	617	1	1	-	-	-	2	-	1	1	5	12
ALL OTHER--MALE----	271	5	-	-	1	1	-	2	8	6	6	17
FEMALE--	414	2	-	-	-	1	3	-	4	5	10	14
BLACK---MALE-----	265	4	-	-	1	1	-	2	7	5	6	17
FEMALE--	411	2	-	-	-	1	3	-	4	5	10	14

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2882

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of urinary system (N00-N39)												
COLORADO -----	14	8	21	34	54	83	101	98	60	33	9	-
WHITE-----MALE----	8	4	7	14	22	45	49	36	21	3	2	-
FEMALE--	5	2	12	14	25	34	46	56	38	30	6	-
ALL OTHER--MALE----	1	-	1	3	1	1	3	2	1	-	-	-
FEMALE--	-	2	1	3	6	3	3	4	-	-	1	-
BLACK---MALE----	1	-	1	2	1	1	3	2	1	-	-	-
FEMALE--	-	2	1	1	4	3	3	4	-	-	1	-
CONNECTICUT -----	16	19	27	43	72	88	146	131	102	52	9	-
WHITE-----MALE----	8	6	11	21	36	40	60	48	39	13	1	-
FEMALE--	6	9	10	16	29	43	77	79	60	36	7	-
ALL OTHER--MALE----	1	1	2	3	5	1	5	-	-	-	-	-
FEMALE--	1	3	4	3	2	4	4	4	3	3	1	-
BLACK---MALE----	1	1	1	3	5	1	4	-	-	-	-	-
FEMALE--	1	3	4	3	2	4	4	4	3	3	1	-
DELAWARE -----	3	1	12	9	24	18	28	21	22	8	2	-
WHITE-----MALE----	1	-	5	4	10	7	11	6	3	2	-	-
FEMALE--	1	-	3	2	6	5	14	12	14	6	1	-
ALL OTHER--MALE----	1	1	3	2	7	3	1	1	2	-	1	-
FEMALE--	-	-	1	1	1	3	2	2	3	-	-	-
BLACK---MALE----	1	1	3	2	7	3	1	1	2	-	1	-
FEMALE--	-	-	1	1	1	3	2	2	2	-	-	-
DISTRICT OF COLUMBIA ---	3	5	5	11	8	26	15	21	16	6	3	-
WHITE-----MALE----	-	-	-	-	-	2	3	-	1	1	-	-
FEMALE--	-	-	-	1	-	1	1	1	2	1	-	-
ALL OTHER--MALE----	2	2	2	3	2	14	2	9	-	1	1	-
FEMALE--	1	3	3	7	6	9	9	11	13	3	2	-
BLACK---MALE----	2	2	2	3	2	14	2	9	-	1	-	-
FEMALE--	1	3	3	7	6	9	9	10	13	2	2	-
FLORIDA -----	42	69	82	166	254	436	537	530	389	154	24	-
WHITE-----MALE----	18	25	42	68	109	202	237	239	145	56	7	-
FEMALE--	13	20	18	61	94	176	238	244	215	87	15	-
ALL OTHER--MALE----	4	8	9	18	22	24	35	13	7	2	2	-
FEMALE--	7	16	13	19	29	34	27	34	22	9	-	-
BLACK---MALE----	4	8	9	18	22	23	33	13	7	2	2	-
FEMALE--	7	16	13	19	27	34	23	33	22	9	-	-
GEORGIA -----	54	63	78	141	183	230	323	265	176	67	16	-
WHITE-----MALE----	12	10	15	38	64	64	99	56	34	9	1	-
FEMALE--	11	15	23	29	45	81	115	134	95	38	8	-
ALL OTHER--MALE----	21	18	19	32	18	37	36	21	13	8	2	-
FEMALE--	10	20	21	42	56	48	73	54	34	12	5	-
BLACK---MALE----	20	18	19	32	18	35	36	21	13	8	2	-
FEMALE--	10	20	21	40	56	48	73	54	33	12	5	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2883

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of urinary system (N00-N39)												
HAWAII -----	150	-	-	1	-	-	1	-	-	-	5	3
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	-	3	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	58	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	54	-	-	1	-	-	1	-	-	-	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	164	1	-	-	-	-	-	-	1	2	4	2
WHITE-----MALE----	73	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	88	1	-	-	-	-	-	-	1	2	3	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2,824	15	2	-	-	1	1	2	14	16	29	42
WHITE-----MALE----	1,011	4	1	-	-	1	-	-	5	2	8	15
FEMALE--	1,262	4	1	-	-	-	-	1	2	2	9	7
ALL OTHER--MALE----	245	3	-	-	-	-	1	-	3	10	9	10
FEMALE--	306	4	-	-	-	-	-	1	4	2	3	10
BLACK---MALE-----	233	3	-	-	-	-	1	-	2	9	9	10
FEMALE--	295	4	-	-	-	-	-	1	4	2	3	10
INDIANA -----	1,485	6	-	1	1	-	2	5	5	5	8	25
WHITE-----MALE----	570	2	-	1	-	-	2	2	5	1	3	16
FEMALE--	756	2	-	-	-	-	-	1	-	3	-	5
ALL OTHER--MALE----	67	1	-	-	-	-	-	1	-	-	3	2
FEMALE--	92	1	-	-	1	-	-	1	-	1	2	2
BLACK---MALE-----	65	1	-	-	-	-	-	1	-	-	3	2
FEMALE--	90	1	-	-	1	-	-	1	-	1	2	2
IOWA -----	526	-	-	-	1	-	2	-	1	1	4	4
WHITE-----MALE----	215	-	-	-	-	-	1	-	-	-	3	2
FEMALE--	297	-	-	-	1	-	1	-	1	1	1	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	637	-	1	-	1	1	-	1	4	4	4	9
WHITE-----MALE----	269	-	1	-	-	1	-	-	3	-	3	3
FEMALE--	307	-	-	-	-	-	-	-	1	4	-	3
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	34	-	-	-	1	-	-	1	-	-	1	1
BLACK---MALE-----	24	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	33	-	-	-	1	-	-	1	-	-	1	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2883

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of urinary system (N00-N39)												
HAWAII -----	1	6	9	13	16	26	23	22	18	5	1	-
WHITE-----MALE----	-	-	1	2	1	3	5	3	1	-	-	-
FEMALE--	-	1	1	2	1	2	1	6	1	1	-	-
ALL OTHER--MALE----	-	2	4	6	6	11	10	6	10	2	-	-
FEMALE--	1	3	3	3	8	10	7	7	6	2	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	3	3	9	6	12	22	27	39	20	12	1	-
WHITE-----MALE----	3	2	5	5	4	12	13	16	8	3	-	-
FEMALE--	-	1	4	1	8	9	13	23	12	9	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ILLINOIS -----	67	80	116	188	311	386	522	525	345	135	27	-
WHITE-----MALE----	18	19	37	54	134	164	231	186	96	31	5	-
FEMALE--	16	21	39	65	113	146	229	283	216	89	19	-
ALL OTHER--MALE----	18	29	21	29	32	31	18	18	9	4	-	-
FEMALE--	15	11	19	40	32	45	44	38	24	11	3	-
BLACK---MALE----	17	27	21	29	30	30	17	16	8	4	-	-
FEMALE--	15	11	18	39	31	42	43	35	24	11	2	-
INDIANA -----	20	40	66	94	156	241	278	276	165	76	15	-
WHITE-----MALE----	7	12	24	43	69	111	108	88	59	16	1	-
FEMALE--	6	21	29	33	67	112	143	167	102	53	12	-
ALL OTHER--MALE----	3	6	6	5	13	9	7	8	2	1	-	-
FEMALE--	4	1	7	13	7	9	20	13	2	6	2	-
BLACK---MALE----	3	6	6	5	13	9	7	7	2	-	-	-
FEMALE--	4	1	6	12	7	9	20	13	2	6	2	-
IOWA -----	7	8	17	24	37	75	83	117	94	39	12	-
WHITE-----MALE----	3	4	7	15	14	36	36	47	30	16	1	-
FEMALE--	3	4	10	7	21	37	47	67	60	23	11	-
ALL OTHER--MALE----	1	-	-	1	1	2	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	2	4	-	-	-
BLACK---MALE----	1	-	-	-	1	2	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	3	-	-	-
KANSAS -----	8	11	19	35	53	92	132	122	86	43	11	-
WHITE-----MALE----	2	5	5	16	27	45	66	46	33	11	2	-
FEMALE--	5	3	9	10	22	40	53	69	50	30	8	-
ALL OTHER--MALE----	-	2	3	4	1	4	7	3	-	1	-	-
FEMALE--	1	1	2	5	3	3	6	4	3	1	1	-
BLACK---MALE----	-	2	2	4	1	3	6	3	-	1	-	-
FEMALE--	1	1	2	5	3	3	5	4	3	1	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2884

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of urinary system (N00-N39)												
KENTUCKY -----	1,019	-	-	-	-	-	3	6	5	6	12	12
WHITE-----MALE----	403	-	-	-	-	-	2	2	1	3	4	8
FEMALE--	513	-	-	-	-	-	1	4	3	2	8	2
ALL OTHER--MALE----	49	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	54	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	48	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	54	-	-	-	-	-	-	-	1	-	-	1
LOUISIANA -----	1,198	1	1	-	-	3	2	2	5	15	14	38
WHITE-----MALE----	318	-	-	-	-	1	1	1	1	1	5	5
FEMALE--	411	-	-	-	-	1	-	-	-	3	3	5
ALL OTHER--MALE----	185	1	-	-	-	1	-	-	1	7	4	20
FEMALE--	284	-	1	-	-	-	1	1	3	4	2	8
BLACK---MALE----	182	1	-	-	-	1	-	-	1	7	4	19
FEMALE--	281	-	1	-	-	-	1	1	3	4	2	8
MAINE -----	240	-	-	-	-	-	-	-	1	-	1	1
WHITE-----MALE----	103	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	137	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	945	4	-	-	-	-	1	2	4	7	18	16
WHITE-----MALE----	254	1	-	-	-	-	-	1	1	-	5	4
FEMALE--	371	1	-	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	135	2	-	-	-	-	1	-	1	6	7	6
FEMALE--	185	-	-	-	-	-	-	1	1	1	5	5
BLACK---MALE----	130	2	-	-	-	-	1	-	1	6	7	6
FEMALE--	178	-	-	-	-	-	-	1	1	1	5	4
MASSACHUSETTS -----	1,617	2	1	-	-	1	-	1	4	5	14	22
WHITE-----MALE----	685	2	-	-	-	1	-	-	1	1	6	16
FEMALE--	824	-	1	-	-	-	-	1	1	3	6	4
ALL OTHER--MALE----	48	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	60	-	-	-	-	-	-	-	1	1	1	2
BLACK---MALE----	43	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	54	-	-	-	-	-	-	-	1	1	1	2
MICHIGAN -----	1,927	13	1	-	1	2	1	2	9	10	20	21
WHITE-----MALE----	676	4	-	-	-	-	1	2	3	2	6	8
FEMALE--	869	3	-	-	1	-	-	-	2	1	1	4
ALL OTHER--MALE----	178	4	-	-	-	1	-	-	3	5	11	6
FEMALE--	204	2	1	-	-	1	-	-	1	2	2	3
BLACK---MALE----	169	4	-	-	-	1	-	-	3	5	11	6
FEMALE--	191	2	-	-	-	1	-	-	1	2	2	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2884

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of urinary system (N00-N39)												
KENTUCKY -----	24	24	50	71	102	141	190	204	110	51	8	-
WHITE-----MALE----	11	10	21	28	44	67	79	73	37	12	1	-
FEMALE--	9	10	19	38	43	55	100	116	60	36	7	-
ALL OTHER--MALE----	4	1	6	3	8	9	2	7	6	1	-	-
FEMALE--	-	3	4	2	7	10	9	8	7	2	-	-
BLACK---MALE----	4	1	6	3	7	9	2	7	6	1	-	-
FEMALE--	-	3	4	2	7	10	9	8	7	2	-	-
LOUISIANA -----	37	40	68	98	126	190	181	193	137	36	11	-
WHITE-----MALE----	6	7	20	26	30	69	51	60	28	3	3	-
FEMALE--	3	7	17	28	27	60	77	82	71	22	5	-
ALL OTHER--MALE----	13	12	8	18	25	23	19	18	12	3	-	-
FEMALE--	15	14	23	26	44	38	34	33	26	8	3	-
BLACK---MALE----	13	12	8	16	25	23	19	18	12	3	-	-
FEMALE--	15	14	23	26	44	36	34	33	25	8	3	-
MAINE -----	5	4	10	12	15	44	38	48	44	14	3	-
WHITE-----MALE----	3	2	4	6	9	21	18	18	12	6	1	-
FEMALE--	2	2	6	6	6	23	20	30	32	8	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	36	32	51	69	100	150	172	126	117	31	9	-
WHITE-----MALE----	5	8	15	20	19	44	57	40	27	6	1	-
FEMALE--	10	6	12	20	38	59	67	62	69	18	6	-
ALL OTHER--MALE----	11	12	12	8	17	21	15	8	8	-	-	-
FEMALE--	10	6	12	21	26	26	33	16	13	7	2	-
BLACK---MALE----	10	12	11	8	17	21	14	7	7	-	-	-
FEMALE--	9	5	11	21	26	25	31	16	13	7	2	-
MASSACHUSETTS -----	22	36	57	111	150	269	330	311	186	75	20	-
WHITE-----MALE----	10	19	26	61	73	124	142	124	57	15	7	-
FEMALE--	8	8	22	34	64	133	179	171	121	56	12	-
ALL OTHER--MALE----	2	6	3	7	6	8	6	7	1	-	-	-
FEMALE--	2	3	6	9	7	4	3	9	7	4	1	-
BLACK---MALE----	1	6	3	6	5	8	5	6	1	-	-	-
FEMALE--	2	3	6	9	5	2	3	7	7	4	1	-
MICHIGAN -----	43	63	63	125	199	323	346	343	229	98	15	-
WHITE-----MALE----	16	18	22	39	74	126	149	124	58	22	2	-
FEMALE--	4	22	19	51	78	138	156	181	139	59	10	-
ALL OTHER--MALE----	13	8	11	14	20	32	17	13	14	5	1	-
FEMALE--	10	15	11	21	27	27	24	25	18	12	2	-
BLACK---MALE----	12	8	11	12	20	31	16	11	12	5	1	-
FEMALE--	10	12	11	20	23	25	23	25	17	12	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2885

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of urinary system (N00-N39)												
MINNESOTA -----	834	2	-	-	-	1	3	2	-	2	6	16
WHITE-----MALE----	375	1	-	-	-	1	1	1	-	1	1	8
FEMALE--	413	-	-	-	-	-	2	1	-	-	4	5
ALL OTHER--MALE----	23	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	23	-	-	-	-	-	-	-	-	1	-	3
BLACK---MALE-----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	1
MISSISSIPPI -----	844	7	-	-	-	1	2	-	3	7	14	18
WHITE-----MALE----	221	1	-	-	-	-	-	-	-	2	4	4
FEMALE--	284	-	-	-	-	-	1	-	-	1	4	5
ALL OTHER--MALE----	137	4	-	-	-	-	1	-	1	-	4	5
FEMALE--	202	2	-	-	-	1	-	-	2	4	2	4
BLACK---MALE-----	136	4	-	-	-	-	1	-	1	-	4	5
FEMALE--	201	2	-	-	-	1	-	-	2	4	2	4
MISSOURI -----	1,261	2	-	-	-	1	1	2	5	5	15	24
WHITE-----MALE----	431	-	-	-	-	-	-	1	-	1	4	12
FEMALE--	654	-	-	-	-	1	-	-	1	1	4	5
ALL OTHER--MALE----	82	1	-	-	-	-	-	1	3	2	5	3
FEMALE--	94	1	-	-	-	-	1	-	1	1	2	4
BLACK---MALE-----	77	1	-	-	-	-	-	1	3	2	5	3
FEMALE--	92	1	-	-	-	-	1	-	1	1	2	4
MONTANA -----	158	2	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	69	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	78	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	310	-	-	-	-	-	-	1	-	1	4	2
WHITE-----MALE----	124	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	164	-	-	-	-	-	-	1	-	1	3	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	11	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	388	2	-	1	-	-	-	1	1	2	6	6
WHITE-----MALE----	186	1	-	-	-	-	-	-	1	1	5	2
FEMALE--	157	1	-	1	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	25	-	-	-	-	-	-	1	-	-	-	2
BLACK---MALE-----	14	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	18	-	-	-	-	-	-	1	-	-	-	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2885

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of urinary system (N00-N39)												
MINNESOTA -----	10	21	18	36	59	109	153	189	136	61	10	-
WHITE-----MALE----	2	7	9	19	35	53	73	92	49	22	-	-
FEMALE--	8	9	7	11	21	45	75	94	83	38	10	-
ALL OTHER--MALE----	-	4	1	3	2	7	-	1	2	1	-	-
FEMALE--	-	1	1	3	1	4	5	2	2	-	-	-
BLACK---MALE----	-	2	1	1	1	4	-	-	-	1	-	-
FEMALE--	-	-	-	1	-	-	3	-	1	-	-	-
MISSISSIPPI -----	21	30	42	57	103	123	138	142	95	36	5	-
WHITE-----MALE----	4	5	11	18	30	42	39	41	14	6	-	-
FEMALE--	1	5	7	12	29	41	52	56	54	15	1	-
ALL OTHER--MALE----	8	10	12	11	21	14	17	15	9	4	1	-
FEMALE--	8	10	12	16	23	26	30	30	18	11	3	-
BLACK---MALE----	8	10	11	11	21	14	17	15	9	4	1	-
FEMALE--	8	10	11	16	23	26	30	30	18	11	3	-
MISSOURI -----	18	34	41	83	129	156	230	227	203	65	20	-
WHITE-----MALE----	5	15	11	33	51	58	79	86	62	10	3	-
FEMALE--	11	12	20	30	55	72	123	124	130	51	14	-
ALL OTHER--MALE----	1	4	4	12	12	12	8	8	4	1	1	-
FEMALE--	1	3	6	8	11	14	20	9	7	3	2	-
BLACK---MALE----	1	4	2	11	11	12	8	8	4	1	-	-
FEMALE--	1	3	6	8	11	14	20	7	7	3	2	-
MONTANA -----	-	5	3	12	11	24	28	31	22	18	-	-
WHITE-----MALE----	-	1	1	7	4	13	14	13	12	3	-	-
FEMALE--	-	-	1	3	7	10	14	16	10	15	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	2	-	-	-	-
FEMALE--	-	4	-	2	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
NEBRASKA -----	5	9	16	17	24	44	65	58	39	24	1	-
WHITE-----MALE----	3	5	10	8	10	18	22	28	11	8	-	-
FEMALE--	1	1	3	7	11	25	38	30	26	16	1	-
ALL OTHER--MALE----	-	-	3	1	1	-	3	-	1	-	-	-
FEMALE--	1	3	-	1	2	1	2	-	1	-	-	-
BLACK---MALE----	-	-	3	1	1	-	3	-	1	-	-	-
FEMALE--	-	3	-	1	2	1	2	-	1	-	-	-
NEVADA -----	8	21	19	33	57	69	61	55	36	8	2	-
WHITE-----MALE----	4	10	7	16	29	40	35	28	6	1	-	-
FEMALE--	2	7	6	9	24	24	21	24	26	7	2	-
ALL OTHER--MALE----	2	1	5	3	2	1	3	-	2	-	-	-
FEMALE--	-	3	1	5	2	4	2	3	2	-	-	-
BLACK---MALE----	1	-	3	3	-	1	3	-	2	-	-	-
FEMALE--	-	3	-	3	1	3	2	1	2	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2887

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of urinary system (N00-N39)												
OHIO -----	2,510	4	-	-	2	-	1	3	7	17	25	26
WHITE-----MALE----	892	1	-	-	2	-	-	1	2	9	14	7
FEMALE--	1,258	2	-	-	-	-	1	-	2	2	5	9
ALL OTHER--MALE----	151	-	-	-	-	-	-	-	2	3	2	5
FEMALE--	209	1	-	-	-	-	-	2	1	3	4	5
BLACK---MALE-----	149	-	-	-	-	-	-	-	2	3	2	4
FEMALE--	201	1	-	-	-	-	-	2	1	3	4	5
OKLAHOMA -----	757	5	-	-	1	1	2	1	1	5	8	12
WHITE-----MALE----	254	1	-	-	1	-	1	-	1	2	1	6
FEMALE--	383	1	-	-	-	-	1	1	-	2	2	4
ALL OTHER--MALE----	47	2	-	-	-	-	-	-	-	1	2	1
FEMALE--	73	1	-	-	-	1	-	-	-	-	3	1
BLACK---MALE-----	28	2	-	-	-	-	-	-	-	1	-	1
FEMALE--	47	1	-	-	-	1	-	-	-	-	1	1
OREGON -----	463	1	-	-	-	-	1	-	2	4	3	1
WHITE-----MALE----	186	-	-	-	-	-	1	-	2	3	1	-
FEMALE--	254	1	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3,506	7	-	-	-	-	2	5	3	21	20	40
WHITE-----MALE----	1,339	3	-	-	-	-	1	-	1	8	8	9
FEMALE--	1,712	1	-	-	-	-	1	4	-	6	6	11
ALL OTHER--MALE----	209	1	-	-	-	-	-	-	1	2	5	12
FEMALE--	246	2	-	-	-	-	-	1	1	5	1	8
BLACK---MALE-----	200	1	-	-	-	-	-	-	1	2	5	12
FEMALE--	236	2	-	-	-	-	-	1	1	4	1	8
RHODE ISLAND -----	221	-	-	-	-	-	-	-	2	2	1	1
WHITE-----MALE----	88	-	-	-	-	-	-	-	1	2	1	1
FEMALE--	130	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	908	1	-	-	-	-	1	2	5	3	12	18
WHITE-----MALE----	245	-	-	-	-	-	1	-	2	1	1	5
FEMALE--	345	1	-	-	-	-	-	-	-	1	2	6
ALL OTHER--MALE----	137	-	-	-	-	-	-	1	3	1	4	5
FEMALE--	181	-	-	-	-	-	-	1	-	-	5	2
BLACK---MALE-----	135	-	-	-	-	-	-	1	3	1	3	5
FEMALE--	180	-	-	-	-	-	-	1	-	-	5	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2887

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of urinary system (N00-N39)												
OHIO -----	51	73	107	169	247	414	472	437	303	123	29	-
WHITE-----MALE----	19	17	38	74	100	144	195	151	79	32	7	-
FEMALE--	19	33	47	61	103	205	228	249	191	82	19	-
ALL OTHER--MALE----	7	11	9	17	14	28	21	17	11	4	-	-
FEMALE--	6	12	13	17	30	37	28	20	22	5	3	-
BLACK---MALE----	7	11	9	17	14	28	21	17	11	3	-	-
FEMALE--	5	12	12	15	26	37	28	20	22	5	3	-
OKLAHOMA -----	16	21	28	65	62	117	119	150	105	32	6	-
WHITE-----MALE----	4	10	5	29	29	43	44	38	32	5	2	-
FEMALE--	4	5	12	22	21	59	62	93	63	27	4	-
ALL OTHER--MALE----	5	1	4	6	5	6	6	3	5	-	-	-
FEMALE--	3	5	7	8	7	9	7	16	5	-	-	-
BLACK---MALE----	1	-	2	3	2	5	5	2	4	-	-	-
FEMALE--	1	3	4	3	4	8	5	13	2	-	-	-
OREGON -----	8	10	11	18	30	85	82	91	86	25	5	-
WHITE-----MALE----	6	3	5	8	12	37	36	38	27	6	1	-
FEMALE--	1	5	4	6	17	46	42	51	54	19	4	-
ALL OTHER--MALE----	-	2	2	2	1	1	1	1	2	-	-	-
FEMALE--	1	-	-	2	-	1	3	1	3	-	-	-
BLACK---MALE----	-	1	1	1	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	2	-	-	-
PENNSYLVANIA -----	66	80	110	206	376	582	711	685	427	142	23	-
WHITE-----MALE----	23	41	50	84	157	256	289	238	132	33	6	-
FEMALE--	13	24	32	76	155	264	352	384	268	100	15	-
ALL OTHER--MALE----	22	10	18	23	29	28	29	18	7	3	1	-
FEMALE--	8	5	10	23	35	34	41	45	20	6	1	-
BLACK---MALE----	19	10	17	22	28	28	29	16	6	3	1	-
FEMALE--	8	5	10	23	33	34	39	41	19	6	1	-
RHODE ISLAND -----	5	3	6	11	18	34	39	47	36	13	2	1
WHITE-----MALE----	2	1	4	6	7	19	15	15	10	3	-	1
FEMALE--	3	2	2	4	10	15	24	32	25	10	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
SOUTH CAROLINA -----	32	36	49	63	110	150	146	135	108	33	4	-
WHITE-----MALE----	9	12	15	11	30	43	52	39	19	5	-	-
FEMALE--	10	7	12	20	35	56	53	59	66	15	2	-
ALL OTHER--MALE----	8	8	11	20	25	18	15	9	5	4	-	-
FEMALE--	5	9	11	12	20	33	26	28	18	9	2	-
BLACK---MALE----	8	7	11	20	25	18	15	9	5	4	-	-
FEMALE--	5	9	11	12	20	33	26	27	18	9	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2888

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of urinary system (N00-N39)												
SOUTH DAKOTA -----	175	1	-	-	-	-	-	-	-	1	3	2
WHITE-----MALE----	76	1	-	-	-	-	-	-	-	1	2	1
FEMALE--	84	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,110	2	-	-	2	-	1	5	4	7	9	20
WHITE-----MALE----	353	-	-	-	1	-	-	2	1	4	3	7
FEMALE--	545	1	-	-	-	-	1	3	2	1	2	6
ALL OTHER--MALE----	64	1	-	-	-	-	-	-	-	-	3	5
FEMALE--	148	-	-	-	1	-	-	-	1	2	1	2
BLACK---MALE-----	63	1	-	-	-	-	-	-	-	-	3	5
FEMALE--	144	-	-	-	1	-	-	-	1	2	1	2
TEXAS -----	2,924	17	-	3	-	7	3	8	16	20	45	69
WHITE-----MALE----	1,020	12	-	2	-	2	1	5	7	9	21	22
FEMALE--	1,367	3	-	-	-	2	2	1	5	4	8	15
ALL OTHER--MALE----	233	2	-	1	-	2	-	-	2	5	8	24
FEMALE--	304	-	-	-	-	1	-	2	2	2	8	8
BLACK---MALE-----	221	2	-	1	-	2	-	-	1	5	8	23
FEMALE--	286	-	-	-	-	1	-	2	1	2	8	7
UTAH -----	245	-	-	-	-	1	1	1	1	5	1	2
WHITE-----MALE----	98	-	-	-	-	1	-	1	1	1	1	-
FEMALE--	141	-	-	-	-	-	1	-	-	4	-	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	90	1	-	-	1	-	-	-	-	1	-	2
WHITE-----MALE----	34	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	55	1	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,503	6	1	-	-	3	1	4	8	9	16	23
WHITE-----MALE----	434	3	-	-	-	-	-	1	1	3	2	6
FEMALE--	633	1	-	-	-	3	1	-	3	1	6	6
ALL OTHER--MALE----	192	1	1	-	-	-	-	2	2	3	4	8
FEMALE--	244	1	-	-	-	-	-	1	2	2	4	3
BLACK---MALE-----	185	1	1	-	-	-	-	2	2	3	4	8
FEMALE--	236	1	-	-	-	-	-	1	2	2	4	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2888

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of urinary system (N00-N39)												
SOUTH DAKOTA -----	3	4	6	10	10	22	34	34	27	14	4	-
WHITE-----MALE----	-	-	4	4	6	14	18	14	9	2	-	-
FEMALE--	1	2	-	3	4	7	16	18	17	12	4	-
ALL OTHER--MALE----	1	2	2	1	-	-	-	1	1	-	-	-
FEMALE--	1	-	-	2	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	34	43	57	63	90	174	194	192	143	60	10	-
WHITE-----MALE----	13	13	19	26	29	59	68	62	37	7	2	-
FEMALE--	10	13	21	23	39	84	100	106	85	42	6	-
ALL OTHER--MALE----	5	7	8	9	3	6	9	4	3	1	-	-
FEMALE--	6	10	9	5	19	25	17	20	18	10	2	-
BLACK---MALE----	5	7	8	8	3	6	9	4	3	1	-	-
FEMALE--	6	9	9	5	19	24	16	19	18	10	2	-
TEXAS -----	64	95	120	186	261	415	489	494	416	154	42	-
WHITE-----MALE----	25	44	45	72	113	153	180	151	116	29	11	-
FEMALE--	13	28	47	69	92	195	234	276	241	105	27	-
ALL OTHER--MALE----	13	11	13	14	30	29	31	23	17	8	-	-
FEMALE--	13	12	15	31	26	38	44	44	42	12	4	-
BLACK---MALE----	13	9	11	14	29	28	28	22	17	8	-	-
FEMALE--	12	10	13	30	26	34	42	42	40	12	4	-
UTAH -----	5	4	8	7	21	35	63	38	36	11	5	-
WHITE-----MALE----	-	-	1	2	12	14	33	16	11	3	1	-
FEMALE--	5	4	7	5	8	20	28	21	24	8	4	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
VERMONT -----	-	1	1	3	11	10	17	24	15	1	2	-
WHITE-----MALE----	-	1	1	1	4	3	10	6	5	1	-	-
FEMALE--	-	-	-	2	7	6	7	18	10	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	45	57	69	118	146	227	287	246	167	60	10	-
WHITE-----MALE----	10	22	23	44	45	74	84	66	41	8	1	-
FEMALE--	6	16	18	33	48	96	132	129	89	39	6	-
ALL OTHER--MALE----	15	10	11	22	27	27	25	15	16	2	1	-
FEMALE--	14	9	17	19	26	30	46	36	21	11	2	-
BLACK---MALE----	14	10	11	21	24	27	25	14	15	2	1	-
FEMALE--	14	9	17	18	26	27	45	33	21	11	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2890

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Glomerular and renal tubulo-interstitial diseases (N00-N15)												
UNITED STATES -	60	68	77	113	171	274	323	331	220	91	22	-
WHITE-----MALE----	17	26	28	39	55	114	119	115	72	26	3	-
FEMALE--	16	30	30	50	89	120	162	180	118	55	16	-
ALL OTHER--MALE----	18	4	9	14	9	17	13	11	15	4	-	-
FEMALE--	9	8	10	10	18	23	29	25	15	6	3	-
BLACK---MALE----	17	3	9	13	7	14	10	7	11	3	-	-
FEMALE--	9	6	6	9	14	20	22	18	12	6	1	-
ALABAMA -----	1	1	2	1	5	5	8	4	4	2	1	-
WHITE-----MALE----	-	-	2	-	1	2	3	-	-	-	1	-
FEMALE--	-	-	-	-	2	2	4	4	4	1	-	-
ALL OTHER--MALE----	1	-	-	1	1	-	-	-	-	1	-	-
FEMALE--	-	1	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	1	-	-	1	1	-	-	-	-	1	-	-
FEMALE--	-	1	-	-	1	1	1	-	-	-	-	-
ALASKA -----	-	-	-	-	-	2	1	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	2	3	6	10	10	7	3	8	1	1	-
WHITE-----MALE----	2	-	1	1	4	5	3	1	3	-	-	-
FEMALE--	-	1	2	4	4	5	3	2	5	1	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	1	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	1	-	-	1	4	4	2	3	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	2	-	-	-	-
FEMALE--	-	1	-	-	-	2	3	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
CALIFORNIA -----	8	10	11	13	23	39	36	51	21	13	2	-
WHITE-----MALE----	1	3	3	3	7	15	9	24	6	4	-	-
FEMALE--	3	7	5	8	14	18	20	22	10	7	2	-
ALL OTHER--MALE----	3	-	1	-	1	3	1	3	3	1	-	-
FEMALE--	1	-	2	2	1	3	6	2	2	1	-	-
BLACK---MALE----	3	-	1	-	-	2	-	1	-	-	-	-
FEMALE--	1	-	-	2	-	2	1	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2891

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Glomerular and renal tubulo-interstitial diseases (N00-N15)												
COLORADO -----	18	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	20	-	-	-	-	-	-	-	-	2	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	5	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	111	-	-	-	-	2	-	-	-	2	2	4
WHITE-----MALE----	44	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	48	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	5	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	1	-	-	-	1	1	1
BLACK---MALE----	5	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	1	-	-	-	1	1	1
GEORGIA -----	52	2	-	-	1	-	-	-	-	3	1	2
WHITE-----MALE----	18	1	-	-	1	-	-	-	-	-	1	1
FEMALE--	15	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2891

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Glomerular and renal tubulo-interstitial diseases (N00-N15)												
COLORADO -----	1	2	1	1	2	-	1	6	3	-	-	-
WHITE-----MALE----	-	1	1	-	1	-	-	1	2	-	-	-
FEMALE--	1	1	-	1	1	-	1	5	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	2	-	-	2	1	5	6	-	2	-	-
WHITE-----MALE----	-	1	-	-	-	-	3	1	-	-	-	-
FEMALE--	-	1	-	-	2	1	2	5	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	1	-	-	1	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
FLORIDA -----	4	4	2	5	14	16	25	16	12	3	-	-
WHITE-----MALE----	1	2	-	2	5	4	14	7	5	2	-	-
FEMALE--	1	1	2	3	7	9	10	6	7	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	2	1	-	-	2	2	-	2	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	2	1	-	-	2	2	-	2	-	1	-	-
GEORGIA -----	2	-	3	3	7	6	9	7	4	2	-	-
WHITE-----MALE----	1	-	1	1	4	2	2	2	1	-	-	-
FEMALE--	-	-	1	-	2	1	3	4	2	1	-	-
ALL OTHER--MALE----	1	-	-	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	2	4	1	1	1	-	-
BLACK---MALE-----	1	-	-	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	4	1	1	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2892

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Glomerular and renal tubulo-interstitial diseases (N00-N15)												
HAWAII -----	8	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	13	-	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	72	2	1	-	-	-	-	-	1	3	-	-
WHITE-----MALE----	24	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	34	-	1	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	10	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	10	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
INDIANA -----	43	-	-	-	-	-	-	-	2	-	-	2
WHITE-----MALE----	18	-	-	-	-	-	-	-	2	-	-	1
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	37	-	-	-	1	-	-	-	1	-	-	-
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	25	-	-	-	1	-	-	-	-	-	-	1
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2893

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Glomerular and renal tubulo-interstitial diseases (N00-N15)												
KENTUCKY -----	1	-	1	3	2	2	3	3	3	2	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	1	1	-	-	-
FEMALE--	1	-	1	3	1	1	3	2	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	2	1	1	5	5	2	5	6	1	-	-
WHITE-----MALE----	-	-	1	-	1	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	1	2	2	3	5	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	2	-	-	2	1	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	2	-	-	2	1	-	-	1	-	-	-
MAINE -----	-	-	-	1	-	1	2	2	-	-	1	-
WHITE-----MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	2	1	3	1	3	3	3	4	5	-	-
WHITE-----MALE----	-	1	-	1	-	3	1	1	2	2	-	-
FEMALE--	2	1	1	2	-	-	2	2	1	3	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
MASSACHUSETTS -----	-	2	1	3	-	4	4	4	3	1	1	-
WHITE-----MALE----	-	2	-	3	-	-	-	2	2	-	-	-
FEMALE--	-	-	1	-	-	3	4	1	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MICHIGAN -----	2	3	2	2	6	3	11	10	7	2	1	-
WHITE-----MALE----	1	-	-	-	2	1	4	4	2	1	-	-
FEMALE--	-	2	2	2	4	2	7	6	2	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2896

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Glomerular and renal tubulo-interstitial diseases (N00-N15)												
OHIO -----	3	2	3	6	4	11	13	11	11	4	3	-
WHITE-----MALE----	-	1	1	3	2	3	5	3	2	2	-	-
FEMALE--	1	1	1	2	2	6	7	7	7	2	3	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	1	-	2	1	1	1	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	1	-	2	1	1	1	-	-	-
OKLAHOMA -----	1	-	1	4	1	3	3	9	3	-	-	-
WHITE-----MALE----	-	-	1	2	-	-	1	2	-	-	-	-
FEMALE--	-	-	-	1	1	3	2	5	3	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
OREGON -----	1	2	-	-	2	4	2	7	5	1	1	-
WHITE-----MALE----	1	-	-	-	-	2	-	1	4	-	-	-
FEMALE--	-	1	-	-	2	1	2	5	1	1	1	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	4	2	3	7	8	13	13	17	7	3	-	-
WHITE-----MALE----	1	1	-	3	1	7	6	7	2	1	-	-
FEMALE--	-	1	1	2	7	5	5	8	5	2	-	-
ALL OTHER--MALE----	2	-	-	1	-	1	1	1	-	-	-	-
FEMALE--	1	-	2	1	-	-	1	1	-	-	-	-
BLACK---MALE-----	2	-	-	1	-	1	1	1	-	-	-	-
FEMALE--	1	-	2	1	-	-	1	1	-	-	-	-
RHODE ISLAND -----	-	-	-	2	1	1	3	-	2	1	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	-	1	1	-	-
FEMALE--	-	-	-	1	-	1	3	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	2	3	2	2	12	8	7	5	2	-	-
WHITE-----MALE----	-	1	-	-	1	3	2	3	1	-	-	-
FEMALE--	-	1	1	-	1	4	3	1	3	2	-	-
ALL OTHER--MALE----	1	-	1	2	-	1	1	1	1	-	-	-
FEMALE--	-	-	1	-	-	4	2	2	-	-	-	-
BLACK---MALE-----	1	-	1	2	-	1	1	1	1	-	-	-
FEMALE--	-	-	1	-	-	4	2	2	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2897

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Glomerular and renal tubulo-interstitial diseases (N00-N15)												
SOUTH DAKOTA -----	-	-	-	-	-	2	-	2	1	-	1	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	3	4	2	11	10	16	14	12	7	1	-
WHITE-----MALE----	3	-	2	1	2	2	4	4	4	-	-	-
FEMALE--	-	3	1	-	6	6	7	9	6	4	1	-
ALL OTHER--MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	3	1	5	1	2	3	-	-
BLACK---MALE-----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	3	1	4	1	2	3	-	-
TEXAS -----	3	5	6	12	11	15	28	16	18	7	1	-
WHITE-----MALE----	3	2	1	3	5	6	11	3	6	2	1	-
FEMALE--	-	3	3	7	4	8	14	12	10	5	-	-
ALL OTHER--MALE----	-	-	1	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	2	1	2	-	-	-
BLACK---MALE-----	-	-	1	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	2	1	2	-	-	-
UTAH -----	1	1	2	-	-	-	4	2	2	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	-	2	-	-	-
FEMALE--	1	1	1	-	-	-	3	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	-	-	-	-	-	2	1	1	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	2	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	1	1	4	1	8	7	4	4	3	-	-
WHITE-----MALE----	-	-	1	1	1	4	1	1	-	1	-	-
FEMALE--	-	-	-	2	-	2	4	1	3	2	-	-
ALL OTHER--MALE----	1	1	-	1	-	-	2	-	1	-	-	-
FEMALE--	-	-	-	-	-	2	-	2	-	-	-	-
BLACK---MALE-----	1	1	-	-	-	-	2	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2899

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Glomerular diseases (N00-N07)												
UNITED STATES -	32	32	34	54	72	87	120	97	34	20	3	-
WHITE-----MALE----	10	14	16	22	31	46	44	38	9	7	-	-
FEMALE--	5	11	9	18	33	28	63	41	18	10	2	-
ALL OTHER--MALE----	13	3	5	8	2	7	3	9	4	2	-	-
FEMALE--	4	4	4	6	6	6	10	9	3	1	1	-
BLACK---MALE----	12	2	5	7	1	4	3	5	2	1	-	-
FEMALE--	4	3	2	5	5	6	9	6	2	1	-	-
ALABAMA -----	1	-	-	1	1	1	2	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	1	-	4	5	2	4	1	1	-	-	-
WHITE-----MALE----	2	-	-	-	2	2	2	1	-	-	-	-
FEMALE--	-	-	-	3	3	-	2	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	1	-	-	1	3	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CALIFORNIA -----	4	3	6	6	14	17	13	18	6	3	-	-
WHITE-----MALE----	-	1	2	2	6	9	5	10	1	1	-	-
FEMALE--	2	2	2	2	6	6	7	5	2	1	-	-
ALL OTHER--MALE----	2	-	-	-	1	1	-	2	2	1	-	-
FEMALE--	-	-	2	2	1	1	1	1	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2900

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Glomerular diseases (N00-N07)												
COLORADO -----	-	1	1	-	1	-	-	2	1	-	-	-
WHITE-----MALE----	-	1	1	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	-	-	-	-	-	3	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1	1	-	2	10	8	15	5	-	2	-	-
WHITE-----MALE----	1	-	-	-	3	3	8	2	-	2	-	-
FEMALE--	-	1	-	2	7	4	6	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
GEORGIA -----	-	-	1	1	1	1	5	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	3	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	3	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2905

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Glomerular diseases (N00-N07)												
OHIO -----	2	1	3	2	3	2	3	3	2	2	1	-
WHITE-----MALE----	-	1	1	2	1	1	2	1	-	1	-	-
FEMALE--	-	-	1	-	2	1	-	2	2	1	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
OKLAHOMA -----	1	-	1	2	-	2	1	4	-	-	-	-
WHITE-----MALE----	-	-	1	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	2	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
OREGON -----	-	1	-	-	-	2	-	1	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	1	-	3	3	3	4	7	-	-	-	-
WHITE-----MALE----	-	1	-	3	1	2	1	3	-	-	-	-
FEMALE--	-	-	-	-	2	1	3	3	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	1	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	2	2	-	4	2	3	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	2	-	-	-	-
FEMALE--	-	-	1	-	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	2	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	1	2	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2906

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Glomerular diseases (N00-N07)												
SOUTH DAKOTA -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	1	3	2	2	2	6	4	1	1	-	-
WHITE-----MALE----	3	-	2	1	-	-	1	2	-	-	-	-
FEMALE--	-	1	-	-	1	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	3	1	1	1	-	-
BLACK---MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	3	1	1	1	-	-
TEXAS -----	1	3	1	5	6	3	9	2	3	-	-	-
WHITE-----MALE----	1	2	1	1	4	1	4	1	1	-	-	-
FEMALE--	-	1	-	3	1	2	4	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	1	1	-	-	-
UTAH -----	1	-	1	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	-	-	1	-	2	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2917

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Nephrotic syndrome (N04)												
UNITED STATES -	10	1	8	10	14	14	30	23	11	6	1	-
WHITE-----MALE----	3	1	6	3	4	8	9	8	3	3	-	-
FEMALE--	1	-	2	3	8	3	19	11	7	3	1	-
ALL OTHER--MALE----	5	-	-	3	-	2	1	3	1	-	-	-
FEMALE--	1	-	-	1	2	1	1	1	-	-	-	-
BLACK---MALE----	5	-	-	2	-	1	1	1	-	-	-	-
FEMALE--	1	-	-	1	2	1	1	1	-	-	-	-
ALABAMA -----	-	-	-	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	-	-	-	-	-	1	-	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1	-	1	1	2	3	3	1	2	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	2	1	-	-	-	-
FEMALE--	1	-	-	-	2	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2918

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Nephrotic syndrome (N04)												
COLORADO -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1	-	-	2	3	2	4	-	-	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	2	3	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	-	-	-	1	1	-	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2924

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Nephrotic syndrome (N04)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	-	-	1	2	2	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	-	-	1	-	1	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2927

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified glomerular diseases (N02-N03,N05-N07)												
COLORADO -----	-	1	1	-	1	-	-	2	1	-	-	-
WHITE-----MALE----	-	1	1	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	-	-	-	-	-	3	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	1	-	-	7	6	9	5	-	1	-	-
WHITE-----MALE----	-	-	-	-	3	3	5	2	-	1	-	-
FEMALE--	-	1	-	-	4	3	4	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
GEORGIA -----	-	-	1	-	-	1	3	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	2	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2932

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified glomerular diseases (N02-N03,N05-N07)												
OHIO -----	1	1	3	2	3	1	2	2	-	2	-	-
WHITE-----MALE----	-	1	1	2	1	-	1	1	-	1	-	-
FEMALE--	-	-	1	-	2	1	-	1	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
OKLAHOMA -----	1	-	-	-	-	2	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	1	-	-	-	2	-	1	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	1	-	2	2	2	2	4	-	-	-	-
WHITE-----MALE----	-	1	-	2	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	1	-	-	4	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2935

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Renal tubulo-interstitial diseases (N10-N15)												
UNITED STATES -	28	36	43	59	99	187	203	234	186	71	19	-
WHITE-----MALE----	7	12	12	17	24	68	75	77	63	19	3	-
FEMALE--	11	19	21	32	56	92	99	139	100	45	14	-
ALL OTHER--MALE----	5	1	4	6	7	10	10	2	11	2	-	-
FEMALE--	5	4	6	4	12	17	19	16	12	5	2	-
BLACK---MALE----	5	1	4	6	6	10	7	2	9	2	-	-
FEMALE--	5	3	4	4	9	14	13	12	10	5	1	-
ALABAMA -----	-	1	2	-	4	4	6	4	3	2	1	-
WHITE-----MALE----	-	-	2	-	-	1	2	-	-	-	1	-
FEMALE--	-	-	-	-	2	2	3	4	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	-	1	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	-	1	-	-	1	1	1	-	-	-	-	-
ALASKA -----	-	-	-	-	-	2	1	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	1	3	2	5	8	3	2	7	1	1	-
WHITE-----MALE----	-	-	1	1	2	3	1	-	3	-	-	-
FEMALE--	-	1	2	1	1	5	1	2	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	1	4	2	3	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	3	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
CALIFORNIA -----	4	7	5	7	9	22	23	33	15	10	2	-
WHITE-----MALE----	1	2	1	1	1	6	4	14	5	3	-	-
FEMALE--	1	5	3	6	8	12	13	17	8	6	2	-
ALL OTHER--MALE----	1	-	1	-	-	2	1	1	1	-	-	-
FEMALE--	1	-	-	-	-	2	5	1	1	1	-	-
BLACK---MALE----	1	-	1	-	-	2	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2936

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Renal tubulo-interstitial diseases (N10-N15)												
COLORADO -----	11	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	13	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	61	-	-	-	-	1	-	-	-	1	1	1
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
GEORGIA -----	39	-	-	-	-	-	-	-	-	3	-	2
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2936

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Renal tubulo-interstitial diseases (N10-N15)												
COLORADO -----	1	1	-	1	1	-	1	4	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	1	1	-	1	1	-	1	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	-	-	2	1	5	3	-	1	-	-
WHITE-----MALE----	-	1	-	-	-	-	3	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	2	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	1	-	-	1	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
FLORIDA -----	3	3	2	3	4	8	10	11	12	1	-	-
WHITE-----MALE----	-	2	-	2	2	1	6	5	5	-	-	-
FEMALE--	1	-	2	1	-	5	4	4	7	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	1	-	-	2	2	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	1	-	-	2	2	-	1	-	1	-	-
GEORGIA -----	2	-	2	2	6	5	4	7	4	2	-	-
WHITE-----MALE----	1	-	1	-	3	2	2	2	1	-	-	-
FEMALE--	-	-	1	-	2	1	1	4	2	1	-	-
ALL OTHER--MALE----	1	-	-	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	1	1	-	-
BLACK---MALE----	1	-	-	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	1	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2937

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Renal tubulo-interstitial diseases (N10-N15)												
HAWAII -----	7	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	7	-	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	57	1	1	-	-	-	-	-	1	2	-	-
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	29	-	1	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	7	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	7	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
INDIANA -----	26	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	27	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	17	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2938

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Renal tubulo-interstitial diseases (N10-N15)												
KENTUCKY -----	1	-	1	1	1	1	3	3	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	1	1	1	1	3	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	-	2	3	1	5	4	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	3	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
MAINE -----	-	-	-	-	-	1	2	2	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	1	1	1	1	2	1	2	3	2	-	-
WHITE-----MALE----	-	1	-	-	-	2	1	1	1	1	-	-
FEMALE--	1	-	1	1	-	-	-	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
MASSACHUSETTS -----	-	-	1	1	-	3	1	3	2	1	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	2	2	-	-	-
FEMALE--	-	-	1	-	-	2	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MICHIGAN -----	-	1	1	1	4	3	7	10	6	2	1	-
WHITE-----MALE----	-	-	-	-	2	1	4	4	2	1	-	-
FEMALE--	-	1	1	1	2	2	3	6	2	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2941

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Renal tubulo-interstitial diseases (N10-N15)												
OHIO -----	1	1	-	4	1	9	10	8	9	2	2	-
WHITE-----MALE----	-	-	-	1	1	2	3	2	2	1	-	-
FEMALE--	1	1	-	2	-	5	7	5	5	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	2	-	1	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	2	-	1	1	-	-	-
OKLAHOMA -----	-	-	-	2	1	1	2	5	3	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	2	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
OREGON -----	1	1	-	-	2	2	2	6	4	-	1	-
WHITE-----MALE----	1	-	-	-	-	1	-	1	4	-	-	-
FEMALE--	-	1	-	-	2	1	2	4	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	1	3	4	5	10	9	10	7	3	-	-
WHITE-----MALE----	1	-	-	-	-	5	5	4	2	1	-	-
FEMALE--	-	1	1	2	5	4	2	5	5	2	-	-
ALL OTHER--MALE----	1	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	2	1	-	-	1	1	-	-	-	-
BLACK---MALE-----	1	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	2	1	-	-	1	1	-	-	-	-
RHODE ISLAND -----	-	-	-	2	-	-	2	-	2	1	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	1	-	-	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	2	1	-	2	8	6	4	5	2	-	-
WHITE-----MALE----	-	1	-	-	1	2	2	1	1	-	-	-
FEMALE--	-	1	-	-	1	3	1	1	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	1	-	-	3	2	2	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	1	-	-	3	2	2	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2942

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Renal tubulo-interstitial diseases (N10-N15)												
SOUTH DAKOTA -----	-	-	-	-	-	1	-	2	1	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	2	1	-	9	8	10	10	11	6	1	-
WHITE-----MALE----	-	-	-	-	2	2	3	2	4	-	-	-
FEMALE--	-	2	1	-	5	5	5	8	6	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	1	2	-	1	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	1	1	-	1	2	-	-
TEXAS -----	2	2	5	7	5	12	19	14	15	7	1	-
WHITE-----MALE----	2	-	-	2	1	5	7	2	5	2	1	-
FEMALE--	-	2	3	4	3	6	10	12	9	5	-	-
ALL OTHER--MALE----	-	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	1	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
UTAH -----	-	1	1	-	-	-	3	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	2	-	-	-
FEMALE--	-	1	1	-	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	1	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	1	1	3	1	6	6	2	4	3	-	-
WHITE-----MALE----	-	-	1	1	1	3	1	1	-	1	-	-
FEMALE--	-	-	-	2	-	1	4	-	3	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2944

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Renal failure (N17-N19)												
UNITED STATES -	36,471	152	11	9	10	30	48	72	149	262	439	658
WHITE-----MALE----	14,070	55	4	5	7	11	20	25	39	75	154	223
FEMALE--	14,912	25	3	2	2	8	16	19	38	62	99	133
ALL OTHER--MALE----	3,346	45	1	1	1	7	2	14	37	69	109	192
FEMALE--	4,143	27	3	1	-	4	10	14	35	56	77	110
BLACK---MALE----	3,015	42	1	1	1	7	2	12	35	68	102	187
FEMALE--	3,767	26	2	1	-	4	9	14	33	53	70	104
ALABAMA -----	930	10	-	-	-	1	2	2	3	8	13	29
WHITE-----MALE----	274	7	-	-	-	-	-	1	-	-	2	11
FEMALE--	323	-	-	-	-	-	1	1	2	-	2	3
ALL OTHER--MALE----	157	2	-	-	-	1	-	-	-	3	7	12
FEMALE--	176	1	-	-	-	-	1	-	1	5	2	3
BLACK---MALE----	157	2	-	-	-	1	-	-	-	3	7	12
FEMALE--	175	1	-	-	-	-	1	-	1	5	2	3
ALASKA -----	30	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	590	4	1	1	-	-	2	2	3	3	8	11
WHITE-----MALE----	270	1	-	-	-	-	1	1	-	-	2	6
FEMALE--	265	2	1	1	-	-	1	-	1	2	1	3
ALL OTHER--MALE----	19	-	-	-	-	-	-	1	1	-	2	1
FEMALE--	36	1	-	-	-	-	-	-	1	1	3	1
BLACK---MALE----	6	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	18	1	-	-	-	-	-	-	-	-	1	-
ARKANSAS -----	490	2	1	-	-	-	-	4	3	8	7	5
WHITE-----MALE----	179	1	-	-	-	-	-	3	2	3	2	2
FEMALE--	201	1	-	-	-	-	-	1	-	2	2	2
ALL OTHER--MALE----	46	-	-	-	-	-	-	-	-	3	1	-
FEMALE--	64	-	1	-	-	-	-	-	1	-	2	1
BLACK---MALE----	46	-	-	-	-	-	-	-	-	3	1	-
FEMALE--	64	-	1	-	-	-	-	-	1	-	2	1
CALIFORNIA -----	1,672	9	1	1	-	2	2	5	8	13	32	29
WHITE-----MALE----	622	2	1	1	-	2	2	3	3	5	11	13
FEMALE--	653	3	-	-	-	-	-	-	2	5	7	5
ALL OTHER--MALE----	183	1	-	-	-	-	-	2	2	1	5	8
FEMALE--	214	3	-	-	-	-	-	-	1	2	9	3
BLACK---MALE----	96	-	-	-	-	-	-	1	2	1	4	7
FEMALE--	111	3	-	-	-	-	-	-	1	2	7	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2944

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Renal failure (N17-N19)												
UNITED STATES -	932	1,234	1,789	2,754	4,094	5,794	6,429	6,040	3,878	1,420	265	2
WHITE-----MALE----	311	428	643	1,048	1,661	2,517	2,736	2,352	1,309	379	66	2
FEMALE--	234	333	545	877	1,442	2,257	2,755	2,947	2,108	859	148	-
ALL OTHER--MALE----	215	250	286	364	419	464	385	265	149	64	7	-
FEMALE--	172	223	315	465	572	556	553	476	312	118	44	-
BLACK---MALE----	195	225	257	326	380	416	341	229	124	59	5	-
FEMALE--	158	206	291	417	509	502	505	430	285	110	38	-
ALABAMA -----	22	36	60	66	88	151	154	147	104	29	5	-
WHITE-----MALE----	5	8	21	16	30	49	46	39	31	7	1	-
FEMALE--	6	5	9	15	25	52	60	72	56	12	2	-
ALL OTHER--MALE----	8	16	17	15	14	25	20	10	2	5	-	-
FEMALE--	3	7	13	20	19	25	28	26	15	5	2	-
BLACK---MALE----	8	16	17	15	14	25	20	10	2	5	-	-
FEMALE--	3	7	13	20	19	25	27	26	15	5	2	-
ALASKA -----	1	-	1	4	6	7	4	2	2	2	-	-
WHITE-----MALE----	1	-	1	1	3	4	2	-	-	1	-	-
FEMALE--	-	-	-	1	1	2	2	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	2	2	1	-	1	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	11	19	30	61	92	96	99	81	53	11	2	-
WHITE-----MALE----	5	8	15	29	44	48	43	42	21	4	-	-
FEMALE--	3	9	11	23	42	43	48	38	28	6	2	-
ALL OTHER--MALE----	3	-	-	4	-	-	5	-	1	1	-	-
FEMALE--	-	2	4	5	6	5	3	1	3	-	-	-
BLACK---MALE----	1	-	-	2	-	-	1	-	-	-	-	-
FEMALE--	-	1	3	2	3	3	2	-	2	-	-	-
ARKANSAS -----	19	13	26	32	49	71	93	64	63	25	5	-
WHITE-----MALE----	7	3	7	11	26	33	34	21	17	5	2	-
FEMALE--	5	5	6	12	13	24	43	33	35	15	2	-
ALL OTHER--MALE----	3	3	5	4	4	5	9	2	4	3	-	-
FEMALE--	4	2	8	5	6	9	7	8	7	2	1	-
BLACK---MALE----	3	3	5	4	4	5	9	2	4	3	-	-
FEMALE--	4	2	8	5	6	9	7	8	7	2	1	-
CALIFORNIA -----	74	86	94	114	188	288	250	264	150	49	13	-
WHITE-----MALE----	29	35	27	35	75	112	100	97	57	10	2	-
FEMALE--	21	18	34	45	64	113	104	128	67	32	5	-
ALL OTHER--MALE----	10	18	14	14	22	36	23	16	9	1	1	-
FEMALE--	14	15	19	20	27	27	23	23	17	6	5	-
BLACK---MALE----	6	10	10	9	11	20	9	4	2	-	-	-
FEMALE--	10	12	15	10	9	12	10	10	4	2	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2945

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Renal failure (N17-N19)												
COLORADO -----	347	1	-	-	-	-	2	1	2	-	4	4
WHITE-----MALE----	160	1	-	-	-	-	1	-	1	-	2	1
FEMALE--	161	-	-	-	-	-	1	1	1	-	2	3
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	513	-	-	-	-	-	-	-	2	4	6	7
WHITE-----MALE----	226	-	-	-	-	-	-	-	-	-	3	2
FEMALE--	238	-	-	-	-	-	-	-	1	2	1	-
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	31	-	-	-	-	-	-	-	1	1	2	2
BLACK---MALE----	16	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	31	-	-	-	-	-	-	-	1	1	2	2
DELAWARE -----	111	1	1	-	-	-	1	-	1	-	1	3
WHITE-----MALE----	38	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	43	-	-	-	-	-	1	-	1	-	1	-
ALL OTHER--MALE----	18	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	12	1	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	18	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	11	1	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ---	82	-	-	-	-	-	-	-	1	-	4	2
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	31	-	-	-	-	-	-	-	1	-	2	2
FEMALE--	43	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	30	-	-	-	-	-	-	-	1	-	2	2
FEMALE--	42	-	-	-	-	-	-	-	-	-	2	-
FLORIDA -----	1,830	12	-	-	-	-	1	3	5	11	9	26
WHITE-----MALE----	870	4	-	-	-	-	-	2	3	2	2	7
FEMALE--	672	-	-	-	-	-	-	1	1	2	2	7
ALL OTHER--MALE----	120	7	-	-	-	-	-	-	-	1	2	4
FEMALE--	168	1	-	-	-	-	1	-	1	6	3	8
BLACK---MALE----	118	7	-	-	-	-	-	-	-	1	2	4
FEMALE--	162	1	-	-	-	-	1	-	1	5	3	8
GEORGIA -----	1,249	7	1	-	1	1	6	2	13	11	27	42
WHITE-----MALE----	305	1	-	-	-	-	1	-	1	2	8	7
FEMALE--	395	-	1	-	-	-	2	-	1	1	4	10
ALL OTHER--MALE----	227	4	-	-	1	1	-	2	7	4	6	16
FEMALE--	322	2	-	-	-	-	3	-	4	4	9	9
BLACK---MALE----	223	4	-	-	1	1	-	2	6	4	6	16
FEMALE--	319	2	-	-	-	-	3	-	4	4	9	9

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2945

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Renal failure (N17-N19)												
COLORADO -----	11	5	18	22	36	62	62	67	27	20	3	-
WHITE-----MALE----	8	3	5	9	16	39	33	26	12	2	1	-
FEMALE--	2	-	11	9	15	22	24	36	15	18	1	-
ALL OTHER--MALE----	1	-	1	1	-	1	2	2	-	-	-	-
FEMALE--	-	2	1	3	5	-	3	3	-	-	1	-
BLACK---MALE----	1	-	1	-	-	1	2	2	-	-	-	-
FEMALE--	-	2	1	1	3	-	3	3	-	-	1	-
CONNECTICUT -----	12	14	22	37	57	74	104	80	65	25	4	-
WHITE-----MALE----	6	5	9	19	31	34	46	34	26	10	1	-
FEMALE--	4	5	9	13	20	38	51	42	36	13	3	-
ALL OTHER--MALE----	1	1	2	2	4	-	4	-	-	-	-	-
FEMALE--	1	3	2	3	2	2	3	4	3	2	-	-
BLACK---MALE----	1	1	1	2	4	-	3	-	-	-	-	-
FEMALE--	1	3	2	3	2	2	3	4	3	2	-	-
DELAWARE -----	3	1	12	8	20	14	18	14	10	2	1	-
WHITE-----MALE----	1	-	5	3	9	6	8	4	1	-	-	-
FEMALE--	1	-	3	2	5	4	8	8	6	2	1	-
ALL OTHER--MALE----	1	1	3	2	6	2	-	1	-	-	-	-
FEMALE--	-	-	1	1	-	2	2	1	3	-	-	-
BLACK---MALE----	1	1	3	2	6	2	-	1	-	-	-	-
FEMALE--	-	-	1	1	-	2	2	1	2	-	-	-
DISTRICT OF COLUMBIA ---	2	5	3	7	6	16	8	14	9	3	2	-
WHITE-----MALE----	-	-	-	-	-	1	2	-	1	1	-	-
FEMALE--	-	-	-	1	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	1	2	1	1	2	10	1	7	-	-	1	-
FEMALE--	1	3	2	5	4	5	5	6	7	2	1	-
BLACK---MALE----	1	2	1	1	2	10	1	7	-	-	-	-
FEMALE--	1	3	2	5	4	5	5	6	7	1	1	-
FLORIDA -----	31	57	61	129	183	304	341	336	226	83	12	-
WHITE-----MALE----	15	20	32	54	88	152	172	172	103	37	5	-
FEMALE--	7	16	10	45	57	108	129	136	104	41	6	-
ALL OTHER--MALE----	4	8	7	14	17	19	22	8	4	2	1	-
FEMALE--	5	13	12	16	21	25	18	20	15	3	-	-
BLACK---MALE----	4	8	7	14	17	18	21	8	4	2	1	-
FEMALE--	5	13	12	16	20	25	15	19	15	3	-	-
GEORGIA -----	45	56	66	118	139	172	226	159	110	40	7	-
WHITE-----MALE----	8	10	13	29	47	47	70	32	24	5	-	-
FEMALE--	10	12	17	23	27	62	72	73	55	21	4	-
ALL OTHER--MALE----	18	16	18	28	15	28	30	15	9	8	1	-
FEMALE--	9	18	18	38	50	35	54	39	22	6	2	-
BLACK---MALE----	17	16	18	28	15	26	30	15	9	8	1	-
FEMALE--	9	18	18	36	50	35	54	39	21	6	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2946

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Renal failure (N17-N19)												
HAWAII -----	112	-	-	-	-	-	1	-	-	-	5	2
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	3	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	50	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	36	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	89	1	-	-	-	-	-	-	-	-	2	1
WHITE-----MALE----	44	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	44	1	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2,111	11	1	-	-	1	1	1	13	13	24	38
WHITE-----MALE----	787	3	1	-	-	1	-	-	5	2	6	12
FEMALE--	866	3	-	-	-	-	-	-	1	1	7	7
ALL OTHER--MALE----	214	2	-	-	-	-	1	-	3	9	9	10
FEMALE--	244	3	-	-	-	-	-	1	4	1	2	9
BLACK---MALE----	204	2	-	-	-	-	1	-	2	8	9	10
FEMALE--	235	3	-	-	-	-	-	1	4	1	2	9
INDIANA -----	1,066	5	-	1	-	-	2	4	3	2	8	19
WHITE-----MALE----	423	2	-	1	-	-	2	1	3	1	3	12
FEMALE--	518	1	-	-	-	-	-	1	-	-	-	4
ALL OTHER--MALE----	56	1	-	-	-	-	-	1	-	-	3	2
FEMALE--	69	1	-	-	-	-	-	1	-	1	2	1
BLACK---MALE----	55	1	-	-	-	-	-	1	-	-	3	2
FEMALE--	67	1	-	-	-	-	-	1	-	1	2	1
IOWA -----	302	-	-	-	-	-	-	-	-	1	4	3
WHITE-----MALE----	139	-	-	-	-	-	-	-	-	-	3	2
FEMALE--	154	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	470	-	1	-	-	1	-	1	4	4	3	8
WHITE-----MALE----	209	-	1	-	-	1	-	-	3	-	2	2
FEMALE--	210	-	-	-	-	-	-	-	1	4	-	3
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	29	-	-	-	-	-	-	1	-	-	1	1
BLACK---MALE----	19	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	29	-	-	-	-	-	-	1	-	-	1	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2946

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Renal failure (N17-N19)												
HAWAII -----	-	5	9	12	14	20	15	14	10	4	1	-
WHITE-----MALE----	-	-	1	2	1	3	3	2	-	-	-	-
FEMALE--	-	1	1	2	1	-	-	3	-	1	-	-
ALL OTHER--MALE----	-	2	4	5	6	11	7	5	7	2	-	-
FEMALE--	-	2	3	3	6	6	5	4	3	1	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	1	7	3	7	11	17	22	11	5	-	-
WHITE-----MALE----	1	1	4	2	1	8	10	10	5	1	-	-
FEMALE--	-	-	3	1	6	3	6	12	6	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ILLINOIS -----	57	70	105	163	264	309	359	347	228	86	20	-
WHITE-----MALE----	16	18	32	46	115	140	163	135	66	22	4	-
FEMALE--	12	15	35	57	94	104	152	173	138	54	13	-
ALL OTHER--MALE----	16	27	20	25	31	24	15	12	8	2	-	-
FEMALE--	13	10	18	35	24	41	29	27	16	8	3	-
BLACK---MALE-----	15	25	20	25	29	23	14	11	8	2	-	-
FEMALE--	13	10	18	34	24	38	28	24	16	8	2	-
INDIANA -----	20	25	58	79	132	174	192	193	99	43	7	-
WHITE-----MALE----	7	7	22	38	59	80	72	61	40	12	-	-
FEMALE--	6	14	24	25	55	80	98	119	58	28	5	-
ALL OTHER--MALE----	3	4	5	5	12	7	6	7	-	-	-	-
FEMALE--	4	-	7	11	6	7	16	6	1	3	2	-
BLACK---MALE-----	3	4	5	5	12	7	6	6	-	-	-	-
FEMALE--	4	-	6	10	6	7	16	6	1	3	2	-
IOWA -----	5	6	15	19	28	43	43	62	52	16	5	-
WHITE-----MALE----	2	3	6	12	12	25	22	25	18	8	1	-
FEMALE--	3	3	9	5	15	16	21	35	32	8	4	-
ALL OTHER--MALE----	-	-	-	1	1	2	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	2	-	-	-
BLACK---MALE-----	-	-	-	-	1	2	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	2	-	-	-
KANSAS -----	5	10	14	30	44	71	99	82	56	32	5	-
WHITE-----MALE----	1	5	3	15	24	33	52	34	22	9	2	-
FEMALE--	3	2	6	8	17	31	36	43	32	22	2	-
ALL OTHER--MALE----	-	2	3	3	-	4	7	1	-	-	-	-
FEMALE--	1	1	2	4	3	3	4	4	2	1	1	-
BLACK---MALE-----	-	2	2	3	-	3	6	1	-	-	-	-
FEMALE--	1	1	2	4	3	3	4	4	2	1	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2947

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Renal failure (N17-N19)												
KENTUCKY -----	742	-	-	-	-	-	2	5	4	6	9	7
WHITE-----MALE----	314	-	-	-	-	-	1	2	1	3	4	4
FEMALE--	343	-	-	-	-	-	1	3	2	2	5	1
ALL OTHER--MALE----	41	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	44	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE-----	40	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	44	-	-	-	-	-	-	-	1	-	-	1
LOUISIANA -----	905	1	1	-	-	2	1	1	5	13	11	33
WHITE-----MALE----	259	-	-	-	-	1	-	-	1	-	3	4
FEMALE--	260	-	-	-	-	-	-	-	-	2	3	4
ALL OTHER--MALE----	154	1	-	-	-	1	-	-	1	7	3	18
FEMALE--	232	-	1	-	-	-	1	1	3	4	2	7
BLACK---MALE-----	151	1	-	-	-	1	-	-	1	7	3	17
FEMALE--	230	-	1	-	-	-	1	1	3	4	2	7
MAINE -----	174	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	81	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	93	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	578	3	-	-	-	-	-	2	3	5	14	12
WHITE-----MALE----	169	-	-	-	-	-	-	1	-	-	3	3
FEMALE--	179	1	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	101	2	-	-	-	-	-	-	1	4	6	6
FEMALE--	129	-	-	-	-	-	-	1	1	1	4	3
BLACK---MALE-----	98	2	-	-	-	-	-	-	1	4	6	6
FEMALE--	123	-	-	-	-	-	-	1	1	1	4	3
MASSACHUSETTS -----	1,216	-	-	-	-	-	-	1	4	4	14	19
WHITE-----MALE----	567	-	-	-	-	-	-	-	1	1	6	13
FEMALE--	554	-	-	-	-	-	-	1	1	2	6	4
ALL OTHER--MALE----	46	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	49	-	-	-	-	-	-	-	1	1	1	2
BLACK---MALE-----	41	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	45	-	-	-	-	-	-	-	1	1	1	2
MICHIGAN -----	1,419	10	1	-	1	2	1	-	7	10	16	17
WHITE-----MALE----	527	2	-	-	-	-	1	-	2	2	6	7
FEMALE--	580	2	-	-	1	-	-	-	2	1	1	2
ALL OTHER--MALE----	147	4	-	-	-	1	-	-	3	5	7	6
FEMALE--	165	2	1	-	-	1	-	-	-	2	2	2
BLACK---MALE-----	141	4	-	-	-	1	-	-	3	5	7	6
FEMALE--	154	2	-	-	-	1	-	-	-	2	2	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2947

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Renal failure (N17-N19)												
KENTUCKY -----	23	21	41	52	81	110	138	138	68	34	3	-
WHITE-----MALE----	11	9	19	20	38	53	61	53	24	10	1	-
FEMALE--	8	9	14	27	30	41	66	73	37	22	2	-
ALL OTHER--MALE----	4	1	5	3	7	6	2	6	4	1	-	-
FEMALE--	-	2	3	2	6	10	9	6	3	1	-	-
BLACK---MALE----	4	1	5	3	6	6	2	6	4	1	-	-
FEMALE--	-	2	3	2	6	10	9	6	3	1	-	-
LOUISIANA -----	35	34	61	84	105	144	120	141	83	24	6	-
WHITE-----MALE----	6	6	17	22	26	58	36	51	22	3	3	-
FEMALE--	3	7	14	24	21	37	44	53	36	12	-	-
ALL OTHER--MALE----	11	10	8	14	22	18	15	14	8	3	-	-
FEMALE--	15	11	22	24	36	31	25	23	17	6	3	-
BLACK---MALE----	11	10	8	12	22	18	15	14	8	3	-	-
FEMALE--	15	11	22	24	36	29	25	23	17	6	3	-
MAINE -----	3	4	10	8	12	34	25	37	28	10	1	-
WHITE-----MALE----	1	2	4	4	7	18	12	17	9	4	1	-
FEMALE--	2	2	6	4	5	16	13	20	19	6	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	27	26	39	48	75	96	97	74	44	11	2	-
WHITE-----MALE----	4	7	12	13	14	30	35	27	16	4	-	-
FEMALE--	6	4	8	12	28	31	32	30	19	5	1	-
ALL OTHER--MALE----	9	10	9	5	15	15	11	6	2	-	-	-
FEMALE--	8	5	10	18	18	20	19	11	7	2	1	-
BLACK---MALE----	9	10	8	5	15	15	10	5	2	-	-	-
FEMALE--	7	4	9	18	18	19	17	11	7	2	1	-
MASSACHUSETTS -----	19	28	50	94	130	206	242	227	121	49	8	-
WHITE-----MALE----	9	14	22	52	65	102	117	107	40	13	5	-
FEMALE--	6	6	19	27	52	93	116	110	73	35	3	-
ALL OTHER--MALE----	2	5	3	7	6	8	6	6	1	-	-	-
FEMALE--	2	3	6	8	7	3	3	4	7	1	-	-
BLACK---MALE----	1	5	3	6	5	8	5	5	1	-	-	-
FEMALE--	2	3	6	8	5	2	3	3	7	1	-	-
MICHIGAN -----	38	49	54	106	158	248	252	233	149	59	8	-
WHITE-----MALE----	12	15	19	34	58	104	115	96	43	11	-	-
FEMALE--	4	14	14	39	59	96	107	108	89	35	6	-
ALL OTHER--MALE----	13	8	10	13	18	27	12	12	4	4	-	-
FEMALE--	9	12	11	20	23	21	18	17	13	9	2	-
BLACK---MALE----	12	8	10	11	18	27	11	11	3	4	-	-
FEMALE--	9	11	11	19	19	19	17	17	12	9	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2948

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Renal failure (N17-N19)												
MINNESOTA -----	650	1	-	-	-	1	2	2	-	1	4	11
WHITE-----MALE----	305	-	-	-	-	1	1	1	-	1	1	6
FEMALE--	307	-	-	-	-	-	1	1	-	-	2	4
ALL OTHER--MALE----	19	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
MISSISSIPPI -----	606	7	-	-	-	1	1	-	3	6	11	14
WHITE-----MALE----	172	1	-	-	-	-	-	-	-	1	3	3
FEMALE--	163	-	-	-	-	-	-	-	-	1	3	2
ALL OTHER--MALE----	113	4	-	-	-	-	1	-	1	-	3	5
FEMALE--	158	2	-	-	-	1	-	-	2	4	2	4
BLACK---MALE-----	112	4	-	-	-	-	1	-	1	-	3	5
FEMALE--	157	2	-	-	-	1	-	-	2	4	2	4
MISSOURI -----	890	2	-	-	-	1	1	1	3	5	11	17
WHITE-----MALE----	317	-	-	-	-	-	-	1	-	1	3	10
FEMALE--	445	-	-	-	-	1	-	-	1	1	3	3
ALL OTHER--MALE----	63	1	-	-	-	-	-	-	2	2	4	2
FEMALE--	65	1	-	-	-	-	1	-	-	1	1	2
BLACK---MALE-----	59	1	-	-	-	-	-	-	2	2	4	2
FEMALE--	64	1	-	-	-	-	1	-	-	1	1	2
MONTANA -----	111	2	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	49	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	52	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	249	-	-	-	-	-	-	1	-	-	3	2
WHITE-----MALE----	102	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	127	-	-	-	-	-	-	1	-	-	2	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	11	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	325	2	-	1	-	-	-	1	-	2	6	6
WHITE-----MALE----	160	1	-	-	-	-	-	-	-	1	5	2
FEMALE--	121	1	-	1	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	24	-	-	-	-	-	-	1	-	-	-	2
BLACK---MALE-----	14	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	17	-	-	-	-	-	-	1	-	-	-	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2948

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Renal failure (N17-N19)												
MINNESOTA -----	9	16	12	32	54	92	121	148	100	39	5	-
WHITE-----MALE----	2	6	6	18	31	45	58	75	36	17	-	-
FEMALE--	7	7	5	9	20	36	59	70	60	21	5	-
ALL OTHER--MALE----	-	2	-	2	2	7	-	1	2	1	-	-
FEMALE--	-	1	1	3	1	4	4	2	2	-	-	-
BLACK---MALE-----	-	1	-	-	1	4	-	-	-	1	-	-
FEMALE--	-	-	-	1	-	-	2	-	1	-	-	-
MISSISSIPPI -----	16	25	34	46	83	86	103	97	48	24	1	-
WHITE-----MALE----	2	5	9	16	24	31	31	33	8	5	-	-
FEMALE--	1	3	2	7	21	25	35	31	23	9	-	-
ALL OTHER--MALE----	7	7	12	9	15	12	14	12	7	4	-	-
FEMALE--	6	10	11	14	23	18	23	21	10	6	1	-
BLACK---MALE-----	7	7	11	9	15	12	14	12	7	4	-	-
FEMALE--	6	10	10	14	23	18	23	21	10	6	1	-
MISSOURI -----	11	23	37	75	108	112	158	135	138	42	10	-
WHITE-----MALE----	2	9	11	29	43	43	59	54	44	7	1	-
FEMALE--	8	9	18	28	46	49	80	72	85	33	8	-
ALL OTHER--MALE----	-	3	3	11	9	11	5	6	3	1	-	-
FEMALE--	1	2	5	7	10	9	14	3	6	1	1	-
BLACK---MALE-----	-	3	1	10	8	11	5	6	3	1	-	-
FEMALE--	1	2	5	7	10	9	14	2	6	1	1	-
MONTANA -----	-	5	2	10	8	13	16	24	18	11	-	-
WHITE-----MALE----	-	1	-	5	4	6	9	11	11	1	-	-
FEMALE--	-	-	1	3	4	6	7	12	7	10	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	4	-	2	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
NEBRASKA -----	4	8	16	12	23	37	50	46	27	19	1	-
WHITE-----MALE----	2	4	10	5	10	17	18	21	9	5	-	-
FEMALE--	1	1	3	5	10	19	28	25	17	14	1	-
ALL OTHER--MALE----	-	-	3	1	1	-	3	-	1	-	-	-
FEMALE--	1	3	-	1	2	1	1	-	-	-	-	-
BLACK---MALE-----	-	-	3	1	1	-	3	-	1	-	-	-
FEMALE--	-	3	-	1	2	1	1	-	-	-	-	-
NEVADA -----	7	20	18	28	49	58	51	41	27	6	2	-
WHITE-----MALE----	3	9	6	13	27	38	31	19	4	1	-	-
FEMALE--	2	7	6	7	18	16	15	19	19	5	2	-
ALL OTHER--MALE----	2	1	5	3	2	1	3	-	2	-	-	-
FEMALE--	-	3	1	5	2	3	2	3	2	-	-	-
BLACK---MALE-----	1	-	3	3	-	1	3	-	2	-	-	-
FEMALE--	-	3	-	3	1	2	2	1	2	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2950

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Renal failure (N17-N19)												
OHIO -----	39	65	79	133	202	303	348	300	177	77	15	-
WHITE-----MALE----	15	14	27	58	80	111	155	119	48	23	5	-
FEMALE--	13	30	33	47	83	141	151	153	106	47	7	-
ALL OTHER--MALE----	5	11	8	14	12	24	19	16	10	3	-	-
FEMALE--	6	10	11	14	27	27	23	12	13	4	3	-
BLACK---MALE----	5	11	8	14	12	24	19	16	10	3	-	-
FEMALE--	5	10	10	12	23	27	23	12	13	4	3	-
OKLAHOMA -----	12	16	20	51	51	87	77	94	65	17	2	-
WHITE-----MALE----	3	9	3	20	26	40	35	29	26	5	-	-
FEMALE--	4	2	9	18	14	36	32	51	32	12	2	-
ALL OTHER--MALE----	3	1	3	6	4	5	5	2	4	-	-	-
FEMALE--	2	4	5	7	7	6	5	12	3	-	-	-
BLACK---MALE----	1	-	1	3	1	4	4	2	4	-	-	-
FEMALE--	-	2	2	2	4	5	4	11	1	-	-	-
OREGON -----	6	8	8	16	23	58	54	51	40	14	2	-
WHITE-----MALE----	4	3	4	8	12	31	26	25	15	2	1	-
FEMALE--	1	4	2	4	10	27	25	25	24	12	1	-
ALL OTHER--MALE----	-	1	2	2	1	-	1	1	-	-	-	-
FEMALE--	1	-	-	2	-	-	2	-	1	-	-	-
BLACK---MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	1	-	-	-
PENNSYLVANIA -----	56	69	95	179	319	468	537	474	271	81	13	-
WHITE-----MALE----	18	35	46	76	129	212	230	188	102	21	5	-
FEMALE--	11	19	26	60	129	204	253	240	149	52	7	-
ALL OTHER--MALE----	20	10	15	22	27	24	24	14	6	3	1	-
FEMALE--	7	5	8	21	34	28	30	32	14	5	-	-
BLACK---MALE----	17	10	14	21	26	24	24	12	5	3	1	-
FEMALE--	7	5	8	21	32	28	28	29	14	5	-	-
RHODE ISLAND -----	5	2	5	7	13	24	17	21	15	5	1	1
WHITE-----MALE----	2	1	4	4	5	15	9	8	6	2	-	1
FEMALE--	3	1	1	2	7	9	8	13	9	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
SOUTH CAROLINA -----	19	22	35	48	79	81	74	68	48	13	3	-
WHITE-----MALE----	8	6	11	8	24	30	28	32	5	5	-	-
FEMALE--	6	4	6	15	19	26	20	22	27	2	1	-
ALL OTHER--MALE----	3	7	8	14	20	8	12	6	3	2	-	-
FEMALE--	2	5	10	11	16	17	14	8	13	4	2	-
BLACK---MALE----	3	6	8	14	20	8	12	6	3	2	-	-
FEMALE--	2	5	10	11	16	17	14	8	13	4	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2951

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Renal failure (N17-N19)												
SOUTH DAKOTA -----	126	1	-	-	-	-	-	-	-	1	2	1
WHITE-----MALE----	63	1	-	-	-	-	-	-	-	1	2	-
FEMALE--	51	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	534	1	-	-	1	-	-	3	3	3	8	18
WHITE-----MALE----	213	-	-	-	1	-	-	1	1	2	2	7
FEMALE--	211	-	-	-	-	-	-	2	2	-	2	4
ALL OTHER--MALE----	41	1	-	-	-	-	-	-	-	-	3	5
FEMALE--	69	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE-----	40	1	-	-	-	-	-	-	-	-	3	5
FEMALE--	68	-	-	-	-	-	-	-	-	1	1	2
TEXAS -----	1,828	16	-	3	-	6	3	6	13	18	37	58
WHITE-----MALE----	723	11	-	2	-	1	1	4	5	8	18	20
FEMALE--	728	3	-	-	-	2	2	1	5	3	6	11
ALL OTHER--MALE----	179	2	-	1	-	2	-	-	1	5	8	21
FEMALE--	198	-	-	-	-	1	-	1	2	2	5	6
BLACK---MALE-----	169	2	-	1	-	2	-	-	1	5	8	20
FEMALE--	187	-	-	-	-	1	-	1	1	2	5	6
UTAH -----	165	-	-	-	-	-	-	1	-	5	1	1
WHITE-----MALE----	77	-	-	-	-	-	-	1	-	1	1	-
FEMALE--	83	-	-	-	-	-	-	-	-	4	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	60	1	-	-	1	-	-	-	-	1	-	2
WHITE-----MALE----	23	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	36	1	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,106	6	-	-	-	1	1	4	6	9	14	19
WHITE-----MALE----	342	3	-	-	-	-	-	1	-	3	2	5
FEMALE--	407	1	-	-	-	1	1	-	2	1	5	5
ALL OTHER--MALE----	155	1	-	-	-	-	-	2	2	3	4	6
FEMALE--	202	1	-	-	-	-	-	1	2	2	3	3
BLACK---MALE-----	151	1	-	-	-	-	-	2	2	3	4	6
FEMALE--	195	1	-	-	-	-	-	1	2	2	3	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2951

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Renal failure (N17-N19)												
SOUTH DAKOTA -----	3	4	6	9	9	16	25	23	17	8	1	-
WHITE-----MALE----	-	-	4	3	5	12	15	12	7	1	-	-
FEMALE--	1	2	-	3	4	4	10	10	9	7	1	-
ALL OTHER--MALE----	1	2	2	1	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	2	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	22	34	37	39	52	95	74	72	57	13	2	-
WHITE-----MALE----	9	11	14	19	17	42	35	28	19	3	2	-
FEMALE--	6	8	11	10	21	37	35	35	32	6	-	-
ALL OTHER--MALE----	4	7	5	7	2	3	2	1	1	-	-	-
FEMALE--	3	8	7	3	12	13	2	8	5	4	-	-
BLACK---MALE----	4	7	5	6	2	3	2	1	1	-	-	-
FEMALE--	3	8	7	3	12	12	2	8	5	4	-	-
TEXAS -----	50	76	97	145	204	252	275	256	216	75	22	-
WHITE-----MALE----	18	36	38	61	85	106	107	106	72	16	8	-
FEMALE--	10	18	36	47	73	104	122	112	115	46	12	-
ALL OTHER--MALE----	10	11	11	11	26	18	18	16	13	5	-	-
FEMALE--	12	11	12	26	20	24	28	22	16	8	2	-
BLACK---MALE----	10	9	9	11	25	17	16	15	13	5	-	-
FEMALE--	11	10	11	25	20	23	26	20	15	8	2	-
UTAH -----	4	3	5	4	18	26	43	26	19	6	3	-
WHITE-----MALE----	-	-	-	1	10	11	27	14	7	3	1	-
FEMALE--	4	3	5	3	7	14	14	11	12	3	2	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	2	8	9	12	12	10	-	1	-
WHITE-----MALE----	-	-	1	1	3	3	7	2	4	-	-	-
FEMALE--	-	-	-	1	5	5	5	10	6	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	38	51	59	99	125	176	204	152	103	33	6	-
WHITE-----MALE----	9	20	17	34	40	59	65	46	32	5	1	-
FEMALE--	3	13	16	25	39	71	89	68	46	18	3	-
ALL OTHER--MALE----	14	9	11	21	23	23	15	10	9	2	-	-
FEMALE--	12	9	15	19	23	23	35	28	16	8	2	-
BLACK---MALE----	13	9	11	21	20	23	15	10	9	2	-	-
FEMALE--	12	9	15	18	23	21	34	25	16	8	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2954

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Urolithiasis (N20-N23)												
COLORADO -----	-	-	-	1	-	-	3	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	2	-	1	2	3	-	1	2	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	1	-	1	-	3	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
GEORGIA -----	1	-	1	-	1	1	1	-	2	-	-	-
WHITE-----MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2956

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Urolithiasis (N20-N23)												
KENTUCKY -----	-	-	-	-	1	1	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	1	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	1	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	1	-	-	2	-	1	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	-	-	-	2	5	3	-	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	5	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2960

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Urolithiasis (N20-N23)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	1	-	-	-	-	3	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	-	-	-	1	2	2	3	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	2	-	3	-	1	-	-	-
FEMALE--	-	-	-	1	-	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	-	-	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	1	-	-	-	1	1	1	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2968

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified disorders of kidney (N25-N27)												
OHIO -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	-	1	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	1	-	-	1	-	1	-	-	2	-	-
WHITE-----MALE----	-	1	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2971

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Urinary tract infection, site not specified (N39.0)												
UNITED STATES -	115	155	267	463	878	1,896	2,853	3,145	2,512	1,027	243	-
WHITE-----MALE----	34	49	78	154	289	607	839	822	516	164	26	-
FEMALE--	46	74	122	216	420	1,016	1,669	1,997	1,735	763	190	-
ALL OTHER--MALE----	18	17	32	46	69	104	123	80	76	21	10	-
FEMALE--	17	15	35	47	100	169	222	246	185	79	17	-
BLACK---MALE----	17	17	29	38	60	96	108	69	59	16	8	-
FEMALE--	15	12	32	44	85	148	196	219	171	70	17	-
ALABAMA -----	2	9	6	10	22	37	58	72	46	13	3	-
WHITE-----MALE----	-	2	-	2	7	11	15	22	7	2	-	-
FEMALE--	-	5	4	7	10	17	32	36	22	9	2	-
ALL OTHER--MALE----	1	2	2	-	1	3	3	2	3	-	-	-
FEMALE--	1	-	-	1	4	6	8	12	14	2	1	-
BLACK---MALE----	1	2	2	-	1	3	3	2	3	-	-	-
FEMALE--	1	-	-	1	4	6	7	12	14	2	1	-
ALASKA -----	-	-	-	-	-	2	1	2	3	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	1	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	2	4	7	19	21	43	41	32	12	4	-
WHITE-----MALE----	1	1	1	-	6	8	14	16	7	2	-	-
FEMALE--	3	-	2	5	10	12	24	21	25	9	4	-
ALL OTHER--MALE----	-	-	-	1	2	-	3	1	-	1	-	-
FEMALE--	-	1	1	1	1	1	2	3	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	1	-	-	-	-
ARKANSAS -----	1	4	6	7	12	29	36	34	31	8	1	-
WHITE-----MALE----	-	1	2	3	5	8	9	10	4	1	1	-
FEMALE--	1	1	3	3	5	17	23	20	22	5	-	-
ALL OTHER--MALE----	-	2	-	-	1	2	2	1	-	1	-	-
FEMALE--	-	-	1	1	1	2	2	3	5	1	-	-
BLACK---MALE----	-	2	-	-	1	2	2	1	-	1	-	-
FEMALE--	-	-	1	1	1	2	2	3	5	1	-	-
CALIFORNIA -----	12	19	42	65	141	249	390	351	307	115	26	-
WHITE-----MALE----	6	8	8	15	44	81	113	113	65	20	3	-
FEMALE--	4	10	20	32	62	132	232	211	220	82	21	-
ALL OTHER--MALE----	1	1	6	10	14	17	15	6	9	5	1	-
FEMALE--	1	-	8	8	21	19	30	21	13	8	1	-
BLACK---MALE----	1	1	5	5	7	10	11	2	6	4	1	-
FEMALE--	1	-	6	5	11	9	16	13	11	2	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2972

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Urinary tract infection, site not specified (N39.0)												
COLORADO -----	1	1	-	6	13	18	32	23	30	13	6	-
WHITE-----MALE----	-	-	-	3	3	4	14	8	7	1	1	-
FEMALE--	1	1	-	2	8	11	17	14	22	12	5	-
ALL OTHER--MALE----	-	-	-	1	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	3	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	3	-	1	-	-	-	-
CONNECTICUT -----	2	3	3	3	10	12	35	39	36	24	5	-
WHITE-----MALE----	-	-	1	1	3	5	10	11	12	2	-	-
FEMALE--	2	3	1	1	6	4	23	28	24	21	4	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	1	-	-	1	1	-
BLACK---MALE----	-	-	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	1	-	-	1	1	-
DELAWARE -----	-	-	-	-	3	4	9	6	12	6	1	-
WHITE-----MALE----	-	-	-	-	1	1	2	1	2	2	-	-
FEMALE--	-	-	-	-	1	1	6	4	8	4	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	-	2	-	1	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	1	-	2	-	1	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	2	1	1	9	6	6	7	1	1	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-
ALL OTHER--MALE----	1	-	1	1	-	3	1	1	-	-	-	-
FEMALE--	-	-	1	-	1	4	3	5	6	1	1	-
BLACK---MALE----	1	-	1	1	-	3	1	1	-	-	-	-
FEMALE--	-	-	1	-	1	4	3	4	6	1	1	-
FLORIDA -----	4	3	15	24	47	104	155	163	145	65	11	-
WHITE-----MALE----	1	1	7	9	13	42	44	53	35	15	2	-
FEMALE--	3	2	5	10	27	51	92	96	100	45	8	-
ALL OTHER--MALE----	-	-	2	3	3	4	11	4	3	-	1	-
FEMALE--	-	-	1	2	4	7	8	10	7	5	-	-
BLACK---MALE----	-	-	2	3	3	4	10	4	3	-	1	-
FEMALE--	-	-	1	2	3	7	7	10	7	5	-	-
GEORGIA -----	4	6	6	18	31	47	80	95	58	25	8	-
WHITE-----MALE----	2	-	-	6	11	12	25	21	9	4	1	-
FEMALE--	-	3	3	6	14	17	34	56	36	16	4	-
ALL OTHER--MALE----	1	2	1	2	1	8	6	5	2	-	1	-
FEMALE--	1	1	2	4	5	10	15	13	11	5	2	-
BLACK---MALE----	1	2	1	2	1	8	6	5	2	-	1	-
FEMALE--	1	1	2	4	5	10	15	13	11	5	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2973

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Urinary tract infection, site not specified (N39.0)												
HAWAII -----	1	-	-	1	1	5	5	5	6	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	2	-	2	-	-	-
FEMALE--	1	-	-	-	1	3	1	2	3	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	1	-	1	2	8	7	15	8	6	1	-
WHITE-----MALE----	1	-	-	1	-	3	1	6	2	1	-	-
FEMALE--	-	1	-	-	2	4	6	9	6	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	4	6	7	19	42	61	143	150	106	44	6	-
WHITE-----MALE----	-	1	3	8	17	19	54	41	28	7	1	-
FEMALE--	3	4	4	6	17	38	73	93	71	32	5	-
ALL OTHER--MALE----	-	1	-	1	-	3	2	6	1	2	-	-
FEMALE--	1	-	-	4	8	1	14	10	6	3	-	-
BLACK---MALE----	-	1	-	1	-	3	2	5	-	2	-	-
FEMALE--	1	-	-	4	7	1	14	10	6	3	-	-
INDIANA -----	-	10	4	13	20	52	77	72	59	31	7	-
WHITE-----MALE----	-	3	1	5	8	25	32	22	16	4	1	-
FEMALE--	-	6	2	7	10	24	41	43	40	23	6	-
ALL OTHER--MALE----	-	1	1	-	1	2	1	1	2	1	-	-
FEMALE--	-	-	-	1	1	1	3	6	1	3	-	-
BLACK---MALE----	-	1	1	-	1	2	1	1	2	-	-	-
FEMALE--	-	-	-	1	1	1	3	6	1	3	-	-
IOWA -----	1	1	1	4	6	22	34	42	35	20	6	-
WHITE-----MALE----	1	-	-	3	2	8	13	13	9	7	-	-
FEMALE--	-	1	1	1	3	14	21	28	26	13	6	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
KANSAS -----	1	-	3	2	6	19	24	32	26	10	6	-
WHITE-----MALE----	1	-	2	-	1	11	8	9	9	2	-	-
FEMALE--	-	-	1	1	4	8	14	21	16	8	6	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	1	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2974

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Urinary tract infection, site not specified (N39.0)												
KENTUCKY -----	229	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	73	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	139	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	224	-	-	-	-	1	-	1	-	-	1	-
WHITE-----MALE----	40	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	123	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	40	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	21	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	39	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	49	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	13	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	306	-	-	-	-	-	-	-	-	-	1	3
WHITE-----MALE----	64	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	169	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	48	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	24	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	47	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	344	-	1	-	-	-	-	-	-	-	-	3
WHITE-----MALE----	96	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	238	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	384	1	-	-	-	-	-	1	1	-	-	2
WHITE-----MALE----	102	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	226	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	33	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	21	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	32	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2974

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Urinary tract infection, site not specified (N39.0)												
KENTUCKY -----	-	2	5	14	16	28	45	59	38	14	5	-
WHITE-----MALE----	-	1	-	7	4	13	16	17	12	2	-	-
FEMALE--	-	-	3	7	10	12	29	39	21	11	5	-
ALL OTHER--MALE----	-	-	1	-	1	3	-	1	1	-	-	-
FEMALE--	-	1	1	-	1	-	-	2	4	1	-	-
BLACK---MALE-----	-	-	1	-	1	3	-	1	1	-	-	-
FEMALE--	-	1	1	-	1	-	-	2	4	1	-	-
LOUISIANA -----	2	2	4	9	11	39	50	45	43	11	5	-
WHITE-----MALE----	-	-	1	3	2	9	12	7	5	-	-	-
FEMALE--	-	-	2	4	3	20	26	25	28	9	5	-
ALL OTHER--MALE----	2	1	-	1	2	4	3	4	3	-	-	-
FEMALE--	-	1	1	1	4	6	9	9	7	2	-	-
BLACK---MALE-----	2	1	-	1	2	4	3	4	3	-	-	-
FEMALE--	-	1	1	1	4	6	9	9	6	2	-	-
MAINE -----	1	-	-	2	3	7	9	8	14	3	1	-
WHITE-----MALE----	1	-	-	1	2	1	3	1	2	1	-	-
FEMALE--	-	-	-	1	1	6	6	7	12	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	4	2	9	16	21	48	65	48	67	15	7	-
WHITE-----MALE----	1	-	3	5	5	11	17	11	9	-	1	-
FEMALE--	1	1	3	5	8	26	32	30	47	10	5	-
ALL OTHER--MALE----	-	1	1	3	2	5	4	2	6	-	-	-
FEMALE--	2	-	2	3	6	6	12	5	5	5	1	-
BLACK---MALE-----	-	1	1	3	2	5	4	2	5	-	-	-
FEMALE--	2	-	2	3	6	6	12	5	5	5	1	-
MASSACHUSETTS -----	2	4	3	12	14	53	81	77	58	25	11	-
WHITE-----MALE----	1	2	2	6	7	19	24	15	13	2	2	-
FEMALE--	1	2	1	5	7	34	57	57	45	20	8	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	4	-	3	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	3	-	3	1	-
MICHIGAN -----	1	5	7	16	30	57	71	87	69	31	5	-
WHITE-----MALE----	1	1	3	4	11	17	22	20	12	8	1	-
FEMALE--	-	2	3	10	13	30	39	59	45	20	3	-
ALL OTHER--MALE----	-	-	1	1	2	4	5	-	8	1	1	-
FEMALE--	-	2	-	1	4	6	5	8	4	2	-	-
BLACK---MALE-----	-	-	1	1	2	3	5	-	7	1	1	-
FEMALE--	-	1	-	1	4	6	5	8	4	2	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2975

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Urinary tract infection, site not specified (N39.0)												
MINNESOTA -----	-	-	4	2	3	8	21	28	29	16	5	-
WHITE-----MALE----	-	-	2	-	2	4	6	10	10	2	-	-
FEMALE--	-	-	1	1	1	4	14	18	19	14	5	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MISSISSIPPI -----	2	4	6	8	16	30	29	43	46	12	4	-
WHITE-----MALE----	1	-	1	1	5	8	8	8	6	1	-	-
FEMALE--	-	2	4	4	7	14	13	24	31	6	1	-
ALL OTHER--MALE----	1	2	-	1	4	2	3	2	1	-	1	-
FEMALE--	-	-	1	2	-	6	5	9	8	5	2	-
BLACK---MALE----	1	2	-	1	4	2	3	2	1	-	1	-
FEMALE--	-	-	1	2	-	6	5	9	8	5	2	-
MISSOURI -----	4	4	3	6	14	36	55	76	54	23	10	-
WHITE-----MALE----	2	3	-	3	5	9	13	28	14	3	2	-
FEMALE--	2	1	2	2	6	21	34	41	39	18	6	-
ALL OTHER--MALE----	-	-	-	1	3	1	2	1	-	-	1	-
FEMALE--	-	-	1	-	-	5	6	6	1	2	1	-
BLACK---MALE----	-	-	-	1	3	1	2	1	-	-	-	-
FEMALE--	-	-	1	-	-	5	6	5	1	2	1	-
MONTANA -----	-	-	-	2	1	4	9	6	3	7	-	-
WHITE-----MALE----	-	-	-	2	-	1	3	1	-	2	-	-
FEMALE--	-	-	-	-	1	3	6	4	3	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	1	-	3	1	5	10	8	8	4	-	-
WHITE-----MALE----	1	1	-	1	-	1	3	4	2	3	-	-
FEMALE--	-	-	-	2	1	4	7	4	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
NEVADA -----	-	1	-	5	4	11	8	13	8	2	-	-
WHITE-----MALE----	-	1	-	3	1	2	3	8	2	-	-	-
FEMALE--	-	-	-	2	3	8	5	5	6	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2977

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Urinary tract infection, site not specified (N39.0)												
OHIO -----	559	1	-	-	-	-	-	-	1	1	1	1
WHITE-----MALE----	152	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	362	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	32	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	32	1	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	187	-	-	-	-	-	-	1	-	-	-	1
WHITE-----MALE----	31	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	139	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	130	-	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	35	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	89	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	710	-	-	-	-	-	1	1	-	-	1	4
WHITE-----MALE----	191	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	473	-	-	-	-	-	-	1	-	-	-	3
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	13	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	83	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	61	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	315	-	-	-	-	-	-	1	-	-	1	5
WHITE-----MALE----	63	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	167	-	-	-	-	-	-	-	-	-	-	5
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	56	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE-----	29	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	55	-	-	-	-	-	-	1	-	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2977

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Urinary tract infection, site not specified (N39.0)												
OHIO -----	4	3	19	21	35	87	102	122	110	40	11	-
WHITE-----MALE----	-	-	8	8	14	26	31	27	27	6	2	-
FEMALE--	4	2	10	9	16	51	65	87	76	32	9	-
ALL OTHER--MALE----	-	-	1	2	2	4	2	1	-	1	-	-
FEMALE--	-	1	-	2	3	6	4	7	7	1	-	-
BLACK---MALE----	-	-	1	2	2	4	2	1	-	-	-	-
FEMALE--	-	1	-	2	3	6	4	7	7	1	-	-
OKLAHOMA -----	2	3	6	8	9	22	37	45	34	15	4	-
WHITE-----MALE----	-	1	1	5	2	3	8	6	3	-	2	-
FEMALE--	-	2	2	3	6	17	26	36	28	15	2	-
ALL OTHER--MALE----	1	-	1	-	1	-	1	-	1	-	-	-
FEMALE--	1	-	2	-	-	2	2	3	2	-	-	-
BLACK---MALE----	-	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	2	-	-	2	1	1	1	-	-	-
OREGON -----	-	-	2	2	5	17	22	30	38	10	2	-
WHITE-----MALE----	-	-	1	-	-	3	8	10	8	4	-	-
FEMALE--	-	-	1	2	5	13	13	20	26	6	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
PENNSYLVANIA -----	5	6	6	13	44	92	151	180	143	53	10	-
WHITE-----MALE----	3	4	2	3	24	32	47	39	26	8	1	-
FEMALE--	2	2	2	10	18	53	91	128	111	44	8	-
ALL OTHER--MALE----	-	-	2	-	1	2	3	3	1	-	-	-
FEMALE--	-	-	-	-	1	5	10	10	5	1	1	-
BLACK---MALE----	-	-	2	-	1	2	3	3	1	-	-	-
FEMALE--	-	-	-	-	1	5	10	9	4	1	1	-
RHODE ISLAND -----	-	-	1	2	2	9	17	25	18	7	1	-
WHITE-----MALE----	-	-	-	1	-	4	5	7	3	-	-	-
FEMALE--	-	-	1	1	2	5	12	18	14	7	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	6	10	10	13	27	53	62	55	53	18	1	-
WHITE-----MALE----	-	4	4	3	4	10	21	4	13	-	-	-
FEMALE--	1	2	4	5	14	24	30	35	35	11	1	-
ALL OTHER--MALE----	3	1	2	4	5	8	2	1	1	2	-	-
FEMALE--	2	3	-	1	4	11	9	15	4	5	-	-
BLACK---MALE----	3	1	2	4	5	8	2	1	1	2	-	-
FEMALE--	2	3	-	1	4	11	9	14	4	5	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2978

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Urinary tract infection, site not specified (N39.0)												
SOUTH DAKOTA -----	-	-	-	1	1	1	8	6	6	5	2	-
WHITE-----MALE----	-	-	-	1	1	1	2	-	2	1	-	-
FEMALE--	-	-	-	-	-	-	6	5	4	4	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	8	5	14	22	24	69	100	100	71	38	7	-
WHITE-----MALE----	1	2	3	6	10	15	26	29	14	4	-	-
FEMALE--	4	2	7	13	11	41	57	57	44	30	5	-
ALL OTHER--MALE----	1	-	2	1	1	2	7	3	2	1	-	-
FEMALE--	2	1	2	2	2	11	10	11	11	3	2	-
BLACK---MALE----	1	-	2	1	1	2	7	3	2	1	-	-
FEMALE--	2	1	2	2	2	11	10	10	11	3	2	-
TEXAS -----	9	10	14	23	39	134	174	208	172	70	19	-
WHITE-----MALE----	3	4	5	5	18	38	53	38	35	10	2	-
FEMALE--	3	5	6	13	13	74	96	142	112	54	15	-
ALL OTHER--MALE----	3	-	1	1	3	9	12	7	3	2	-	-
FEMALE--	-	1	2	4	5	13	13	21	22	4	2	-
BLACK---MALE----	3	-	1	1	3	9	11	7	3	2	-	-
FEMALE--	-	-	2	4	5	10	13	21	21	4	2	-
UTAH -----	-	-	1	3	3	9	16	8	14	4	2	-
WHITE-----MALE----	-	-	-	1	2	3	5	1	2	-	-	-
FEMALE--	-	-	1	2	1	6	11	7	11	4	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
VERMONT -----	-	-	-	1	3	1	4	10	3	-	1	-
WHITE-----MALE----	-	-	-	-	1	-	2	2	-	-	-	-
FEMALE--	-	-	-	1	2	1	2	8	3	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	3	7	14	19	40	71	87	58	23	4	-
WHITE-----MALE----	-	1	5	8	4	10	15	18	9	2	-	-
FEMALE--	3	2	-	6	8	21	37	58	39	19	3	-
ALL OTHER--MALE----	-	-	-	-	4	4	8	5	6	-	1	-
FEMALE--	-	-	2	-	3	5	11	6	4	2	-	-
BLACK---MALE----	-	-	-	-	4	4	8	4	5	-	1	-
FEMALE--	-	-	2	-	3	5	11	6	4	2	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2981

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of urinary system (N28-N36,N39.1-N39.9)												
COLORADO -----	19	1	-	-	-	-	1	-	-	-	2	-
WHITE-----MALE----	9	1	-	-	-	-	1	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	19	-	-	-	-	-	-	-	1	-	1	2
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	1	-	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	4	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	7	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
FLORIDA -----	71	-	-	-	-	-	-	-	-	1	3	2
WHITE-----MALE----	31	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	31	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	34	1	-	-	-	1	-	-	-	-	-	3
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	6	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	1	-	-	-	-	-	1
BLACK---MALE-----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	1	-	-	-	-	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2981

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of urinary system (N28-N36,N39.1-N39.9)												
COLORADO -----	1	-	2	3	1	3	3	2	-	-	-	-
WHITE-----MALE----	-	-	1	2	-	2	-	1	-	-	-	-
FEMALE--	1	-	1	1	1	1	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	1	3	2	-	1	6	-	1	-	-
WHITE-----MALE----	1	-	-	1	1	-	1	2	-	1	-	-
FEMALE--	-	-	-	2	1	-	-	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	1	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	2	1	1	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
FLORIDA -----	3	3	3	7	7	8	14	12	4	3	1	-
WHITE-----MALE----	1	1	2	3	3	4	6	5	-	2	-	-
FEMALE--	2	-	1	2	3	4	6	5	4	1	1	-
ALL OTHER--MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	2	-	1	-	-	1	2	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	2	-	1	-	-	1	2	-	-	-	-
GEORGIA -----	2	1	2	2	5	4	6	4	2	-	1	-
WHITE-----MALE----	-	-	-	2	1	3	2	1	-	-	-	-
FEMALE--	1	-	2	-	2	1	4	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	1	2	-	-	-
FEMALE--	-	1	-	-	1	-	-	1	-	-	1	-
BLACK---MALE----	1	-	-	-	1	-	-	1	2	-	-	-
FEMALE--	-	1	-	-	1	-	-	1	-	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2983

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of urinary system (N28-N36,N39.1-N39.9)												
KENTUCKY -----	-	1	3	2	1	-	2	3	-	-	-	-
WHITE-----MALE----	-	-	2	1	-	-	1	1	-	-	-	-
FEMALE--	-	1	1	1	1	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	2	2	4	5	1	8	2	5	-	-	-
WHITE-----MALE----	-	1	1	1	1	-	3	-	1	-	-	-
FEMALE--	-	-	1	-	2	1	4	1	2	-	-	-
ALL OTHER--MALE----	-	1	-	2	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	1	2	-	-	1	1	-	-	-
BLACK---MALE-----	-	1	-	2	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	1	2	-	-	1	1	-	-	-
MAINE -----	1	-	-	-	-	2	2	1	2	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	2	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	2	2	1	1	2	7	1	2	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	4	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	2	-	-	-
ALL OTHER--MALE----	1	1	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	2	-	-	-	-	-
BLACK---MALE-----	-	1	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	2	-	-	-	-	-
MASSACHUSETTS -----	1	2	2	2	5	4	1	2	3	-	-	-
WHITE-----MALE----	-	1	1	-	1	2	1	-	2	-	-	-
FEMALE--	1	-	1	2	4	2	-	2	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	2	6	-	1	3	10	9	12	3	5	1	-
WHITE-----MALE----	2	2	-	1	3	4	7	4	1	2	1	-
FEMALE--	-	4	-	-	-	5	1	7	2	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2986

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of urinary system (N28-N36,N39.1-N39.9)												
OHIO -----	5	3	4	9	4	11	9	4	5	2	-	-
WHITE-----MALE----	4	2	1	5	3	3	4	2	2	1	-	-
FEMALE--	1	-	2	3	1	6	5	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	2	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	2	-	-	1	-	-	-
OKLAHOMA -----	1	1	1	1	1	3	1	2	2	-	-	-
WHITE-----MALE----	1	-	-	1	1	-	-	1	2	-	-	-
FEMALE--	-	1	1	-	-	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	-	1	-	-	5	3	2	3	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	1	2	-	-	-	-
FEMALE--	-	-	1	-	-	4	2	-	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	1	5	6	4	5	8	11	5	3	-	-
WHITE-----MALE----	-	-	2	2	3	3	4	4	2	2	-	-
FEMALE--	-	1	2	3	1	1	3	5	2	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	2	1	-	-	-
BLACK---MALE-----	-	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	2	1	-	-	-
RHODE ISLAND -----	-	1	-	-	2	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	6	1	1	-	2	1	2	3	2	-	-	-
WHITE-----MALE----	1	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	3	-	1	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	2	1	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	2	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2987

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of urinary system (N28-N36,N39.1-N39.9)												
SOUTH DAKOTA -----	-	-	-	-	-	2	1	2	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	1	-	2	-	1	6	3	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	5	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
TEXAS -----	2	4	3	5	5	12	9	12	8	2	-	-
WHITE-----MALE----	1	2	1	3	3	3	6	3	2	1	-	-
FEMALE--	-	2	2	1	2	7	2	9	3	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	1	1	-	-
FEMALE--	1	-	-	-	-	1	1	-	2	-	-	-
BLACK---MALE-----	-	-	-	1	-	1	-	-	1	1	-	-
FEMALE--	1	-	-	-	-	1	1	-	2	-	-	-
UTAH -----	-	-	-	-	-	-	-	-	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	1	2	1	1	1	3	2	1	1	-	-
WHITE-----MALE----	-	1	-	1	-	1	3	1	-	-	-	-
FEMALE--	-	-	2	-	1	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2989

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of male genital organs (N40-N50)												
UNITED STATES -	6	12	19	24	48	76	116	126	89	32	5	1
WHITE-----MALE----	3	7	14	20	40	63	107	113	80	29	5	-
ALL OTHER--MALE----	3	5	5	4	8	13	9	13	9	3	-	1
BLACK---MALE----	3	5	5	4	7	11	8	9	7	2	-	1
ALABAMA -----	-	1	-	1	1	1	3	1	1	-	-	-
WHITE-----MALE----	-	1	-	1	1	-	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
ALASKA -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	1	1	-	3	2	3	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	3	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	1	-	-	1	-	-	2	1	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	1	-	-	-
CALIFORNIA -----	1	-	2	4	6	13	20	22	22	6	1	-
WHITE-----MALE----	1	-	2	3	6	11	19	20	20	5	1	-
ALL OTHER--MALE----	-	-	-	1	-	2	1	2	2	1	-	-
BLACK---MALE----	-	-	-	1	-	2	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 2990

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of male genital organs (N40-N50)												
COLORADO -----	7	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	6	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	32	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	25	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	8	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2990

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of male genital organs (N40-N50)												
COLORADO -----	-	-	1	-	1	2	-	2	1	-	-	-
WHITE-----MALE----	-	-	1	-	1	2	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	1	-	-	-	2	-	1	2	-	-
WHITE-----MALE----	-	-	1	-	-	-	2	-	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	1	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FLORIDA -----	1	1	3	1	5	2	7	9	3	-	-	-
WHITE-----MALE----	-	-	3	-	2	2	7	8	3	-	-	-
ALL OTHER--MALE----	1	1	-	1	3	-	-	1	-	-	-	-
BLACK---MALE----	1	1	-	1	3	-	-	1	-	-	-	-
GEORGIA -----	2	-	1	1	2	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2995

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of male genital organs (N40-N50)												
OHIO -----	1	1	-	-	3	3	6	5	8	-	-	-
WHITE-----MALE----	1	-	-	-	3	2	5	5	8	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	1	-	-	-	-	-
OKLAHOMA -----	-	1	1	-	-	-	3	1	-	1	-	-
WHITE-----MALE----	-	-	1	-	-	-	2	1	-	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
OREGON -----	-	-	-	1	1	2	4	-	2	1	1	-
WHITE-----MALE----	-	-	-	1	-	2	4	-	2	1	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	1	-	2	5	3	5	3	2	-	-
WHITE-----MALE----	-	-	1	-	2	5	3	5	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	1	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	-	-	2	2	3	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	2	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2996

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of male genital organs (N40-N50)												
SOUTH DAKOTA -----	-	-	-	-	-	-	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	1	1	-	2	2	2	2	-	-	-
WHITE-----MALE----	-	-	-	1	-	2	2	2	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
TEXAS -----	1	2	2	1	4	7	6	9	4	3	1	-
WHITE-----MALE----	1	1	-	1	3	4	6	8	2	2	1	-
ALL OTHER--MALE----	-	1	2	-	1	3	-	1	2	1	-	-
BLACK---MALE----	-	1	2	-	1	1	-	-	2	1	-	-
UTAH -----	-	-	-	-	-	1	-	2	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
VERMONT -----	-	-	-	-	-	1	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	-	-	1	2	2	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2997

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of male genital organs (N40-N50)												
WASHINGTON -----	-	-	-	2	1	1	1	1	2	-	-	-
WHITE-----MALE----	-	-	-	2	1	1	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA -----	-	-	-	-	-	-	1	3	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN -----	-	-	-	-	1	1	2	5	-	3	-	-
WHITE-----MALE----	-	-	-	-	1	1	2	5	-	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING -----	-	-	-	-	-	-	1	-	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2998

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hyperplasia of prostate (N40)												
UNITED STATES -	-	4	7	10	28	64	95	106	83	29	4	1
WHITE-----MALE----	-	2	5	10	25	57	88	96	74	27	4	-
ALL OTHER--MALE----	-	2	2	-	3	7	7	10	9	2	-	1
BLACK---MALE----	-	2	2	-	2	7	7	7	7	1	-	1
ALABAMA -----	-	-	-	-	1	-	3	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
ALASKA -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	-	1	-	3	2	3	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	3	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	1	-	-	-	-	-	2	1	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
CALIFORNIA -----	-	-	1	1	4	12	16	20	21	6	1	-
WHITE-----MALE----	-	-	1	1	4	10	15	18	19	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	2	1	2	2	1	-	-
BLACK---MALE----	-	-	-	-	-	2	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 2999

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hyperplasia of prostate (N40)												
COLORADO -----	-	-	1	-	1	2	-	1	1	-	-	-
WHITE-----MALE----	-	-	1	-	1	2	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	2	-	1	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	-	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	1	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FLORIDA -----	-	1	1	-	3	2	7	9	2	-	-	-
WHITE-----MALE----	-	-	1	-	2	2	7	8	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	1	-	-	-	-
GEORGIA -----	-	-	-	1	1	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3004

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hyperplasia of prostate (N40)												
OHIO -----	-	-	-	-	2	3	6	4	8	-	-	-
WHITE-----MALE----	-	-	-	-	2	2	5	4	8	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	-	-	2	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
OREGON -----	-	-	-	-	1	1	4	-	2	1	1	-
WHITE-----MALE----	-	-	-	-	-	1	4	-	2	1	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	-	-	2	5	3	5	3	1	-	-
WHITE-----MALE----	-	-	-	-	2	5	3	5	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	1	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	-	-	2	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3006

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hyperplasia of prostate (N40)												
WASHINGTON -----	-	-	-	1	1	1	-	1	2	-	-	-
WHITE-----MALE----	-	-	-	1	1	1	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA -----	-	-	-	-	-	-	1	3	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN -----	-	-	-	-	1	1	2	5	-	3	-	-
WHITE-----MALE----	-	-	-	-	1	1	2	5	-	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING -----	-	-	-	-	-	-	1	-	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3008

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of male genital organs (N41-N50)												
COLORADO -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	7	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	5	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3013

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of male genital organs (N41-N50)												
OHIO -----	1	1	-	-	1	-	-	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	1	1	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	1	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	1	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	-	-	-	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3014

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of male genital organs (N41-N50)												
SOUTH DAKOTA -----	-	-	-	-	-	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	1	-	1	-	2	2	1	3	-	-	-	-
WHITE-----MALE----	1	-	-	-	2	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	2	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	-	-	-	2	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3025

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders of female genital organs (N70-N98)												
UNITED STATES -	15	7	7	21	27	39	50	50	36	15	6	-
WHITE-----FEMALE--	14	5	7	17	23	36	43	47	33	14	5	-
ALL OTHER--FEMALE--	1	2	-	4	4	3	7	3	3	1	1	-
BLACK---FEMALE--	-	2	-	3	4	3	6	3	3	-	1	-
ALABAMA -----	-	-	-	1	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	-	1	1	-	1	-	1	-	-
WHITE-----FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	2	1	1	4	2	4	5	3	6	1	-	-
WHITE-----FEMALE--	2	1	1	4	2	3	4	3	5	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-
BLACK---FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3026

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders of female genital organs (N70-N98)												
COLORADO -----	-	-	-	-	-	-	3	-	1	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	3	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	1	-	1	1	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	1	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1	1	-	3	3	3	1	2	3	-	-	-
WHITE-----FEMALE--	1	-	-	2	3	3	1	2	3	-	-	-
ALL OTHER--FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
GEORGIA -----	-	-	-	-	-	2	2	-	2	2	-	-
WHITE-----FEMALE--	-	-	-	-	-	1	1	-	1	2	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-
BLACK---FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3028

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Disorders of female genital organs (N70-N98)												
KENTUCKY -----	6	1	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	9	-	-	-	1	-	-	-	-	1	1	1
WHITE-----FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--FEMALE--	5	-	-	-	1	-	-	-	-	1	1	-
BLACK---FEMALE--	5	-	-	-	1	-	-	-	-	1	1	-
MAINE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	8	-	-	-	-	-	-	1	-	-	-	1
WHITE-----FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
MASSACHUSETTS -----	6	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	8	-	-	-	-	-	-	-	2	-	-	-
WHITE-----FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	-	-	-	-	-	-	-	2	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3031

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders of female genital organs (N70-N98)												
OHIO -----	2	-	-	-	2	2	1	3	3	-	-	-
WHITE-----FEMALE--	2	-	-	-	2	2	1	3	3	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	2	1	-	-	1	1	-	-
WHITE-----FEMALE--	-	-	-	-	2	1	-	-	1	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	-	4	1	1	1	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	4	1	1	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	-	2	-	1	3	2	4	-	-	-	-
WHITE-----FEMALE--	1	-	2	-	-	3	2	4	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	2	-	-	1	1	-	-	-	1	-	-
WHITE-----FEMALE--	-	2	-	-	-	1	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3032

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders of female genital organs (N70-N98)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	1	1	3	2	1	1	1	-	-
WHITE-----FEMALE--	-	-	-	1	1	3	2	-	1	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
TEXAS -----	2	-	1	1	1	3	3	4	2	2	-	-
WHITE-----FEMALE--	2	-	1	1	1	3	1	4	2	2	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
UTAH -----	-	-	-	-	-	-	1	2	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	1	2	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	-	-	-	-	2	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3034

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Inflammatory diseases of female pelvic organs (N70-N76)												
UNITED STATES -	3	4	4	11	10	17	12	11	12	3	1	-
WHITE-----FEMALE--	3	2	4	9	8	15	11	9	12	2	1	-
ALL OTHER--FEMALE--	-	2	-	2	2	2	1	2	-	1	-	-
BLACK---FEMALE--	-	2	-	2	2	2	1	2	-	-	-	-
ALABAMA -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	-	-	1	-	-	-	1	-	-
WHITE-----FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1	-	-	2	-	1	2	1	1	-	-	-
WHITE-----FEMALE--	1	-	-	2	-	-	1	1	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3043

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Noninflammatory disorders of female genital tract (N80-N98)												
UNITED STATES -	12	3	3	10	17	22	38	39	24	12	5	-
WHITE-----FEMALE--	11	3	3	8	15	21	32	38	21	12	4	-
ALL OTHER--FEMALE--	1	-	-	2	2	1	6	1	3	-	1	-
BLACK---FEMALE--	-	-	-	1	2	1	5	1	3	-	1	-
ALABAMA -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	-	1	-	-	1	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1	1	1	2	2	3	3	2	5	1	-	-
WHITE-----FEMALE--	1	1	1	2	2	3	3	2	4	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3044

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Noninflammatory disorders of female genital tract (N80-N98)												
COLORADO -----	-	-	-	-	-	-	2	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	1	1	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	1	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1	-	-	1	3	2	1	1	2	-	-	-
WHITE-----FEMALE--	1	-	-	1	3	2	1	1	2	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	-	-	-	-	-	2	2	-	2	2	-	-
WHITE-----FEMALE--	-	-	-	-	-	1	1	-	1	2	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-
BLACK---FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3046

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Noninflammatory disorders of female genital tract (N80-N98)												
KENTUCKY -----	6	1	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	6	-	-	-	-	-	-	-	-	-	1	1
WHITE-----FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
MAINE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	4	-	-	-	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
MASSACHUSETTS -----	6	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	6	-	-	-	-	-	-	-	1	-	-	-
WHITE-----FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3049

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Noninflammatory disorders of female genital tract (N80-N98)												
OHIO -----	1	-	-	-	1	1	1	3	2	-	-	-
WHITE-----FEMALE--	1	-	-	-	1	1	1	3	2	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	2	1	-	-	-	1	-	-
WHITE-----FEMALE--	-	-	-	-	2	1	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	-	2	-	-	1	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	2	-	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	-	1	-	-	1	2	2	-	-	-	-
WHITE-----FEMALE--	1	-	1	-	-	1	2	2	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	1	-	-	1	1	-	-	-	1	-	-
WHITE-----FEMALE--	-	1	-	-	-	1	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3050

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Noninflammatory disorders of female genital tract (N80-N98)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	-	1	1	1	1	1	1	-	-
WHITE-----FEMALE--	-	-	-	-	1	1	1	-	1	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
TEXAS -----	2	-	-	-	1	2	3	4	-	2	-	-
WHITE-----FEMALE--	2	-	-	-	1	2	1	4	-	2	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
UTAH -----	-	-	-	-	-	-	-	2	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	-	-	-	-	2	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

