### **Liver-Spleen Scan**

You are scheduled for a liver-spleen scan. This scan helps your doctor study the structure and function of your liver. It is a safe, effective, and painless way to obtain a picture (similar to an x-ray) of your liver and spleen. The scan uses a compound containing a small amount of radioactive material. The compound is used only for diagnostic purposes. The scan takes place in the Nuclear Medicine Department.

#### **Preparation:**

There is no preparation. You may eat or drink whatever you like before the scan.

#### **Procedure:**

- A small amount of radioactive compound will be given to you by vein. You will feel a pinprick as this injection is given.
- Pictures will be taken of your mid-abdomen with a very sensitive machine (gamma camera). This camera detects the how your liver and spleen take up the compound.
- Stay very still while the pictures are being taken.
- The procedure lasts about 1 hour.

There should be no adverse effects. Your body rids itself of the compound as it does the food you eat.

## After the Procedure:

If you have questions about the procedure, please ask. Your nurse and doctor are ready to assist you at all times.

# Special Instructions:

- Because it uses radioactivity, this scan is not performed in pregnant women. If you are pregnant or think you might be pregnant, please inform your doctor immediately so that a decision can be made about this study.
- Also, please inform your doctor immediately if you are breast-feeding. Some scans can be performed in breast-feeding women if they are willing to stop breast-feeding for a while.



This information is prepared specifically for patients participating in clinical research at the Warren Grant Magnuson Clinical Center at the National Institutes of Health and is not necessarily applicable to individuals who are patients elsewhere. If you have questions about the information presented here, talk to a member of your healthcare team.

Where applicable, brand names of commercial products are provided only as illustrative examples of acceptable products, and do not imply endorsement by NIH; nor does the fact that a particular brand name product is not identified imply that such product is unsatisfactory.

3/00

Questions about the Clinical Center? OCCC@cc.nih.gov

National Institutes of Health Warren Grant Magnuson Clinical Center Bethesda, Maryland 20892