

REFERENCES

- Abbasi, S.A. and R. Soni. 1986. An examination of environmentally safe levels of zinc (II), cadmium (II) and lead (II) with reference to impact on channelfish *Nuria denricus*. Environ. Pollut. (Series A) 40(1): 37-51.
- Abbasi, S.A. and R. Soni. 1989. Relative toxicity of seven heavy metals with respect to impact towards larvae of amphibian *Rana tigrina*. Intern. J. Environ. Stud. 35: 121-122.
- Abel, P.D. and S.M. Garner. 1986. Comparisons of median survival times and median lethal exposure times for *Gammarus pulex* exposed to cadmium, permethrin and cyanide. Water Res. 20(5): 579-582.
- Abel, P.D. and S.E. Papoutsoglou. 1986. Lethal toxicity of cadmium to *Cyprinus carpio* and *Tilapia aurea*. Bull. Environ. Contam. Toxicol. 37: 382-386.
- Abel, T. and F. Barlocher. 1988. Uptake of cadmium by *Gammarus fossarum* (Amphipoda) from food and water. J. Appl. Ecol. 25: 223-231.
- Ahsanullah, M. 1976. Acute toxicity of cadmium and zinc to seven invertebrate species from Western Port, Victoria. Aust. J. Mar. Freshwater Res. 27: 187.
- Ahsanullah, M. and A.R. Williams. 1991. Sublethal effects and bioaccumulation of cadmium, chromium, copper and zinc in the marine amphipod *Allorchestes compressa*. Mar. Biol. 108: 59-65.
- Ahsanullah, M.D., et al. 1981. Toxicity of zinc, cadmium, and copper to the shrimp *Callinassa australiensis*. I. Effects of individual metals. Mar. Biol. 64: 299.
- Al-atia, G.R. 1978. The uptake and toxicity of cadmium in *Amoeba proteus*. J. Protozool. 25: 5B.
- Al-atia, G.R. 1980. Toxicity of cadmium to *Amoeba proteus*: a biochemical approach. J. Protozool. 27: 128.
- Alderdice, D.F., et al. 1979a. Influence of salinity and cadmium on the volume of Pacific herring eggs. Helgol. Wiss. Meeresunters. 32:163.

Alderdice, D.F., et al. 1979b. Influence of salinity and cadmium on capsule strength in Pacific herring eggs. *Helgol. Wiss. Meeresunters.* 32: 149.

Alderdice, D.F., et al. 1979c. Osmotic responses of eggs and larvae of the Pacific herring to salinity and cadmium. *Helgol. Wiss. Meeresunters.* 32: 508.

Allen, P. 1994. Accumulation profiles of lead and the influence of cadmium and mercury in *Oreochromis aureus* (Steindachner) during chronic exposure. *Toxicol. Environ. Chem.* 44: 101-112.

Allen, P. 1995a. Soft-tissue accumulation of lead in the blue tilapia, *Oreochromis aureus* (Steindachner), and the modifying effects of cadmium and mercury. *Biol. Trace Element Research.* 50: 193-208.

Allen, P. 1995b. Accumulation profiles of lead and cadmium in the edible tissues of *Oreochromis aureus* during acute exposure. *J. Fish Biol.* 47: 559-568.

Allen, Y., P. Calow and D.J. Baird. 1995. A mechanistic model of contaminant-induced feeding inhibition on *Daphnia magna*. *Environ. Toxicol. Chem.* 14(9): 1625-1630.

Amiard, J.C., C. Metayer, J.P. Baud and F. Ribeyre. 1994. Influence of some ecological and biological factors on metal bioaccumulation in young oysters (*Crassostrea gigas* Thunberg) during their spat rearing. *Water Res.* 28(1): 219-231.

Amiard-Triquet, C., B. Berthet, C. Metayer and J.C. Amiard. 1986. Contribution to the ecotoxicological study of cadmium, copper and zinc in the mussel *Mytilus edulis*. *Mar. Biol.* 92: 7-13.

Amiard-Triquet, C., C. Metayer and J.C. Amiard. 1987. Etudes *in situ* et experimentales de l'ecotoxicologie de quatre metaux (Cd, Pb, Cu, Zn) chez des algues et des mollusques gasteropodes brouteurs. *Water, Air, Soil Pollut.* 34: 11-30.

Amiard-Triquet, C., J.C. Amiard, B. Berthet and C. Metayer. 1988. Field and experimental study of the bioaccumulation of some trace metals in a coastal food chain: seston, oyster (*Crassostrea gigas*), drill (*Ocenebra erinacea*). *Water Sci. Tech.* 20(6/7): 13-21.

- Anadu, D.I., G.A. Chapman, L.R. Curtis and R.A. Tubb. 1989. Effect of zinc exposure on subsequent acute tolerance to heavy metals in rainbow trout. *Bull. Environ. Contam. Toxicol.* 43: 329-336.
- Anderson, B.G. 1948. The apparent thresholds of toxicity to *Daphnia magna* for chlorides of various metals when added to Lake Erie water. *Trans. Am. Fish. Soc.* 78: 96.
- Anderson, R.L., et al. 1980. Survival and growth of *Tanytarsus dissimilis* (Chironomidae) exposed to copper, cadmium, zinc, and lead. *Arch. Environ. Contam. Toxicol.* 9: 329.
- Anderson, R.V., et al. 1978. The distribution of Cd, Cu, Pb and Zn in the biota of two freshwater sites with different trace metal inputs. *Holarctic Ecol.* 1: 377.
- Andres, S., M. Baudrimont, Y. Lapaquellerie, F. Ribeyre, N. Maillet, C. Latouche and A. Boudou. 1999. Field transplantation of the freshwater bivalve *Corbicula fluminea* along a polymetallic contamination gradient (River Lot, France): I. Geochemical characteristics of sampling sites and cadmium and zinc bioaccumulation kinetics. *Environ. Toxicol. Chem.* 18(11): 2462-2471.
- Andros, J.D. and R.R. Garton. 1980. Acute lethality of copper, cadmium, and zinc to northern squawfish. *Trans. Am. Fish. Soc.* 109: 235.
- Annune, P.A., S.O. Ebele and A.A. Oladimeji. 1994. Acute toxicity of cadmium to juveniles of *Clarias gariepinus* (Teugels) and *Oreochromis niloticus* (Trewavas). *J. Environ. Sci. Health.* A29(7): 1357-1365.
- Anonymous. 1950. Ohio River Valley Water Sanitation Commission, Subcommittee on Toxicities, Metal Finishing Industries Action Committee Report No. 3.
- Arillo, A., et al. 1982. Biochemical effects of long-term exposure to Cr, Cd, Ni on rainbow trout (*Salmo gairdneri* Rich.): influence of sex and season. *Chemosphere* 11: 47.
- Arillo, A., et al. 1984. Biochemical effects of long-term exposure to cadmium and copper on rainbow trout (*Salmo gairdneri*): validation of water quality criteria. *Ecotoxicol. Environ. Safety* 8: 106.
- Arnac, M. and C. Lassus. 1985. Heavy metal accumulation (Cd, Cu, Pb and Zn) by smelt (*Osmerus mordax*) from the north shore of the St. Lawrence estuary. *Water Res.* 19(6): 725-734.

Arshaduddin, M., R. Yasmeen, M.M. Hussain and M.A. Khan. 1989. Effect of two heavy metals (lead and cadmium) on growth in the rotifer *Asplanchna intermedia*. Pollut. Res. 8(3): 129-128.

Asato, S.L. and D.J. Reish. 1988. The effects of heavy metals on the survival and feeding of *Holmesimysis costata* (Crustacea: Mysidacea). In: Proc. 7th Int. Symp. on Mar. Biol., California State University, Long Beach, CA: 113-120.

Attar, E.N. and E.J. Maly. 1982. Acute toxicity of cadmium, zinc, and cadmium-zinc mixtures to *Daphnia magna*. Arch. Environ. Contam. Toxicol. 11: 291.

Austen, M.C. and A.J. McEvoy. 1997. The use of offshore meiobenthic communities in laboratory microcosm experiments: response to heavy metal contamination. J. Exp. Mar. Biol. Ecol. 211: 247-261.

Avery, E.L., R.H. Dunstan and J.A. Nell. 1996. The detection of pollutant impact in marine environments: condition index, oxidative DNA damage, and their associations with metal bioaccumulation in the Sydney rock oyster *Saccostrea commercialis*. Arch. Environ. Contam. Toxicol. 31: 192-198.

Azeez, P.A. and D.K. Banerjee. 1987. Influence of light on chlorophyll, a content of blue-green algae treated with heavy metals. Bull. Environ. Contam. Toxicol. 38: 1062-1069.

Babich, H. and G. Stotzky. 1978. Effects of cadmium on the biota: influence of environmental factors. Adv. Appl. Microbiol. 23: 55-117.

Babich, H. and G. Stotzky. 1982. Influence of chloride ions on the toxicity of cadmium to fungi. Zbl. Bakt. Hyg., I. Abt. Orig. C. 3: 421.

Baby, K.V. and N.R. Menon. 1987. Salt forms of metals and their toxicity in the brown mussel *Perna indica* (Kuriakose and Nair). Indian J. Mar. Sci. 16(2): 107-109.

Bailey, H.C., J.L. Miller, M.J. Miller and B.S. Dhaliwal. 1995. Application of toxicity identification procedures to the echinoderm fertilization assay to identify toxicity in a municipal effluent. Environ. Toxicol. Chem. 14(12): 2181-2186.

- Baillieul, M. and R. Blust. 1999. Analysis of the swimming velocity of cadmium-stressed *Daphnia magna*. *Aquat. Toxicol.* 44: 245-254.
- Baird, D.J., I. Barber and P. Calow. 1990. Clonal variation in general responses of *Daphnia magna* Straus to toxic stress. I. Chronic life-history effects. *Funct. Ecol.* 4(3): 399-407.
- Baird, D.J., I. Barber, M. Bradley, A.M.V.M. Soares and P. Calow. 1991. A comparative study of genotype sensitivity to acute toxic stress using clones of *Daphnia magna* Straus. *Ecotoxicol. Environ. Safety.* 21: 257-265.
- Ball, I.R. 1967. The toxicity of cadmium to rainbow trout (*Salmo gairdnerii* Richardson). *Water Res.* 1: 805.
- Balogh, K.V. and J. Salanki. 1984. The dynamics of mercury and cadmium uptake into different organs of *Anodonta cygnea* L. *Water Res.* 18(11): 1381-1387.
- Bambang, Y., G. Charmantier, P. Thuet and J.P. Trilles. 1994. Effect of cadmium on survival and osmoregulation of various developmental stages of the shrimp *Penaeus japonicus* (Crustacea: Decapoda). *Mar. Biol.* 123: 443-450.
- Barata, C., D.J. Baird and S.J. Markich. 1998. Influence of genetic and environmental factors on the tolerance of *Daphnia magna* Straus to essential and non-essential metals. *Aquat. Toxicol.* 42: 115-137.
- Barnhouse, L.W., G.W. Suter II, A.E. Rosen and J.J. Beauchamp. 1987. Estimating responses of fish populations to toxic contaminants. *Environ. Toxicol. Chem.* 6: 811-824.
- Barque, J., A. Abahamid, Y. Bourezgui, H. Chacun and J. Bonaly. 1995. Growth responses of achlorophyllous *Euglena gracilis* to selected concentrations of cadmium and pentachlorophenol. *Arch. Environ. Contam. Toxicol.* 28: 8-12.
- Bartlett, L., et al. 1974. Effects of copper, zinc and cadmium on *Selenastrum capricornutum*. *Water Res.* 8: 179.

Bartsch, M.R., W.G. Cope and R.G. Rada. 1999. Effects of cadmium-spiked sediment on cadmium accumulation and bioturbation by nymphs of the burrowing mayfly *Hexagenia bilineata*. *Water, Air, Soil Pollut.* 109: 277-292.

Battaglini, P., G. Andreozzi, R. Antonucci, N. Arcamone, P. De Girolamo, L. Ferrara and G. Gargiulo. 1993. The effects of cadmium on the gills of the goldfish *Carassius auratus* L.: metal uptake and histochemical changes. *Comp. Biochem. Physiol.* 104C(2): 239-247.

Baudrimont, M., J. Metivaud, R. Maury-Brachet, F. Ribeyre and A. Boudou. 1997. Bioaccumulation and metallothionein response in the asiatic clam (*Corbicula fluminea*) after experimental exposure to cadmium and inorganic mercury. *Environ. Toxicol. Chem.* 16(10): 2096-2105.

Bay, S, R. Burgess and D. Nacci. 1993. Status and applications of echinoid (*Phylum echinodermata*) toxicity test methods. *Environ. Toxicol. Risk. Assess.*, ASTM STP 1179, W.G. Landis, J.S. Hughes and M.A. Lewis (eds.), American Society for Testing and Materials, Philadelphia. pp. 281-302.

Beattie, J.H. and D. Pascoe. 1978. Cadmium uptake by rainbow trout, *Salmo gairdneri* eggs and alevins. *J. Fish Biol.* 13: 631.

Bednarz, T. and H. Warkowska-Dratnal. 1983/1984. Toxicity of zinc, cadmium, lead, copper, and their mixture for *Chlorella pyrenoidosa* Chick. *Acta Hydrobiol.* 25/26(3/4): 389-400.

Beiras, R., E. His and M.N.L. Seaman. 1998. Effects of storage temperature and duration on toxicity of sediments assessed by *Crassostrea gigas* oyster embryo bioassay. *Environ. Toxicol. Chem.* 17(10): 2100-2105.

Belabed, W., N. Kestali, S. Semsari and A. Gaid. 1994. Toxicity study of some heavy metals with daphnia test. *Tech. Sci. Methods.* 6: 331-336.

Belanger, S.E. and D.S. Cherry. 1990. Interacting effects of pH acclimation, pH, and heavy metals on acute and chronic toxicity to *Ceriodaphnia dubia* (Cladocera). *J. Crustacean Biol.* 10(2): 225-235.

Bellavere, C. and J. Gorbi. 1981. A comparative analysis of acute toxicity of chromium, copper and cadmium to *Daphnia magna*, *Biomphalaria glabrata*, and *Brachydanio rerio*. *Environ. Technol. Letters* 2: 119.

Bendell-Young, L.I. 1994. Comparison of metal concentrations in the fore and hindguts of the crayfish *Cambarus bartoni* and *Orconectes virilis* and implications regarding metal absorption efficiencies. Bull. Environ. Contam. Toxicol. 53: 844-851.

Bendell-Young, L.I. 1999. Application of a kinetic model of bioaccumulation across a pH and salinity gradient for the prediction of cadmium uptake by the sediment dwelling chironomidae. Environ. Sci. Technol. 33: 1501-1508.

Bendell-Young, L.I., H.H. Harvey and J.F. Young. 1986. Accumulation of cadmium by white suckers (*Catostomus commersoni*) in relation to fish growth and lake acidification. Can. J. Fish. Aquat. Sci. 43: 806-811.

Bengtsson, B. 1978. Use of harpacticoid copepod in toxicity tests. Mar. Pollut. Bull. 9: 238.

Bengtsson, B.E. and B. Bergstrom. 1987. A flow-through fecundity test with *Nitocra spinipes* (Harpacticoidea crustacea) for aquatic toxicity. Ecotoxicol. Environ. Safety. 14: 260-268.

Benoit, D.A., et al. 1976. Toxic effects of cadmium on three generations of brook trout (*Salvelinus fontinalis*). Trans. Am. Fish. Soc. 105:550.

Bentley, P.J. 1991. Accumulation of cadmium by channel catfish (*Ictalurus punctatus*): influx from environmental solutions. Comp. Biochem. Physiol. 99C: 527-529.

Berglind, R. 1985. The effects of cadmium on ala-d activity, growth and haemoglobin content in the water flea, *Daphnia magna*. Comp. Biochem. Physiol. 80C(2): 407-410.

Berglind, R. 1986. Combined and separate effects of cadmium, lead and zinc on ala-d activity, growth and hemoglobin content in *Daphnia magna*. Environ. Toxicol. Chem. 5: 989-995.

Bernds, D, D. Wubben and G.P. Zauke. 1998. Bioaccumulation of trace metals in polychaetes from the German Wadden Sea: evaluation and verification of toxicokinetic models. Chemosphere. 37(13): 2573-2587.

Bertram, P.E. and B.A. Hart. 1979. Longevity and reproduction of *Daphnia pulex* (deGeer) exposed to cadmium-contaminated food or water. Environ. Pollut. 19: 295.

Bervoets, L., R. Blust and R. Verheyen. 1995. The uptake of cadmium by the midge larvae *Chironomus riparius* as a function of salinity. *Aquat. Toxicol.* 33: 227-243.

Bervoets, L., R. Blust and R. Verheyen. 1996. Effect of temperature on cadmium and zinc uptake by the midge larvae *Chironomus riparius*. *Arch. Environ. Contam. Toxicol.* 31: 502-511.

Besser, J.M. and C.F. Rabeni. 1987. Bioavailability and toxicity of metals leached from lead-mine tailings to aquatic invertebrates. *Environ. Toxicol. Chem.* 6: 879-890.

Biesinger, K.E. and G.M. Christensen. 1972. Effects of various metals on survival, growth, reproduction, and metabolism of *Daphnia magna*. *J. Fish. Res. Board Can.* 29: 1691.

Biesinger, K.E., G.M. Christensen and J.T. Fiandt. 1986. Effects of metal salt mixtures on *Daphnia magna* reproduction. *Ecotoxicol. Environ. Safety.* 11: 9-14.

Bigelow, L.K. and D.C. Lasenby. 1991. Particle size selection in cadmium uptake by the opossum shrimp, *Mysis relicta*. *Bull. Environ. Contam. Toxicol.* 47: 790-796.

Birge, W.J. 1978. Aquatic toxicology of trace elements of coal and fly ash. *In: J.H. Thorp and J.W. Gibbons (eds.), Energy and Environmental Stress in Aquatic Systems.* CONF-771114. National Technical Information Service, Springfield, Virginia. p. 219.

Birge, W.J., et al. 1978. Embryo-larval bioassay on inorganic coal elements and *in situ* biomonitoring of coal-waste effluents. *In: D.E. Samuel, et al. (eds.), Surface Mining and Fish/Wildlife Needs in the Eastern United States.* PB 298353. National Technical Information Service, Springfield, Virginia. p. 97.

Birge, W.J., et al. 1979. The effects of mercury on reproduction of fish and amphibians. *In: J.O. Nriagu (ed.), The Biochemistry of Mercury in the Environment.* Elsevier/North-Holland, New York. p. 629.

Birge, W.J., et al. 1980. Aquatic toxicity tests on inorganic elements occurring in oil shale, *In: C. Gale (ed.), Oil Shale Symposium: Sampling, Analysis and Quality Assurance.* EPA-600/9-80-022. National Technical Information Service, Springfield, Virginia. p. 519.

Birge, W.J., et al. 1981. The reproductive toxicology of aquatic contaminants. *In*: J. Saxena and F. Fisher (eds.), Hazard Assessment of Chemicals: Current Developments. Vol. 1. Academic Press, New York. p. 59.

Birge, W.J., et al. 1983. Induction of tolerance to heavy metals in natural and laboratory populations of fish. PB84-111756. National Technical Information Service, Springfield, Virginia.

Birge, W.J., J.A. Black and A.G. Westerman. 1985. Short-term fish and amphibian embryo-larval tests for determining the effects of toxicant stress on early life stages and estimating chronic values for single compounds and complex effluents. *Environ. Toxicol. Chem.* 4: 807-821.

Birmelin, C., J. Cuzin-Roudy, M. Romeo, M. Gnassia-Barelli and S. Puiseux-Dao. 1995. The mysid *Siriella armata* as a test organisms in toxicology: effects of cadmium. *Mar. Environ. Res.* 39: 317- 320.

Bishop, W.E. and A.W. McIntosh. 1981. Acute lethality and effects of sublethal cadmium exposure on ventilation frequency and cough rate of bluegill (*Lepomis macrochirus*). *Arch. Environ. Contam. Toxicol.* 10: 519.

Bittner, M.A. 1994. The effect of dissolved natural organics on the chronic toxicity of cadmium to *Mysidopsis bahia molenock* (Crustacea: Mysidacea). George Mason University (USA), 209 pp.

Bitton, G., K. Jung and B. Koopman. 1994. Evaluation of a microplate assay specific for heavy metal toxicity. *Arch. Environ. Contam. Toxicol.* 27: 25-28.

Bitton, G., K. Rhodes, B. Koopman and M. Cornejo. 1995. Short-term toxicity assay based on daphnid feeding behavior. *Water Environ. Res.* 67(3): 290-293.

Bitton, G., K. Rhodes and B. Koopman. 1996. Ceriofast™: an acute toxicity test based on *Ceriodaphnia dubia* feeding behavior. *Environ. Toxicol. Chem.* 15(2): 123-125.

Bjerregaard, P. 1982. Accumulation of cadmium and selenium and their mutual interaction in the shore crab *Carcinus maenas*. *Aquat. Toxicol.* 2: 113.

- Bjerregaard, P. 1985. Effect of selenium on cadmium uptake in the shore crab *Carcinus maenas* (L.). *Aquat. Toxicol.* 7: 177-189.
- Bjerregaard, P. 1991. Relationship between physiological condition and cadmium accumulation in *Carcinus maenas* (L.). *Comp. Biochem. Physiol.* 99A(1/2): 75-83.
- Bjerregaard, P. and M.H. Depledge. 1994. Cadmium accumulation in *Littorina littorea*, *Mytilus edulis* and *Carcinus maenas*: the influence of salinity and calcium ion concentrations. *Mar. Biol.* 119: 385-395.
- Black, J.A. and W.J. Birge. 1980. An avoidance response bioassay for aquatic pollutants. PB80-180490. National Technical Information Service, Springfield, Virginia.
- Blickens, E.A.M. 1978. Cadmium induced histopathological changes in the gills of the brown bullhead *Ictalurus nebulosus* (Lesueur). Ph.D. Thesis. New York University.
- Block, M. and A.W. Glynn. 1992. Influence of xanthates on the uptake of ¹⁰⁹Cd by Eurasian dace (*Phoxinus phoxinus*) and rainbow trout (*Oncorhynchus mykiss*). *Environ. Toxicol. Chem.* 11: 873-879.
- Block, M. and P. Part. 1992. Uptake of ¹⁰⁹Cd by cultured gill epithelial cells from rainbow trout (*Oncorhynchus mykiss*). *Aquat. Toxicol.* 23: 137-151.
- Block, M, A.W. Glynn and P. Part. 1991. Xanthate effects on cadmium uptake and intracellular distribution in rainbow trout (*Oncorhynchus mykiss*) gills. *Aquat. Toxicol.* 20: 267-284.
- Blondin, G.A., L.M. Knobeloch, H.W. Read and J.M. Harkin. 1989. An *in vitro* submitochondrial bioassay for predicting acute toxicity in fish. *Aquat. Toxicol. Environ. Fate.* ASTM STP 1007, G.W. Suter II and M.A. Lewis (eds.), American Society for Testing and Materials, Philadelphia. 11: 551-563.
- Bodar, C.W.M., I. Van der Sluis, P.A. Voogt and D.I. Zandee. 1988a. Effects of cadmium on consumption, assimilation and biochemical parameters of *Daphnia magna*: possible implications for reproduction. *Comp. Biochem. Physiol.* 90C(2): 341-346.
- Bodar, C.W.M., C.J. Van Leeuwen, P.A. Voogt and D.I. Zandee. 1988b. Effect of cadmium on the reproduction strategy of *Daphnia magna*. *Aquat. Toxicol.* 12: 301-310.

Bodar, C.W.M., A.V.D. Zee, P.A. Voogt, H. Wynne and D.I. Zandee. 1989. Toxicity of heavy metals to early life stages of *Daphnia magna*. *Ecotoxicol. Environ. Safety*. 17: 333-338.

Bodar, C.W.M., P.A. Voogt and D.I. Zandee. 1990a. Ecdysteroids in *Daphnia magna*: their role in moulting and reproduction and their levels upon exposure to cadmium. *Aquat. Toxicol*. 17: 339-350.

Bodar, C.W.M., I. Van der Sluis, J.C.P., Van Montfort, P.A. Voogt and D.I. Zandee. 1990b. Cadmium resistance in *Daphnia magna*. *Aquat. Toxicol*. 16: 5633-40.

Bolanos, L., M. Garcia-Gonzalez, P. Mateo and I. Bonilla. 1992. Differential toxicological response to cadmium in *Anabaena* strain PCC 7119 grown with NO_3^- or NH_4^+ as nitrogen source. *J. Plant Physiol*. 140: 345-349.

Borchardt., T. 1983. Influence of food quantity on the kinetics of cadmium uptake and loss via food and seawater in *Mytilus edulis*. *Mar. Biol*. 76: 67-76.

Borgmann, U. and K.M. Ralph. 1986. Effects of cadmium, 2,4-dichlorophenol, and pentachlorophenol on feeding, growth, and particle-size-conversion efficiency of white sucker larvae and young common shiners. *Arch. Environ. Contam. Toxicol*. 15: 473-480.

Borgmann, U., K.M. Ralph and W.P. Norwood. 1989. Toxicity test procedures for *Hyalella azteca*, and chronic toxicity of cadmium and pentachlorophenol to *H. azteca*, *Gammarus fasciatus*, and *Daphnia magna*. *Arch. Environ. Contam. Toxicol*. 18: 756-764.

Borgmann, U., W.P. Norwood and I.M. Babirad. 1991. Relationship between chronic toxicity and bioaccumulation of cadmium in *Hyalella azteca*. *Can. J. Fish. Aquat. Sci*. 48: 1055-1060.

Bosnak, A.D. and E.L. Morgan. 1981. Acute toxicity of cadmium, zinc, and total residual chlorine to epigeal and hypogean isopods (Asellidae). *Natl. Speleological Soc. Bull*. 43: 12.

Bouquegneau, J.M. and M. Martoja. 1982. La teneur en cuivre et son degre de complexation chez quatre gasteropodes marins. *Donnees sur le cadmium et zinc. Oceanologica Acta* 5: 219.

Boutet, C. and C. Chaisemartin. 1973. Specific toxic properties of metallic salts in *Austropotamobius pallipes pallipes* and *Orconectes limosus*. C.R. Soc. Biol. 167: 1933.

Bowen, W.J. and D.W. Engel. 1996. Effects of protracted cadmium exposure on gametes of the purple sea urchin, *Arbacia punctulata*. Bull. Environ. Contam. Toxicol. 56: 493-499.

Boyden, C.R. 1977. Effect of size upon metal content of shellfish. J. Mar. Biol. Assoc. U.K. 57: 675.

Bozeman, J., B. Koopman and G. Bitton. 1989. Toxicity testing using immobilized algae. Aquat. Toxicol. 14: 345-352.

Braginskly, L.P. and E.P. Shcherban. 1978. Acute toxicity of heavy metals to aquatic invertebrates at different temperatures. Hydrobiol. J. 14(6): 78.

Brand, L.E., W.G. Sunda and R.R.L. Guillard. 1986. Reduction of marine phytoplankton reproduction rates by copper and cadmium. J. Exp. Mar. Biol. Ecol. 96: 225-250.

Brent, R.N. and E.E. Herricks. 1998. Postexposure effects of brief cadmium, zinc, and phenol exposures on freshwater organisms. Environ. Toxicol. Chem. 17(10): 2091-2099.

Bresler, V. and V. Yanko. 1995. Acute toxicity of heavy metals for benthic epiphytic foraminifera *Pararotalia spinigera* (Le Calvez) and influence of seaweed-derived DOC. Environ. Toxicol. Chem. 14(10): 1687-1695.

Bressan, M. and R. Brunetti. 1988. The effects of nitrioloacetic acid, Cd and Hg on the marine algae *Dunaliella tertiolecta* and *Isochrysis galbana*. Water Res. 22(5): 553-556.

Bringmann, G. 1975. Determination of the biologically harmful effect of water pollutants by means of the retardation of cell proliferation of the blue algae *Microcystis*. Gesundheits-Ing. 96: 238.

Bringmann, G. 1978. Determination of the biological toxicity of waterbound substances towards protozoa. I. bacteriovorous flagellates (model organism: *Entosiphon sulcatum* Stein). Z. Wasser Abwasser Forsch. 11: 210.

Bringmann, G. and R. Kuhn. 1959a. The toxic effects of waste water on aquatic bacteria, algae, and small crustaceans. *Gesundheits-Ing.* 80: 115.

Bringmann, G. and R. Kuhn. 1959b. Water toxicology studies with protozoans as test organisms. *Gesundheits-Ing.* 80: 239.

Bringmann, G. and R. Kuhn. 1976. Comparative results of the damaging effects of water pollutants against bacteria (*Pseudomonas putida*) and blue algae (*Microcystis aeruginosa*). *Gas-Wasserfach, Wasser-Abwasser* 117: 410.

Bringmann, G. and R. Kuhn. 1977a. Limiting values for the damaging action of water pollutants to bacteria (*Pseudomonas putida*) and green algae (*Scenedesmus quadricauda*) in the cell multiplication inhibition test. *Z. Wasser Abwasser Forsch.* 10: 87.

Bringmann, G. and R. Kuhn. 1977b. Results of damaging effect of water pollutants on *Daphnia magna*. *Z. Wasser Abwasser Forsch.* 10: 161.

Bringmann, G. and R. Kuhn. 1978a. Limiting values for the noxious effects of water pollutant material to blue algae (*Microcystis aeruginosa*) and green algae (*Scenedesmus quadricauda*) in cell propagation inhibition test. *Vom Wasser* 50: 45.

Bringmann, G. and R. Kuhn. 1978b. Testing of substances for their toxicity threshold: model organisms *Microcystis (Diplocystis) aeruginosa* and *Scenedesmus quadricauda*. *Mitt. Int. Ver. Theor. Angew. Limnol.* 21: 275.

Bringmann, G. and R. Kuhn. 1979. Comparison of toxic limiting concentrations of water contaminants toward bacteria, algae, and protozoa in the cell-growth inhibition test. *Haustech. Bauphys. Umwelttech.* 100: 249.

Bringmann, G. and R. Kuhn. 1980a. Determination of the harmful biological effect of water pollutants on protozoa. II. bacterivorous ciliates. *Z. Wasser Abwasser Forsch.* 13: 26.

Bringmann, G. and R. Kuhn. 1980b. Comparison of the toxicity thresholds of water pollutants to bacteria, algae, and protozoa in the cell multiplication inhibition test. *Water Res.* 14: 231.

Bringmann, G. and R. Kuhn. 1981. Comparison of the effects of harmful substances on flagellates as well as ciliates and on halozoic bacteriophagous and saprozoic protozoa. Gas-Wasserfach, Wasser-Abwasser 122: 308.

Bringmann, G. and R. Kuhn. 1982. Results of toxic action of water pollutants on *Daphnia magna* Straus tested by an improved standardized procedure. Z. Wasser Abwasser Forsch. 15: 1.

Bringmann, G., et al. 1980. Determination of biological damage from water pollutants to protozoa. III. saprozoic flagellates. Z. Wasser Abwasser Forsch. 13: 170.

Brkovic-Popovic, I. and M. Popovic. 1977a. Effects of heavy metals on survival and respiration rate of tubificid worms: Part I-effects on survival. Environ. Pollut. 13:65.

Brkovic-Popovic, I. and M. Popovic. 1977b. Effects of heavy metals on survival and respiration rate of tubificid worms: Part II-effects on respiration rate. Environ. Pollut. 13: 93.

Brooks, A.W., L. Maltby, A.J. Saul and P. Calow. 1996. A simple indoor artificial stream system designed to study the effects of toxicant pulses on aquatic organisms. Water Res. 30(2): 285-290.

Brouwer, M, D.W. Engel, J. Bonaventura and G.A. Johnson. 1992. In vivo magnetic resonance imaging of the blue crab, *Callinectes sapidus*: effect of cadmium accumulation in tissues on proton relaxation properties. J. Exp. Zool. 263: 32-40.

Brown, B. and M. Ahsanullah. 1971. Effect of heavy metals on mortality and growth. Mar. Pollut. Bull. 2: 182.

Brown, A.F. and D. Pascoe. 1988. Studies on the acute toxicity of pollutants to freshwater macroinvertebrates: V. The acute toxicity of cadmium to twelve species of predatory macroinvertebrates. Arch. Hydrobiol. 114(2): 311-319.

Brown, D.A., et al. 1984. Detoxification/toxification of cadmium in scorpionfish (*Scorpaena quttata*): acute exposure. Aquat. Toxicol. 5: 93.

Brown, M.W., D.G. Thomas, D. Shurben, J.F. De L.G. Solbe, J. Kay and A. Cryer. 1986. A comparison of the differential accumulation of cadmium in the tissues of three species of freshwater fish, *Salmo Gairdneri*, *Rutilus rutilus* and *Noemacheilus barbatulus*. *Comp. Biochem. Physiol.* 84C(2): 213-217.

Brown, V., D. Shurben, W. Miller and M. Crane. 1994. Cadmium toxicity to rainbow trout *Oncorhynchus mykiss* Walbaum and brown trout *Salmo trutta* L. over extended exposure periods. *Ecotoxicol. Environ. Safety.* 29: 38-46.

Brunetti, R., M. Marin, M. Bressan, M. Zordan and A. Soggia. 1991. Effects of the chelating agent nitrilotriacetic acid (NTA) on the toxicity of metals (Cd, Cu, Zn and Pb) in the sea urchin *Paracentrotus lividus* LMK. *Vie Milieu.* 41(1): 39-43.

Bryan, G.W. 1971. The effects of heavy metals (other than mercury) on marine and estuarine organisms. *Proc. R. Soc. London B.* 177: 389.

Bryan, G.W., et al. 1983. An assessment of the gastropod, *Littorina littorea*, as an indicator of heavy metal contamination in United Kingdom estuaries. *J. Mar. Biol. Assoc. U.K.* 63: 327.

Bryan, M.D., G.J. Atchison and M.B. Sandheinrich. 1995. Effects of cadmium on the foraging behavior and growth of juvenile bluegill, *Lepomis macrochirus*. *Can. J. Fish. Aquat. Sci.* 53: 1630-1638.

Buckley, J.A., G.A. Yoshida, N.R. Wells and R.T. Aquino. 1985. Toxicities of total and chelex-labile cadmium to salmon in solutions of natural water and diluted sewage with potentially different cadmium complexing capacities. *Water Res.* 19(12): 1549-1554.

Buhl, K.J. 1997. Relative sensitivity of three endangered fishes, Colorado squawfish, bonytail, and razorback sucker, to selected metal pollutants. *Ecotoxicol. Environ. Safety.* 37: 186-192.

Buhl, K.J. and S.J. Hamilton. 1991. Relative sensitivity of early life stages of arctic grayling, coho salmon, and rainbow trout to nine inorganics. *Ecotoxicol. Environ. Safety.* 22: 184-197.

Buikema, A.L., Jr., et al. 1974a. Rotifers as monitors of heavy metal pollution in water. *Bulletin 71.* Virginia Water Resources Research Center, Blacksburg, Virginia.

- Buikema, A.L., Jr., et al. 1974b. Evaluation of *Philodina acuticornis* (Rotifera) as a bioassay organism for heavy metals. *Water Res. Bull.* 10: 648.
- Buikema, A.L., Jr., et al. 1977. Rotifer sensitivity to combinations of inorganic water pollutants. Bulletin 92. Virginia Water Resources Research Center, Blacksburg, Virginia.
- Burdin, K.S. and K.T. Bird. 1994. Heavy metal accumulation by carrageenan and agar producing algae. *Bot. Mar.* 37: 467-470.
- Burnison, G., et al. 1975. Toxicity of cadmium to freshwater algae. *Proc. Can. Fed. Biol. Soc.* 18: 46.
- Burrell, D.C. and D. Weihs. 1983. Uptake of cadmium by marine bacteria and transfer to a deposit feeding clam. Sea Grant Report 83-5. University of Alaska, Fairbanks, Alaska.
- Burton, D.T. and D.J. Fisher. 1990. Acute toxicity of cadmium, copper, zinc, ammonia, 3,3'-dichlorobenzidine, 2,6-dichloro-4-nitroaniline, methylene chloride, and 2,4,6-trichlorophenol to juvenile grass shrimp and killifish. *Bull. Environ. Contam. Toxicol.* 44: 776-783.
- Busch, D, T. Lucker and W. Wosniok. 1998. Effects of changing salt concentrations and other physical-chemical parameters on bioavailability and bioaccumulation of heavy metals in exposed *Dreissena polymorpha* (Pallas, 1771). *Limnologica.* 28(3): 263-274.
- Cairns, J. Jr., J.R. Pratt, B.R. Niederlehner and P.V. McCormick. 1986. A simple, cost-effective multispecies toxicity test using organisms with a cosmopolitan distribution. *Environ. Monit. Assess.* 6: 207-220.
- Calabrese, A., et al. 1973. The toxicity of heavy metals to embryos of the American oyster *Crassostrea virginica*. *Mar. Biol.* 18: 162.
- Calabrese, A., et al. 1975. Sublethal physiological stress induced by cadmium and mercury in the winter flounder, *Pseudopleuronectes americanus*. In: J.H. Koeman and J.J.T.W.A. Strik (eds.), *Sublethal Effects of Toxic Chemicals in Aquatic animals*. Elsevier, New York. p. 15.

- Calevro, F., S. Campani, M. Raghianti, S. Bucci and G. Mancino. 1998a. Tests of toxicity and teratogenicity in biphasic vertebrates treated with heavy metals (Cr^{3+} , Al^{3+} , Cd^{2+}). *Chemosphere*. 37(14-15): 3011-3017
- Calevro, F, C. Filippi, P. Deri, C. Albertosi and R. Batistoni. 1998b. Toxic effects of aluminum, chromium and cadmium in intact and regenerating freshwater planarians. *Chemosphere*. 37(4): 651-659.
- Callahan, M.A., et al. 1979. Water-related environmental fate of 129 priority pollutants. Vol. I. EPA-440/4-79-029a. National Technical Information Service, Springfield, Virginia.
- Campbell, J. and R.D. Evans. 1991. Cadmium concentrations in the freshwater mussel (*Elliptio complanata*) and their relationship to water chemistry. *Arch. Environ. Contam. Toxicol.* 20: 125-131.
- Camusso, M., L. Vigano and R. Balestrini. 1995. Bioconcentration of trace metals in rainbow trout: a field study. *Ecotoxicol. Environ. Safety*. 31: 133-141.
- Canli, M. and R.W. Furness. 1993. Toxicity of heavy metals dissolved in sea water and influences of sex and size on metal accumulation and tissue distribution in the Norway lobster *Nephrops norvegicus*. *Mar. Environ. Res.* 36: 217-236.
- Canli, M. and R.W. Furness. 1995. Mercury and cadmium uptake from seawater and from food by the Norway lobster *Nephrops norvegicus*. *Environ. Toxicol. Chem.* 14(5): 819-828.
- Canterford, G.S. and D.R. Canterford. 1980. Toxicity of heavy metals to the marine diatom *Ditylum brightwellii* (West) Grunow: correlation between toxicity and metal speciation. *J. Mar. Biol. Assoc. U.K.* 60: 227.
- Canton, J.H. and D.M.M. Adema. 1978. Reproducibility of short-term and reproduction toxicity experiments with *Daphnia magna* and comparison of the sensitivity of *Daphnia magna* with *Daphnia pulex* and *Daphnia cucullata* in short-term experiments. *Hydrobiol.* 59: 135.
- Canton, J.H. and W. Slooff. 1979. A proposal to classify compounds and to establish water quality based on laboratory data. *Ecotoxicol. Environ. Safety* 3: 126.

Canton, J.H. and W. Slooff. 1982. Toxicity and accumulation studies of cadmium (Cd²⁺) with freshwater organisms of different trophic levels. *Ecotoxicol. Environ. Safety* 6: 113.

Cardin, J.A. 1982. Memorandum to J.H. Gentile. U.S. EPA, Narragansett, Rhode Island.

Carlisle, D.M. and W.H. Clements. 1999. Sensitivity and variability of metrics used in biological assessments of running waters. *Environ. Toxicol. Chem.* 18(2): 285-291.

Carlson, A.R., et al. 1982. Cadmium and endrin toxicity to fish in waters containing mineral fibers. EPA-600/3-82-053. National Technical Information Service, Springfield, Virginia.

Carmichael, N.G. and B.A. Fowler. 1981. Cadmium accumulation and toxicity in the kidney of the bay scallop *Argopecten irradians*. *Mar. Biol.* 65: 35.

Carpene, E. and L. Boni. 1992. Effects of heavy metals on the algae *Nitzschia closterium* and *Prorocentrum micans*. *Sci. Total Environ. Supplemental Vol.*: 921-927.

Carr, R.S. and J.M. Neff. 1982. Biochemical indices of stress in the sandworm *Neanthes virens* (Sars). II. sublethal responses to cadmium. *Aquat. Toxicol.* 2: 319.

Carr, R.S., J.W. Williams, F.I. Saksa, R.L. Buhl and J.M. Neff. 1985. Bioenergetic alterations correlated with growth, fecundity and body burden of cadmium for mysids (*Mysidopsis bahia*). *Environ. Toxicol. Chem.* 4: 181-188.

Carrier, R. and T.L. Beitinger. 1988a. Reduction in thermal tolerance of *Notropis lutrensis* and *Pimephales promelas* exposed to cadmium. *Water Res.* 22(4): 511-515.

Carrier, R. and T.L. Beitinger. 1988b. Resistance of temperature tolerance ability of green sunfish to cadmium exposure. *Bull. Environ. Contam. Toxicol.* 40: 475-480.

Carroll, J.J., S.J. Ellis and W.S. Oliver. 1979. Influences of hardness constituents on the acute toxicity of cadmium to brook trout (*Salvelinus fontinalis*). *Bull. Environ. Contam. Toxicol.* 22:575-581.

- Casini, S. and M.H. Depledge. 1997. Influence of copper, zinc, and iron on cadmium accumulation in the Talitrid amphipod, *Platorchestia platensis*. Bull. Environ. Contam. Toxicol. 59: 500-506.
- Cassini, A., L. Tallandini, N. Favero and V. Albergoni. 1986. Cadmium bioaccumulation studies in the freshwater molluscs *Anodonta cygnea* and *Unio elongatulus*. Comp. Biochem. Physiol. 84C(1): 35-41.
- Castano, A., M.J. Cantarino, P. Castillo and J.V. Tarazona. 1996. Correlations between the RTG-2 cytotoxicity test EC50 and *in vivo* LC50 rainbow trout bioassay. Chemosphere. 32(11): 2141-2157.
- Castille, F.L., Jr. and A.L. Lawrence. 1981. The effects of EDTA (ethylenedinitrotetraacetic acid) on the survival and development of shrimp nauplii (*Penaeus stylirostris* Stimpson) and the interactions of EDTA and the toxicities of cadmium, calcium, and phenol. J. World Maricul. Soc. 12: 292.
- Cearley, J.E. and R.L. Coleman. 1973. Cadmium toxicity and accumulation in southern naiad. Bull. Environ. Contam. Toxicol. 9: 100.
- Cearley, J.E. and R.L. Coleman. 1974. Cadmium toxicity and bioconcentration in largemouth bass and bluegill. Bull. Environ. Contam. Toxicol. 11: 146.
- Centeno, M.D., L. Brendonck and G. Persoone. 1993. Cyst-based toxicity tests. III. Development and standardization of an acute toxicity test with the freshwater anostracan crustacean *Streptocephalus proboscideus*. In: A.M.V.M. Soares and P. Calow (eds.). Progress in Standardization of Aquatic Toxicity Tests. Lewis Publishers. pp 37-55.
- Centeno, M.D.F., G. Persoone and M.P.Goyvaerts. 1995. Cyst-based toxicity tests. IX. The potential of *Thamnocephalus platyurus* as test species in comparison with *Streptocephalus proboscideus* (Crustacea: branchiopoda: anostraca). Environ. Toxicol. Water Qual. 10(4): 275-282.
- Chagnon, N.L. and S.I. Guttman. 1989. Differential survivorship of allozyme genotypes in mosquitofish populations exposed to copper or cadmium. Environ. Toxicol. Chem. 8: 319-326.
- Chan, H.M. 1988. Accumulation and tolerance to cadmium, copper, lead and zinc by the green mussel *Perna viridis*. Mar. Ecol. Prog. Ser. 48: 295-303.

- Chan, H.M., P. Bjerregaard, P.S. Rainbow, M.H. Depledge. 1992. Uptake of zinc and cadmium by two populations of shore crabs *Carcinus maenas* at different salinities. Mar. Ecol. Prog. Ser. 86: 91-97.
- Chan, K., et al. 1981. Effects of polyethylene glycol on growth and cadmium accumulation of *Chlorella salina* CU-1. Chemosphere 10: 985.
- Chander, G.P., N.V. Madhav and Vidyavati. 1991. Response of *Pithophora oedogonia* to cadmium. Acta Botanica Indica. 19: 240-242.
- Chandini, T. 1988a. Changes in food (*Chlorella*) levels and the acute toxicity of cadmium to *Daphnia carinata* (daphnidae) and *Echinisca triserialis* (macrothricidae) (Crustacea: cladocera). Bull. Environ. Contam. Toxicol. 41: 398-403.
- Chandini, T. 1988b. Effects of different food (*Chlorella*) concentrations on the chronic toxicity of cadmium to survivorship, growth and reproduction of *Echinisca triserialis* (crustacea: cladocera). Environ. Pollut. 54: 139-154.
- Chandini, T. 1989. Survival, growth and reproduction of *Daphnia carinata* (crustacea: cladocera) exposed to chronic cadmium stress at different food (*Chlorella*) levels. Environ. Pollut. 60: 29-45.
- Chandini, T. 1991. Reproductive value and the cost of reproduction in *Daphnia carinata* and *Echinisca triserialis* (crustacea: cladocera) exposed to food and cadmium stress. Bull. Environ. Contam. Toxicol. 47: 76-83.
- Chandra, P. and P. Garg. 1992. Absorption and toxicity of chromium and cadmium in *Limnanthemum cristatum* Griseb. Sci. Total Environ. 125: 175-183.
- Chang, M., H.C. Lin and P. Hwang. 1998. Ca²⁺ uptake and Cd²⁺ accumulation in larval tilapia (*Oreochromis mossambicus*) acclimated to waterborne Cd²⁺. Am. J. Physiol. 27(6): 1570-1577.
- Chapman, G.A. 1975. Toxicity of copper, cadmium and zinc to Pacific Northwest salmonids. U.S. EPA, Corvallis, Oregon.

Chapman, G.A. 1978. Toxicities of cadmium, copper, and zinc to four juvenile stages of chinook salmon and steelhead. *Trans. Am. Fish. Soc.* 107: 841.

Chapman, G.A. 1982. Letter to C.E. Stephan. U.S. EPA, Corvallis, Oregon. December 6.

Chapman, G.A. and D.G. Stevens. 1978. Acutely lethal levels of cadmium, copper, and zinc to adult male coho salmon and steelhead. *Trans. Am. Fish. Soc.* 107: 837.

Chapman, G.A., S. Ota and F. Recht. Manuscript. Effects of water hardness on the toxicity of metals to *Daphnia magna*. U.S. EPA, Corvallis, Oregon.

Chapman, P.M., et al. 1982. Relative tolerances of selected aquatic oligochaetes to individual pollutants and environmental factors. *Aquat. Toxicol.* 2: 47.

Chapman, W.H., et al. 1968. Concentration factors of chemical elements in edible aquatic organisms. UCRL-50564. National Technical Information Service, Springfield, Virginia.

Charpentier, S., J. Garnier and R. Flaugnatti. 1987. Toxicity and bioaccumulation of cadmium in experimental cultures of duckweed, *Lemna polyrrhiza* L. *Bull. Environ. Contam. Toxicol.* 38: 1055-1061.

Chattopadhyay, S. K. Anam and A.K. Aditya. 1995. Bioassay evaluation of acute toxicity levels of mercuric chloride and cadmium chloride on the early growing stages of *Labeo rohita*. *J. Ecobiol.* 7(1): 41-47.

Chawla, G., J. Singh and P.N. Viswanathan. 1991. Effect of pH and temperature on the uptake of cadmium by *Lemna minor* L. *Bull. Environ. Contam. Toxicol.* 47: 84-90.

Chen, C.Y., K.C. Lin and D.T. Yang. 1997. Comparison of the relative toxicity relationships based on batch and continuous algal toxicity tests. *Chemosphere.* 35(9): 1959-1965.

Cheung, C.C.C. and P.K.S. Lam. 1998. Effect of cadmium on the embryos and juveniles of a tropical freshwater snail, *Physa acuta* (Draparnaud, 1805). *Water Sci. Tech.* 38(7): 263-270.

Chitguppa, R., K.H. Chu and M.A. Hashim. 1997. Reusability of seaweed biosorbent in multiple cycles of cadmium adsorption and desorption. *Biotech. Techniques* 11(6): 371-373.

Chou, C.L. and J.F. Uthe. 1991. Effect of starvation on trace metal levels in blue mussels (*Mytilus edulis*). *Bull. Environ. Contam. Toxicol.* 46: 473-478.

Chou, C.L., J.F. Uthe, J.D. Castell and J.C. Kean. 1987. Effect of dietary cadmium on growth, survival, and tissue concentrations of cadmium, zinc, copper, and silver in juvenile american lobster (*Homarus americanus*). *Can. J. Fish. Aquat. Sci.* 44: 1443-1450.

Christoffers, D. and D.E.W. Ernst. 1983. The *in-vivo* fluorescence of *Chlorella fusca* as a biological test for the inhibition of photosynthesis. *Toxicol. Environ. Chem.* 7: 61-71.

Clausen, P.S., P. Bjerregaard and M.H. Depledge. 1993. Passive and active cadmium uptake in the isolated gills of the shore crab, *Carcinus maenas* (L.). *Chemosphere.* 26(12): 2209-2219.

Clubb, R.W., et al. 1975. Acute cadmium toxicity studies upon nine species of aquatic insects. *Environ. Res.* 9: 332.

Collard, J.M. and R.F. Matagne. 1994. Cd²⁺ resistance in wild-type and mutant strains of *Chlamydomonas reinhardtii*. *Environ. Exp. Bot.* 34(2): 235-244.

Collyard, S.A., G.T. Ankley, R.A. Hoke and T. Goldenstein. 1994. Influence of age on the relative sensitivity of *Hyalella azteca* to diazinon, alkylphenol ethoxylates, copper, cadmium, and zinc. *Arch. Environ. Contam. Toxicol.* 26: 110-113.

Conway, H.L. 1978. Sorption of arsenic and cadmium and their effects on growth, micronutrient utilization, and photosynthetic pigment composition of *Asterionella formosa*. *J. Fish. Res. Board Can.* 35: 286.

Cope, W.G., J.G. Wiener and G.J. Atchison. 1994. Hepatic cadmium, metal-binding proteins and bioaccumulation in bluegills exposed to aqueous cadmium. *Environ. Toxicol. Chem.* 13(4): 553-562.

- Coppellotti, O. 1994. Effects of cadmium on *Uronema marinum* (ciliophora, scuticociliatida) from Antarctica. *Acta Protozool.* 33: 159-167.
- Couillard, Y., P. Ross and B. Rinel-Alloul. 1989. Acute toxicity of six metals to the rotifer *Brachionus calyciflorus*, with comparisons to other freshwater organisms. *Toxic. Assess.* 4(4): 451-462.
- Craig, A., L. Hare, P.M. Charest and A. Tessier. 1998. Effect of exposure regime on the internal distribution of cadmium in *Chironomus staegeri* larvae (insecta, diptera). *Aquat. Toxicol.* 41: 265-275.
- Craig, A., L. Hare and A. Tessier. 1999. Experimental evidence for cadmium uptake via calcium channels in the aquatic insect *Chironomus staegeri*. *Aquat. Toxicol.* 44: 255-262.
- Cripe, G.M. 1994. Comparative acute toxicities of several pesticides and metals to *Mysidopsis bahia* and postlarval *Penaeus duorarum*. *Environ. Toxicol. Chem.* 13(11): 1867-1872.
- Crisinel, A., L. Delaunay, D. Rossel, J. Tarradellas, H. Meyer, H. Saiah, P. Vogel, C. Delisle and C. Blaise. 1994. Cyst-based ecotoxicological tests using anostracans: comparison of two species of *Streptocephalus*. *Environ. Toxicol. Water Qual.* 9(4): 317-326.
- Currie, R.S., D.C.G. Muir, W.L. Fairchild, M.H. Holoka and R.E. Hecky. 1998. Influence of nutrient additions on cadmium bioaccumulation by aquatic invertebrates in littoral enclosures. *Environ. Toxicol. Chem.* 17(12): 2435-2443.
- Cusimano, R.F., D.F. Brakke and G.A. Chapman. 1986. Effects of pH on the toxicities of cadmium, copper, and zinc to steelhead trout (*Salmo gairdneri*). *Can. J. Fish. Aquat. Sci.* 43: 1497-1503.
- D'Agostino, A. and C. Finney. 1974. The effect of copper and cadmium on the development of *Tigriopus japonicus*. In: F.J. Vernberg and W.B. Vernberg (eds.), *Pollution and Physiology of Marine Organisms*. Academic Press, New York. p. 445.
- D'Aniello, A., M. Pischetola, F. Vanacore, M. De Nicola and M. Denuce. 1990. Effect of mercury, cadmium and copper on the development and viability of *Loligo vulgaris* and *Sepia officinalis* embryos. *Ital. J. Biochem.* 39(2): 130A-132A.

- Dallinger, R., E. Carpena, G.J. Dalla Via and P. Cortesi. 1989. Effects of cadmium on *Murex trunculus* from the Adriatic Sea. I. Accumulation of metal and binding to a metallothionein-like protein. Arch. Environ. Contam. Toxicol. 18: 554-561.
- Dallinger, R., M. Egg, G. Kock and R. Hofer. 1997. The role of metallothionein in cadmium accumulation of Arctic char (*Salvelinus alpinus*) from high alpine lakes. Aquat. Toxicol. 38: 47-66.
- Darmono, D. 1990. Uptake of cadmium and nickel in banana prawn (*Penaeus merguensis* de Man). Bull. Environ. Contam. Toxicol. 45: 320-328.
- Darmono, D., G.R.W. Denton and R.S.F. Campbell. 1990. The pathology of cadmium and nickel toxicity in the banana shrimp (*Penaeus merguensis* de Man). Asian Fish. Sci. 3(3): 287-297.
- Datta, D.K and G.M. Sinha. 1987. Estimation of acute toxicity of cadmium, a heavy metal, in a carnivorous freshwater teleost, *Mystus vittatus* (Bloch). In: Proc. Indian Natl. Sci. Acad. Part B 53(1): 43-45.
- Dave, G., et al. 1981. Toxicity of eight solvent extraction chemicals and of cadmium to water fleas, *Daphnia magna*, rainbow trout, *Salmo gairdneri*, and zebrafish, *Brachydanio rerio*. Comp. Biochem. Physiol. 69C: 83.
- Davies, I.M., et al. 1981. Field and experimental studies on cadmium in the edible crab *Cancer pagurus*. Mar. Biol. 64: 291.
- Davies, N.A., M.G. Taylor and K. Simkiss. 1997. The influence of particle surface characteristics on pollutant metal uptake by cells. Environ. Pollut. 96(2): 179-184.
- Davies, P.H. 1976. Use of dialysis tubing in defining the toxic fractions of heavy metals in natural water. In: R.W. Andrew, et al. (eds.), Toxicity to Biota of Metal Forms in Natural Water. International Joint Commission, Windsor, Ontario. p. 110.
- Davies, P.H. and W.C. Gorman. 1987. Effects of chemical equilibria and kinetics on the bioavailability and toxicity of cadmium to rainbow trout. Am. Chem. Soc. Natl. Meeting. 194: 646-650.

Davies, P.H., W.C. Gorman, C.A. Carlson and S.F. Brinkman. 1993. Effect of hardness on bioavailability and toxicity of cadmium to rainbow trout. *Chem. Spec. Bioavail.* 5(2): 67-77.

Davies, R.W., R.N. Singhal and D.D. Wicklum. 1995. Changes in reproductive potential of the leech *Nepheleopsis obscura* (Erpobdellidae) as biomarkers for cadmium stress. *Can. J. Zool.* 73: 2192-2196.

Dawson, M.A., et al. 1977. Physiological response of juvenile striped bass, *Morone saxatilis*, to low levels of cadmium and mercury. *Chesapeake Sci.* 18: 353.

De Conto Cinier, C., M. Petit-Ramel, R. Faure and D. Garin. 1997. Cadmium bioaccumulation in carp (*Cyprinus carpio*) tissues during long-term high exposure: analysis by inductively coupled plasma-mass spectrometry. *Ecotoxicol. Environ. Safety.* 38: 137-143.

De Conto Cinier, C, M. Petit-Ramel, R. Faure and M. Bortolato. 1998. Cadmium accumulation and metallothionein biosynthesis in *Cyprinus carpio* tissues. *Bull. Environ. Contam. Toxicol.* 61: 793-799.

De Lisle, P.F. and M.H. Roberts, Jr. 1988. The effect of salinity on cadmium toxicity to the estuarine mysid *Mysidopsis bahia*: role of chemical speciation. *Aquat. Toxicol.* 12: 357-370.

De Lisle, P.F. and M.H. Roberts, Jr. 1994. The effect of salinity on cadmium toxicity in the estuarine mysid *Mysidopsis bahia*: roles of osmoregulation and calcium. *Mar. Environ. Res.* 37: 47-62.

De March, B.G.E. 1988. Acute toxicity of binary mixtures of five cations (Cu^{2+} , Cd^{2+} , Zn^{2+} , Mg^{2+} and K^{+}) to the freshwater amphipod *Gammarus lacustris* (Sars): alternative descriptive models. *Can. J. Fish. Aquat. Sci.* 45: 625-633.

De Nicola Giudici, M. and S.M. Guarino. 1989. Effects of chronic exposure to cadmium or copper on *Idothea baltica* (crustacea, isopoda). *Mar. Pollut. Bull.* 20(2): 69-73.

De Nicloa Guidici, M. and L. Migliore. 1988. Long term effect of cadmium of copper on *Asellus aquaticus* (L.) (Crustacea, isopoda). *Verh.- Int. Ver. Theor. Angew. Limnol.* 23: 1660-1662.

De Nicola, M., N. Cardellicchio, C. Gambardella, S.M. Guarino and C. Marra. 1993. Effects of cadmium on survival, bioaccumulation, histopathology, and PGM polymorphism in the marine isopod *Idotea baltica*. Ecotoxicol. Met. Invert. Proc. Sess. 1993. 1st Meet.: 103-116.

Debelak, R.W. 1975. Acute toxicity of mixtures of copper, chromium, and cadmium to *Daphnia magna*. Thesis. Miami University, Oxford, Ohio.

Decho, A.W. and S.N. Luoma. 1994. Humic and fulvic acids: sink or source in the availability of metals to the marine bivalves *Macoma balthica* and *Potamocorbula amurensis*? Mar. Ecol. Prog. Ser. 108: 133-145.

DeFilippis, L.F., et al. 1981. The effects of sublethal concentrations of zinc, cadmium and mercury on *Euglena*. II. respiration, photosynthesis and photochemical activities. Arch. Microbiol. 128: 407.

Del Ramo, J, J. Diaz-Mayans, A. Torreblanca and A. Nunez. 1987. Effects of temperature on the acute toxicity of heavy metals (Cr, Cd, and Hg) to the freshwater crayfish, *Procambarus clarkii* (Girard). Bull. Environ. Contam. Toxicol. 38: 736-741.

Demon, A., M. De Bruin and H. Wolterbeek. 1988. The influence of pH on trace element uptake by an alga (*Scenedesmus pannonicus* subsp. Berlin) and fungus (*Aureobasidium pullulans*). Environ. Monit. Assess. 10-2: 165-173.

Demon, A., M. De Bruin and H. Wolterbeek. 1989. The influence of pre-treatment, temperature and calcium ions on trace element uptake by an alga (*Scenedesmus pannonicus* subsp. Berlin) and fungus (*Aureobasidium pullulans*). Environ. Monit. Assess. 13: 21-33.

Den Besten, P.J., H.J. Herwig, D.I. Zandee and P.A. Voogt. 1989. Effects of cadmium and PCBs on reproduction of the sea star *Asterias rubens*: aberrations in the early development. Ecotoxicol. Environ. Safety. 18(2): 173-180.

Den Besten, P.J., E.G. van Donselaar, H.J. Herwig, D.I. Zandee and P.A. Voogt. 1991. Effects of cadmium on gametogenesis in the sea star *Asterias rubens* L. Aquat. Toxicol. 20: 83-94.

Denton, G.R.W. and C. Burdon-Jones. 1981. Influence of temperature and salinity on the uptake, distribution, and depuration of mercury, cadmium, and lead by the black-lip oyster *Saccostrea echinata*. Mar. Biol. 64: 317.

Denton, G.R.W. and C. Burdon-Jones. 1986. Environmental effects on toxicity of heavy metals to two species of tropical marine fish from northern Australia. Chem. Ecol. 2: 233-249.

Department of the Environment. 1973. Water Pollut. Res. 1972. London. p. 37.

Devi, M., D.A. Thomas, J.T. Barber and M. Fingerman. 1996. Accumulation and physiological and biochemical effects of cadmium in a simple aquatic food chain. Ecotoxicol. Environ. Safety. 33: 38-43.

Devi, V.U. 1987. Heavy metal toxicity to fiddler crabs, *Uca annulipes* Latreille and *Uca triangularis* (Milne Edwards): tolerance to copper, mercury, cadmium, and zinc. Bull. Environ. Contam. Toxicol. 39: 1020-1027.

Devi, V.U. 1996. Bioaccumulation and metabolic effects of cadmium on marine fouling dressinid bivalve, *Mytilopsis sallei* (Recluz). Arch. Environ. Contam. Toxicol. 31: 47-53.

Devi, V.U. and Y.P. Rao. 1989. Cadmium accumulation in fiddler crabs *Uca annulipes* Latreille and *Uca triangularis* (Milne Edwards). Water, Air, Soil Pollut. 43: 309-321.

Devi Prasad, P.V. and P.S. Devi Prasad. 1982. Effect of cadmium, lead and nickel on three freshwater green algae. Water Air, Soil Pollut. 17: 263.

Devineau, J. and C.A. Triquet. 1985. Patterns of bioaccumulation of an essential trace element (zinc) and a pollutant metal (cadmium) in larvae of the prawn *Palaemon serratus*. Mar. Biol. 86: 139-143.

Di Giulio, R.T. and R.F. Scanlon. 1984. Sublethal effects of cadmium ingestion on mallard ducks. Arch. Environ. Contam. Toxicol. 13: 765.

Diamond, J.M., D.E. Koplisch, J. McMahon III and R. Rost. 1997. Evaluation of the water-effect ratio procedure for metals in a riverine system. Environ. Toxicol. Chem. 16(3): 509-520.

Dickson, G.W., et al. 1982. The effect of chronic cadmium exposure on phosphoadenylate concentrations and adenylate energy charge of gills and dorsal muscle tissue of crayfish. *Environ. Toxicol. Chem.* 1: 147.

Dierickx, P.J. and E. Bredael-Rozen. 1996. Correlation between the *in vitro* cytotoxicity of inorganic metal compounds to cultured fathead minnow fish cells and the toxicity to *Daphnia magna*. *Bull. Environ. Contam. Toxicol.* 57: 107-110.

Dillon, T.M. and B.C. Suedel. 1986. The relationship between cadmium bioaccumulation and survival, growth, and reproduction in the freshwater crustacean, *Daphnia magna*. *Environ. Contam., 2nd Conf., CEP Consult., Edinburgh, U.K.:* 21-23.

Dinnel, P.A., J.M. Link, Q.J. Stober, M.W. Letourneau and W.E. Roberts. 1989. Comparative sensitivity of sea urchin sperm bioassays to metals and pesticides. *Arch. Environ. Contam. Toxicol.* 18: 748-755.

Dive, D., S. Robert, E. Angrand, C. Bel, H. Bonnemain, L. Brun, Y. Demarque, A. Le Du, R. El Bouhouti, M.N. Fourmaux, L. Guery, O. Hanssens and M. Murat. 1989. A bioassay using the measurement of the growth inhibition of a ciliate protozoan: *Colpidium campylum* Stokes. *Hydrobiol.* 188/189: 181-188.

Dixon, W.J. and M.B. Brown, eds. 1979. BMDP Biomedical Computer Programs, P-series. University of California, Berkeley, California. p. 521.

Domal-Kwiatkowska, D., B. Sosak-Swidarska, U. Mazurek and D. Tyrawska. 1994. The effect of cadmium on the survival and filtering rate of *Daphnia magna*, Straus 1820. *Pol. Arch. Hydrobiol.* 41(4): 465-473.

Dorfman, D. 1977. Tolerance of *Fundulus heteroclitus* to different metals in salt waters. *Bull. New Jersey Acad. Sci.* 22: 21.

Dorgelo, J., H. Meester and C. van Velzen. 1995. Effects of diet and heavy metals on growth rate and fertility in the deposit-feeding snail *Potamopyrgus jenkinsi* (Smith) (Gastropoda: Hydrobiidae). *Hydrobiol.* 316: 199-210.

- Douben, P.E.T. 1989. Uptake and elimination of waterborne cadmium by the fish *Noemacheilus barbatulus* L. (Stone Loach). Arch. Environ. Contam. Toxicol. 18: 576-586.
- Drbal, K., K. Veber and J. Zahradnik. 1985. Toxicity and accumulation of copper and cadmium in the alga *Scenedesmus obliquus* LH. Bull. Environ. Contam. Toxicol. 34: 904-908.
- Dressing, et al. 1982. Effect of chemical speciation on the accumulation of cadmium by the caddisfly, *Hydropsyche* sp. Bull. Environ. Contam. Toxicol. 28: 172.
- Drummond, R.A. and D.A. Benoit. Manuscript. Toxicity of cadmium to fish: some observations on the influence of experimental procedures. U.S. EPA, Duluth, Minnesota.
- Duncan, D.A. and J.F. Klaverkamp. 1983. Tolerance and resistance to cadmium in white suckers (*Catostomus commersoni*) previously exposed to cadmium, mercury, zinc, or selenium. Can. J. Fish. Aquat. Sci. 40: 128.
- Duquesne, S.J. and J.C. Coll. 1995. Metal accumulation in the clam *Tridacna crocea* under natural and experimental conditions. Aquat. Toxicol. 32: 239-253.
- Dyer, S.D., S.E. Belanger and G.J. Carr. 1997. An initial evaluation of the use of Euro/North American fish species for tropical effects assessments. Chemosphere. 35(11): 2767-2781.
- Eaton, J.G. 1974. Chronic cadmium toxicity to the bluegill (*Lepomis macrochirus* Rafinesque). Trans. Am. Fish. Soc. 4: 729.
- Eaton, J.G. 1980. Memorandum to C.E. Stephan. U.S. EPA, Duluth, Minnesota. August 5.
- Eaton, J.G., et al. 1978. Metal toxicity to embryos and larvae of seven freshwater fish species-I. cadmium. Bull. Environ. Contam. Toxicol. 19: 95.
- Eisler, R. 1971. Cadmium poisoning in *Fundulus heteroclitus* (Pisces: Cyprinodontidae) and other marine organisms. J. Fish. Res. Board Can. 28: 1225.

- Eisler, R. 1974. Radio cadmium exchange with seawater by *Fundulus heteroclitus* (L.) (Pisces: Cyprinodontidae). J. Fish Biol. 6: 601.
- Eisler, R. 1977. Acute toxicities of selected heavy metals to the soft-shell clam, *Mya arenaria*. Bull. Environ. Contam. Toxicol. 17: 137.
- Eisler, R. 1981. Trace Metal Concentrations in Marine Organisms. Pergamon Press, New York.
- Eisler, R. and G.R. Gardner. 1973. Acute toxicology to an estuarine teleost of mixtures of cadmium, copper, and zinc salts. J. Fish Biol. 5: 131.
- Eisler, R. and R. Hennekey. 1977. Acute toxicities of Cd⁺², Cr⁺⁶, Hg⁺², Ni⁺², and Zn⁺² to estuarine macrofauna. Arch. Environ. Contam. Toxicol. 6: 315.
- Eisler, R., et al. 1972. Cadmium uptake by marine organisms. J. Fish. Res. Board Can. 29: 1367.
- Eisler, R., et al. 1979. Fourth annotated bibliography on biological effects of metals in aquatic environments. EPA-600/3-79-084. National Technical Information Service, Springfield, Virginia.
- Elliott, N.G., R. Swain and D.A. Ritz. 1985. The influence of cyclic exposure on the accumulation of heavy metals by *Mytilus edulis planulatus* (Lamarck). Mar. Environ. Res. 15: 17-30.
- Elliott, N.G., R. Swain and D.A. Ritz. 1986. Metal interaction during accumulation by the mussel *Mytilus edulis planulatus*. Mar. Biol. 395-399.
- Elnabarawy, M.T., A.N. Welter and R.R. Robideau. 1986. Relative sensitivity of three daphnid species to selected organic and inorganic chemicals. Environ. Toxicol. Chem. 5: 393-398.
- Engel, D.W. 1999. Accumulation and cytosolic partitioning of metals in the american oyster *Crassostrea virginica*. Mar. Environ. Res. 47: 89-102.
- Enserink, L., W. Luttmer and H. Maas-Diepeveen. 1990. Reproductive strategy of *Daphnia magna* affects the sensitivity of its progeny in acute toxicity tests. Aquat. Toxicol. 17: 15-26.

Enserink, L., J.L. Maas-Diepeveen and C.J. Van Leeuwen. 1991. Combined effects of metals; an ecotoxicological evaluation. *Water Res.* 25(6): 679-687.

Enserink, L., M. De la Haye and H. Maas. 1993. Reproductive strategy of *Daphnia magna*: implications for chronic toxicity test. *Aquat Toxicol.* 25: 111-124.

Errecalde, O., M. Seidl and P.G.C. Campbell. 1998. Influence of a low molecular weight metabolite (citrate) on the toxicity of cadmium and zinc to the unicellular green alga *Selenastrum capricornutum*: and exception to the free-ion model. *Water Res.* 32(2): 419-429.

Evans, D.H. 1987. The fish gill: site of action and model for toxic effects of environmental pollutants. *Environ. Health Perspect.* 71:47-58.

Everaarts, J.M. 1990. Uptake and release of cadmium in various organs of the common mussel, *Mytilus edulis* (L.). *Bull. Environ. Contam. Toxicol.* 45: 560-567.

Evtushenko, Z.S., N.N. Belcheva, O.N. Lukyanova. 1986. Cadmium accumulation in organs of the scallop *Mizuhopecten yessoensis* - I. activities of phosphatases and composition and amount of lipids. *Comp. Biochem. Physiol.* 83C: 371-376.

Evtushenko, Z.S., O.N. Lukyanova and N.N. Belcheva. 1990. Cadmium bioaccumulation in organs of the scallop *Mizuhopecten yessoensis*. *Mar. Biol.* 104: 247-250.

Fair, P.A. and L.V. Sick. 1983. Accumulations of naphthalene and cadmium after simultaneous ingestion by the Black Sea Bass, *Centropristis striata*. *Arch. Environ. Contam. Toxicol.* 12: 551.

Faraday, W.E. and A.C. Churchill. 1979. Uptake of cadmium by the eelgrass *Zostera marina*. *Mar. Biol.* 53: 293.

Frag, A.M., C.J. Boese, D.F. Woodward and H.L. Bergman. 1994. Physiological changes and tissue metal accumulation in rainbow trout exposed to foodborne and waterborne metals. *Environ. Toxicol. Chem.* 13(12): 2021-2029.

Farag, A.M., D.F. Woodward, J.N. Goldstein, W. Brumbaugh and J.S. Meyer. 1998. Concentrations of metals associated with mining waste in sediments, biofilm, benthic macroinvertebrates, and fish from the Coeur d'Alene River basin, Idaho. *Arch. Environ. Contam. Toxicol.* 34: 19-127.

Fargasova, A. 1993. Effect of five toxic metals on the alga *Scenedesmus quadricauda*. *Biologia, Bratislava.* 48(3): 301-304.

Fargasova, A. 1994a. Toxicity of metals on *Daphnia magna* and *Tubifex tubifex*. *Ecotoxicol Environ. Safety.* 27: 210-213.

Fargasova, A. 1994b. Comparative toxicity of five metals on various biological subjects. *Bull. Environ. Contam. Toxicol.* 53: 317-324.

Fennikoh, K.B., et al. 1978. Cadmium toxicity in planktonic organisms of a freshwater food web. *Environ. Res.* 15: 357.

Fernandez-Leborans, G. and M.T. Antonio-Garcia. 1988. Effects of lead and cadmium in a community of protozoans. *Acta Protozool.* 27(2): 141-159.

Fernandez-Leborans, G. and A. Novillo-Villajos. 1993. Changes in trophic structure of a freshwater protozoan community subjected to cadmium. *Ecotoxicol. Environ. Safety.* 25: 271-279.

Fernandez-Leborans, G. and A. Novillo. 1996. Toxicity and bioaccumulation of cadmium in *Olithodiscus Leteus*. *Water Res.* 30(1): 57-62.

Fernandez-Pinas, F, P. Mateo and I. Bonilla. 1995. Cadmium toxicity in *Nostoc* UAM208: protection by calcium. *New Phytol.* 131: 403-407.

Ferrari, L, A. Salibian and C.V. Muino. 1993. Selective protection of temperature against cadmium acute toxicity to *Bufo arenarum* tadpoles. *Bull. Environ. Contam. Toxicol.* 50: 212-218.

Findlay, D.L., S.E.M. Kasian and E.U. Schindler. 1996. Long-term effects of low cadmium concentrations on a natural phytoplankton community. *Can. J. Fish. Aquat. Sci.* 53: 1903-1912.

- Finlayson, B.J. and K.M. Verrue. 1982. Toxicities of copper, zinc and cadmium mixtures to juvenile chinook salmon. *Trans. Am. Fish. Soc.* 111: 645-650.
- Fisher, N.S. and J.G. Fabris. 1982. Complexation of Cu, Zn and Cd by metabolites excreted from marine diatoms. *Mar. Chem.* 11: 245.
- Fisher, N.S. and G.J. Jones. 1981. Heavy metals and marine phytoplankton: correlation of toxicity and sulfhydryl-binding. *J. Phycol.* 17: 108.
- Fisher, N.S., J.L. Teysse, S.W. Fowler and W.X. Wang. 1996. Accumulation and retention of metals in mussels from food and water: a comparison under field and laboratory conditions. *Environ. Sci. Technol.* 30(11): 3232-3242.
- Flick, D.F., H.F. Kraybill and J.M. Dimitroff. 1971. Toxic effects of cadmium: a review. *Environ. Res.* 4: 71-85.
- Friberg, L., M. Piscator and G. Nordberg. 1971. *Cadmium in the environment*. CRC Press. Cleveland, OH. 168 pp.
- Florence, T.M., G.M. Morrison and J.L. Stauber. 1992. Determination of trace element speciation and the role of speciation in aquatic toxicity. *Sci. Total Environ.* 125: 1-13.
- Forbes, V.E. 1991. Response of *Hydrobia ventrosa* (Montagu) to environmental stress: effects of salinity fluctuations and cadmium exposure on growth. *Funct. Ecol.* 5(5): 642-648.
- Forget, J., J.F. Pavillon, M.R. Menasria and G. Bocquene. 1998. Mortality and LC50 values for several stages of the marine copepod *Tigriopus brevicornis* (Muller) exposed to the metals arsenic and cadmium and the pesticides atrazine, carbofuran, dichlorvos, and malathion. *Ecotoxicol. Environ. Safety.* 40: 239-244.
- Foster, P.L. 1982. Metal resistances of chlorophyta from rivers polluted by heavy metals. *Freshwater Biol.* 12: 41.

- Francesconi, D.A. 1989. Distribution of cadmium in the pearl oyster, *Pinctada albina albina* (Lamarck), following exposure to cadmium in seawater. *Bull. Environ. Contam. Toxicol.* 43: 321-328.
- Francesconi, K.A., E.J. Moore, J.S. Edmonds. 1994. Cadmium uptake from seawater and food by the western rock lobster *Panulirus cygnus*. *Bull. Environ. Contam. Toxicol.* 53: 219-223.
- Frank, P.M. and P.B. Robertson. 1979. The influence of salinity on toxicity of cadmium and chromium to the blue crab, *Callinectes sapidus*. *Bull. Environ. Contam. Toxicol.* 21: 74.
- Frazier, J.M. 1979. Bioaccumulation of cadmium in marine organisms. *Environ. Health Perspect.* 28: 75.
- Frazier, J.M. and S.G. George. 1983. Cadmium kinetics in oyster - a comparative study of *Crassostrea gigas* and *Ostrea edulis*. *Mar. Biol.* 76: 55.
- Freeman, B.J. 1978. Accumulation of cadmium, chromium, and lead by bluegill sunfish (*Lepomis macrochirus* Rafinesque) under temperature and oxygen stress. SRO-757-6. National Technical Information Service, Springfield, Virginia.
- Freeman, B.J. 1980. Accumulation of cadmium, chromium, and lead by bluegill sunfish (*Lepomis macrochirus* Rafinesque) under temperature and oxygen stress. Thesis. University of Georgia, Athens, Georgia.
- Gadkari, A.S. and V.B. Marathe. 1983. Toxicity of cadmium and lead to a fish and a snail from two different habitats. *IAWPC Tech. Annual.* X: 141-148.
- Gaikwad, S.A. 1989. Effects of mixture and three individual heavy metals on susceptibility of three freshwater fishes. *Pollut. Res.* 8(1): 33-35.
- Galic, M., L. Sipos and B. Raspor. 1987. Toxicity of cadmium and nitritotriacetic acid in sea water to the photobacteria *Vibrio fisheri*. *Sci. Total Environ.* 60: 173-184.
- Gargiulo, G., P. De Girolamo, L. Ferrara, O. Soppelsa, G. Andreozzi, R. Antonucci and P. Battaglini. 1996. Action of cadmium on the gills of *Carassius auratus* L. in the presence of catabolic NH₃. *Arch. Environ. Contam. Toxicol.* 30: 235-240.

- Garofano, J.S. 1979. The effects of cadmium on the peripheral blood and head kidney of the brown bullhead *Ictalurus nebulosus* (Lesueur). Thesis. New York University.
- Gaur, J.P., N. Noraho, Y.S. Chauhan. 1994. Relationship between heavy metal accumulation and toxicity in *Spirodela polyrhiza* (L.) Schleid. and *Azolla pinnata* R. Br. Aquat. Bot. 49(2/3): 183-192.
- Gentile, J.H. and M. Johnson. 1982. Memorandum to John H. Gentile. U.S. EPA, Narragansett, Rhode Island.
- Gentile, S.M. 1982. Memorandum to John H. Gentile. U.S. EPA, Narragansett, Rhode Island.
- Gentile, S.M., et al. 1982. Chronic effects of cadmium on two species of mysid shrimp: *Mysidopsis bahia* and *Mysidopsis bigelowi*. Hydrobiol. 93: 195.
- George, S.G. and T.L. Coombs. 1977. The effects of chelating agents on the uptake and accumulation of cadmium by *Mytilus edulis*. Mar. Biol. 39: 261.
- George, S.G., B.J.S. Pirie and J.M. Frazier. 1983. Effects of cadmium exposure on metal-containing amoebocytes of the oyster *Ostrea edulis*. Mar. Biol. 76: 63-66.
- Gerhardt, A. 1992. Acute toxicity of Cd in stream invertebrates in relation to pH and test design. Hydrobiol. 239: 93-100.
- Gerhardt, A. 1995. Joint and single toxicity of Cd and Fe related to metal uptake in the mayfly *Leptophlebia marginata* (L.) (Insecta). Hydrobiol. 306: 229-240.
- Ghosh, A.R. and P. Chakrabarti. 1990. Toxicity of arsenic and cadmium to a freshwater fish. Environ. Ecol. 8(2): 576-579.
- Ghosh, T.K., J.P. Kotangale and K.P. Krishnamoorthi. 1990. Toxicity of selective metals to freshwater algae, ciliated protozoa and planktonic crustaceans. Environ. Ecol. 8(1):356-360.
- Giesy, J.P., Jr. 1978. Cadmium inhibition of leaf decomposition in an aquatic microcosm. Chemosphere 6: 467.

Giesy, J.P., Jr., et al. 1977. Effects of naturally occurring aquatic organic fractions on cadmium toxicity to *Simocephalus serrulatus* (Daphnidae) and *Gambusia affinis* (Poeciliidae). *Water Res.* 11: 1013.

Giesy, J.P., Jr., et al. 1979. Fate and biological effects of cadmium introduced into channel microcosms. EPA-600/3-79-039. National Technical Information Service, Springfield, Virginia.

Giles, M.A. 1988. Accumulation of cadmium by rainbow trout, *Salmo gairdneri*, during extended exposure. *Can. J. Fish. Aquat. Sci.* 45: 1045-1053.

Gill, T.S. and A. Epple. 1992. Impact of cadmium on the mummichog *Fundulus heteroclitus* and the role of calcium in suppressing heavy metal toxicity. *Comp. Biochem. Physiol.* 101C(3): 519-523.

Gillespie, R., et al. 1977. Cadmium uptake by the crayfish, *Orconectes propinquus propinquus* (Girard). *Environ. Res.* 13: 364.

Glubokov, A.I. 1990. Growth of three species of fish during early ontogeny under normal and toxic conditions. *Voprosy Ikhtiologii.* 30(1): 137-143.

Glynn, A.W. 1996. The concentration dependency of branchial intracellular cadmium distribution and influx in the zebrafish (*Brachydanio rerio*). *Aquat. Toxicol.* 35: 47-58.

Glynn, A.W., C. Haux and C. Hogstrand. 1992. Chronic toxicity and metabolism of Cd and Zn in juvenile minnows (*Phoxinus phoxinus*) exposed to a Cd and Zn mixture. *Can. J. Fish. Aquat. Sci.* 49: 2070-2079.

Glynn, A.W., L. Norrgren, A. Mussener. 1994. Differences in uptake of inorganic mercury and cadmium in the gills of the zebrafish, *Brachydanio rerio*. *Aquat. Toxicol.* 30: 13-26.

Gomot, A. 1997. Dose-dependent effects of cadmium on the growth of snails in toxicity bioassays. *Arch. Environ. Contam. Toxicol.* 33: 209-216.

Gomot, A. 1998. Toxic effects of cadmium on reproduction, development, and hatching in the freshwater snail *Lymnaea stagnalis* for water quality monitoring. *Ecotoxicol. Environ. Safety.* 41: 288-297.

Gopal, V. and K.M. Devi. 1991. Influence of nutritional status on the median tolerance limits (LC50) of *Ophiocephalus striatus* for certain heavy metal and pesticide toxicants. Indian. J. Environ. Health. 33: 393-394.

Gordon, M., et al. 1980. *Mytilus californianus* as a bioindicator of trace metal pollution: variability and statistical considerations. Mar. Pollut. Bull. 11: 195.

Gorman, W.C. Jr. and R.K. Skogerboe. 1987. Speciation of cadmium in natural waters and their effect on rainbow trout. Preprint extended abstract, presented before the Division of Environ. Chem., Am. Chem. Soc. , Aug. 30 - Sept. 4, 1987. New Orleans, LA: 664-645.

Gossiaux, D.C., P.F. Landrum and V.N. Tsymbal. 1992. Response of the amphipod *Diporeia* spp. to various stressors: cadmium, salinity, and temperature. J. Great Lakes Res. 18(3): 364-371.

Gottofrey, J. and H. Tjalve. 1991. Axonal transport of cadmium in the olfactory nerve of the pike. Pharmacol. Toxicol. 19: 242-252.

Gottofrey, J., I. Bjorklund and H. Tjalve. 1986. Effect of sodium isopropylxanthate, potassium amylxanthate and sodium diethyldithiocarbamate on the uptake and distribution of cadmium in the brown trout (*Salmo trutta*). Aquat. Toxicol. 12: 171-184.

Gould, E. and J. Karolus. 1974. Physiological response of the cunner, *Tautoglabrus adspersus*, to cadmium. Observations on the biochemistry. NOAA Technical Report SSRF-681, Part V.

Gould, E., et al. 1976. Heart transaminase in the rock crab, *Cancer irroratus*, exposed to cadmium salts. Bull. Environ. Contam. Toxicol. 15: 635.

Govindarajan, S., C.P. Valsaraj, R. Mohan, V. Hariprasad and R. Ramasubramanian. 1993. Toxicity of heavy metals in aquaculture organisms: *Penaeus indicus*, *Perna viridis*, *Artemia salina* and *Skeletonema costatum*. Pollut. Res. 12(3): 187-189.

Graney, R.L., Jr., et al. 1983. Heavy metal indicator potential of the Asiatic clam (*Corbicula fluminea*) in artificial stream systems. Hydrobiol. 102: 81.

- Graney, R.L., Jr., D.S. Cherry and J. Cairns Jr. 1984. The influence of substrate, pH, diet and temperature upon cadmium accumulation in the asiatic clam (*Corbicula fluminea*) in laboratory artificial streams. *Water Res.* 18: 833-842.
- Green, A.S., G.T. Chandler and E.R. Blood. 1993. Aqueous-, pore-water and sediment-phase cadmium: toxicity relationships for a meiobenthic copepod. *Environ. Toxicol. Chem.* 12: 1497-1506.
- Green, D.W.J., K.A. Williams and D. Pascoe. 1986. The acute and chronic toxicity of cadmium to different life history stages of the freshwater crustacean *Asellus aquaticus* (L). *Arch. Environ. Contam. Toxicol.* 15(5): 465-471.
- Greenwood, J.G. and D.R. Fielder. 1983. Acute toxicity of zinc and cadmium to zoeae of three species of portnid crabs (Crustacea: Brachyura). *Comp. Biochem. Physiol.* 75C: 141.
- Greig, R.A. 1979. Trace metal uptake by three species of mollusks. *Bull. Environ. Contam. Toxicol.* 22: 643.
- Greig, R.A. and D.R. Wenzloff. 1978. Metal accumulation and depuration by the american oyster, *Crassostrea virginica*. *Bull. Environ. Contam. Toxicol.* 20: 499.
- Guanzon, N.G., Jr., H. Nakahara and Y. Yoshida. 1994. Inhibitory effects of heavy metals on growth and photosynthesis of three freshwater microalgae. *Fish. Sci.* 60(4): 379-384.
- Guerin, J.L. and W.B. Stickle. 1995. Effects of cadmium on survival, osmoregulatory ability and bioenergetics of juvenile blue crabs *Callinectes sapidus* at different salinities. *Mar. Environ. Res.* 40(3): 227-246.
- Guerin, C., N. Giani and M. Sire. 1994. A study of the sensitivity of *Enchytraeus variatus* (Oligochaeta, Enchytraeidae) to certain salts of heavy metals in relation to its use as a test organism. *Ann. Limnol.* 30(3): 167-178.
- Guilhermino, L., M.C. Lopes, A.P. Carvalho and A.M.V.M. Soares. 1996. Inhibition of acetylcholinesterase activity as effect criterion in acute tests with juvenile *Daphnia magna*. *Chemosphere.* 32(4): 727-738.

Guilhermino, L., T.C. Diamantino, R. Ribeiro, F. Goncalves and A.M.V.M. Soares. 1997. Suitability of test media containing EDTA for the evaluation of acute metal toxicity to *Daphnia magna* Straus. *Ecotoxicol. Environ. Safety*. 38: 292-295.

Gully, J.R. and A.Z. Mason. 1993. Cytosolic redistribution and enhanced accumulation of Cu in gill tissue of *Littorina littorea* as a result of Cd exposure. *Mar. Environ. Res.* 35: 53-57.

Gupta, A.K. and V.K. Rajbanshi. 1991. Toxicity of copper and cadmium to *Heteropneustes fossilis* (Bloch) *Acta Hydrochim. Hydrobiol.* 19(3): 331-340.

Gupta, M. and S. Devi. 1995. Uptake and toxicity of cadmium in aquatic ferns. *J. Environ. Biol.* 16(2): 131-136.

Gupta, M., S. Devi and J. Singh. 1992. Effects of long-term low-dose exposure to cadmium during the entire life cycle of *Ceratopteris thalictroides*, a water fern. *Arch. Environ. Contam. Toxicol.* 23(2): 184-189.

Hader, D.P., M. Lebert, H. Tahedl and P. Richter. 1997. The Erlanger flagellate test (EFT): photosynthetic flagellates in biological dosimeters. *J. Photochem. Photobiol, B: Biol.* 40: 23-28.

Haines, T.A. and W.G. Brumaugh. 1994. Metal concentration in the gill, gastrointestinal tract, and carcass of white suckers (*Catostomus commersoni*) in relation to lake acidity. *Water, Air, Soil Pollut.* 73: 265-274.

Hale, J.G. 1977. Toxicity of metal mining wastes. *Bull. Environ. Contam. Toxicol.* 17: 66.

Hall, L.W., Jr., L.O. Horseman and S. Zeger. 1984. Effects of organic and inorganic chemical contaminants on fertilization, hatching success, and prolarval survival of striped bass. *Arch. Environ. Contam. Toxicol.* 13: 723-729.

Hall, L.W., Jr., W.S. Hall, S.J. Bushong and R.L. Herman. 1987. *In situ* striped bass (*Morone saxatilis*) contaminant and water quality studies in the Potomac River. *Aquat. Toxicol.* 19: 73-99.

Hall, L.W., Jr., S.J. Bushong, M.C. Ziegenfuss, W.S. Hall and R.L. Herman. 1988. Concurrent mobile on-site and *in situ* striped bass contaminant and water quality studies in the Choptank River and upper Chesapeake Bay. *Environ. Toxicol. Chem.* 7: 815-830.

Hall, L.W., Jr., M.C. Ziegenfuss, R.D. Anderson and B.L. Lewis. 1995. The effect of salinity on the acute toxicity of total and free cadmium to a Chesapeake Bay copepod and fish. *Mar. Pollut. Bull.* 30(6): 376-384.

Hall, W.S., R.L. Paulson, L.W. Hall, Jr. and D.T. Burton. 1986. Acute toxicity of cadmium and sodium pentachlorophenate to daphnids and fish. *Bull. Environ. Contam. Toxicol.* 37: 308-316.

Ham, L., R. Quinn and D. Pascoe. 1995. Effects of cadmium on the predator-prey interaction between the Turbellarian *Dendrocoelum lacteum* (Muller, 1774) and the isopod crustacean *Asellus aquaticus* (L.). *Arch. Environ. Contam. Toxicol.* 29: 358-365.

Hamilton, S.J. and K.J. Buhl. 1990. Safety assessment of selected inorganic elements to fry of chinook salmon (*Oncorhynchus tshawytscha*). *Ecotoxicol. Environ. Safety.* 20: 307-324.

Handy, R.D. 1993. The effect of acute exposure to dietary Cd and Cu organ toxicant concentrations in rainbow trout, *Oncorhynchus mykiss*. *Aquat. Toxicol.* 27: 1-14.

Hansen, I.V., J.M. Weeks and M.H. Depledge. 1995 Accumulation of copper, zinc, cadmium and chromium by the marine sponge *Halichondria panicea* Pallas and the implications for biomonitoring. *Mar. Pollut. Bull.* 31(3-1): 133-138.

Hansten, C., M. Heino and K. Pynnonen. 1996. Viability of glochidia of *Anodonta anatina* (Unionidae) exposed to selected metals and chelating agents. *Aquat. Toxicol.* 34: 1-12.

Hardy, J.K. and D.H. O'Keeffe. 1985. Cadmium uptake by the water hyacinth: effects of root mass, solution volume, complexers and other metal ions. *Chemosphere.* 14(5): 417-426.

Hardy, J.K. and N.B. Raber. 1985. Zinc uptake by the water hyacinth: effect of solution factors. *Chemosphere.* 14(9): 1155-1166.

- Hare, L. 1992. Aquatic insects and trace metals: bioavailability, bioaccumulation, and toxicity. *Critic. Rev. Toxicol.* 22(5/6): 327-369.
- Hare, L., E. Saouter, P.G.C. Campbell, A. Tessier, F. Ribeyre and A. Boudou. 1991. Dynamics of cadmium, lead, and zinc exchange between nymphs of the burrowing mayfly *Hexagenia rigida* (Ephemeroptera) and the environment. *Can. J. Fish. Aquat. Sci.* 48: 39-47.
- Hare, L., R. Carignan and M.A. Huerta-Diaz. 1994. A field study of metal toxicity and accumulation by benthic invertebrates; implications for the acid-volatile sulfide (AVS) model. *Limnol. Oceanogr.* 39(7): 1653-1668.
- Haritonidis, S., J.W. Rijstenbil, P. Malea, J. van Drie and J.A. Wijnholds. 1994. Trace metal interactions in the macroalga *Enteromorpha prolifera* (O.F. Muller) grown in water of the Scheldt estuary (Belgium and SW Netherlands), in response to cadmium exposure. *BioMetals.* 7: 61-66.
- Harrison, S.E. and J.F. Klaverkamp. 1989. Uptake, elimination and tissue distribution of dietary and aqueous cadmium by rainbow trout (*Salmo gairdneri* Richardson) and lake whitefish (*Coregonus clupeaformis* Mitchell). *Environ. Toxicol. Chem.* 8: 87-97.
- Hart, B.A. and B.D. Schaife. 1977. Toxicity and bioaccumulation of cadmium in *Chlorella pyrenoidosa*. *Environ. Res.* 14: 401.
- Hartwell, S.I. 1997. Demonstration of a toxicological risk ranking method to correlate measures of ambient toxicity and fish community diversity. *Environ. Toxicol. Chem.* 16(2): 361-371.
- Harvey, R.W. and S.N. Luoma. 1985. Separation of solute and particulate vectors of heavy metal uptake in controlled suspension-feeding experiments with *Macoma balthica*. *Hydrobiol.* 21: 97-102.
- Hashim, M.A., K.H. Chu, S.M. Phang and G.S. Ong. 1997. Adsorption equilibria of cadmium on algal biomass. *Adsorpt. Sci. Technol.* 15(6): 445-453.
- Hatakeyama, S. 1987. Chronic effects of Cd on reproduction of *Polypedilum nubifer* (chironomidae) through water and food. *Environ. Pollut.* 48: 249-261.

- Hatakeyama, S. and M. Yasuno. 1981a. The effects of cadmium-accumulated chlorella on the reproduction of *Moina macrocopa* (Cladocera). *Ecotoxicol. Environ. Safety* 5: 341.
- Hatakeyama, S. and M. Yasuno. 1981b. Effects of cadmium on the periodicity of parturation and brood size of *Moina macrocopa* (Cladocera). *Environ. Pollut. (Series A)* 26: 111.
- Haynes, G.J., A.J. Stewart and B.C. Harvey. 1989. Gender-dependent problems in toxicity tests with *Ceriodaphnia dubia*. *Bull. Environ. Contam Toxicol.* 43: 271-279.
- Hazen, R.E. and T.J. Kneip. 1980. Biogeochemical cycling of cadmium in a marsh ecosystem. *In: J.O. Nriagu (ed.), Cadmium in the Environment, Part I.* Wiley, New York. p. 399.
- Heinis, F., K.R. Timmermans and W.R. Swain. 1990. Short-term sublethal effects of cadmium on the filter feeding chironomid larva *Glyptotendipes pallens* (Meigen) (Diptera). *Aquat. Toxicol.* 16: 73-86.
- Hendriks, J.A. 1995. Modelling equilibrium concentrations of microcontaminants in organisms of the Rhine delta: Can average field residues in the aquatic food chain be predicted from laboratory accumulation? *Aquat. Toxicol.* 31: 1-25.
- Henriksen, A. and R.F. Wright. 1978. Concentrations of heavy metals in small Norwegian lakes. *Water Res.* 12: 101-112.
- Herkovits, J. and C.S. Perez-Coll. 1993. Stage-dependent susceptibility of *Bufo arenarum* embryos to cadmium. *Bull. Environ. Contam. Toxicol.* 50: 608-611.
- Herkovits, J. and C.S. Perez-Coll. 1995. Increased resistance against cadmium toxicity by means of pretreatment with low cadmium-zinc concentrations in *Bufo arenarum* embryos. *Biol. Trace Elem. Res.* 49: 171-175.
- Herkovits, J., P. Cardellini, C. Pavanati and C.S. Perez-Coll. 1997. Susceptibility of early life stages of *Xenopus laevis* to cadmium. *Environ. Toxicol. Chem.* 16(2): 312-316.
- Herkovits, J., P. Cardellini, C. Pavanati and C.S. Perez-Coll. 1998. Cadmium uptake and bioaccumulation in *Xenopus laevis* embryos at different developmental stages. *Ecotoxicol. Environ. Safety.* 39: 21-26.

Herwig, H.J., F. Brands, E. Kruitwagen and D.I. Zandee. 1989. Bioaccumulation and histochemical localization of cadmium in *Dreissena polymorpha* exposed to cadmium chloride. *Aquat. Toxicol.* 15: 269-286.

Heumann, H.G. 1987. Effects of heavy metals on growth and ultrastructure of *Chara vulgaris*. *Protoplasma.* 136: 37-48.

Hickey, C.W. and W.H. Clements. 1998. Effects of heavy metals on benthic macroinvertebrate communities in New Zealand streams. *Environ. Toxicol. Chem.* 17(11): 2338-2346.

Hickey, C.W. and M.L. Martin. 1995. Relative sensitivity of five benthic invertebrate species to reference toxicants and resin-acid contaminated sediments. *Environ. Toxicol. Chem.* 14(8): 1401-1409.

Hickey, C.W. and D.S. Roper. 1992. Acute toxicity of cadmium to two species of infaunal marine amphipods (tube-dwelling and burrowing) from New Zealand. *Bull. Environ. Contam. Toxicol.* 49: 165-170.

Hickey, C.W. and M.L. Vickers. 1992. Comparison of the sensitivity to heavy metals and pentachlorophenol of the mayflies *Deleatidium* spp. and the cladoceran *Daphnia magna*. *New Zealand J. Mar. Freshwater Res.* 26: 87-93.

Hilmy, A.M., M.B. Shabana and A.Y. Daabees. 1985. Bioaccumulation of cadmium: toxicity in *Mugil cephalus*. *Comp. Biochem. Physiol.* 81(1): 139-143.

Hiraoka, Y. 1985. Acute toxicity of 14 different kinds of metals affecting medaka (*Oryzias latipes*) fry. *Hiroshima J. Med. Sci.* 34: 327-30.

Hockett, J. R and D.R. Mount. 1996. Use of metal chelating agents to differentiate among sources of acute aquatic toxicity. *Environ. Toxicol. Chem.* 15: 1687-1693.

Hofslagare, O., G. Samuelsson and S. Sjoberg. 1985. Cadmium effects on photosynthesis and nitrate assimilation in *Scenedesmus obliquus*. A potentiometric study in an open CO₂-system. *Environ. Exp. Bot.* 25(1): 75-82.

Hogstrand, C., L. Goran and C. Haux. 1991. The importance of metallothionein for the accumulation of copper, zinc and cadmium in environmentally exposed perch, *Perca fluviatilis*. *Pharmacol. Toxicol.* 68: 492-501.

Holcombe, G.W., et al. 1983. Toxicity of selected priority pollutants to various aquatic organisms. *Ecotoxicol. Environ. Safety* 7: 400.

Holcombe, G.W., et al. 1984. Methods for conducting snail (*Aplexa hypnorum*) embryo through adult exposures: effects of cadmium and reduced pH levels. *Arch. Environ. Contam. Toxicol.* 13: 627.

Hollibaugh, D.L., et al. 1980. A comparison of the acute toxicities of ten heavy metals to the plankton from Sasnick Inlet, B.C., Canada. *Estuarine Coastal Mar. Sci.* 10: 93.

Hollis, L, K. Burnison and R.C. Playle. 1996. Does the age of metal-dissolved organic carbon complexes influence binding of metals to fish gills? *Aquat. Toxicol.* 35: 253-264.

Hollis, L., L. Muench and R.C. Playle. 1997. Influence of dissolved organic matter on copper binding, and calcium on cadmium binding by gills of rainbow trout. *J. Fish Biol.* 50: 703-720.

Hong, J.S. and D.J. Reish. 1987. Acute toxicity of cadmium to eight species of marine amphipod and isopod crustaceans from southern California. *Bull. Environ. Contam. Toxicol.* 39: 884-888.

Hooten, R.L. and R.S. Carr. 1997. Development and application of a marine sediment pore-water toxicity test using *Ulva fasciata* zoospores. *Environ. Toxicol. Chem.* 17(5): 932-940.

Hornstrom, E. 1990. Toxicity test with algae - a discussion on the batch method. *Ecotoxicol. Environ. Safety.* 20: 343-353.

Hu, S., C.H. Tang and M. Wu. 1996. Cadmium accumulation by several seaweeds. *Sci. Total Environ.* 187: 65-71.

Huebert, D.B. and J.M. Shay. 1991. The effect of cadmium and its interaction with external calcium in the submerged aquatic macrophyte *Lemna trisulca* L. *Aquat. Toxicol.* 20: 57-72.

- Huebert, D.B. and J.M. Shay. 1992. Zinc toxicity and its interaction with cadmium in the submerged aquatic macrophyte *Lemna trisulca* L. Environ. Toxicol. Chem. 11: 715-720.
- Huebert, D.B. and J.M. Shay. 1993. The response of *Lemna trisulca* L. to cadmium. Environ. Pollut. 80: 247-253.
- Huebert, D.B., B.S. Dyck and J.M. Shay. 1993. The effect of EDTA on the assessment of Cu toxicity in the submerged aquatic macrophyte, *Lemna trisulca* L. Aquat. Toxicol. 24: 183-194.
- Huebner, J.D. and K.S. Pynnonen. 1992. Viability of glochidia of two species of *Anodonta* exposed to low pH and selected metals. Can. J. Zool. 70: 2348-2355.
- Hughes, G.M., et al. 1979. A morphometric study of effects of nickel, chromium and cadmium on the secondary lamellae of rainbow trout gills. Water Res. 13: 665.
- Hughes, J.S. 1973. Acute toxicity to thirty chemicals to striped bass (*Morone saxatilis*). Western Assoc. State Game Fish Comm., Salt Lake City, Utah. July.
- Hung, Y. 1982. Effects of temperature and chelating agents on cadmium uptake in the American oyster. Bull. Environ. Contam. Toxicol. 28: 546.
- Husaini, Y., A.K. Singh and L.C. Rai. 1991. Cadmium toxicity to photosynthesis and associated electron transport system of *Nostoc linckia*. Bull. Environ. Contam. Toxicol. 46: 146-150.
- Hutcheson, M.S. 1975. The effects of temperature and salinity on cadmium uptake by the blue crab, *Callinectes sapidus*. Chesapeake Sci. 15: 237.
- Hutchinson, T.C. and H. Czyrska. 1972. Cadmium and zinc toxicity and synergism to floating aquatic plants. In: Water Pollut. Res. in Canada 1972. Proc. 7th Canadian Symp. Water Pollut. Res., Inst. Environ. Sci. Eng. Publ. No. EI-3, p. 59.
- Hutchinson, T.C. and P.M. Stokes. 1975. Heavy metal toxicity and algal bioassays. In: S. Barabos (ed.), Water Quality Parameters. ASTM STP 573. American Society for Testing and Materials, Philadelphia, Pennsylvania. p. 320.

Hutchinson, T.H., T.D. Williams and G.J. Eales. 1994. Toxicity of cadmium, hexavalent chromium and copper to marine fish larvae (*Cyprinodon variegatus*) and copepods (*Tisbe battagliai*). Mar. Environ. Res. 38: 275-290.

Hutton, M. 1983. Sources of cadmium in the environment. Ecotoxicol. Environ. Safety. 7: 9-24.

Hwang, P.P., S.W. Lin and H.C. Lin. 1995. Different sensitivities to cadmium in Tilapia larvae (*Oreochromis mossambicus*; Teleostei). Arch. Environ. Contam. Toxicol. 29:1-7.

Hylland, K., M. Skold, J.S. Gunnarsson and J. Skei. 1997. Interactions between eutrophication and contaminants. IV. Effects on sediment-dwelling organisms. Mar. Pollut. Bull. 33(1-6): 90-99

Iftode, F., J.J. Curgy, A. Fleury and G. Fryd-Versavel. 1985. Action of a heavy ion, Cd²⁺, and the antagonistic effect of Ca²⁺, on two ciliates *Tetrahymena pyriformis* and *Euplotes vannus*. Acta Protozool. 24(3-4): 273-279.

Ikuta, K. 1987. Cadmium accumulation by a top shell *Batillus cornutus*. Nippon Suisan Gakkaishi. 53(7): 1237-1242.

Ilangovan, K., R.O. Canizares-Villanueva, S. Gonzalez Moreno and D. Voltolina. 1998. Effect of cadmium and zinc on respiration and photosynthesis in suspended and immobilized cultures of *Chlorella vulgaris* and *Scenedesmus acutus*. Bull. Environ. Contam. Toxicol. 60: 936-943.

Ingersoll, C.G. and N. Kemble. 2000. Unpublished. Methods development for long-term sediment toxicity tests with the amphipod *Hyalella azteca* and the midge *Chironomus tentans*.

Ingersoll, C.G. and R.W. Winner. 1982. Effect on *Daphnia pulex* (De Geer) of daily pulse exposures to copper or cadmium. Environ. Toxicol. Chem. 1: 321.

Inza, B., F. Ribeyre and A. Boudou. 1998. Dynamics of cadmium and mercury compounds (inorganic mercury or methylmercury): uptake and depuration in *Corbicula fluminea*. Effects of temperature and pH. Aquat. Toxicol. 43: 273-285.

Irato, P. and Piccinni, E. 1996. Effects of cadmium and copper on *Astasia longa*: metal uptake and glutathione levels. Acta Protozool. 35: 281-285.

- Issa, A.A., R. Abdel-Basset and M.S. Adam. 1995. Abolition of heavy metal toxicity on *Kirchneriella lunaris* (Chlorophyta) by calcium. *Ann. Bot.* 75: 189-192.
- Jak, R.G., J.L. Maas and M.C.T. Scholten. 1996. Evaluation of laboratory derived toxic effect concentrations of a mixture of metals by testing freshwater plankton communities in enclosure. *Water Res.* 30(5): 1215-1227.
- Jana, S. and S.S. Sahana. 1988. Effects of copper, cadmium and chromium cations on the freshwater fish *Clarias batrachus* L. *Physiol. Bohemoslov.* 37(1): 79-82.
- Jana, S. and S.S. Sahana. 1989. Sensitivity of the freshwater fishes *Clarias batrachus* and *Anabas testudineus* to heavy metals. *Environ. Ecol.* 7(2): 265-270.
- Janssen, C.R. and G. Persoone. 1993. Rapid toxicity screening tests for aquatic biota. I. Methodology and experiments with *Daphnia magna*. *Environ. Toxicol. Chem.* 12:711-717.
- Janssen, H.H. and N. Scholz. 1979. Uptake and cellular distribution of cadmium in *Mytilus edulis*. *Mar. Biol.* 55: 133.
- Janssen, M.P.M., C. Oosterhoff, G.J.S.M. Heijmans and H. Van der Voet. 1995. The toxicity of metal salts and the population growth of the Ciliate *Colpoda cucculus*. *Bull. Environ. Contam. Toxicol.* 54: 597-605.
- Janssens de Bisthoven, L.G., K.R. Timmerans and F. Ollevier. 1992. The concentration of cadmium, lead, copper and zinc in *Chironomus thummi* larvae (Diptera, chironomidae) with deformed versus normal menta. *Hydrobiol.* 239: 141-149.
- Jarvinen, A.W. and G.T. Ankley. 1999. Linkage of effects to tissue residues: development of a comprehensive database for aquatic organisms exposed to inorganic and organic chemicals. Society of Environmental Toxicology and Chemistry. Pensacola, FL. 364 pp.
- Jaworska, M., A. Gorczyca, J. Sepiol and P. Tomasik. 1997. Effect of metal ions on the entomopathogenic nematode *Heterorhabditis bacteriophora poinar* (Nematoda: Heterorhabditidae) under laboratory conditions. *Water, Air, Soil Pollut.* 93: 157-166.

- Jenkins, K.D. and A.Z. Mason. 1988. Relationships between subcellular distributions of cadmium and perturbations in reproduction in the polychaete *Neanthes arenaceodentata*. *Aquat. Toxicol.* 12: 229-244.
- Jenkins, K.D. and B.M. Sanders. 1986. Relationships between free cadmium ion activity in seawater, cadmium accumulation and subcellular distribution, and growth in polychaetes. *Environ. Health Perspect.* 65: 205-210.
- Jenner, H.A. and J.P.M. Janssen-Mommen. 1993. Duckweed *Lemna minor* as a tool for testing toxicity of coal residues and polluted sediments. *Arch. Environ. Contam. Toxicol.* 25: 3-11.
- Jennings, J.R. and P.S. Rainbow. 1979a. Studies on the uptake of cadmium by the crab *Carcinus maenas* in the laboratory. I. Accumulation from seawater and a food source. *Mar. Biol.* 50: 131.
- Jennings, J.R. and P.S. Rainbow. 1979b. Accumulation of cadmium by *Dunaliella tertiolecta* Butcher. *J. Plankton Res.* 1: 67.
- Jindal, R. and A. Verma. 1990. Heavy metal toxicity to *Daphnia pulex*. *Indian J. Environ. Hlth.* 32(3): 289-292.
- John, J., E.T. Gjessing, M. Grande and B. Salbu. 1987. Influence of aquatic humus and pH on the uptake and depuration of cadmium by the Atlantic salmon (*Salmo salar* L.). *Sci. Total Environ.* 62: 253-265.
- Johns, D.M. and D.C. Miller. 1982. The use of bioenergetics to investigate the mechanisms of pollutant toxicity in crustacean larvae. *In: W.B. Vernberg, et al. (eds.), Physiological Mechanisms of Marine Pollutant Toxicity.* Academic Press, New York. p. 261.
- Johnson, M. and J. Gentile. 1979. Acute toxicity of cadmium, copper, and mercury to larval American lobster (*Homarus americanus*). *Bull. Environ. Contam. Toxicol.* 22: 258.
- Jones, M.B. 1975. Synergistic effects of salinity, temperature and heavy metals on mortality and osmoregulation in marine and estuarine isopods (Crustacea). *Mar. Biol.* 30: 13.
- Jonnalagadda, S.B. and P.V.V.P. Rao. 1993. Toxicity, bioavailability and metal speciation. *Comp. Biochem. Physiol.* 106C(3): 585-595.

- Jop, K.M. 1991. Concentration of metals in various larval stages of four *Ephemeroptera* species. Bull. Environ. Contam. Toxicol. 46: 901-905.
- Jop, K.M., A.M. Askew and R.B. Foster. 1995. Development of a water-effect ratio for copper, cadmium, and lead for the Great Works River in Maine using *Ceriodaphnia dubia* and *Salvelinus fontinalis*. Bull. Environ. Contam. Toxicol. 54: 29-33.
- Juchelka, C.M. and T.W. Snell. 1994. Rapid toxicity assessment using rotifer ingestion rate. Arch. Environ. Contam. Toxicol. 26: 549-554.
- Jude, D.J. 1973. Sublethal effects of ammonia and cadmium on growth of green sunfish. Ph.D. Thesis. Michigan State University.
- Kaplan, D., Y.M. Heimer, A. Abeliovich and P.B. Goldsbrough. 1995. Cadmium toxicity and resistance in *Chlorella* sp. Plant Sci. 109: 129-137.
- Karlsson-Norrgren, L. and P. Runn. 1985. Cadmium dynamics in fish: pulse studies with ¹⁰⁹Cd in female zebrafish, *Brachydanio rerio*. J. Fish Biol. 27: 571-581.
- Kapur, K. and N.A. Yadav. 1982. The effects of certain heavy metal salts on the development of eggs in common carp, *Cyprinus carpio* var. *communis*. Acta Hydrochim. Hydrobiol. 10: 517.
- Karez, C.S., S. Bonotto and S. Puiseux-Dao. 1989. Response of the unicellular giant alga *Acetabularia acetabulum* to cadmium toxicity and accumulation. Toxicol. Environ. Chem. 19: 223-232.
- Kasuga, S. 1980. Sexual differences of medaka, *Oryzias latipes* in the acute toxicity test of cadmium. Bull. Jap. Soc. Sci. Fish. 46(9): 1073-1076.
- Katti, S.R. and A.G. Sathyanesan. 1985. Chronic effects of lead and cadmium on the testis of the catfish *Clarias batrachus*. Environ. Ecol. 3(4): 596-598.
- Kay, J., D.G. Thomas, M.W. Brown, A. Cryer, D. Shurben, J.F. deLong, G. Solbe and J.S. Garvey. 1986. Cadmium accumulation and protein binding patterns in tissues of the rainbow trout, *Salmo gairdneri*. Environ. Health Perspect. 65: 133-139.

Keduo, C. L. Yumei and H. Lanying. 1987. Effects of six heavy metals on hatching eggs and survival of larval of marine fish. *Oceanol. Limol. Sin. (Haiyang Yu Huzhao)*. 18(2): 138-144.

Keenan, S. and M.A. Alikhan. 1991. Comparative study of cadmium and lead accumulations in *Cambarus bartoni* (Fab.) (Decapoda, crustacea) from an acidic and a neutral lake. *Bull. Environ. Contam. Toxicol.* 47: 91-96.

Keller, A. E. Unpublished. Personal communication to U.S. EPA.

Keller, A.E. and S.G. Zam. 1991. The acute toxicity of selected metals to the freshwater mussel, *Anodonta imbecilis*. *Environ. Toxicol. Chem.* 10: 539-546.

Kelly, M.G. and B.A. Whitton. 1989. Interspecific differences in Zn, Cd and Pb accumulation by freshwater algae and bryophytes. *Hydrobiol.* 17: 1-11.

Kerfoot, W.B. and S.A. Jacobs. 1976. Cadmium accrual in combined waste-treatment aquaculture system. *Environ. Sci. Technol.* 10: 662.

Kessler, E. 1985. An extremely cadmium-sensitive strain of *Chlorella*. *Experientia.* 41: 1621.

Kessler, E. 1986. Limits of growth of five *Chlorella* species in the presence of toxic heavy metals. *Arch. Hydrobiol.* 71(1): 123-128.

Kettle, W.D. and F. deNoyelles, Jr. 1986. Effects of cadmium stress on the plankton communities of experimental ponds. *J. Freshwater Ecol.* 3(4): 433-443.

Khan, A.T. and J.S. Weis. 1993. Bioaccumulation of heavy metals in two populations of mummichog (*Fundulus heteroclitus*). *Bull. Environ. Contam. Toxicol.* 51: 1-5.

Khan, A.T., J.S. Weis and L. D'Andrea. 1988. Studies of cadmium tolerance in two populations of grass shrimp, *Palaemonetes pugio*. *Bull. Environ. Contam. Toxicol.* 40: 30-34.

Khan, A.T., J.S. Weis and L. D'Andrea. 1989. Bioaccumulation of four heavy metals in two populations of grass shrimp, *Palaemonetes pugio*. *Bull. Environ. Contam. Toxicol.* 42: 339-343.

- Khan, A.T., J. Barbieri, S. Khan and F. Sweeney. 1992. A new short-term mysid toxicity test using sexual maturity as an endpoint. *Aquat. Toxicol.* 23: 97-105.
- Khargarot, B.S. 1991. Toxicity of metals to a freshwater tubificid worm, *Tubifex tubifex* (Muller). *Bull. Environ. Contam. Toxicol.* 46: 906-912.
- Khargarot, B.S. and P.K. Ray. 1987a. Correlation between heavy metal acute toxicity values in *Daphnia magna* and fish. *Bull. Environ. Contam. Toxicol.* 38: 722-726.
- Khargarot, B.S. and P.K. Ray. 1987b. Sensitivity of toad tadpoles, *Bufo melanostictus* (Schneider), to heavy metals. *Bull. Environ. Contam. Toxicol.* 38(3): 523-527.
- Khargarot, B.S. and P.K. Ray. 1989a. Investigation of correlation between physicochemical properties of metals and their toxicity to the water flea *Daphnia magna* Straus. *Ecotoxicol. Environ. Safety.* 18: 109-120.
- Khargarot, B.S. and P.K. Ray. 1989b. Sensitivity of midge larvae of *Chironomus tentans* Fabricius (Diptera: Chironomidea) to heavy metals. *Bull. Environ. Contam. Toxicol.* 1989. 42: 325-330.
- Khargarot, B.S., P.K. Ray and H. Chandra. 1987. *Daphnia magna* as a model to assess heavy metal toxicity: comparative assessment with mouse system. *Acta Hydrochim. Hydrobiol.* 15(4): 427-432.
- Khoshmanesh, A., F. Lawson and I.G. Prince. 1996. Cadmium uptake by unicellular green microalgae. *Chem. Eng. J.* 62: 81-88.
- Khoshmanesh, A., F. Lawson and I.G. Prince. 1997. Cell surface area as a major parameter in the uptake of cadmium by unicellular green microalgae. *Chem. Eng. J.* 65: 13-19.
- Khristoforova, N.K., S.M. Gnezdilova and G.A. Vlasova. 1984. Effect of cadmium on gametogenesis and offspring of the sea urchin *Strongylocentrotus intermedius*. *Mar. Ecol. Prog. Ser.* 17: 9-14.
- Kiffney, P.M. and W.H. Clements. 1996. Size-dependent response of macroinvertebrates to metals in experimental streams. *Environ. Toxicol. Chem.* 15(8): 1352-1356.

- Klass, E., et al. 1974. The effect of cadmium on population growth of the green alga *Scenedesmus quadricauda*. Bull. Environ. Contam. Toxicol. 12: 442.
- Klaverkamp, J.F. and D.A. Duncan. 1987. Acclimation to cadmium toxicity by white suckers: cadmium binding capacity and metal distribution in gill and liver cytosol. Environ. Toxicol. Chem. 6: 275-289.
- Klerks, P.J. and P.R. Bartholomew. 1991. Cadmium accumulation and detoxification in a Cd-resistant population of the oligochaete *Limnodrilus hoffmeisteri*. Aquat. Toxicol. 19: 97-112.
- Klockner, K. 1979. Uptake and accumulation of cadmium by *Ophryotrocha diadema* (Polychaeta). Mar. Ecol. Prog. Ser. 1: 71.
- Kluttgen, B. and H.T. Ratte. 1994. Effects of different food doses on cadmium toxicity to *Daphnia magna*. Environ. Toxicol. Chem. 13(10): 1619-1627.
- Kluytmand, J.H., D.I. Zandee and E.L. Enserink. 1988. Effects of cadmium on the reproduction of *Mytilus edulis* L. Aquat. Toxicol. 11:428-428
- Kneip, T.J. and R.E. Hazen. 1979. Deposit and mobility of cadmium in marsh-cove ecosystem and the relation to cadmium concentration in biota. Environ. Health Perspect. 28: 67.
- Kobayashi, N. 1971. Fertilized sea urchin eggs as an indicator material for marine pollution bioassay, preliminary experiments. Publ. Seto Mar. Biol. Lab. 18: 379.
- Kock, G., R. Hofer and S. Wogarth. 1995. Accumulation of trace metals (Cd, Pb, Cu, Zn) in arctic char (*Salvelinus alpinus*) from oligotrophic alpine lakes: relation to alkalinity. Can. J. Fish. Aquat. Sci. 52: 2367-2376.
- Koelmans, A.A., F. Gillissen and L. Lijklema. 1996. Influence of salinity and mineralization on trace metal sorption to cyanobacteria in natural waters. Water Res. 30(4): 853-864.
- Kohler, K. and H.U. Riisgard. 1982. Formation of metallothioneins in relation to accumulation of cadmium in the common mussel *Mytilus edulis*. Mar. Biol. 66: 53.
- Koivisto, S., M. Arner and N. Kautsky. 1997. Does cadmium pollution change trophic interactions in rockpool food webs? Environ. Toxicol. Chem. 16(6): 1330-1336.

- Kolok, A.S., E.P. Plaisance and A. Abdelghani. 1998. Individual variation in the swimming performance of fishes: an overlooked source of variation in toxicity studies. *Environ. Toxicol. Chem.* 17(2): 282-285.
- Kooijman, S.A.L.M. and J.J.M. Bedaux. 1996. Analysis of toxicity tests on *Daphnia* survival and reproduction. *Water Res.* 30(7): 1711-1723.
- Kosakowska, A., L. Falkowski and J. Lewandowska. 1988. Effect of amino acids on the toxicity of heavy metals to phytoplankton. *Bull. Environ. Contam. Toxicol.* 40: 532-538.
- Koyama, J., R. Kuroshima and A. Ishimatsu. 1992. The seawater fish for evaluation of the toxicity of pollutants. *Mizu Kankyo Gakkaishi.* 15(11): 804-813.
- Kraak, M.H.S., M. Toussaint, D. Lavy and C. Davids. 1992a. Short-term effects of metals on the filtration rate of the zebra mussel *Dreissena polymorpha*. *Environ. Pollut.* pp.139-143.
- Kraak, M.H.S., D. Lavy, W.H.M. Peeters and C. Davids. 1992b. Chronic ecotoxicity of copper and cadmium to the zebra mussel *Dreissena polymorpha*. *Arch. Environ. Contam. Toxicol.* 23: 363-369.
- Kraak, M.H.S., H. Schoon, W.H.M. Peeters and N.M. Van Straalen. 1993a. Chronic ecotoxicity of mixtures of Cu, Zn, and Cd to the zebra mussel *Dreissena polymorpha*. *Ecotoxicol. Environ. Safety.* 25: 315-327.
- Kraak, M.H.S., D. Lavy, M. Toussaint, H. Schoon, W.H.M. Peeters and C. Davids. 1993b. Toxicity of heavy metals to the zebra mussel (*Dreissena polymorpha*). In: T.F. Nalepa and D.W. Schloessen (eds.), zebra mussels - biology, impacts, and control, chapter 29, Lewis Publishers, Boca Raton. 8: 491-502.
- Kraak, M.H.S., M. Toussaint, D. Lavy and C. Davids. 1994a. Short-term effects of metals on the filtration rate of the zebra mussel *Dreissena polymorpha*. *Environ. Pollut.* 84(2): 139-143.
- Kraak, M.H.S., D. Lavy, H. Schoon, M. Toussaint, W.H.M. Peeters and N.M. Van Straalen. 1994b. Ecotoxicity of mixtures of metals to the zebra mussel *Dreissena polymorpha*. *Environ. Toxicol. Chem.* 13: 109-114.

- Kraak, M.H.S., Y.A. Wink, S.C. Stuijzand, M.C. Buckert-de Jong, C.J. de Groot and W. Admiraal. 1994c. Chronic ecotoxicity of Zn and Pb to the zebra mussel *Dreissena polymorpha*. *Aquat. Toxicol.* 30: 77-89.
- Kraal, M.H., M.H.S. Kraak, C.J. De Groot and C. Davids. 1995. Uptake and tissue distribution of dietary and aqueous cadmium by carp (*Cyprinus carpio*). *Ecotoxicol. Environ. Safety.* 31: 179-183.
- Kramer, J.R., H.E. Allen, W. Davison, K.L. Godtfredsen, J.S. Meyer, E.M. Perdue, F. Tipping, D. Van de Meent and J.C. Westall. 1997. Chemical speciation and metal toxicity in surface waters. Pg 57-70. *In: Reassessment of Metals Criteria for Aquatic Life Protection.* H.L. Bergman and E.J. Dorward-King (Eds). SETAC Press, Pensacola, FL.
- Krantzberg, G. 1989a. Accumulation of essential and nonessential metals by chironomid larvae in relation to physical and chemical properties of the elements. *Can. J. Fish. Aquat. Sci.* 46: 1755-1761.
- Krantzberg, G. 1989b. Metal accumulation by chironomid larvae: the effects of age and body weight on metal body burdens. *Hydrobiol.* 188/189: 497-506.
- Krantzberg, G. and P.M. Stokes. 1988. The importance of surface adsorption and pH in metal accumulation by chironomids. *Environ. Toxicol. Chem.* 7: 653-670.
- Krantzberg, G. and P.M. Stokes. 1989. Metal regulation, tolerance, and body burdens in the larvae of the genus *Chironomus*. *Can. J. Fish. Aquat. Sci.* 46: 389-398.
- Krassoi, F.R. and M. Julli. 1994. Chemical batch as a factor affecting the acute toxicity of the reference toxicant potassium dichromate to the cladoceran *Moina australiensis* (Sars). *Bull. Environ. Contam. Toxicol.* 53: 153-157.
- Krawczynska, W., N.N. Pivovarova and A. Sobota. 1989. Effects of cadmium on growth, ultrastructure and content of chemical elements in *Tetrahymena pyriformis* and *Acanthamoeba castellanii*. *Acta Protozool.* 28:(3-4): 245-252.
- Krishnaja, A.P., M.S. Rege and A.G. Joshi. 1987. Toxic effects of certain heavy metals (Hg, Cd, Pb, As and Se) on the intertidal crab *Scylla serrata*. *Environ. Res.* 21: 109-119.

- Kuhn, R. and M. Pattard. 1990. Results of the harmful effects of water pollutants to green algae (*Scenedesmus subspicatus*) in the cell multiplication inhibition test. *Water Res.* 24(1): 31-38.
- Kuhn, R., M. Pattard, K.D. Pernak and A. Winter. 1989. Results of the harmful effects of water pollutants to *Daphnia magna* in the 21 day reproduction test. *Water Res.* 23(4): 501-510.
- Kumada, H., et al. 1973. Acute and chronic toxicity, uptake and retention of cadmium in freshwater organisms. *Bull. Freshwater Fish. Res. Lab.* 22: 157.
- Kumada, H., et al. 1980. Accumulation and biological effects of cadmium in rainbow trout. *Bull. Jap. Soc. Sci. Fish.* 46: 97.
- Kumar, M. 1991. Accumulation of Pb, Cd, and Zn in aquatic snails from four freshwater sites in Steuben County, Indiana. *Bios.* 62(1): 2-8.
- Kuroshima, R. 1987. Cadmium accumulation and its effect on calcium metabolism in the girella *Girella punctata* during a long term exposure. *Bull. Jpn. Soc. Sci. Fish.* 53(3): 445-450.
- Kuroshima, R. 1992. Cadmium accumulation in the mummichog, *Fundulus heteroclitus*, adapted to various salinities. *Bull. Environ. Contam. Toxicol.* 49: 680-685.
- Kuroshima, R. and S. Kimura. 1990. Changes in toxicity of Cd and its accumulation in girella and goby with their growth. *Bull. Jpn. Soc. Sci. Fish.* 56(3): 431-453.
- Kuroshima, R., S. Kimura, K. Date and Y. Yamamoto. 1993. Kinetic analysis of cadmium toxicity to red sea bream, *Pagrus major*. *Ecotoxicol. Environ. Safety.* 25: 300-314.
- Kwan, K.H.M. and S. Smith. 1991. Some aspects of the kinetics of cadmium and thallium uptake by fronds of *Lemna minor* L. *New Phytologist.* 117(1): 91-102.
- Laegreid, M., et al. 1983. Seasonal variation of cadmium toxicity toward the alga *Selenastrum capricornutum* Printz in two lakes with different humus content. *Environ. Sci. Technol.* 17: 357.
- Lagerwerff, J.V. and A.W. Specht. 1970. Contamination of roadside soil and vegetation with cadmium, nickel, lead and zinc. *Environ. Sci. Technol.* 4: 583-586.

- Lalande, M. and B. Pinel-Alloul. 1986. Acute toxicity of cadmium, copper, mercury and zinc to *Tropocyclops Prasinus Mexicanus* (Cyclopoida, copepoda) from three Quebec lakes. Environ. Toxicol. Chem. 5:95-102.
- Lam, P.K.S. 1996a. Effects of cadmium on the consumption and absorption rates of a tropical freshwater snail, *Radix plicatulus*. Chemosphere. 32(11): 2127-2132.
- Lam, P.K.S. 1996b. Interpopulation differences in acute response of *Brotia hainanensis* (Gastropoda, Prosobranchia) to cadmium: genetic or environmental variance? Environ. Pollut. 94(1): 1-7.
- Lam, P.K.S., K.N. Yu, K.P. Ng and M.W.K. Chong. 1997. Cadmium uptake and depuration in the soft tissues of *Brotia hainanensis* (Gastropoda: Prosobranchia: Thiariidae): a dynamic model. Chemosphere. 35(11): 2449-2461.
- Landner, L. and A. Jernelov. 1969. Cadmium in aquatic systems. Metals and Ecology Symposium. Bulletin No. 5. Ecology Research Committee, Stockholm, Sweden. 47pp.
- Lane, T.D. and F.M.M. Morel. 2000. A biological function for cadmium in marine diatoms. Proc. Natl. Acad. Sci. 97: 4627-4631.
- Langston, W.J. and M. Zhou. 1987. Cadmium accumulation, distribution and metabolism in the gastropod *Littorina littorea*: the role of metal-binding proteins. J. Mar. Biol. Assoc. 67: 585-601.
- Larsen, J. and B. Svensmark. 1991. Labile species of Pb, Zn and Cd determined by anodic stripping staircase voltammetry and their toxicity to *Tetrahymena*. Talanta. 38(9): 981-988.
- Lasenby, D.C. and J. Van Duyn. 1992. Zinc and cadmium accumulation by the opossum shrimp *Mysis relicta*. Arch. Environ. Contam. Toxicol. 23: 179-183.
- Lasheen, M.R., S.A. Shehata and G.H. Ali. 1990. Effect of cadmium, copper and chromium (VI) on the growth of Nile water algae. Water, Air, Soil Pollut. 50: 19-30.
- Laube, V.M., et al. 1980. Strategies of response to copper, cadmium, and lead by a blue-green and a green alga. Can. J. Microbiol. 26: 1300.

- Lawrence, S.G. and M.H. Holoka. 1987. Effects of low concentrations of cadmium on the crustacean zooplankton community of an artificially acidified lake. *Can. J. Fish. Aquat. Sci.* 44: 163-172.
- Lawrence, S.G. and M.H. Holoka. 1991. Response of crustacean zooplankton impounded *in situ* to cadmium at low environmental concentrations. *Verh. Internat. Verein. Limnol.* 24: 2254-2259.
- LeBlanc, G.A. 1984. Interspecies relationships in acute toxicity of chemicals to aquatic organisms. *Environ. Toxicol. Chem.* 3: 47-60.
- Lee, B.G. and S.N. Luoma. 1998. Influence of microalgal biomass on absorption efficiency of Cd, Cr, and Zn by two bivalves from San Francisco Bay. *Limnol. Oceanogr.* 43(7): 1455-1466.
- Lee, H.H. and C.H. Xu. 1984. Differential response of marine organisms to certain metal and agrichemical pollutants. *Bull. Environ. Contam. Toxicol.* 33: 460-467.
- Lee, H.L., B. Lustigman, V. Schwinge, I.Y. Chiu and S. Hsu. 1992. Effects of mercury and cadmium on the growth of *Anacystis nidulans*. *Bull. Environ. Contam. Toxicol.* 49: 272-278.
- Lee, J.G., S.B. Roberts and F.M.M. Morel. 1995. Cadmium: a nutrient for the marine diatom *Thalassiosira weissflogii*. *Limnol. Oceanogr.* 40: 1056-1063.
- Lee, R. and Y. Oshima. 1998. Effects of selected pesticides, metals and organometallics on development of blue crab (*Callinectes sapidus*) embryos. *Mar. Environ. Res.* 46(1-5): 479-482.
- Lee, R.F., K. O'Malley and Y. Oshima. 1996. Effects of toxicants on developing oocytes and embryos of the blue crab, *Callinectes sapidus*. *Mar. Environ. Res.* 42(1-4): 125-128.
- Lee, S. III, E.J. Na, Y.O. Cho, B. Koopman and G. Bitton. 1997. Short-term toxicity test based on algal uptake by *Ceriodaphnia dubia*. *Water Environ. Res.* 69(7): 1207-1210.
- Leonhard, S.L., et al. 1980. Evaluation of the acute toxicity of the heavy metal cadmium to nymphs of the burrowing mayfly, *Hexagenia rigida*. In: J.F. Flannagan and K.E. Marshall (eds.), *Advances in Ephemeroptera Biology*. Plenum Publishing Corp., New York. p. 457.

Les, A. and R.W. Walter. 1984. Toxicity and binding of copper, zinc and cadmium by the blue-green alga, *Chroococcus parvus*. *Water, Air, Soil Pollut.* 23: 129-130.

Lewis, P.A. and W.B. Horning II. 1991. Differences in acute toxicity test results of three reference toxicants on *Daphnia* at two temperatures. *Environ. Toxicol. Chem.* 10: 1351-1357.

Lewis, P.A. and C.I. Weber. 1985. A study of the reliability of *Daphnia* acute toxicity tests. *In: Aquatic Toxicology and Hazard Assessment: Seventh Symposium*. ASTM STP 854, R.D. Cardwell, R. Purdy and R.C. Bahner (eds.), American Society for Testing and Materials, Philadelphia. pp. 73-86.

Liao, I.C. and C.S. Hsieh. 1990. Toxicity of three heavy metals to *Macrobrachium rosenbergii*. *In: Proc. of the 2nd Asian Fisheries Forum*, April 17 - 22, 1989, Tokyo, Japan, Asian Fish. Soc., Manila, Philippines: 923-926.

Lin, H.C. and W.A. Dunson. 1993. The effect of salinity on the acute toxicity of cadmium to the tropical, estuarine, hermaphroditic fish, *Rivulus marmoratus*: a comparison of Cd, Cu, and Zn tolerance with *Fundulus heteroclitus*. *Arch. Environ. Contam. Toxicol.* 25: 41-47.

Lithner, G., K. Holm and H. Borg. 1995. Bioconcentration factors for metals in humic waters at different pH in the Ronnskar area (N. Sweden). *Water, Air, Soil Pollut.* 85: 785-790.

Lomagin, A.G. and L.V. Ul'yanova. 1993. A new bioassay on water pollution using duckweed *Lemna minor* L. *Sov. Plant Physiol./Fiziol. Rast.* 49(2): 283-284.

Lorz, H.W., et al. 1978. Effects of several metals on smolting of coho salmon. EPA-600/3-78-090. National Technical Information Service, Springfield, Virginia.

Loumbourdis, N.S., P. Kyriakopoulou-Sklavounou and G. Zachariadis. 1999. Effects of cadmium exposure on bioaccumulation and larval growth in the frog *Rana ridibunda*. *Environ. Pollut.* 104: 429-433.

Lourdes, M. 1994. Survival and heavy metal accumulation of two *Oreochromis niloticus* (L.) Strains exposed to mixtures of zinc, cadmium and mercury. *Sci. Total Environ.* 148: 31-38.

Lourdes, M. and E.V. Aralar. 1993. Effects of long-term exposure to a mixture of cadmium, zinc, and inorganic mercury on two strains of tilapia *Oreochromis niloticus* (L.). Bull. Environ. Contam. Toxicol. 50: 891-897.

Lucker, T., D. Busch and W. Wosniok. 1997. Experiments to determine the impact of salinity on the heavy metal accumulation of *Dreissena polymorpha* (Pallas 1771). Limnologica. 27: 91-101.

Lue-Kim, H., et al. 1980. Cadmium toxicity on synchronous populations of *Chlorella ellipsoidea*. Can. J. Biol. 58: 1780.

Lussier, S.M., et al. 1985. Acute and chronic effects of heavy metals and cyanide on *Mysidopsis bahia* (Crustacea: Mysidacea). Aquat. Toxicol. 7:25-35.

Lussier, S.M., W.S. Boothman, S. Poucher, D. Champlin and A. Helmstetter. 1995. Derivation of conversion factors for dissolved saltwater aquatic life criteria for metals - Draft Report to the Office of Water. U.S. EPA. ERL - Narragansett, RI. 55 pp.

Lussier, S.M., W.S. Boothman, S. Poucher, D. Champlin and A. Helmstetter. 1999. Comparison of dissolved and total metals concentrations from acute tests with saltwater organisms. Environ. Toxicol. Chem. 18(5): 889-898

McCahon, C.P. and D. Pascoe. 1988a. Cadmium toxicity to the freshwater amphipod *Gammarus pulex* (L.) during the molt cycle. Freshwater Biol. 19: 197-203.

McCahon, C.P. and D. Pascoe. 1988b. Increased sensitivity to cadmium of the freshwater amphipod *Gammarus pulex* (L.) during the reproductive period. Aquat. Toxicol. 13: 183-194.

McCahon, C.P. and D. Pascoe. 1988c. Use of *Gammarus pulex* (L.) in safety evaluation tests: culture and selection of a sensitive life stage. Ecotoxicol. Environ. Safety. 15: 245-252.

McCahon, C.P. and D. Pascoe. 1991. Brief-exposure of first and fourth instar *Chironomus riparius* larvae to equivalent assumed doses of cadmium: effects on adult emergence. Water, Air, Soil Pollut. 60: 395-403.

- McCahon, C.P., A.F. Brown and D. Pascoe. 1988. The effect of the acanthocephalan *Pomphorhynchus laevis* (Muller 1776) on the acute toxicity of cadmium to its intermediate host, the amphipod *Gammarus pulex* (L.). Arch. Environ. Contam. Toxicol 17: 239-243.
- McCahon, C.P., A.J. Whiles and D. Pascoe. 1989. The toxicity of cadmium to different larval instars of the trichopteran larvae *Agapetus fuscipes* Curtis and the importance of life cycle information to the design of toxicity tests. Hydrobiol. 185: 153-162.
- McCarty, L.S. and A.H. Houston. 1976. Effects of exposure to sublethal levels of cadmium upon water-electrolyte status in the goldfish (*Carassius auratus*). J. Fish. Biol. 9: 11.
- McCarty, L.S., et al. 1978. Toxicity of cadmium to goldfish, *Carassius auratus*, in hard and soft water. J. Fish. Res. Board Can. 35: 35.
- McClurg, T.P. 1984. Effects of fluoride, cadmium and mercury on the estuarine prawn *Penaeus indicus*. Water SA 10: 40.
- McGee, B.L., D.A. Wright and D.J. Fisher. 1998. Biotic factors modifying acute toxicity of aqueous cadmium to estuarine amphipod *Leptocheirus plumulosus*. Arch. Environ. Contam. Toxicol. 34: 34-40.
- McGeer, J.C., R.C. Playle, C.M. Wood and F. Galvez. 2000. A physiologically based biotic ligand model for predicting the acute toxicity of waterborne silver to rainbow trout in freshwaters. Environ. Sci. Technol. 34: 4199-4207.
- McLeese, D.W. and S. Ray. 1984. Uptake and excretion of cadmium, CdEDTA, and zinc by *Macoma balthica*. Bull. Environ. Contam. Toxicol. 32: 85.
- McLeese, D.W. and S. Ray. 1986. Toxicity of CdCl₂, CdEDTA, CuCl₂, and CuEDTA to marine invertebrates. Bull. Environ. Contam. Toxicol. 36: 749-755.
- McLeese, D.W., et al. 1981. Lack of excretion of cadmium from lobsters. Chemosphere 10: 775.
- McNicol, R.E. and E. Scherer. 1993. Influence of cadmium pre-exposure on the preference-avoidance responses of lake whitefish (*Coregonus clupeaformis*) to cadmium. Arch. Environ. Contam. Toxicol. 25: 36-40.

- McNulty, E.W., F.J. Dwyer, M.R. Ellersieck, E.I. Greer, C.G. Ingersoll and C.F. Rabeni. 1999. Evaluation of ability of reference toxicity tests to identify stress in laboratory populations of the amphipod *Hyalella azteca*. Environ. Toxicol. Chem. 18(3): 544-548.
- Ma, M., Z. Tong, Z. Wang and W. Zhu. 1999. Acute toxicity bioassay using the freshwater luminescent bacterium *Vibrio-qinghaiensis* sp. Nov.-Q67. Bull. Environ. Contam. Toxicol. 62: 247-253.
- Maas, R.P. 1978. A field study of the relationship between heavy metal concentrations in stream water and selected benthic macroinvertebrate species. PB 297284. National Technical Information Service, Springfield, Virginia.
- Macdonald, C.R. and J.B. Sprague. 1998. Cadmium in marine invertebrates and arctic cod in the Canadian arctic. Distribution and ecological implications. Mar. Ecol. Prog. Ser. 47: 17-30.
- Macdonald, J.M., J.D. Shields and R.K. Zimmer-Faust. 1988. Acute toxicities of eleven metals to early life-history stages of the yellow crab *Cancer anthonyi*. Mar. Biol. 98: 201-207.
- Macfie, S.M., Y. Tarmohamed and P.M. Welbourn. 1994. Effects of cadmium, cobalt, copper, and nickel on growth of the green alga *Chlamydomonas reinhardtii*: the influences of the cell wall and pH. Arch. Environ. Contam. Toxicol. 27: 454-458.
- MacInnes, J.R., et al. 1977. Long-term cadmium stress in the cunner *Tautoglabrus adspersus*. Fish. Bull. 75: 199.
- Mackie, G.L. 1989. Tolerances of five benthic invertebrates to hydrogen ions and metals (Cd, Pb, Al). Arch. Environ. Contam. Toxicol. 18: 215-223.
- Madoni, P., D. Davoli and G. Gorbi. 1994. Acute toxicity of lead, chromium, and other heavy metals to ciliates from activated sludge plants. Bull. Environ. Contam. Toxicol. 53: 420-425.
- Maeda, S., M. Mizoguchi, A. Ohki and J. Inanaga. 1990. A bioaccumulation of zinc and cadmium in freshwater alga, *Chlorella vulgaris*. Part II. Association mode of the metals and cell tissue. Chemosphere. 21(8): 965-973.

- Majewski, H.S. and M.A. Giles. 1984. Cardio vascular-respiratory responses of rainbow trout (*Salmo gairdneri*) during chronic exposure to sublethal concentrations of cadmium. *Water Res.* 15: 1211.
- Malea, P. 1994. Uptake of cadmium and the effect on viability of leaf cells in the seagrass *Halophila stipulacea* (Forsk.) Aschers. *Bot. Mar.* 37: 67-73.
- Malley, D.F. and P.S.S. Chang. 1991. Early observations on the zooplankton community of a precambrian shield lake receiving experimental additions of cadmium. *Verh.-Int. Ver. Theor. Angew. Limnol.* 24: 2248-2253.
- Malley, D.F., P.S.S. Chang and R.H. Hesslein. 1989. Whole lake addition of cadmium-109: radiotracer accumulation in the mussel population in the first season. *Sci. Total Environ.* 87/88: 397-417.
- Maloney, J. 1996. Influence of organic enrichment on the partitioning and bioavailability of cadmium in a microcosm study. *Mar. Ecol. Prog. Ser.* 144: 147-161.
- Mansour, G.M.M. 1993. Effects on fish of cadmium concentrations in water. *Oceanologia.* 34: 91.
- Manz, W., M. Wagner and D.H. Schleifer. 1994. *In situ* characterization of the microbial consortia active in two wastewater treatment plants. *Water Res.* 28(8): 1715-1732.
- Maranhao, P., J.C. Marques and V.M.C. Madeira. 1999. Zinc and cadmium concentrations in soft tissues of the red swamp crayfish *Procambarus clarkii* (Girard, 1852) after exposure to zinc and cadmium. *Environ. Toxicol. Chem.* 18(8): 1769-1771.
- Mark, U. and J. Solbe. 1998. Analysis of the ecetoc aquatic toxicity (EAT) database V: The relevance of *Daphnia magna* as a representative test species. *Chemosphere.* 36(1): 155-166.
- Markham, J.W., et al. 1980. Effects of cadmium on *Laminaria saccharina* in culture. *Mar. Ecol. Prog. Ser.* 3: 31.
- Markich, S.J. and R.A. Jeffree. 1994. Absorption of divalent trace metals as analogues of calcium by Australian freshwater bivalves: an explanation of how water hardness reduces metal toxicity. *Aquat. Toxicol.* 29: 257-290.

Marr, J.C.A., H.L. Bergman, J. Lipton and C. Hogstrand. 1995a. Differences in relative sensitivity of naive and metals-acclimated brown and rainbow trout exposed to metals representative of the Clark Fork River, Montana. *Can J. Aquat. Sci.* 52: 2016-2030.

Marr, J.C.A., H.L. Bergman, M. Parker, J. Lipton, D. Cacula, W. Erickson and G.R Phillips. 1995b. Relative sensitivity of brown and rainbow trout to pulsed exposures of an acutely lethal mixture of metals typical of the Clark Fork River, Montana. *Can. J. Aquat. Sci.* 52: 2005-2015.

Marshall, J.S. 1978a. Population dynamics of *Daphnia galeata mendotae* as modified by chronic cadmium stress. *J. Fish. Res. Board Can.* 35: 461.

Marshall, J.S. 1978b. Field verification of cadmium toxicity to laboratory *Daphnia* populations. *Bull. Environ. Contam. Toxicol.* 20: 387.

Marshall, J.S., et al. 1981. An *in situ* study of cadmium and mercury stress in the plankton community of lake 382, Experimental Lakes Area, northwestern Ontario. *Can. J. Fish. Aquat. Sci.* 38: 1209.

Marshall, J.S., et al. 1983. Bioaccumulation and effects of cadmium and zinc in a Lake Michigan plankton community. *Can. J. Fish. Aquat. Sci.* 40: 1469.

Martin, M., K. Osborn, P. Billig and N. Glickstein. 1981. Toxicities of ten metals to *Crassostrea gigas* and *Mytilus edulis* embryos and *Cancer magister* larvae. *Mar. Pollut. Bull.* 12: 305.

Martin, T.R. and D.M. Holdich. 1986. The acute lethal toxicity of heavy metals to peracarid crustaceans (with particular reference to fresh-water asellids and gammarids). *Water Res.* 20(9): 1137-1147.

Martinez, M., J. Del Ramo, A. Torreblanca, A. Pastor and J. Diaz-Mayans. 1996. Cadmium toxicity, accumulation and metallothionein induction in *Echinogammarus echinosetosus*. *J. Environ. Sci. Health.* A31(7): 1605-1617.

Masters, J.A., M.A. Lewis and D.H. Davidson. 1991. Validation of a four-day *Ceriodaphnia* toxicity test and statistical considerations in data analysis. *Environ. Toxicol. Chem.* 10: 47-55.

Mateo, P., F. Fernandez-Pinas and I. Bonilla. 1994. O₂-induced inactivation of nitrogenase as a mechanism for the toxic action of Cd²⁺ on *Nostoc* UAM 208. *New Phytologist.* 126(2): 267-272.

- Mathew, P. and N.R. Menon. 1992. Toxic responses of bivalves to metal mixtures. *Bull. Environ. Contam. Toxicol.* 48: 185-193.
- Meador, J.P. 1993. The effect of laboratory holding on the toxicity response of marine infaunal amphipods to cadmium and tributyltin. *J. Exp. Mar. Biol. Ecol.* 174: 227-242.
- Melgar, M.J., M. Perez, M.A. Garcia, J. Alonso and B. Miguez. 1997. Accumulation profiles in rainbow trout (*Oncorhynchus mykiss*) after short-term exposure to cadmium. *J. Environ. Sci. Health.* A32(3): 621-631.
- Mersch, J., E. Morhain and C. Mouvet. 1993. Laboratory accumulation and depuration of copper and cadmium in the freshwater mussel *Dreissena polymorpha* and the aquatic moss *Rhynchostegium riparioides*. *Chemosphere.* 27(8): 1475-1485.
- Mersch, J., P. Wagner and J.C. Pihan. 1996. Copper in indigenous and transplanted zebra mussels in relation to changing water concentrations and body weight. *Environ. Toxicol. Chem.* 15(6): 886-893.
- Metayer, C., et al. 1982. Accumulation of some trace metals (cadmium, lead, copper and zinc) in sole (*Solea solea*) and flounder (*Platichthus flesus*): changes as a function of age and organotropism. *Rev. Int. Oceanogr. Med.* 66-67: 33.
- Meteyer, M.J., D.A. Wright and F.D. Martin. 1988. Effect of cadmium on early developmental stages of the sheepshead minnow (*Cyprinodon variegatus*). *Environ. Toxicol. Chem.* 7:321-328.
- Meyer, J.S. 1999. A mechanistic explanation for the $\ln(\text{LC}_{50})$ vs $\ln(\text{hardness})$ adjustment equation for metals. *Environ. Sci. Technol.* 33: 908-912.
- Meyer, J.S., R.C. Santore, J.P. Bobbitt, L.D. Debrey, C.J. Boese, P.R. Paquin, H.E. Allen, H.L. Bergman and D.M. DiToro. 1999. Binding of nickel and copper to fish gills predicts toxicity when water hardness varies, but free-ion activity does not. *Environ. Sci. Technol.* 33: 913-916.
- Michibata, H., S. Sahara and M.K. Kojima. 1986. Effects of calcium and magnesium ions on the toxicity of cadmium to the egg of the teleost, *Oryzias latipes*. *Environ. Res.* 40: 110-114.

- Michibata, H., Y. Nojima and M.K. Kojima. 1987. Stage sensitivity of eggs of the teleost *Oryzias latipes* to cadmium exposure. Environ. Res. 42: 321-327.
- Middaugh, D.P. and J.M. Dean. 1977. Comparative sensitivity of eggs, larvae and adults of the estuarine teleosts, *Fundulus heteroclitus* and *Menidia menidia* to cadmium. Bull. Environ. Contam. Toxicol. 17: 645.
- Middaugh, D.P. and G. Floyd. 1978. The effect of prehatch and posthatch exposure to cadmium on salinity tolerance of larval grass shrimp, *Palaemonetes pugio*. Estuaries 1: 123.
- Middaugh, D.P., et al. 1975. The response of larval fish *Leiostomus xanthurus* to environmental stress following sublethal cadmium exposure. Contrib. Mar. Sci. 19.
- Migliore, J. and M. De Nicola Giudici. 1988. Effect of heavy metals (Hg, Cd, Cu and Fe) on two species of crustacean isopods, *Asellus aquaticus* (L.) and *Proasellus coxalis* Dollf. Verh.-Int. Ver. Theor. Angew. Limnol. 23: 1655-1659.
- Ministry of Technology. 1967. Water Pollut. Res. 1966. London. p. 50
- Mirenda, R.J. 1986. Toxicity and accumulation of cadmium in the crayfish, *Orconectes virilis* (Hagen). Arch. Environ. Contam. Toxicol. 15: 401-407.
- Mirkes, D.Z., et al. 1978. Effects of cadmium and mercury on the behavioral responses and development of *Eurypanopeus depressus* larvae. Mar. Biol. 47: 143.
- Mizutani, A., E. Ifune, A. Zanella and C. Eriksen. 1991. Uptake of lead, cadmium and zinc by the fairy shrimp, *Branchinecta longiantenna* (Crustacea: Anostraca). Hydrobiol. 212: 145-149.
- Moller, V., V.E. Forbes and M.H. Depledge. 1994. Influence of acclimation and exposure temperature on the acute toxicity of cadmium to the freshwater snail *Potamopyrgus antipodarum* (Hydrobiidae). Environ. Toxicol. Chem. 13(9): 1519-1524.
- Moore, M.N. and A.R.D. Stebbing. 1976. The quantitative cytochemical effects of three metal ions on a lysosomal hydrolase of a hydroid. J. Mar. Biol. Assoc. U.K. 56: 995.

Moraitou-Apostolopoulou, M. and G. Verriopoulos. 1982. Individual and combined effects of three heavy metals, Cu, Cd and Cr for the marine copepod *Tisbe holothuriae*. *Hydrobiol.* 87: 83.

Moraitou-Apostolopoulou, M., G. Verriopoulos and P. Lentzou. 1979. Effects of sublethal concentrations of cadmium pollution for two populations of *Acartis clausi* (Copepoda) living at two differently polluted areas. *Bull. Environ. Contam. Toxicol.* 23: 642-649.

Morel, F.M.M. and J.G. Hering. 1993. *Principals and Applications of Aquatic Chemistry*. J. Wiley, New York. 588 pp.

Morgan, W.S.G. 1979. Fish locomotor behavior patterns as a monitoring tool. *J. Water Pollut. Control Fed.* 51: 580.

Mostafa, L.Y. and Z. Khalil. 1986. Uptake, release and incorporation of radio active cadmium and mercury by the fresh water alga *Phormidium fragile*. *Isot. Rad. Res.* 18(1): 57-62.

Mount, D.I. and T.J. Norberg. 1984. A seven-day life-cycle cladoceran toxicity test. *Environ. Toxicol. Chem.* 3: 425.

Mount, D.R., A.K. Barth, T.D. Garrison, D.A. Barten and J.R. Hockett. 1994. Dietary and waterborne exposure of rainbow trout (*Oncorhynchus mykiss*) to copper, cadmium, lead and zinc using a live diet. *Environ. Toxicol. Chem.* 13(12): 2031-2041.

Moza, U., S.S. De Solva and B.M. Mitchell. 1995. Effect of sub-lethal concentrations of cadmium on food intake, growth and digestibility in the gold fish, *Carassius auratus* L. *J. Environ. Biol.* 16(3): 253-264.

Muino, C.V., L. Ferrari and A. Salibian. 1990. Protective action of ions against cadmium toxicity to young *Bufo arenarum* tadpoles. *Bull. Environ. Contam. Toxicol.* 45: 313-319.

Muller, K.W. and H.D. Payer. 1979. The influence of pH on the cadmium-repressed growth of the alga *Coelostrum proboscideum*. *Physiol. Plant.* 45: 415.

Muller, K.W. and H.D. Payer. 1980. The influence of zinc and light conditions on the cadmium-repressed growth of the green alga *Coelostrum proboscideum*. *Physiol. Plant.* 50: 265.

Munger, C. and L. Hare. 1997. Relative importance of water and food as cadmium sources to an aquatic insect (*Chaoborus punctipennis*): implications for predicting Cd bioaccumulation in nature. Environ. Sci. Technol. 31: 891-895.

Munger, C., et al. 1999. Influence of exposure time on the distribution of cadmium within the cladoceran *Ceriodaphnia dubia*. Aquat. Toxicol. 44: 195-200.

Muramoto, S. 1980. Decrease in cadmium concentration in a Cd-contaminated fish by short-term exposure to EDTA. Bull. Environ. Contam. Toxicol. 25: 828.

Musko, I.B., W. Meinel, R. Krause and M. Barlas. 1990. The impact of Cd and different pH on the amphipod *Gammarus fossarum* Koch (Crustacea: amphipoda). Comp. Biochem. Physiol. 96C(1): 11-16.

Mwangi, S.M. and M.A. Alikhan. 1993. Cadmium and nickel uptake by tissues of *Cambarus bartoni* (Astacidae, Decapoda, Crustacea): effects on copper and zinc stores. Water Res. 27(5): 921-927.

Nacci, D., E. Jackim and R. Walsh. 1986. Comparative evaluation of three rapid marine toxicity tests: sea urchin early embryo growth test, sea urchin sperm cell toxicity test and Microtox. Environ. Toxicol. Chem. 5: 521-525.

Nagel, K. and J. Voigt. 1995. Impaired photosynthesis in a cadmium-tolerant *Chlamydomonas* mutant strain. Microbiol. Res. 150: 105-110.

Nakagawa, H. and S. Ishio. 1988. Aspects of accumulation of cadmium ion in the egg of medaka *Oryzias latipes*. Bull. Jpn. Soc. Sci. Fish. 54(12): 2159-2164.

Nakagawa, H. and S. Ishio. 1989. Effects of water hardness on the toxicity and accumulation of cadmium in eggs and larvae of medaka *Oryzias latipes*. Bull. Jpn. Soc. Sci. Fish. 55(2): 327-331.

Nakano, Y. 1980. Chloroplast replication in *Euglena gracilis* grown in cadmium ion containing media. Agric. Biol. Chem. 44: 2733.

Nakano, Y., et al. 1980. Morphological observation of *Euglena gracilis* grown in zinc-sufficient media containing cadmium ions. Agric. Biol. Chem. 44: 2305.

- Nalecz-Jawecki, G. and J. Sawicki. 1998. Toxicity of inorganic compounds in the spirotox test: a miniaturized version of the *Spirostomum ambiguum* test. Arch. Environ. Contam. Toxicol. 34: 1-5.
- Nalecz-Jawecki, G., K. Demkowicz-Dobrzanski and J. Sawicki. 1993. Protozoan *Spirostomum ambiguum* as a highly sensitive bioindicator for rapid and easy determination of water quality. Sci. Total Environ. Supplemental Part 2: 1227-1234.
- Nalewajko, C. 1995. Effects of cadmium and metal-contaminated sediments on photosynthesis heterotrophy, and phosphate uptake in Mackenzie River delta phytoplankton. Chemosphere. 30(7): 1401-1414.
- Naqvi, S.M. and R.D. Howell. 1993. Toxicity of cadmium and lead to juvenile red swamp crayfish, *Procambarus clarkii*, and effects on fecundity of adults. Bull. Environ. Contam. Toxicol. 51: 303-308.
- Nassiri, Y., J. Wery, J.L. Mansot and T. Ginsburger-Vogel. 1997. Cadmium bioaccumulation in *Tetraselmis suecica*: and electron energy loss spectroscopy (EELS) study. Arch. Environ. Contam. Toxicol. 33: 156-161.
- Nasu, Y., K. Hirabayashi and M. Kugimoto. 1988. The toxicity of some water pollutants for lemnaceae (duckweed) plant. Proc. ICMR Semin. 8: 485-491.
- Nasu, Y., et al. 1983. Comparative studies on the absorption of cadmium and copper in *Lemna paucicostata*. Environ. Pollut. (Series A) 32: 201.
- Naylor, C., E.J. Cox, M.C. Bradley and P. Calow. 1992. Effect of differing maternal food ration on susceptibility of *Daphnia magna* Straus neonates to toxic substances. Aquat. Toxicol. 24: 75-82.
- Nebeker, A.V., M.A. Cairns, S.T. Onjukka and R.H. Titus. 1986a. Effect of age on sensitivity of *Daphnia magna* to cadmium, copper and cyanazine. Environ. Toxicol. Chem. 5: 527-530.
- Nebeker, A.V., S.T. Onjukka, M.A. Cairns and D.F. Krawczyk. 1986b. Survival of *Daphnia magna* and *Hyalella azteca* in cadmium-spiked water and sediment. Environ. Toxicol. Chem. 5: 933-938.
- Nebeker, A.V., G.S. Schuytema and S.L. Ott. 1994. Effects of cadmium on limb regeneration in the northwestern salamander *Ambystoma gracile*. Arch. Environ. Contam. Toxicol. 27: 318-322.

- Nebeker, A.V., G.S. Schuyttema and S.L. Ott. 1995. Effects of cadmium on growth and bioaccumulation in the northwestern salamander *Ambystoma gracile*. Arch. Environ. Contam. Toxicol. 29: 492-499.
- Negilski, D.S. 1976. Acute toxicity of zinc, cadmium and chromium to the marine fishes, yellow-eye mullet (*Aldrichetta forsteri* C. and V.) and smallmouth hardy head (*Atherinasoma microstoma* Whitley). Aust. J. Mar. Freshwater Res. 27: 137.
- Nelson, D.A., et al. 1976. Biological effects of heavy metals on juvenile bay scallops, *Argopecten irradians*, in short-term exposures. Bull. Environ. Contam. Toxicol. 16: 275.
- Nelson, D.A., J.E. Miller and A. Calabrese. 1988. Effect of heavy metals on bay scallops, surf clams, and blue mussels in acute and long-term exposures. Arch. Environ. Contam. Toxicol. 17: 595-600.
- Nelson, S.M. 1994. Observed field tolerance of caddisfly larvae (*Hesperophylax sp.*) to fish metal concentrations and low pH. J. Freshwater Ecol. 9(2): 169-170.
- Nelson, S.M. and R.A. Roline. 1998. Evaluation of the sensitivity of rapid toxicity tests relative to daphnid acute lethality tests. Bull. Environ. Contam. Toxicol. 60: 292-299.
- Nendza, M., T. Herbst, C. Kussatz and A. Gies. 1997. Potential for secondary poisoning and biomagnification in marine organisms. Chemosphere. 35(9): 1875-1885.
- Neter, J. and W. Wasserman. 1974. Applied Linear Statistical Models. Irwin, Inc., Homewood, Illinois.
- Niederlehner, B. 1984. A comparison of techniques for estimating the hazard of chemicals in the aquatic environment. M.S. thesis. Virginia Polytechnic Institute and State University.
- Niederlehner, B.R., et al. 1985. Laboratory test evaluating the effects of cadmium on freshwater protozoan communities. Environ. Toxicol. Chem. 4: 155-165.
- Nilsson, R. 1970. Aspects on the toxicity of cadmium and its compounds: a review. Ecol. Res. Comm. Bull. 7, Swed. Natur. Sci. Res. Council. Stockholm. 49 pp.

- Nimmo, D.R., et al. 1977a. *Mysidopsis bahia*: an estuarine species suitable for life-cycle toxicity tests to determine the effects of a pollutant. In: F.L. Mayer and J.L. Hamelink (eds.), Aquatic Toxicology and Hazard Evaluation. ASTM STP 634. American Society for Testing and Materials, Philadelphia, Pennsylvania. p. 109.
- Nimmo, D.R., et al. 1977b. Effects of cadmium on the shrimps *Penaeus duorarum*, *Palaemonetes pugio*, and *Palaemonetes vulgaris*. In: F.J. Vernberg, et al. (eds.), Physiological Responses of Marine Biota to Pollutants. Academic Press, New York. p. 131.
- Nir, R., A. Gasith and A.S. Perry. 1990. Cadmium uptake and toxicity to water hyacinth: effect of repeated exposures under controlled conditions. Bull. Environ. Contam. Toxicol. 44: 149-157.
- Noel-Lambot, F., et al. 1980. Cadmium, zinc, and copper accumulation in limpets (*Patella vulgata*) from the British channel and special reference to metallothioneins. Mar. Ecol. Prog. Ser. 2: 81.
- Nolan, C.V. and E.J. Duke. 1983. Cadmium accumulation and toxicity in *Mytilus edulis*: involvement of metallothioneins and heavy molecular weight protein. Aquat. Toxicol. 4: 153.
- Noraho, N. and J.P. Gaur. 1995. Effect of cations, including heavy metals, on cadmium uptake by *Lemna polyrhiza* L. BioMetals. 8: 95-98.
- Norey, C.G., M.W. Brown, A. Cryer and J. Kay. 1990a. A comparison of the accumulation, tissue distribution and secretion of cadmium in different species of freshwater fish. Comp. Biochem. Physiol. 96C(1): 181-184.
- Norey, C.G., A. Cryer and J. Kay. 1990b. Cadmium uptake and sequestration in the pike (*Esox lucius*) Comp. Biochem. Physiol. 95C(2): 217-221.
- Notenboom, J., K. Cruys, J. Hoekstra and P. Van Beelen. 1992. Effect of ambient oxygen concentration upon the acute toxicity of chlorophenols and heavy metals to the groundwater copepod *Parastenocaris germanica* (crustacea). Ecotoxicol. Environ. Safe. 24: 131-143.
- Nott, J.A. and A. Nicolaidou. 1994. Variable transfer of detoxified metals from snails to hermit crabs in marine food chains. Mar. Biol. 120: 369-377.

- Nugegoda, D. and P.S. Rainbow. 1995. The uptake of dissolved zinc and cadmium by the decapod crustacean *Palaemon elegans*. Mar. Pollut. Bull. 31(4-12): 460-463.
- O'Hara, J. 1973a. The influence of temperature and salinity on the toxicity of cadmium to the fiddler crab, *Uca pugilator*. Fish. Bull. 71: 149.
- O'Hara, J. 1973b. Cadmium uptake by fiddler crabs exposed to temperature and salinity stress. J. Fish. Res. Board Can. 30: 846.
- O'Neill, J.G. 1981. Effects of intraperitoneal lead and cadmium on the humoral immune response of *Salmo trutta*. Bull. Environ. Contam. Toxicol. 27: 42.
- Oakley, S.M., et al. 1983. Accumulation of cadmium by *Abarenicola pacifica*. Sci. Total Environ. 28: 105.
- Odin, M., F. Ribeyre and A. Boudou. 1996. Temperature and pH effects on cadmium and methylmercury bioaccumulation by nymphs of the burrowing mayfly *Hexagenia rigida*, from water column or sediment source. Arch. Environ. Contam. Toxicol. 31: 339-349.
- Odin, M., F. Ribeyre and A. Boudou. 1997. Depuration processes after exposure of burrowing mayfly nymphs (*Hexagenia rigida*) to methylmercury and cadmium from water column or sediment: effects of temperature and pH. Aquat. Toxicol. 37: 125-137.
- Oikari, A., J. Kukkonen and V. Virtanen. 1992. Acute toxicity of chemicals to *Daphnia magna* in humic water. Sci. Total Environ. 117/118: 367-377.
- Ojaveer, E., et al. 1980. On the effect of copper, cadmium and zinc on the embryonic development of Baltic spring spawning herring. Finnish Mar. Res. 247: 135.
- Okamoto, O.K., C.S. Asano, E. Aidar and P. Colepicolo. 1996. Effects of cadmium on growth and superoxide dismutase activity of the marine microalga *Tetraselmis gracilis* (Prasinophyceae) J. Physiol. 32: 74-79.

Olesen, T.M.E. and J.M. Weeks. 1994. Accumulation of Cd by the marine sponge *Halichondria panicea* Pallas: effects upon filtration rate and its relevance for biomonitoring. Bull. Environ. Contam. Toxicol. 52: 722-728.

Onuoha, G.C., F.O. Nwadukwe and E.S. Erundu. 1996. Comparative toxicity of cadmium to crustacean zooplankton (copepods and ostracods) Environ. Ecol. 14(3); 557-562.

Oronsaye, J.A.O. 1989. Histological changes in the kidneys and gills of the stickleback, *Gasterosteus aculeatus* L, exposed to dissolved cadmium in hard water. Ecotox. Environ. Safety. 17: 279-290.

Outridge, P.M. 1992. Comparing Cd toxicity tests with plants in monocultures and species mixtures. Bull. Environ. Contam. Toxicol. 48: 344-351.

Pagenkopf, G.K. 1983. Gill surface interaction model for trace-metal toxicity to fishes: Role of complexation, pH and water hardness. Environ. Sci. Technol. 17: 342-347.

Palackova, J., D. Pravda, K. Fasaic and O. Celechovska. 1994. Sublethal effects of cadmium on carp (*Cyprinus carpio*) fingerlings. In: R. Muller and R. Lloyd (eds.), Sublethal and chronic effects of pollutants on freshwater fish, chapter 5, Fishing News Books, London: pp. 53-61.

Palawski, D., J.B. Hunn and F.J. Dwyer. 1985. Sensitivity of young striped bass to organic and inorganic contaminants in fresh and saline water. Trans. Am. Fish. Soc. 114: 748-753.

Pantani, C., G. Pannunzio, M. De Cristofaro, A.A. Novelli and M. Salvatori. 1997. Comparative acute toxicity of some pesticides, metals, and surfactants to *Gammarus italicus* Goedm. and *Echinogammarus tibaldii* Pink. and stock (Crustacea: Amphipoda). Bull. Environ. Contam. Toxicol. 59(6): 963-967.

Papathanassiou, E. 1983. Effects of cadmium and mercury ions on respiration and survival of the common prawn *Palaemon serratus* (Pennant). Rev. Int. Oceanogr. Med. 72: 21-35.

Papathanassiou, E. 1986. Cadmium accumulation and ultrastructural alterations in oogenesis of the prawn *Palaemon serratus* (Pennant). Bull. Environ. Contam. Toxicol. 36: 192-198.

Papoutsoglou, S.E. and P.D. Abel. 1988. Sublethal toxicity and accumulation of cadmium in *Tilapia aurea*. Bull. Environ. Contam. Toxicol. 41: 404-411.

Papoutsoglou, S.E. and D. Abel. 1993. Studies on the lethal and sublethal effects of cadmium on some commercially cultured species of the Mediterranean. *In*: Final Reports on Projects (activity G), UNEP Mediterranean Action Plan, Athens, Greece. MAP Tech. Rep. Ser. No. 48: pp. 33-43.

Paquin, P., D. DiToro, R.C. Santore, B. Trivedi and B. Wu. 1999. A biotic ligand model of the acute toxicity of metals III: Application to fish and daphnia exposure to silver. U.S. Government Printing Office: Washington, D.C. EPA-E-99-001.

Pardue, W.J. and T.S. Wood. 1980. Baseline toxicity data for freshwater bryozoa exposed to copper, cadmium, chromium, and zinc. *J. Tennessee Acad. Sci.* 55: 27.

Park, E.H., H.H. Chang, W.N. Joo, H.S. Chung and H.S. Kwak. 1994. Assessment of the estuarine hermaphroditic fish *Rivulus marmoratus* as a useful euryhaline species for acute toxicity tests as shown using cadmium. *Can. J. Fish. Aquat. Sci.* 51: 280-285.

Parker, J.G. 1984. The effects of selected chemicals and water quality on the marine polychaete *Ophryotrocha diadema*. *Water Res.* 18: 865.

Pascoe, D. and P. Cram. 1977. The effect of parasitism on the toxicity of cadmium to the three-spined stickleback, *Gasterosteus aculeatus* L. *J. Fish. Biol.* 10: 467.

Pascoe, D. and D.L. Matthey. 1977. Studies on the toxicity of cadmium to the three-spined stickleback *Gasterosteus aculeatus* L. *J. Fish. Biol.* 11: 207.

Pascoe, D. and N.A.M. Shazili. 1986. Episodic pollution - a comparison of brief and continuous exposure of rainbow trout to cadmium. *Ecotoxicol. Environ. Safety.* 12: 189-198.

Pascoe, D., S.A. Evans and J. Woodworth. 1986. Heavy metal toxicity to fish and the influence of water hardness. *Arch. Environ. Contam. Toxicol.* 15: 481-487.

Pascoe, D., K.A. Williams and D.W.J. Green. 1989. Chronic toxicity of cadmium to *Chironomus riparius* Meigen - effects upon larval development and adult emergence. *Hydrobiol.* 175: 109-115.

Pascoe, D., A.F. Brown, B.M.J. Evans and C. McKavanagh. 1990. Effects and fate of cadmium during toxicity tests with *Chironomus riparius* - the influence of food and artificial sediment. Arch. Environ. Contam. Toxicol. 19: 872-877.

Pauli, W. and S. Berger. 1997. Toxicological comparisons of *Tetrahymena* species, end points and growth media: supplementary investigations to the pilot ring test. Chemosphere. 35(5): 1043-1052.

Pavicic, J., M. Skreblin, I. Kregar, M. Tusek-Znidaric and P. Stegnar. 1994. Embryo-larval tolerance of *Mytilus galloprovincialis*, exposed to the elevated sea water metal concentrations - I. Toxic effects of Cd, Zn and Hg in relation to the metallothionein level. Comp. Biochem. Physiol. 107C(2): 249-257.

Pawlik, B. and T. Skowronski. 1994. Transport and toxicity of cadmium: its regulation in the cyanobacterium *Synechocystis aquatilis*. Environ. Exp. Bot. 34(2): 225-233.

Pawlik, B., T. Skowronski, Z. Ramazanow, P. Gardstrom and G. Samuelsson. 1993. pH-dependent cadmium transport inhibits photosynthesis in the cyanobacterium *Synechocystis aquatilis*. Environ. Exp. Bot. 33(2): 331-337.

Pecon, J. and E.N. Powell. 1981. Effect of the amino acid histidine on the uptake of cadmium from the digestive system of the blue crab, *Callinectes sapidus*. Bull. Environ. Contam. Toxicol. 27: 34.

Pedersen, F. and G.I. Petersen. 1996. Variability of species sensitivity to complex mixtures. Water Sci. Tech. 33(6): 109-119.

Pelgrom, S.M.G.J., L.P.M. Lamers, J.A.M. Garritsen, B.M. Pels, R.A.C. Lock, P.H.M. Balm and S.E.W. Bonga. 1994. Interactions between copper and cadmium during single and combined exposure in juvenile tilapia *Oreochromis mossambicus*: influence of feeding condition on whole body metal accumulation and the effect of the metals on tissue water and ion content. Aquat. Toxicol. 30: 117-135.

Pelgrom, S.M.G.J., R.A.C. Lock, P.H.M. Balm and S.E.W. Bonga. 1997. Calcium fluxes in juvenile tilapia, *Oreochromis mossambicus*, exposed to sublethal waterborne Cd, Cu or mixtures of these metals. Environ. Toxicol Chem. 16(4): 770-774.

Pellegrini, M., A. Laugier, M. Sergent, R. Phan-Tan-Luu, R. Valls and L. Pellegrini. 1993. Interactions between the toxicity of the heavy metals cadmium, copper, zinc in combinations and the detoxifying role of calcium in the brown alga *Cystoseira barbata*. *J. Appl. Phycol.* 5: 351-361.

Pennington, C.H., et al. 1982. Contaminant levels in fishes from Brown's Lake, Mississippi. *J. Mississippi Acad. Sci.* 27: 139.

Penttinen, S., J. Kukkonen and A. Oikari. 1995. The kinetics of cadmium in *Daphnia magna* as affected by humic substances and water hardness. *Ecotoxicol. Environ. Safety.* 30: 72-76.

Penttinen, S., A. Kostamo and J.V.K. Kukkonen. 1998. Combined effects of dissolved organic material and water hardness on toxicity of cadmium to *Daphnia magna*. *Environ. Toxicol. Chem.* 17(12): 2498-2503.

Pereira, J.J., R. Mercaldo-Allen, C. Kuropat, D. Luedke and G. Sennefelder. 1993. Effect of cadmium accumulation on serum vitellogenin levels and hepatosomatic and gonadosomatic indices of winter flounder (*Pleuronectes americanus*). *Arch. Environ. Contam. Toxicol.* 24: 427-431.

Perez-Coll, C.S. and J. Herkovits. 1996. Stage-dependent uptake of cadmium by *Bufo arenarum* embryos. *Bull. Environ. Contam. Toxicol.* 56: 663-669.

Pesch, G.G. and N.E. Stewart. 1980. Cadmium toxicity to three species of estuarine invertebrates. *Mar. Environ. Res.* 3: 145.

Pesonen, M. and T.B. Andersson. 1997. Fish primary hepatocyte culture; and important model for xenobiotic metabolism and toxicity studies. *Aquat. Toxicol.* 37: 253-267.

Peterson, H.G. 1991. Toxicity testing using a chemostat-grown green alga, *Selenastrum capricornutum*. *In: J.W. Garoch, W.K. Lower, W. Wang and M.A. Lewis (eds.), Plants for toxic assessment, 2nd Volume, ASTM STP 1115, Philadelphia, PA: pp. 107-117.*

Peterson, H.G., F.P. Healey and R. Wagemann. 1984. Metal toxicity to algae: a highly pH dependent phenomenon. *Can. J. Fish. Aquat. Sci.* 41: 974-979.

- Peterson, R.H., et al. 1983. Effects of cadmium on yolk utilization, growth, and survival of Atlantic salmon alevins on newly feeding fry. Arch. Environ. Contam. Toxicol. 12: 37.
- Peterson, R.H., J.L. Metcalfe and S. Ray. 1985. Uptake of cadmium by eggs and alevins of Atlantic salmon (*Salmo salar*) as influenced by acidic conditions. Bull. Environ. Contam. Toxicol. 34: 359-368.
- Phelps, H.L. 1979. Cadmium sorption in estuarine mud-type sediment and the accumulation of cadmium in the soft-shell clam, *Mya arenaria*. Estuaries 2: 40.
- Phillips, D.J.H. 1976. The common mussel *Mytilus edulis* as an indicator of pollution by zinc, cadmium, lead and copper. I. Effects of environmental variables on uptake of metals. Mar. Biol. 38: 59.
- Phillips, G.R. and R.C. Russo. 1978. Metal bioaccumulation in fishes and aquatic invertebrates: a literature review. EPA-600/3-78-103. National Technical Information Service, Springfield, Virginia.
- Phipps, G.L. and G.W. Holcombe. 1985. A method for aquatic multiple species toxicant testing: acute toxicity of 10 chemicals to 5 vertebrates and 2 invertebrates. Environ. Pollut. (Series A). 38: 141-157.
- Phipps, G.L., V.R. Mattson and G.T. Ankley. 1995. Relative sensitivity of three freshwater benthic macroinvertebrates to ten contaminants. Arch. Environ. Contam. Toxicol. 28: 281-286.
- Pickering, Q.H. and M.H. Gast. 1972. Acute and chronic toxicity of cadmium to the fathead minnow (*Pimephales promelas*) J. Fish. Res. Board Can. 29: 1099.
- Pickering, Q.H. and C. Henderson. 1966. The acute toxicity of some heavy metals to different species of warmwater fishes. Air Water Pollut. Int. J. 10: 453.
- Playle, R.C., D.G. Dixon and K. Burnison. 1993a. Copper and cadmium binding to fish gills: estimates of metal-gill stability constants and modelling of metal accumulation. Can. J. Fish. Aquat. Sci. 50: 2678-2687.
- Playle, R.C., D.G. Dixon and K. Burnison. 1993b. Copper and cadmium binding to fish gills: modification by dissolved organic carbon and synthetic ligands. Can. J. Fish. Aquat. Sci. 50: 2667-2677.

- Polar, E. and R. Kucukcezzar. 1986. Influence of some metal chelators and light regimes on bioaccumulation and toxicity of Cd²⁺ in duckweed (*Lemna gibba*). *Physiol. Plant* 66: 87-93.
- Poldoski, J.E. 1979. Cadmium bioaccumulation assays. Their relationship to various ionic equilibria in Lake Superior water. *Environ. Sci. Technol.* 13: 701.
- Postma, J.F. and C. Davids. 1995. Tolerance induction and life cycle changes in cadmium-exposed *Chironomus riparius* (Diptera) during consecutive generation. *Ecotoxicol. Environ. Safety.* 30: 195-202.
- Postma, J.F., M.C. Buckert-de Jong, N. Staats and C. Davids. 1994. Chronic toxicity of cadmium to *Chironomus riparius* (Diptera: Chironomidae) at different food levels. *Arch. Environ. Contam. Toxicol.* 26: 143-148.
- Postma, J.F., P. Van Nugteren and M.B. Buckert-De Jong. 1996. Increased cadmium excretion in metal-adapted populations of the midge *Chironomus riparius* (Diptera). *Environ. Toxicol Chem.* 15(3): 332-339.
- Poulsen, E., et al. 1982. Accumulation of cadmium and bioenergetics in the mussel *Mytilus edulis*. *Mar. Biol.* 68: 25.
- Poulton, B.C., D.P. Monda, D.F. Woodward, M.L. Wildhaber and W.G. Brumbaugh. 1995. Relations between benthic community structure and metals concentrations in aquatic macroinvertebrates: Clark Fork River, Montana. *J. Freshwater Ecol.* 10(3): 277-293.
- Prasad, M.N.V., K. Drej, A. Skawinska and K. Stralka. 1998. Toxicity of cadmium and copper in *Chlamydomonas reinhardtii* wild-type (WT2137) and cell wall deficient mutant strain (CW15). *Bull. Environ. Contam. Toxicol.* 60: 306-311.
- Presing, M., K.V. Balogh and J. Salanki. 1993. Cadmium uptake and depuration in different organs of *Lymnaea stagnalis* L. and the effect of cadmium on the natural zinc level. *Arch. Environ. Contam. Toxicol.* 24: 28-34.
- Prevot, P. and M.O. Soyer-Gobillard. 1986. Combined action of cadmium and selenium on two marine dinoflagellates in culture, *Prorocentrum micans* Ehrbg. and *Cryptothecodinium cohnii* Biecheler. *J. Protozool.* 33(1): 42-47.

- Price, N.M. and F.M.M. Morel. 1990. Cadmium and cobalt substitution for zinc in a zinc-deficient marine diatom. *Nature* 344: 658-660.
- Pringle, B.H., et al. 1968. Trace metal accumulation by estuarine mollusks. *Am. Soc. Civil Eng., J. Sanit. Eng. Div.* 94: 455.
- Prothro, M.G. 1993. Office of water policy and technical guidance on interpretation and implementation of aquatic metals criteria. Memorandum from Acting Assistant Administrator for Water. Washington, D.C., U.S. EPA Office of Water. 7 pp. Attachments 41pp.
- Pynnonen, K. 1995. Effect of pH, hardness and maternal pre-exposure on the toxicity of Cd, Cu and Zn to the glochidial larvae of a freshwater clam *Anodonta cygnea*. *Water Res.* 29(1): 247-254.
- Qichen, C., Z. Kejian and Z. Guanwen. 1988. A comprehensive investigation of the toxic effects of heavy metals on fish. *J. Fish. China/Shuichan Xuebao (Chi.) (Eng. Trans.) (Author communication used)*. 12(1): 21-33.
- Qureshi, S.A., et al. 1980. Acute toxicity of four heavy metals to benthic fish food organisms from the river Khan, Ujjain. *Int. J. Environ. Studies* 15: 59.
- Rachlin, J.W. and A. Grosso. 1991. The effects of pH on the growth of *Chlorella vulgaris* and its interactions with cadmium toxicity. *Arch. Environ. Contam. Toxicol.* 20: 505-508.
- Rachlin, J.W. and A. Grosso. 1993. The growth response of the green alga *Chlorella vulgaris* to combined divalent cation exposure. *Arch. Environ. Contam. Toxicol.* 24:16-20.
- Rachlin, J.W., et al. 1982. The growth responses of *Chlorella saccharophila*, *Navicula incerta* and *Nitzschia closterium* to selected concentrations of cadmium. *Bull. Torrey Bot. Club* 109: 129.
- Rachlin, J.W., et al. 1984. The toxicological response of the algae *Anabaena flos-aquae* (Cyanophyceae) to cadmium. *Arch. Environ. Contam. Toxicol.* 13: 143.
- Radetski, C.M., J.F. Ferard and C. Blaise. 1995. A semistatic microplate-based phytotoxicity test. *Environ. Toxicol. Chem.* 14(2): 299-302.

- Radix, P., M. Leonard, C. Papantoniou, G. Roman, E. Saouter, S. Gallotti-Schmitt, H. Threbaud and P. Vasseur. 1999. Comparison of *Brachionus calyciflorus* 2-D and microtox® chronic 22-h tests with *Daphnia magna* 21-D test for chronic toxicity assessment of chemicals. *Environ. Toxicol. Chem.* 18(10): 2178-2185.
- Rai, U.N., R.D. Tripathi, S. Sinha and P. Chandra. 1995. Chromium and cadmium bioaccumulation and toxicity in *Hydrilla verticillata* (l.f.) Royle and *Chara corallina* Wildenow. *J. Environ. Sci. Health. A30*: 537-551.
- Rainbow, P.S. 1985. Accumulation of Zn, Cu and Cd by crabs and barnacles. *Estuarine Coastal Shelf Sci.* 21: 669-686.
- Rainbow, P.S. and M.K.H Kwan. 1995. Physiological responses and the uptake of cadmium and zinc by the amphipod crustacean *Orchestia gammarellus*. *Mar. Ecol. Prog. Ser.* 127: 87-102.
- Rainbow, P.S. and S.L. White. 1989. Comparative strategies of heavy metal accumulation by crustaceans: zinc, copper and cadmium in a decapod, and amphipod and a barnacle. *Hydrobiol.* 174: 245-262.
- Rainbow, P.S., et al. 1980. Effects of chelating agents on the accumulation of cadmium by the barnacle *Semibalanus balanoides*, and the complexation of soluble Cd, Zn and Cu. *Mar. Ecol. Prog. Ser.* 2: 143.
- Ralph, P.J. and M.D. Burchett. 1998. Photosynthetic response of *Halophila ovalis* to heavy metal stress. *Environ. Pollut.* 103: 91-101.
- Ramachandran, S., T.R. Patel and M.H. Colbo. 1997. Effect of copper and cadmium on three Malaysian tropical estuarine invertebrate larvae. *Ecotoxicol. Environ. Safety.* 36: 183-188.
- Ramamoorthy, S. and K. Blumhagen. 1984. Uptake of Zn, Cd, and Hg by fish in the presence of competing compartments. *Can. J. Fish. Aquat. Sci.* 41: 750.
- Ramesha, A.M., T.R.C. Guptha, R.J. Katti, G. Gowda and C. Lingdhal. 1996. Toxicity of cadmium to common carp *Cyprinus carpio* (Linn.). *Environ. Ecol.* 14(2): 329-333.

Ramesha, A.M., T.R.C. Gupta, C. Lingdhal, K.V.B. Kumar, G. Gowda and K.S. Udupa. 1997. Combined toxicity of mercury and cadmium to the common carp *Cyprinus carpio* (Linn.) Environ. Ecol. 15(1): 194-198.

Ramirez, P., G. Barrera and C. Rosas. 1989. Effects of chromium and cadmium upon respiration and survival of *Callinectes similis*. Bull. Environ. Contam. Toxicol. 43: 850-857.

Rao, J.I. and M.N. Madhyastha. 1987. Toxicities of some heavy metals to the tadpoles of frog, *Microhyla ornata* (Dumeril and Bibron). Toxicol. Lett. 36: 205-208.

Ray, S., et al. 1981. Accumulation of copper, zinc, cadmium and lead from two contaminated sediments by three marine invertebrates - a laboratory study. Bull. Environ. Contam. Toxicol. 25: 315.

Rayms-Keller, A., K.E. Olson, M. McGaw, C. Oray, J.O. Carlson and B.J. Beaty. 1998. Effect of heavy metals on *Aedes aegypti* (Diptera: Culicidae) larvae. Ecotoxicol. Environ. Safety. 39: 41-17.

Reader, J.P., N.C. Everall, M.D.J. Sayer and R. Morris. 1989. The effects of eight trace metals in acid soft water on survival, mineral uptake and skeletal calcium deposition in yolk-sac fry of brown trout, *Salmo trutta* L. J. Fish Biol. 35: 187-198.

Rebhun, S. and A. Ben-Amotz. 1984. The distribution of cadmium between the marine alga *Chlorella stigmatophora* and sea water medium. Water Res. 18(2): 173-179.

Rebhun, S. and A. Ben-Amotz. 1986. Effect of NaCl concentration on cadmium uptake by the halophilic alga *Dunaliella salina*. Mar. Ecol. Prog. Ser. 30: 215-219.

Rebhun, S. and A. Ben-Amotz. 1988. Antagonistic effect of manganese to cadmium toxicity in the alga *Dunaliella salina*. Mar. Ecol. Prog Ser. 42: 97-104.

Reddy, P.S. and M. Fingerman. 1994. Effect of cadmium chloride on amylase activity in the red swamp crayfish, *Procambarus clarkii*. Comp. Biochem. Physiol. 109C(3): 309-314.

Reddy, P.S., S.R. Tuberty and M. Fingerman. 1997. Effects of cadmium and mercury on ovarian maturation in the red swamp crayfish, *Procambarus clarkii*. Ecotoxicol. Environ. Safety. 37: 62-65.

- Redmond, M.S., K H. Scott, R.C. Swartz and J.K.P. Jones. 1994. Preliminary culture and life-cycle experiments with the benthic amphipod *Ampelisca abdita*. Environ. Toxicol. Chem. 13(8): 1355-1365.
- Rehwoldt, R., et al. 1972. The effect of increased temperature upon the acute toxicity of some heavy metal ions. Bull. Environ. Contam. Toxicol. 8: 91.
- Rehwoldt, R., et al. 1973. The acute toxicity of some heavy metals ions toward benthic organisms. Bull. Environ. Contam. Toxicol. 10: 291.
- Reichert, W.L., et al. 1979. Uptake and metabolism of lead and cadmium in coho salmon (*Oncorhynchus kisutch*). Comp. Biochem. Physiol. 63C: 229.
- Reid, S.D. and D.G. McDonald. 1991. Metal binding activity of the gills of rainbow trout (*Oncorhynchus mykiss*). Can. J. Fish. Aquat. Sci. 48: 1061-1068.
- Reinfelder, J.R. and N.S. Fisher. 1994a. The assimilation of elements ingested by marine planktonic bivalve larvae. Limnol. Oceanogr. 39(1): 12-20.
- Reinfelder, J.R. and N.S. Fisher. 1994b. Retention of elements absorbed by juvenile fish (*Menidia menidia*, *Menidia beryllina*) from zooplankton prey. Limnol. Oceanogr. 39(8): 1783-1789.
- Reinfelder, J.R., W.X. Wang, S.N. Luoma and N.S. Fisher. 1997. Assimilation efficiencies and turnover rates of trace elements in marine bivalves: a comparison of oysters, clams and mussels. Mar. Biol. 129: 443-452.
- Reish, D.J. 1993. Effects of metals and organic compounds on survival and bioaccumulation in two species of marine gammaridean amphipod, together with a summary of toxicological research on this group. J. Nat.Hist. 27: 781-794.
- Reish, D.J. and J.A. LeMay. 1991. Toxicity and bioconcentration of metals and organic compounds by polychaeta. Ophelia Suppl. 5: 653-660.
- Reish, D.J., et al. 1976. The effect of heavy metals on laboratory populations of two polychaetes with comparisons to the water quality conditions and standards in Southern California marine waters. Water Res. 10: 299.

Reish, D.J., et al. 1978. Interlaboratory calibration experiments using the Polychaetous annelid *Capitella capitata*. Mar. Environ. Res. 1: 109.

Reish, D.J., S.L. Asato and J.A. Lemay. 1988. The effect of cadmium and DDT on the survival and regeneration in the amphinomid polychaete *Eurythoe complanata*. In: Proc. 7th Symp. Mar. Biol., June 1, 1988, LaPaz BCS, Mexico: pp. 107-111.

Remacle, J., et al. 1982. Cadmium fate in bacterial microcosms. Water, Air, Soil Pollut. 18: 455.

Reynoldson, T.B., P. Rodriguez and M.M Madrid. 1996. A comparison of reproduction, growth and acute toxicity in two populations of *Tubifex tubifex* (Muller, 1774) from the North American great lakes and Northern Spain. Hydrobiol. 334: 199-206.

Rhodes, L., E. Casillas, B. McKnight, W. Gronlund, M. Myers, O.P. Olson and B. McCain. 1985. Interactive effects of cadmium, polychlorinated biphenyls, and fuel oil on experimentally exposed English sole (*Parophrys vetulus*). Can J. Fish. Aquat. Sci. 42: 1870-1880.

Ribo, J.M. 1997. Interlaboratory comparison studies of the luminescent bacteria toxicity bioassay. Environ. Toxicol. Water Qual. 12: 283-294.

Rice, D.L. 1984. A simple mass transport model for metal uptake by marine macroalgae growing at different rates. Exp. Mar. Biol. Ecol. 82: 175-182.

Richelle, E., Y. Degoudenne, L. Dejonghe and G. Van de Vyver. 1995. Experimental and field studies on the effect of selected heavy metals on three freshwater sponge species: *Ephydatia fluviatilis*, *Ephydatia muelleri* and *Spongilla lacustris*. Arch. Hydrobiol. 135(2): 209-231.

Ridlington, J.W., et al. 1981. Metallothionein and Cu-chelation: characterization of metal-binding proteins from the tissues of four marine animals. Comp. Biochem. Physiol. 70B: 93.

Rifici, L.M., D.S. Cherry, J.L. Farris and J. Cairns, Jr. 1996. Acute and subchronic toxicity of methylene blue to larval fathead minnows (*Pimephales promelas*): implications for aquatic toxicity testing. Environ. Toxicol. Chem. 15(8): 1304- 1308.

- Riisgard, H.V., E. Bjornestad and F. Mohlenberg. 1987. Accumulation of cadmium in the mussel *Mytilus edulis*: kinetics and importance of uptake via food and sea water. *Mar. Biol.* 96: 349-353.
- Ringwood, A.H. 1989. Accumulation of cadmium by larvae and adults of an Hawaiian bivalve, *Isognomon californicum*, during chronic exposure. *Mar. Biol.* 102: 499-504.
- Ringwood, A.H. 1990. The relative sensitivities of different life stages of *Isognomon californicum* to cadmium toxicity. *Arch. Environ. Contam. Toxicol.* 19: 338-340.
- Ringwood, A.H. 1992a. Comparative sensitivity of gametes and early developmental stages of a sea urchin species (*Echinometra mathaei*) and a bivalve species (*Isognomon californicum*) during metal exposures. *Arch. Environ. Contam. Toxicol.* 22: 288-295.
- Ringwood, A.H. 1992b. Effects of chronic cadmium exposures on growth of larvae of an Hawaiian bivalve, *Isognomon californicum*. 1992. *Mar. Ecol. Prog. Ser.* 83: 63-70.
- Ringwood, A.H. 1993. Age-specific differences in cadmium sensitivity and bioaccumulation in bivalve molluscs. *Mar. Environ. Res.* 35: 35-39.
- Ritterhoff, J., G.P. Zauke and R. Dallinger. 1996. Calibration of the estuarine amphipods, *Gammarus zaddachi* Sexton (1912), as biomonitors: toxicokinetics of cadmium and possible role of inducible metal-binding proteins in Cd detoxification. *Aquat. Toxicol.* 34: 351-369.
- Roberts, K.S., et al. 1979. A high molecular-weight cadmium-binding fraction isolated from the liver cytosol of trout exposed to environmentally relevant concentrations of the metal. *Trans. Biochem. Soc. London.* 7: 650.
- Roch, M. and J.A. McCarter. 1984. Metallothionein induction, growth, and survival of chinook salmon exposed to zinc, copper, and cadmium. *Bull. Environ. Contam. Toxicol.* 32: 478-485.
- Roch, M. and E.J. Maly. 1979. Relationship of cadmium-induced hypocalcemia with mortality in rainbow trout (*Salmo gairdneri*) and the influence of temperature on toxicity. *J. Fish. Res. Board Can.* 36: 1297.

Roesijadi, G. and G.W. Fellingham. 1987. Influence of Cu, Cd, and Zn preexposure on Hg toxicity in the mussel *Mytilus edulis*. Can. J. Fish. Aquat. Sci. 44: 680-684.

Rombough, P.J. 1985. The influence of the zona radiata on the toxicities of zinc, lead, mercury, copper and silver ions to embryos of steelhead trout *Salmo gairdneri*. Comp. Biochem. Physiol. 82C(1): 115-117.

Rombough, P.J. and E.T. Garside. 1982. Cadmium toxicity and accumulation in eggs and alevins of Atlantic salmon *Salmo salar*. Can. J. Zool. 60: 2006.

Rombough, P.J. and E.T. Garside. 1984. Disturbed ion balance in alevins of Atlantic salmon *Salmo salar* chronically exposed to sublethal concentrations of cadmium. Can. J. Zool. 62: 1443-1450.

Romeo, M. and M. Gnassia-Barelli. 1995. Metal distribution in different tissues and in subcellular fractions of the Mediterranean clam *Ruditapes decussatus* treated with cadmium, copper, or zinc. Comp. Biochem. Physiol. 111C: 457-463.

Rosas, C. and P. Ramirez. 1993. Effect of chromium and cadmium on the thermal tolerance of the prawn *Macrobrachium rosenbergii* expose to hard and soft water. Bull. Environ. Contam. Toxicol. 51: 568-574.

Roseman, E.F., E.L. Mills, M. Rutzke, W.H. Gutenmann and D.J. Lisk. 1994. Absorption of cadmium from water by North American zebra and quagga mussels (*Bivalvia: Dreissenidae*). Chemosphere. 28(4): 737-743.

Rosenberg, R. and J.D. Costlow. 1976. Synergistic effects of cadmium and salinity combined with constant and cycling temperatures on the larval development of two estuarine crab species. Mar. Biol. 38: 291.

Rosko, J.J. and J.W. Rachlin. 1977. The effect of cadmium, copper, mercury, zinc and lead on cell division, growth, and chlorophyll a content of the chlorophyte *Chlorella vulgaris*. Bull. Torrey Bot. Club 104: 226.

Rouleau, C., M. Block and H. Tjalve. 1998. Kinetics and body distribution of waterborne $^{65}\text{Zn(II)}$, $^{109}\text{Cd(II)}$, $^{203}\text{Hg(II)}$, and $\text{CH}_3^{203}\text{Hg(II)}$ in phantom midge larvae (*Chaoborus americanus*) and effects of complexing agents. Environ. Sci. Technol. 32: 1230-1236.

- Roux, D.J., P.L. Kempster, E. Truter and L. van der Merwe. 1993. Effect of cadmium and copper on survival and reproduction of *Daphnia pulex*. Water SA. 19(4): 269-274.
- Rubinstein, N.I., et al. 1983. Accumulation of PCBs, mercury and cadmium by *Nereis virens*, *Mercenaria mercenaria* and *Palaemonetes pugio* from contaminated harbor sediments. Aquat. Toxicol. 3: 249.
- Safadi, R.S. 1998. The use of freshwater planarians in acute toxicity test with heavy metals. Verh. Internat. Verein. Limnol. 26: 2391-2392
- Sajwan, K.S. and W.H. Ornes. 1994. Phytoavailability and bioaccumulation of cadmium in duckweed plants (*Spirodela polyrhiza* L. Schleid). J. Environ. Sci. Health. A29(5): 1035-1044.
- Sanchiz, C., A.M. Garcia-Carrascosa and A. Pastor. 1999. Bioaccumulation of Hg, Cd, Pb and Zn in four marine phanerogams and the alga *Caulerpa prolifera* (Forsskal) Lamouroux from the east coast of Spain. Bot. Mar. 42(2): 157-164.
- Sandau, E., P. Sandau and O. Pulz. 1996. Heavy metal sorption by microalgae. Acta Biotechnol. 16(4): 227-235.
- Sangalang, G.B. and H.C. Freeman. 1979. Tissue uptake of cadmium in brook trout during chronic sublethal exposure. Arch. Environ. Contam. Toxicol. 8: 77.
- Sangalang, G.B. and M.J. O'Halloran. 1972. Cadmium-induced testicular injury and alterations of androgen synthesis in brook trout. Nature 240: 470.
- Sangalang, G.B. and M.J. O'Halloran. 1973. Adverse effects of cadmium on brook trout testis and on *in vitro* testicular androgen synthesis. Biol. Reprod. 9:394.
- Santiago-Fandino, V.J.R. 1983. The effects of nickel and cadmium on the growth rate of *Hydra littoralis* and an assessment of the rate of uptake of ⁶³Ni and ¹⁴C by the same organism. Water Res. 17: 917.
- Santojanni, A., G. Gorbi and F. Sartore. 1998. Prediction of fecundity in chronic toxicity tests on *Daphnia magna*. Water Res. 32(1): 3146-3156.

Sastry, K.V. and V. Shukla. 1994. Influence of protective agents in the toxicity of cadmium to a freshwater fish (*Channa punctatus*). Bull. Environ. Contam. Toxicol. 53: 711-717.

Sastry, K.V. and K. Sunita. 1982. Effect of cadmium and chromium on the intestinal absorption of glucose in the snakehead fish, *Channa punctatus*. Toxicol. Letters. 10: 293.

Sauter, S., et al. 1976. Effects of exposure to heavy metals on selected freshwater fish. Toxicity of copper, cadmium, chromium and lead to eggs and fry of seven fish species. EPA-600/3-76-105. National Technical Information Service, Springfield, Virginia.

Sauvant, M.P., D. Pepin, C.A. Groliere and J. Bohatier. 1995. Effects of organic and inorganic substances on the cell proliferation of L-929 *Fibroblasts* and *Tetrahymena* toxicological bioassays. Bull. Environ. Contam. Toxicol. 55: 171-178.

Sauvant, M.P., D. Pepin, J. Bohatier, C.A. Groliere and J. Guillot. 1997. Toxicity assessment of 16 inorganic environmental pollutants by six bioassays. Ecotoxicol. Environ. Safety. 37: 131-140.

Saxena, K.K., A.K. Dubey and R.R.S. Chauhan. 1993. Experimental studies on toxicity of zinc and cadmium to *Heteropneustes fossilis* (Bl.) J. Freshwater Biol. 5(4): 343-346.

Schaeffer, D.J., M. Goehner, E. Grebe, L.G. Hansen, K. Hankenson, E.E. Herricks, G. Matheus, A. Miz, R. Reddy and K. Trommater. 1991. Evaluation of the "reference toxicant" addition procedure for testing the toxicity of environmental samples. Bull. Environ. Contam. Toxicol. 47: 540-546.

Schafer, H., A. Wenzel, U. Fritsche, G. Roderer and W. Traunspurger. 1993. Long-term effects of selected xenobiotica on freshwater green algae: development of a flow-through test system. Sci.Total Environ., Supplemental Part 1: 735-740.

Schafer, H., H. Hettler, U. Fritsche, G. Pitzen, G. Roderer and A. Wenzel. 1994. Biotests using unicellular algae and ciliates for predicting long-term effects of toxicants. Ecotoxicol. Environ. Safety. 27: 64-81.

Scherer, E., R.E. McNicol and R.E. Evans. 1997. Impairment of lake trout foraging by chronic exposure to cadmium: a black-box experiment. Aquat. Toxicol. 37: 1-7.

Schubauer-Berigan, M.K., J.R. Dierkes, P.D. Monson and G.T. Ankley. 1993. pH-dependent toxicity of Cd, Cu, Ni, Pb and Zn to *Ceriodaphnia dubia*, *Pimephales promelas*, *Hyalella azteca* and *Lumbriculus variegatus*. Environ. Toxicol. Chem. 12: 1261-1266.

Schuster, C.N. and B.H. Pringle. 1969. Trace metal accumulation by the American oyster, *Crassostrea virginica*. Proc. Natl. Shellfish Assoc. 59: 91.

Scott, K.J., et al. Manuscript. Toxicological methods using the benthic amphipod *Ampelisca abdita* Mills. U.S. EPA, Narragansett, Rhode Island.

Sedlacek, J., E.T. Gjessing and T. Kallqvist. 1989. Influence of different aquatic humus fractions on uptake of cadmium to alga *Selenastrum capricornutum* Printz. Sci. Total Environ. 81/82: 711-718.

Sehgal, R. and A.B. Saxena. 1987. Determination of acute toxicity levels of cadmium and lead to the fish *Lebistes reticulatus* (Peters). Int. J. Environ. Stud. 29: 157-161.

Sekkat, N., A. Le Du, J.M. Jouany and M. Guerbet. 1992. Study of the interactions between copper, cadmium, and ferbam using the protozoan *Colpidium campylum* bioassay. Ecotoxicol. Environ. Safety. 24: 294-300.

Selby, D.A., J.M. Ihnat and J.J. Messer. 1985. Effects of subacute cadmium exposure on a hardwater mountain stream microcosm. Water Res. 19(5): 645-655.

Servizi, J.A. and D.W. Martens. 1978. Effects of selected heavy metals on early life of sockeye and pink salmon. International Pacific Salmon Fisheries Commission, Progress Report No. 39, New Westminster, B.C. Canada.

Seyfreid, P.L. and C.B.L. Horgan. 1983. Effect of cadmium on lake water bacteria as determined by the luciferase assay of adenosine triphosphate. In: W.E. Bishop, et al. (eds.), Aquatic Toxicology and Hazard Assessment: Sixth Symposium. ASTM STP 802, American Society for Testing and Materials, Philadelphia, Pennsylvania. p. 425.

Shanmukhappa, H. and K. Neelakantan. 1990. Influence of humic acid on the toxicity of copper, cadmium and lead to the unicellular alga, *Synechosystis aquatilis*. Bull. Environ. Contam. Toxicol. 44: 840-843.

- Sharma, M.S. and C.S. Selvaraj. 1994. Zinc, lead and cadmium toxicity to selected freshwater zooplankters. *Pollut. Res.* 13(2): 191-201.
- Sharp, J.R. and J.L. Kaszubski. 1989. The influence of exposure duration on the embryotoxicity of cadmium to the freshwater teleost, *Etheostoma spectabile*. *Trace Subst. Environ. Health.* 23: 277-289.
- Shazili, N.A.M. and D. Pascoe. 1986. Variable sensitivity of rainbow trout (*Salmo gairdneri*) eggs and alevins to heavy metals. *Bull. Environ. Contam. Toxicol.* 36: 468-474.
- Shcherban, E.P. 1977. Toxicity of some heavy metals for *Daphnia magna* Strauss, as a function of temperature. *Hydrobiol.* 13(4): 75.
- Sheela, M., G. Mallika and S. Muniandy. 1995. Impact of cadmium on food utilization, growth and body composition in the fish *Oreochromis mossambicus*. *Environ. Ecol.* 13(2): 410-414.
- Sherman, R.E., S.P. Gloss and L.W. Lion. 1987. A comparison of toxicity test conducted in the laboratory and in experimental ponds using cadmium and the fathead minnow (*Pimephales promelas*). *Water Res.* 21(3): 317-323.
- Shivaraj, K.M. and H.S. Patil. 1988. Toxicity of cadmium and copper to a freshwater fish *Puntius arulius*. *Environ. Ecol.* 6(1): 5-8
- Shukla, J.P. and K. Pandey. 1988. Toxicity and long term effects of a sublethal concentration of cadmium on the growth of the fingerlings of *Ophiocephalus punctatus* (Bl.). *Acta Hydrochim. Hydrobiol.* 16(5): 537-540.
- Sick, L.V. and G. Baptist. 1979. Cadmium incorporation by the marine copepod *Pseudodiaptomous coronatus*. *Limnol. Oceanogr.* 24: 453.
- Sidoumou, Z., M. Gnassia-Barelli and M. Romeo. 1997. Cadmium and calcium uptake in the mollusc *Donax rugosus* and effect of a calcium channel blocker. *Bull. Environ. Contam. Toxicol.* 58: 318-325.
- Simoës-Gonçalves, M.L.S., M.F.C. Vilhena and M.A. Sampayo. 1988. Effect of nutrients, temperature and light on uptake of cadmium by *Selenastrum capricornutum* Printz. *Water Res.* 22(11): 1429-1435.

- Simoës-Goncalves, M.L.S., M.F.C. Vilhena, L.M.V.F. Machado, C.M.R. Pescada and M.L. de Moura. 1989. Effect of speciation on uptake and toxicity of cadmium to shrimp *Crangon crangon* (L.). Bull. Environ. Contam. Toxicol. 43: 287-294.
- Sinha, S, M. Gupta and P. Chandra. 1994. Bioaccumulation and toxicity of Cu and Cd in *Vallisneria spiralis* (L.). Environ. Monit. Assess. 33(1): 75-84.
- Skowronski, T. and M. Przytocka-Jusiak. 1986. Cadmium removal by green alga *Stichococcus bacillaris*. Chemosphere. 15(1): 77-79.
- Skowronski, T., M. Jakubowski and B. Pawlik. 1985. Cadmium toxicity to green alga *Stichococcus bacillaris*. Acta Microbiol. Polonica. 34(3/4): 309.
- Skowronski, T., B. Pawlik and M. Jakubowski. 1988. Reduction of cadmium toxicity to green microalga *Stichococcus bacillaris* by manganese. Bull. Environ. Contam. Toxicol. 41: 915-920.
- Skowronski, T., S. Szubinska, B. Pawlik, M. Jakubowski, R. Bilewicz and E. Cukrowsak. 1991. The influence of pH on cadmium toxicity to the green alga *Stichococcus bacillaris* and on the cadmium forms present in the culture medium. Environ. Pollut. 74: 89-100.
- Sloof, J.E., A. Viragh and B. Van der Veer. 1995. Kinetics of cadmium uptake by green algae. Water, Air, Soil Pollut. 83: 105-122.
- Slooff, W. 1983. Benthic macroinvertebrates and water quality assessment: some toxicological considerations. Aquat. Toxicol. 4: 73.
- Slooff, W. and R. Baerselman. 1980. Comparison of the usefulness of the Mexican axoloth (*Ambystoma mexicanum*) and the clawed toad (*Xenopus laevis*) in toxicological bioassays. Bull. Environ. Contam. Toxicol. 24: 439.
- Slooff, W.J., et al. 1983. Comparison of the susceptibility of 22 freshwater species to 15 chemical compounds. I. (sub)acute toxicity tests. Aquat. Toxicol. 4: 113.
- Smith, D.P., J.H. Kennedy and K.L. Dickson. 1991. An evaluation of a nauid oligochaete as a toxicity test organism. Environ. Toxicol. Chem. 10: 1459-1465.

Smith, J.D., et al. 1981. Distribution and significance of copper, lead, zinc and cadmium in the Corio Bay ecosystem. *Aust. J. Mar. Freshwater Res.* 32: 151.

Smith, S. and M.K.H. Kwan. 1989. Use of aquatic macrophytes as a bioassay method to assess relative toxicity, uptake and accumulated forms of trace metals. *Hydrobiol.* 188/189: 345-351.

Smokorowski, K.E., D.C. Lasenby and R.D. Evans. 1998. Quantifying the uptake and release of cadmium and copper by the opossum shrimp *Mysis relicta* preying upon the cladoceran *Daphnia magna* using stable isotope tracers. *Can. J. Fish. Aquat. Sci.* 55: 909-915.

Snell, T.W. and M.J. Carmona. 1995. Comparative toxicant sensitivity of sexual and asexual reproduction in the rotifer *Brachionus calyciflorus*. *Environ. Toxicol. Chem.* 14: 415-420.

Snell, T.W. and B.D. Moffat. 1992. A 2-d life cycle test with the rotifer *Brachionus calyciflorus*. *Environ. Toxicol. Chem.* 11: 1249-1257.

Snell, T.W. and G. Persoone. 1989a. Acute toxicity bioassays using rotifers. I. A test for brackish and marine environments with *Brachionus plicatilis*. *Aquat. Toxicol.* 14: 65-80.

Snell, T.W. and G. Persoone. 1989b. Acute toxicity bioassays using rotifers. II. A freshwater test with *Brachionus rubens*. *Aquat. Toxicol.* 14: 81-92.

Snell, T.W., B.D. Moffat, C. Janssen and G. Persoone. 1991a. Acute toxicity test using rotifers. III. Effects of temperature, strain and exposure time on the sensitivity of *Brachionus plicatilis*. *Environ. Toxicol. Water Quality.* 6: 63-75.

Snell, T.W., B.D. Moffat, C. Janssen and G. Persoone. 1991b. Acute toxicity tests using rotifers. *Ecotoxicol. Environ. Safety.* 21: 308-317.

Sobahn, R. and S.P.K. Sternberg. 1999. Cadmium removal using cladophora. *J. Environ. Sci. Health.* A34(1): 53-72.

Sorvari, J. and M. Sillanpaa. 1996. Influence of metal complex formation on heavy metal and free EDTA and DTPA acute toxicity determined by *Daphnia magna*. *Chemosphere.* 33(6): 1119-1127.

- Sosnowski, S. and J. Gentile. 1978. Toxicological comparison of natural and cultured populations of *Acartia tonsa* to cadmium, copper and mercury. J. Fish. Res. Board Can. 35: 1366.
- Sovenyi, J. and J. Szokolczai. 1993. Studies on the toxic and immunosuppressive effects of cadmium on the common carp. Acta Veterinaria Hungarica. 41(3-4): 415-426.
- Spehar, R.L. 1976a. Cadmium and zinc toxicity to flagfish, *Jordanella floridae*. J. Fish. Res. Board Can. 33: 1939.
- Spehar, R.L. 1976b. Cadmium and zinc toxicity to *Jordanella floridae*. EPA-600/3-76-096. National Technical Information Service, Springfield, Virginia.
- Spehar, R.L. 1982. Memorandum to J.G. Eaton. U.S. EPA, Duluth, Minnesota. February 24.
- Spehar, R.L. and A.R. Carlson. 1984a. Derivation of site-specific water quality criteria for cadmium and the St. Louis River Basin, Duluth, Minnesota. PB84-153196. National Technical Information Service, Springfield, Virginia.
- Spehar, R.L. and A.R. Carlson. 1984b. Derivation of site-specific water quality criteria for cadmium and the St. Louis River Basin, Duluth, Minnesota. Environ. Toxicol. Chem. 3: 651.
- Spehar, R.L. and J.T. Fiandt. 1986. Acute and chronic effects of water quality criteria-based metal mixtures on three aquatic species. Environ. Toxicol. Chem. 5: 917-931.
- Spehar, R.L., et al. 1978. Toxicity and bioaccumulation of cadmium and lead in aquatic invertebrates. Environ. Pollut. 15: 195.
- Sprague, J.B. 1985. Factors that modify toxicity. In: Fundamentals of aquatic toxicology. Rand, G.M. and S.R. Petrocelli (eds.). Hemisphere Publishing Company, New York, N.Y. pp.124-163.
- Spry, D.J. and J.G. Wiener. 1991. Metal bioavailability and toxicity to fish in low-alkalinity lakes: a critical review. Environ. Pollut. 243-304.
- Srivastava, A. and K.J. Appenroth. 1995. Interaction of EDTA and iron on the accumulation of Cd²⁺ in duckweeds (Lemnaceae). J. Plant Physiol. 146: 173-176.

- Stackhouse, R.A. and W.H. Benson. 1988. The influence of humic acid on the toxicity and bioavailability of selected trace metals. *Aquat. Toxicol.* 13: 99-108.
- Stanley, R.A. 1974. Toxicity of heavy metals and salts to Eurasian watermilfoil (*Myriophyllum spicatum* L.). *Arch. Environ. Contam. Toxicol.* 2: 331.
- Sary, J. and K. Kratzer. 1982. The cumulation of toxic metals on alga. *Int. J. Environ. Anal. Chem.* 12: 65.
- Sary, J., et al. 1982. The cumulation of zinc and cadmium in fish (*Poecilia reticulata*). *Int. J. Environ. Anal. Chem.* 11: 117.
- Sary, J., et al. 1983. Cumulation of zinc, cadmium and mercury on the alga *Scenedesmus obliquus*. *Acta. Hydrochim. Hydrobiol.* 11: 401.
- Stebbing, A.R.D. 1976. The effects of low metal levels on a colonial hydroid. *J. Mar. Biol. Assoc. U.K.* 56: 1977.
- Steele, R.L. and G.B. Thursby. 1983. A toxicity test using life stages of *Champia parvula* (Rhodophyta). In: W.E. Bishop, et al. (eds.), *Aquatic Toxicology and Hazard Assessment: Sixth Symposium*. ASTM STP 802. American Society for Testing and Materials, Philadelphia, Pennsylvania. p. 73.
- Stephan, C.E., D.I. Mount, D.J. Hansen, J.H. Gentile, G.A. Chapman and W.A. Brungs. 1985. Guidelines for deriving numerical national water quality criteria for the protection of aquatic organisms and their uses. National Technical Information Service, Springfield, Virginia. 98 pp.
- Stephan, C.E. 1995. Derivation of conversion factors for the calculation of dissolved freshwater aquatic life criteria for metals. U.S. Environmental Protection Agency, Environmental Research Lab- Duluth, MN. 35 pp.
- Stephenson, M. and G.L. Macki. 1989. Net cadmium flux in *Hyalella azteca* (Crustacea: Amphipoda) populations from five central Ontario lakes. *Sci. Total Environ.* 87/88: 463-475.
- Stephenson, M. and M.A. Turner. 1993. A field study of cadmium dynamics in periphyton and in *Hyalella azteca* (Crustacea: amphipoda). *Water, Air, Soil Pollut.* 68: 341-361.

Stern, M.S. and D.H. Stern. 1980. Effects of fly ash heavy metals on *Daphnia magna*. PB81-198327. National Technical Information Service, Springfield, Virginia.

Stom, D.I. and L.D. Zubareva. 1994. Comparative resistance of *Daphnia* and *Epischura* to toxic substances in acute exposure. *Hydrobiol.* 30(3): 35-38.

Stratus Consulting, Inc. 1999. Sensitivity of bull trout (*Salvelinus confluentus*) to cadmium and zinc in water characteristic of the Coeur D'Alene River Basin: acute toxicity report. Final Report to U.S. EPA Region X. 55 pp.

Stromberg, P.C., et al. 1983. Pathology of lethal and sublethal exposure of fathead minnows, *Pimephales promelas*, to cadmium: a model for aquatic toxicity assessment. *J. Toxicol. Environ. Health* 11: 247.

Stuhlbacher, A. and L. Maltby. 1992. Cadmium resistance in *Gammarus pulex* (L.). *Arch. Environ. Contam. Toxicol.* 22: 319-324.

Stuhlbacher, A., M.C. Bradley, C. Naylor and P. Calow. 1992. Induction of cadmium tolerance in two clones of *Daphnia magna* Straus. *Comp. Biochem. Physiol.* 101C(3): 571-577.

Stuhlbacher, A., M.C. Bradley, C. Naylor and P. Calow. 1993. Variation in the development of cadmium resistance in *Daphnia magna* Straus; effect of temperature, nutrition, age and genotype. *Environ. Pollut.* 80(2): 153-158.

Sullivan, B.K., et al. 1983. Effects of copper and cadmium on growth, swimming and predator avoidance in *Eurytemora affinis* (Copepoda). *Mar. Biol.* 77: 299.

Sunda, W.G. and S.A. Huntsman. 1996. Antagonisms between cadmium and zinc toxicity and manganese limitation in a coastal diatom. *Limnol. Oceanogr.* 41(3): 373-387.

Sunda, W.G., et al. 1978. Effect of chemical speciation on toxicity of cadmium to grass shrimp, *Palaemonetes pugio*: importance of free cadmium ion. *Environ. Sci. Technol.* 12: 409.

Sunderman, F.W., Jr., M.C. Plowman and S.M. Hopper. 1991. Embryotoxicity and teratogenicity of cadmium chloride in *Xenopus laevis*, assayed by the FETAX procedure. *Ann. Clin. Lab. Sci.* 21(6): 381-391.

- Sunil, P.P.G, N. Siriwardena, K.J. Rana and D.J. Baird. 1995. A method for partitioning cadmium bioaccumulated in small aquatic organisms. *Environ. Toxicol. Chem.* 14(9): 1575-1577.
- Sunila, I. and R. Lindstrom. 1985. Survival, growth and shell deformities of copper- and cadmium-exposed mussels (*Mytilus edulis* L.) in brackish water. *Estuarine Coastal Shelf Sci.* 21(4): 555-565.
- Suresh, A., B. Sivaramakrishna and K. Radhakrishnaiah. 1993a. Effect of lethal and sublethal concentrations of cadmium on energetics in the gills of fry and fingerlings of *Cyprinus carpio*. *Bull. Environ. Contam. Toxicol.* 51: 920-926.
- Suresh, A., B. Sivaramakrishna and K. Radhakrishnaiah. 1993b. Patterns of cadmium accumulation in the organs of fry and fingerlings of freshwater fish *Cyprinus carpio* following cadmium exposure. *Chemosphere.* 26(5): 945-953.
- Suzuki, K.T., H. Sunaga, E. Kobayashi and S. Hatakeyama. 1987. Environmental and injected cadmium are sequestered by two major isoforms of basal copper, zinc-metallothionein in gibel (*Carassius auratus langsdorfi*) liver. *Comp. Biochem. Physiol.* 87C(1): 87-93.
- Swinehart, J.H. 1990. Final Technical Report for U.S.G.S. Grant: The effects of humic substances on the interactions of metal ions with organisms and liposomes. Department of Chemistry, University of California, Davis, CA 95616: 103 pp.
- Takamura, N., F. Kasai and M.M. Watanabe. 1989. Effects of Cu, Cd and Zn on photosynthesis of freshwater benthic algae. *J. Appl. Phycol.* 1: 39-52.
- Talbot, V. 1985. Relationship between cadmium concentrations in seawater and those in the mussel *Mytilus edulis*. *Mar. Biol.* 85: 51-54.
- Talbot, V. 1987. Relationship between lead concentrations in seawater and in the mussel *Mytilus edulis*: A water-quality criterion. *Mar. Biol.* 94: 557-560.
- Taraldsen, J.E. and T.J. Norberg-King. 1990. New method for determining effluent toxicity using duckweed (*Lemna minor*). *Environ. Toxicol. Chem.* 9: 761-767.
- Tarzwel, C.M. and C. Henderson. 1960. Toxicity of less common metals to fishes. *Ind. Wastes* 5: 12.

- Taylor, G., D.J. Baird and A.M.V.M. Soares. 1998. Surface binding of contaminants by algae: consequences for lethal toxicity and feeding to *Daphnia magna* Straus. *Environ. Toxicol. Chem.* 17(3): 412-419.
- Temara, A., G. Ledent, M. Warnau, H. Paucot, M. Jangoux and P. Dubois. 1996a. Experimental cadmium contamination of *Asterias rubens* (Echinodermata). *Mar. Ecol. Prog. Ser.* 140: 83-90.
- Temara, A., M. Warnau, G. Ledent, M. Jangoux and P. Dubois. 1996b. Allometric variations in heavy metal bioconcentration in the asteroid *Asterias rubens* (Echinodermata). *Bull. Environ. Contam. Toxicol.* 56: 98-105.
- Ten Hoopen, H.J.G., P.J. Nobel, A. Schaap, A. Fuchs and J.A. Roels. 1985. Effects of temperature on cadmium toxicity to the green alga *Scenedesmus acutus*. I. Development of cadmium tolerance in batch cultures. *Antonie van Leeuwenhoek.* 51: 344-346.
- Tessier, A., Y. Couillard, P.G.C. Campbell and J.C. Auclair. 1993. Modeling Cd partitioning in oxic lake sediments and Cd concentrations in the freshwater bivalve *Anodonta grandis*. *Limnol Oceanogr.* 38(1): 1-17.
- Tessier, L., G. Vaillancourt and L. Pazdernik. 1994a. Comparative study of the cadmium and mercury kinetics between the short-lived gastropod *Viviparus georgianus* (lea) and pelecypod *Elliptio complanata* (lightfoot), under laboratory conditions. *Environ. Pollut.* 85: 271-282.
- Tessier, L., G. Vaillancourt and L. Pazdernik. 1994b. Temperature effects on cadmium and mercury kinetics in freshwater molluscs under laboratory conditions. *Arch. Environ. Contam. Toxicol.* 26:179-184.
- Tessier, L. G. Vaillancourt and L. Pazdernik. 1996. Laboratory study of Cd and Hg uptake by two freshwater molluscs in relation to concentration, age and exposure time. *Water, Air, Soil Pollut.* 86: 347-357.
- Thaker, A.A. and A.A. Haritos. 1989. Cadmium bioaccumulation and effects on soluble peptides, proteins and enzymes in the hepatopancreas of the shrimp *Callinassa tyrrhena*. *Comp. Biochem. Physiol.* 94C(1): 63-70.

Thebault, M.T., A. Biegniewska, J.P. Raffin and E.F. Skorkowski. 1996. Short term cadmium intoxication of the shrimp *Palaemon serratus*: effect on adenylate metabolism. *Comp. Biochem. Physiol.* 113C(3): 345-348.

Theede, H., et al. 1979. Temperature and salinity effects on the acute toxicity of cadmium to *Laomedea loveni* (Hydrozoa). *Mar. Ecol. Prog. Ser.* 1:13.

Thellen, C., C. Blaise, Y. Roy and C. Hickey. 1989. Round robin testing with the *Selenastrum capricornutum* microplate toxicity assay. *Hydrobiol.* 188/189: 259-268.

Thomann, R.V., F. Shkreli and S. Harrison. 1997. A pharmacokinetic model of cadmium in rainbow trout. *Environ. Toxicol. Chem.* 16(11): 2268-2274.

Thomas, D.G., A. Cryer, J.F. Del G. Solbe and J. Kay. 1983. A comparison of the accumulation and protein binding of environmental cadmium in the gills, kidney and liver of rainbow trout (*Salmo gairdneri* Richardson). *Comp. Biochem. Physiol.* 76C(2): 241-246.

Thomas, D.G., M.W. Brown, D. Shurben, J.F. Del G. Solbe, A. Cryer and J. Kay. 1985. A comparison of the sequestration of cadmium and zinc in the tissues of rainbow trout (*Salmo gairdneri*) following exposure to the metals singly or in combination. *Comp. Biochem. Physiol.* 82C(1): 55-62.

Thompson, P.A. and P. Couture. 1991. Short- and long-term changes in growth and biochemical composition of *Selenastrum capricornutum* populations exposed to cadmium. *Aquat. Toxicol.* 21: 135-144.

Thompson, S.E., et al. 1972. Concentration factors of the chemical elements in edible aquatic organisms. UCRL-50564. Rev. 1. National Technical Information Service, Springfield, Virginia.

Thongra-ar, W. and O. Matsuda. 1995. Effects of cadmium and zinc on growth of *Thalassiosira weissflogii* and *Heterosigma akiashiwo*. In: A. Snidvongs, W. Utoomprukporn and M. Hungspreugs (eds.), 1995, Proceedings of the NRCT-JSPS Joint Seminar on Marine Science, December 2-3, 1993, Chulalongkorn University, Songkhla, Thailand. Bangkok: Department of Marine Science: pp. 90-96.

Thorp, J.H. and S.P. Gloss. 1986. Field and laboratory tests on acute toxicity of cadmium to freshwater crayfish. *Bull. Environ. Contam. Toxicol.* 37: 355-361.

Thorp, J.H., et al. 1979. Effects of chronic cadmium exposure on crayfish survival, growth, and tolerance to elevated temperatures. *Arch. Environ. Contam. Toxicol.* 8: 449.

Thorpe, G.J. and J.D. Costlow. 1989. The relation of the acute (96-h) uptake and subcellular distribution of cadmium and zinc to cadmium toxicity in larvae of *Rhithropanopeus harrisi* and a *Palaemonetes pugio*. In: U.M. Cowgill and L.R. Williams (eds.), *Aquatic Toxicology and Hazard Assessment*, ASTM STP 1027, Philadelphia, PA. 12: 82-94.

Thursby, G.B. and R.L. Steele. 1986. Comparison of short- and long-term sexual reproduction tests with the marine red alga *Champia Parvula*. *Environ. Toxicol. Chem.* 5: 1013-1018.

Timmermans, K.R., W. Peeters and M. Tonkes. 1992. Cadmium, zinc, lead and copper in *Chironomus riparius* (Meigen) larvae (Diptera, Chironomidae): uptake and effects. *Hydrobiol.* 241: 119-134.

Tomasik, P., C.M. Magadza, S. Mhizha and A. Chirume. 1995a. The metal-metal interactions in biological systems. Part III. *Daphnia magna*. *Water, Air, Soil Pollut.* 82: 695-711.

Tomasik, P, C.M. Magadza, S. Mhizha, A. Chirume, M.F. Zaranyika and S. Muchiriri. 1995b. Metal-metal interaction in biological systems. Part IV. Freshwater snail *Bulinus globosus*. *Water, Air, Soil Pollut.* 83: 123-145.

Torres, E., A. Cid, C. Herrero and J. Abalde. 1998. Removal of cadmium ions by the marine diatom *Phaeodactylum tricornutum* Bohlin accumulation and long-term kinetics of uptake. *Bioresource Techn.* 63: 213-220.

Tortell, P.D. and N.M. Price. 1996. Cadmium toxicity and zinc limitation in centric diatoms of the genus *Thalassiosira*. *Mar. Ecol. Prog. Ser.* 138: 245-254.

Toudal, K. and H.U. Riisgard. 1987. Acute and sublethal effects of cadmium on ingestion, egg production and life-cycle development in the copepod *Acartia tonsa*. *Mar. Ecol. Prog. Ser.* 37: 141-146.

Toussaint, M.W., T.R. Shedd, W.H. Van der Schalie and G.R. Leather. 1995. A comparison of standard acute toxicity test with rapid-screening toxicity test. *Environ. Toxicol. Chem.* 14(5): 907-915.

- Trehan, K. and Maneesha. 1994. Cadmium mediated control of nitrogenase activity and other enzymes in a nitrogen fixing cyanobacterium. *Acta Microbiol. Hungarica*. 41(4): 441-449.
- Trevors, J.T., G.W. Stratton and G.M. Gadd. 1986. Cadmium transport, resistance, and toxicity in bacteria, algae, and fungi. *Can. J. Microbiol.* 32: 447-464.
- Tucker, R.K. 1979. Effects of in vivo cadmium exposure on ATPases in gill of the lobster, *Homarus americanus*. *Bull. Environ. Contam. Toxicol.* 23: 33.
- Tucker, R.K. and A. Matte. 1980. In vitro effects of cadmium and lead on ATPases in the gill of the rock crab, *Cancer irroratus*. *Bull. Environ. Contam. Toxicol.* 24: 847.
- Twagilimana, L., J. Bohatier, C. Groliere, F. Bonnemoy and D. Sargos. 1998. A new low-cost microbiotest with the protozoan *Spirostomum teres*: culture conditions and assessment of sensitivity of the ciliate to 14 pure chemicals. *Ecotoxicol. Environ. Safety.* 41: 231-244.
- Tyurin, A.N. and N.K. Khristoforova. 1993. Effect of toxicants on the development of the chiton *Ischnochiton hakodadensis*. *Russ. Mar. Biol.* 29(5/6): 100-106.
- Udoidiong, O.M. and P.M. Akpan. 1991. Toxicity of cadmium, lead and lindane to *Egeria radiata* Lamarck (Lamellibranchia, Donacidae). *Rev. Hydrobiol. Trap.* 24(2): 111-117.
- University of Wisconsin - Superior. 1995. Results of freshwater simulation tests concerning dissolved metal. Final Report to U.S. EPA. ERL- Duluth, MN. 93 pp.
- U.S. EPA. 1976. Quality criteria for water. EPA-440/9-76-023. National Technical Information Service, Springfield, Virginia.
- U.S. EPA. 1980. Ambient water quality criteria for cadmium. EPA-440/5-80-025. National Technical Information Service, Springfield, Virginia.
- U.S. EPA. 1983a. Methods for chemical analysis of water and wastes. EPA-600/4-79-020 (Revised March 1983). National Technical Information Service, Springfield, Virginia.
- U.S. EPA. 1983b. Water quality standards regulation. Federal Register 48: 51400. November 8.

U.S. EPA. 1983c. Water quality standards handbook. Office of Water Regulations and Standards, Washington, D.C.

U.S. EPA. 1985. Ambient water quality criteria for cadmium. EPA-440/5-84-032 (Revised late 1984). National Technical Information Service, Springfield , VA. 127 pp.

U.S. EPA. 1991. Technical support document for water quality-based toxics control. EPA-505/2-90-001. Office of Water, Washington, D.C.

U.S. EPA. 1993. Water quality criteria: Aquatic life criteria for metals. Federal Register. 58(108): 32131-32133.

U.S. EPA. 1994a. Water quality standards handbook, second ed. EPA-823-B-94-005b. Office of Water, Washington, D.C.

U.S. EPA. 1994b. Interim guidance on determination and use of water-effect ratios for metals. U.S. Environmental Protection Agency, Office of Water, Washington, D.C. EPA-823-B-94-001

U.S. EPA. 1996. 1995 Updates: Water quality criteria documents for the protection of aquatic life in water. U.S. EPA, Office of Water. EPA-820-B-96-001.

U.S. EPA. 1999a. National Recommended Water Quality Criteria -- Correction. EPA-822-Z-99-001. Office of Water, Washington, D.C.

U.S. EPA. 1999b. Integrated approach to assessing the bioavailability and toxicity of metals in surface water and sediments. EPA-822-E-99-001. Office of Water, Washington, D.C.

U.S. EPA. 2000. A SAB Report: Review of the biotic ligand model of the acute toxicity of metals. U.S. Environmental Protection Agency. Washington, D.C. EPA-SAB-EPEC-00-006. 15 pp.

Uthe, J.F., et al. 1982. Cadmium in American lobster (*Homarus americanus*) from the area of a lead smelter. Can. Tech. Rept. Fish. Aquat. Sci. No. 1163.

- Valencia, R., M. Gerpe, J. Trimmer, T. Buckman, A.Z. Mason and P.E. Olsson. 1998. The effect of estrogen on cadmium distribution in rainbow trout (*Oncorhynchus mykiss*). Mar. Environ. Res. 46(1-5): 167-171.
- Van den Hurk, P., M. Faisal and M.H. Roberts Jr. 1998. Interaction of cadmium and benzo[a]pyrene in mummichog (*Fundulus heteroclitus*): effects on acute mortality. Mar. Environ. Res. 46(1-5): 525-528.
- Van der Heever, J.A. and J.U. Grobbelaar. 1996. The use of *Selenastrum capricornutum* growth potential as a measure of toxicity of a few selected compounds. Water SA 22(2): 183-191.
- Van Gemert, J.M, H.J.G. Ten Hoopen, J.A. Roels and A. Fuchs. 1985. Effects of temperature on cadmium toxicity to the green alga *Scenedesmus acutus*. II. Light-limited growth in continuous culture. Antonie van Leeuwenhoek. 51: 347-351.
- Van Ginneken, L., M.J. Chowdhury and R. Blust. 1999. Bioavailability of cadmium and zinc to the common carp, *Cyprinus carpio*, in complexing environments: A test for the validity of the free ion activity model. Environ. Toxicol. Chem. 18(10): 2295-2304.
- Van Leeuwen, C.J., P.S. Griffioen, W.H.A. Vergouw and J.L. Maas-Diepeveen. 1985a. Differences in susceptibility of early life stages of rainbow trout (*Salmo gairdneri*) to environmental pollutants. Aquat. Toxicol. 7: 59-78.
- Van Leeuwen, C.J., W.J. Luttmer and P.S. Griffioen. 1985b. The use of cohorts and populations in chronic toxicity studies with *Daphnia magna*: a cadmium example. Ecotoxicol. Environ. Safety. 9: 26-39.
- Van Leeuwen, C.J., G. Niebeek and M. Rijkeboer. 1987. Effects of chemical stress on the population dynamics of *Daphnia magna*: a comparison of two test procedures. Ecotoxicol. Environ. Safety. 14:1-11.
- Van Steveninck, R.F.M., M.E. Van Steveninck and D.R. Fernando. 1992. Heavy-metal (Zn, Cd) tolerance in selected clones of duck weed (*Lemna minor*). Plant Soil. 146: 271-280.
- Vanegas, C., S. Espina, A.V. Botello and S. Villanueva. 1997. Acute toxicity and synergism of cadmium and zinc in white shrimp, *Penaeus setiferus*, juveniles. Bull. Environ. Contam. Toxicol. 58: 87-92.

Vashchenko, M.A. and P.M. Zhadan. 1993. Ecological assessment of marine environment using two sea urchin tests. disturbance of reproduction and sediment embryotoxicity. *Sci. Total Environ. Supplemental Part 2*: 1235-1245.

Vasseur, P and P. Pandard. 1988. Influence of some experimental factors on metals toxicity to *Selenastrum capricornutum*. *Toxic. Assess.* 3: 331-343.

Veldhuizen-Tsoerkan, M.B., D.A. Holwerda and D.I. Zandee. 1991. Anoxic survival time and metabolic parameters as stress indices in sea mussels exposed to cadmium or polychlorinated biphenyls. *Arch. Environ. Contam. Toxicol.* 20: 259-265.

Verbost, P.M., G. Flik, R.A.C. Lock and S.E.W. Bonga. 1987. Cadmium inhibition of Ca^{2+} uptake in rainbow trout gills. *Am. J. Physiol.* 253 (Regulatory Integrative Comp. Physiol. 22): R216-R221.

Verma, S.R., et al. 1980. Short term toxicity tests with heavy metals for predicting safe concentrations. *Toxicol. Letters* 1: 113.

Vernberg, W.B., et al. 1974. Multiple environmental factor effects on physiology and behavior of the fiddler crab, *Uca pugilator*. In: F.J. Vernberg and W.B. Vernberg (eds.), *Pollution and Physiology of Marine Organisms*. Academic Press, New York. p. 381.

Vernberg, W.B., et al. 1977. Effects of sublethal concentrations of cadmium on adult *Paleomonetes pugio* under static and flow-through conditions. *Bull. Environ. Contam. Toxicol.* 17: 16.

Verriopoulos, G. and M. Moraitou-Apostolopoulou. 1981. Effects of some environmental factors on the toxicity of cadmium to the copepod *Tisbe holothuriae*. *Arch. Hydrobiol.* 91: 287.

Verriopoulos, G. and M. Moraitou-Apostolopoulou. 1982. Differentiation of the sensitivity to copper and cadmium in different life stages of a copepod. *Mar. Pollut. Bull.* 13: 123.

Versteeg, D.J. 1990. Comparison of short- and long-term toxicity test results for the green alga, *Selenastrum capricornutum*. In: *Plants for Toxicity Assessment*. ASTM STP 1091. W. Wang, J.W. Gorsuch and W.R. Lower (eds), American Society for Testing and Materials, Philadelphia. pp. 40-48.

- Visviki, I. and J.W. Rachlin. 1991. The toxic action and interactions of copper and cadmium to the marine alga *Dunaliella minuta*, in both acute and chronic exposure. Arch. Environ. Contam. Toxicol. 20: 271-275.
- Visviki, I. and J.W. Rachlin. 1994. Acute and chronic exposure of *Dunaliella salina* and *Chlamydomonas bullosa* to copper and cadmium: effects on growth. Arch. Environ. Contam. Toxicol. 26: 149-153.
- Vogiatzis, A.K. and N.S. Loumbourdis. 1998. Cadmium accumulation in liver and kidneys and hepatic metallothionein and glutathione levels in *Rana ridibunda*, after exposure to CdCl₂. Arch. Environ. Contam. Toxicol. 34: 64-68.
- Voyer, R.A. 1975. Effect of dissolved oxygen concentration on the acute toxicity of cadmium to the mummichog, *Fundulus heteroclitus*. Trans. Am. Fish. Soc. 104: 129.
- Voyer, R.A. and D.G. McGovern. 1991. Influence of constant and fluctuating salinity on responses of *Mysidopsis bahia* exposed to cadmium in a life-cycle test. Aquat. Toxicol. 19: 215-230.
- Voyer, R.A. and G. Modica. 1990. Influence of salinity and temperature on acute toxicity of cadmium to *Mysidopsis bahia* Molenock. Arch. Environ. Contam. Toxicol. 19: 124-131.
- Voyer, R.A., et al. 1977. Viability of embryos of the winter flounder *Pseudopleuronectes americanus* exposed to combinations of cadmium and salinity at selected temperatures. Mar. Biol. 44: 117.
- Voyer, R.A., et al. 1979. Hatching success and larval mortality in an estuarine teleost, *Menidia menidia* (Linnaeus), exposed to cadmium in constant and fluctuating salinity regimes. Bull. Environ. Contam. Toxicol. 23: 475.
- Voyer, R.A., et al. 1982. Viability of embryos of the winter flounder *Pseudopleuronectes americanus* exposed to mixtures of cadmium and silver in combination with selected fixed salinities. Aquat. Toxicol. 2: 223.
- Vranken, G., R. Vanderhaeghen and C. Heip. 1985. Toxicity of cadmium to free-living marine and brackish water nematodes (*Monhystera microphthalma*, *Monhystera disjuncta*, *Pellioditis marina*). Dis. Aquat. Org. 1: 49-58.

- Vuori, K.M. 1993. Influence of water quality and feeding habits on the whole-body metal concentrations in lotic trichopteran larvae. *Limnologica*. 23(4): 301-308.
- Vuori, K.M. 1994. Rapid behavioral and morphological responses of hydropsychid larvae (Trichoptera, Hydropsychidae) to sublethal cadmium exposure. *Environ. Pollut.* 84: 291-299.
- Vykusova, B. and Z. Svobodova. 1987. Comparison of the sensitivity of male and female guppies (*Poecilia reticulata* Peters) to toxic substances. *Bull. Vurh Vodnany. (CZE)(ENG ABS)*. 23(3): 20-23.
- Vymazal, J. 1984. Short-term uptake of heavy metals by periphyton algae. *Hydrobiol.* 119: 171-179.
- Vymazal, J. 1990a. Toxicity and accumulation of lead with respect to algae and cyanobacteria: a review. *Acta Hydrochim. Hydrobiol.* 18(5): 513-535.
- Vymazal, J. 1990b. Uptake of lead, chromium, cadmium and cobalt by *Cladophora glomerata*. *Bull. Environ. Contam. Toxicol.* 44: 468-472.
- Vymazal, J. 1995. Influence of pH on heavy metals uptake by *Cladophora glomerata*. *Pol. Arch. Hydrobiol.* 42(3): 231-237.
- Wall, S.B., J.J. Isley and T.W. La Point. 1996. Fish bioturbation of cadmium-contaminated sediments: factors affecting Cd availability to *Daphnia magna*. *Environ. Toxicol. Chem.* 15(3): 294-298.
- Wallace, W.G. and G.R. Lopez. 1997. Bioavailability of biologically sequestered cadmium and the implications of metal detoxification. *Mar. Ecol. Prog. Ser.* 147: 149-157.
- Walsh, G.E., L.L. McLaughlin, M.J. Yoder, P.H. Moody, E.M. Lores, J. Forester and P.B. Wessinger-Duvall. 1988. *Minutocellus polymorphus*: a new marine diatom for use in algal toxicity tests. *Environ. Toxicol. Chem.* 7: 925-929.
- Walsh, K., R.H. Dunstan, R.N. Murdoch. 1995. Differential bioaccumulation of heavy metals and organopollutants in the soft tissue and shell of the marine gastropod, *Austrocochlea constricta*. *Arch. Environ. Contam. Toxicol.* 28: 35-39.

- Walsh, R.S. and K.A. Hunter. 1992. Influence of phosphorus storage on the uptake of cadmium by the marine alga *Macrocystis pyrifera*. *Limnol. Oceanogr.* 37(7): 1361-1369.
- Wang, J., M. Zhang, J. Xu and Y. Wang. 1995. Reciprocal effect of Cu, Cd, Zn on a kind of marine alga. *Water Res.* 29(1): 209-214.
- Wang, W. 1986. Toxicity tests of aquatic pollutants by using common duckweed. *Environ. Pollut. (Series B)*. 11: 1-14.
- Wang, W.X. and N.S. Fisher. 1996. Assimilation of trace elements and carbon by the mussel *Mytilus edulis*: effects of food composition. *Limnol. Oceanogr.* 41(2): 197-207.
- Wang, W.X. and N.S. Fisher. 1998. Accumulation of trace elements in a marine copepod. *Limnol. Oceanogr.* 43(2): 273-283.
- Wang, W.X., N.S. Fisher and S.N. Luoma. 1996. Kinetic determinations of trace element bioaccumulation in the mussel *Mytilus edulis*. *Mar. Ecol. Prog. Ser.* 140: 91-113.
- Wani, G.P. 1986. Toxicity of heavy metals to embryonic stages of *Cyprinus carpio communis* *Pollut. Res.* 5(2): 47-51.
- Warnau, M., G. Ledent, A. Temara, V. Alva, M. Jangoux and P. Dubois. 1995a. Allometry of heavy metal bioconcentration in the echinoid *Paracentrotus lividus*. *Arch. Environ. Contam. Toxicol.* 29: 393-399.
- Warnau, M., G. Ledent, A. Temara, M. Jangoux and P. Dubois. 1995b. Experimental cadmium contamination of the echinoid *Paracentrotus lividus*: influence of exposure mode and distribution of the metal in the organism. *Mar. Ecol. Prog. Ser.* 116: 117-124.
- Warnau, M., J.L. Teyssie and S.W. Fowler. 1995c. Effect of feeding on cadmium bioaccumulation in the echinoid *Paracentrotus lividus* (Echinodermata). *Mar. Ecol. Prog. Ser.* 126: 305-309.
- Warnau, M., S.W. Fowler and J.L. Teyssie. 1996a. Biokinetics of selected heavy metals and radionuclides in two marine macrophytes: the seagrass *Posidonia oceanica* and the alga *Caulerpa taxifolia*. *Mar. Environ. Res.* 41(4): 343-362.

- Warnau, M., M. Iaccarino, A. De Biase, A. Temara, M. Jangoux, P. Dubois and G. Pagano. 1996b. Spermioxicity and embryotoxicity of heavy metals in the echinoid *Paracentrotus lividus*. Environ. Toxicol. Chem. 15(11): 1931-1936.
- Warnau, M., J.L. Teyssie and S.W. Fowler. 1997. Cadmium bioconcentration in the echinoid *Paracentrotus lividus*: influence of the cadmium concentration in seawater. Mar. Environ. Res. 43(4): 303-314.
- Warnick, S.L. and H.L. Bell. 1969. The acute toxicity of some heavy metals to different species of aquatic insects. J. Water Pollut. Control Fed. 41: 280.
- Warren, L.A., A. Tessier and L. Hare. 1998. Modelling cadmium accumulation by benthic invertebrates *in situ*: the relative contributions of sediment and overlying water reservoirs to organism cadmium concentrations. Limnol. Oceanogr. 43(7): 1442-1454.
- Watling, H.R. 1981. Effects of metals on the development of oyster embryos. South African J. Sci. 77: 134.
- Watling, H.R. 1982. Comparative study on the effects of zinc, cadmium, and copper on the larval growth of three oyster species. Bull. Environ. Contam. Toxicol. 28: 195.
- Watling, H.R. 1983a. Accumulation of seven metals by *Crassostrea gigas*, *Crassostrea margaritacea*, *Perna perna*, and *Choromytilus meridionalis*. Bull. Environ. Contam. Toxicol. 30: 317.
- Watling, H.R. 1983b. Comparative study on the effects of metals on the settlement of *Crassostrea gigas*. Bull. Environ. Contam. Toxicol. 31: 344.
- Watson, C.F. 1988. Sublethal effects of cadmium exposure on freshwater teleosts. Dissertation. Northeast Louisiana University. pp. 136.
- Weber, W.J., Jr. and W. Stumm. 1963. Mechanism of hydrogen ion buffering in natural waters. J. Am. Water Works Assoc. 55: 1553.
- Weimin, Y., G.E. Batley and M. Ahsanuallah. 1994. Metal bioavailability to the soldier crab *Mictyris longicarpus*. Sci. Total Environ. 141: 27-44.

- Weis, J.S., et al. 1981. Effects of cadmium, zinc, salinity, and temperature on the teratogenicity of methylmercury to the killifish (*Fundulus heteroclitus*). Rapp. P. V. Reun. Cons. Int. Explor. Mer. 178: 64.
- Westerman, A.G. and W.J. Birge. 1978. Accelerated rate of albinism in channel catfish exposed to metals. Prog. Fish-Cult. 40: 143.
- Westernhagen, H.V. and V. Dethlefsen. 1975. Combined effects of cadmium and salinity on development and survival of flounder eggs. J. Mar. Biol. Assoc. U.K. 55: 945.
- Westernhagen, H.V., et al. 1975. Combined effects of cadmium and salinity on development and survival of garpike eggs. Helgol. Wiss. Meeresunters. 27: 268.
- Westernhagen, H.V., et al. 1978. Fate and effects of cadmium in an experimental marine ecosystem. Helgol. Wiss. Meeresunters. 31: 471.
- Westernhagen, H.V., et al. 1979. Combined effects of cadmium, copper and lead on developing herring eggs and larvae. Helgol. Wiss. Meeresunters. 32: 257.
- White, D.H. and M.T. Finley. 1978a. Effects of dietary cadmium in mallard ducks. *In*: D.D. Hemphill (ed.), Trace Substances in Environmental Health-XII. University of Missouri, Columbia, Missouri. p. 220.
- White, D.H. and M.T. Finley. 1978b. Uptake and retention of dietary cadmium in mallard ducks. Environ. Res. 17: 53.
- White, D.H., et al. 1978. Histopathologic effects of dietary cadmium on kidneys and testes of mallard ducks. J. Toxicol. Environ. Health 4: 551.
- White, S.L. and P.S. Rainbow. 1982. Regulation and accumulation of copper, zinc and cadmium by the shrimp *Palaemon elegans*. Mar. Ecol. Prog. Ser. 8: 95.
- White, S.L. and P.S. Rainbow. 1986. Accumulation of cadmium by *Palaemon elegans* (Crustacea: Decapoda). Mar. Ecol. Prog. Ser. 32: 17-25.
- Wicklum, D. and R.W. Davies. 1996. The effects of chronic cadmium stress on energy acquisition and allocation in a freshwater benthic invertebrate predator. Aquat. Toxicol. 35: 237-252.

- Wicklum, D., D.E.C. Smith and R.W. Davies. 1997. Mortality, preference, avoidance, and activity of a predatory leech exposed to cadmium. *Arch. Environ. Contam. Toxicol.* 32: 178-183.
- Wicklund, A. and P. Runn. 1988. Calcium effects on cadmium uptake, redistribution, and elimination in minnows, *Phoxinus phoxinus*, acclimated to different calcium concentrations. *Aquat. Toxicol.* 13: 109-122.
- Wicklund, A., P. Runn and L. Norrgren. 1988. Cadmium and zinc interactions in fish: effects of zinc on the uptake, organ distribution, and elimination of ^{109}Cd in the zebrafish, *Brachydanio rerio*. *Arch. Environ. Contam. Toxicol.* 17: 345-354.
- Wier, C.F. and W.M. Walter. 1976. Toxicity of cadmium in the freshwater snail, *Physa gyrina* Say. *J. Environ. Qual.* 5: 359.
- Wikfors, G.H. and R. Ukeles. 1982. Growth and adaptation of estuarine unicellular algae in media with excess copper, cadmium or zinc, and effects of metal-contaminated algal food on *Crassostrea virginica* larvae. *Mar. Ecol. Prog. Ser.* 7: 191.
- Wilczok, A., U. Mazurek, D. Tyrawska and B. Sosak-Swidarska. 1994. Effect of cadmium on the cell division of *Chlorella vulgaris* Beij. 1890, strain A-8. *Pol. Arch. Hydrobiol.* 41(1): 123-131.
- Wildgust, M.A. and M.B. Jones. 1998. Salinity change and the toxicity of the free cadmium ion [$\text{Cd}^{2+}_{(\text{aq})}$] to *Neomysis integer* (Crustacea: Mysidacea). *Aquat. Toxicol.* 41: 187-192.
- Williams, C.J., D. Aderhold and R.G.J. Edyvean. 1998. Comparison between biosorbents for the removal of metal ions from aqueous solutions. *Water Res.* 32: 216-224
- Williams, D.R. and J.P. Giesy, Jr. 1978. Relative importance of food and water sources to cadmium uptake by *Gambusia affinis* (Poeciliidae). *Environ. Res.* 16: 326.
- Williams, K.A., D.W.J. Green and D. Pascoe. 1985. Studies on the acute toxicity of pollutants to freshwater macroinvertebrates ; 1: Cadmium. *Arch. Hydrobiol.* 102(4): 461-471.

Williams, K.A., D.W.J. Green, D. Pascoe and D.E. Gower. 1986. The acute toxicity of cadmium to different larval stages of *Chironomus riparius* (Diptera: Chironomidae) and its ecological significance for pollution regulation. *Oecologia*. 70(3): 362-366.

Williams, K.A., D.W.J. Green, D. Pascoe and D.E. Gower. 1987. Effect of cadmium on oviposition and egg viability in *Chironomus riparius* (Diptera: Chironomidae). *Bull. Environ. Contam. Toxicol.* 38: 86-90.

Williams, P.L and D.B. Dusenbery. 1990. Aquatic toxicity testing using the nematode, *Caenorhabditis elegans*. *Environ. Toxicol. Chem.* 9:1285-1290.

Windom, H.L., et al. 1982. Metal accumulation by the polychaete *Capitella capitata*: influences of metal content and nutritional quality of detritus. *Can. J. Fish. Aquat. Sci.* 39: 191.

Winner, R.W. 1984. The toxicity and bioaccumulation of cadmium and copper as affected by humic acid. *Aquat. Toxicol.* 5: 267.

Winner, R.W. 1986. Interactive effects of water hardness and humic acid on the chronic toxicity of cadmium to *Daphnia pulex*. *Aquat. Toxicol.* 8: 281-293.

Winner, R.W. 1988. Evaluation of the relative sensitivities of 7-d *Daphnia magna* and *Ceriodaphnia dubia* toxicity tests for cadmium and sodium pentachlorophenate. *Environ. Toxicol. Chem.* 7: 153-159.

Winner, R.W. and J.D. Gauss. 1986. Relationship between chronic toxicity and bioaccumulation of copper, cadmium and zinc as affected by water hardness and humic acid. *Aquat. Toxicol.* 8: 149-161.

Winner, R.W. and T.C. Whitford. 1987. The interactive effects of a cadmium stress, a selenium deficiency and water temperature on the survival and reproduction of *Daphnia magna* Straus. *Aquat. Toxicol.* 10: 217-224.

Winter, S. 1996. Cadmium uptake kinetics by freshwater mollusc soft body under hard and soft water conditions. *Chemosphere.* 32(10): 1937-1948.

Witeska, M., B. Jezierska and J. Chaber. 1995. The influence of cadmium on common carp embryos and larvae. *Aquaculture.* 129: 129-132.

- Witzel, B. 1998. Uptake, storage and loss of cadmium and lead in the woodlouse *Porcellio scaber* (Crustacea, Isopoda). *Water, Air, Soil Pollut.* 108: 51-68.
- Wong, C.K. 1989. Effects of cadmium on the feeding behavior of the freshwater cladoceran *Moina macrocopa*. *Chemosphere.* 18(7/8): 1681-1687.
- Wong, C.K. and P.K. Wong. 1990. Life table evaluation of the effects of cadmium exposure on the freshwater cladoceran, *Moina macrocopa*. *Bull. Environ. Contam. Toxicol.* 44: 135-141.
- Wong, P.T.S. 1987. Toxicity of cadmium to freshwater microorganisms, phytoplankton, and invertebrates. *Adv. Environ. Sci. Tech.* 19: 117-138.
- Wong, P.T.S., et al. 1982. Physiological and biochemical responses of several freshwater algae to a mixture of metals. *Chemosphere* 11: 367.
- Woodall, C., N. Maclean and F. Crossley. 1988. Responses of trout fry (*Salmo gairdneri*) and *Xenopus laevis* tadpoles to cadmium and zinc. *Comp. Biochem. Physiol.* 89C(1): 93-99.
- Woodling, J.D. 1993. Survival and mortality of brown trout (*Salmo trutta*) exposed to *in situ* acute toxic concentrations of cadmium and zinc. Dissertation. University of Colorado at Boulder. pp. 130.
- Woodward, D.F., A.M. Farag, H.L. Bergman, A.J. DeLonay, E.E. Little, C.E. Smith and F.T. Barrow. 1995. Metals-contaminated benthic invertebrates in the Clark Fork River, Montana: effects on age-0 brown trout and rainbow trout. *Can. J. Fish. Aquat. Sci.* 52: 1994-2004.
- Woodworth, J. and D. Pascoe. 1982. Cadmium toxicity to rainbow trout, *Salmo gairdneri* Richardson: a study of eggs and alevins. *J. Fish Biol.* 21: 47.
- Woodworth, J. and D. Pascoe. 1983. Cadmium uptake and distribution in sticklebacks related to the concentration and method of exposure. *Ecotoxicol. Environ. Safety.* 7: 525-530.
- Wren, M.J. and D. McCarroll. 1990. A simple and sensitive bioassay for the detection of toxic materials using a unicellular green alga. *Environ. Pollut.* 64: 87-91.

- Wright, D.A. 1977. The effect of salinity on cadmium uptake by the tissues of the shore crab, *Carcinus maenas*. *Exp. Biol.* 67: 137.
- Wright, D.A. 1988. Dose-related toxicity of copper and cadmium in striped bass larvae from the Chesapeake Bay: field considerations. *Water Sci. Tech.* 20(6/7): 39-48.
- Wright, D.A. and J.W. Frain. 1981. Cadmium toxicity in *Marinogammarus obtusatus*: effect of external calcium. *Environ. Res.* 24: 338.
- Wright, D.A. and P.M. Welbourn. 1994. Cadmium in the aquatic environment: a review of ecological, physiological, and toxicological effects on biota. *Environ. Rev.* 2: 187-214.
- Wright, D.A., M.J. Meteyer and F.D. Martin. 1985. Effect of calcium on cadmium uptake and toxicity in larvae and juveniles of striped bass (*Morone saxatilis*). *Bull. Environ. Contam. Toxicol.* 34(2): 196-204.
- Wu, R.S.S., P.K.S. Lam and B. Zhou. 1997. A settlement inhibition assay with cyprid larvae of the barnacle *Balanus amphitrite*. *Chemosphere.* 35(9): 1867-1874.
- Wundram, M., D. Selmar and M. Bahadir. 1996. The *Chlamydomonas* test: a new phytotoxicity test based on the inhibition of algal photosynthesis enables the assessment of hazardous leachates from waste disposals in salt mines. *Chemosphere.* 32(8): 1623-1632.
- Xiaorong, W., J. Mei, S. Hao and X. Ouyong. 1997. Effects of chelation on the bioconcentration of cadmium and copper by carp (*Cyprinus carpio* L.). *Bull. Environ. Contam. Toxicol.* 59: 120-124.
- Xue, H. and L. Sigg. 1998. Cadmium speciation and complexation by natural organic ligands in freshwater. *Analytica Chimica Acta.* 363: 249-259.
- Yager, C.M. and H.W. Harry. 1964. The uptake of radioactive zinc, cadmium and copper by the freshwater snail, *Taphius glabratus*. *Malacologia* 1: 339.
- Yamamoto, Y. and M. Inoue. 1985. Lethal tolerance of acute cadmium toxicity in rainbow trout previously exposed to cadmium. *Bull. Jpn. Soc. Sci. Fish.* 51(10): 1733-1735.

- Zanders, I.P. and W.E. Rojas. 1996. Salinity effects on cadmium accumulation in various tissues of the tropical fiddler crab *Uca rapax*. Environ. Pollut. 94(3): 293-299.
- Zarogian, G.E. 1979. Studies on the depuration of cadmium and copper by the American oyster *Crassostrea virginica*. Bull. Environ. Contam. Toxicol. 23: 117.
- Zarogian, G.E. 1980. *Crassostrea virginica* as an indicator of cadmium pollution. Mar. Biol. (Berlin). 58(4): 275-284.
- Zarogian, G.E. and S. Cheer. 1976. Cadmium accumulation by the American oyster, *Crassostrea virginica*. Nature. 261: 408.
- Zarogian, G.E. and G. Morrison. 1981. Effect of cadmium body burdens in adult *Crassostrea virginica* on fecundity and viability of larvae. Bull. Environ. Contam. Toxicol. 27: 344.
- Zauke, G.P., R. Von Lemm, H.G. Meurs and W. Butte. 1995. Validation of estuarine gammarid collectives (Amphipoda: Crustacea) as biomonitors for cadmium in semi-controlled toxicokinetic flow-through experiments. Environ. Pollut. 90(2): 209-219.
- Zhang, M., J. Wang and J. Bao. 1992. Study on the relationship between speciation of heavy metals and their ecotoxicity. Chin. J. Oceanol. Limnol. 10(3): 215-222.
- Zia, S. and D.G. McDonald. 1994. Role of the gills and gill chloride cells in metal uptake in the freshwater-adapted rainbow trout, *Oncorhynchus mykiss*. Can. J. Fish. Aquat. Sci. 51: 2482-2492.
- Zou, E. and S. Bu. 1994. Acute toxicity of copper, cadmium, and zinc to the water flea, *Moina irrasa* (Cladocera). Bull. Environ. Contam. Toxicol. 52: 742-748.
- Zuiderveen, J.A. and W.J. Birge. 1997. The relationship between chronic values in toxicity tests with *Ceriodaphnia dubia*. In: Environmental Toxicology and Risk Assessment: Modeling and Risk Assessment (sixth volume), ASTM STP 1317, F.J. Dwyer, T.R. Doane and M.L. Hinman (eds), American Society for Testing and Materials. pp. 551-556.