

World's Best LAB

123 Lee Street

Manassas, VA 20110

Phone: 1-703-555-1234, Fax: 1-703-555-9876

July 2, 2001

Regular US mail delivery (no express delivery) OR Only for express service delivery (e.g. FedEx)

UCMR Project
Office Of Ground & Drinking Water
U.S. Environmental Protection Agency
1200 Pennsylvania, Ave., NW (4606M)
Washington, DC 20460

UCMR Project
Office Of Ground & Drinking Water
U.S. Environmental Protection Agency
1201 Constitution, Ave., NW (Suite 2160)
Washington, DC 20460

RE: Laboratory Name: World's Best LAB
EPA Lab ID: VA99999

UCMR Project Manager:

I am writing to request access to the EPA's Central Data Exchange (CDX) and the Safe Drinking Water Accession and Review System (SDWARS) Unregulated Contaminant Monitoring Rule (UCMR) database because the laboratory I represent intends to analyze samples collected under the Unregulated Contaminant Monitoring Rule (UCMR). The following is a list of individual(s), and their contact information. Each individual named herein has the authority to access sample analysis information of "World's Best Lab" submitted in behalf of PWSs for whom we are providing sample analysis services.

CDX User Name	First Name	Last Name	UCMR Role ¹ :	Email Address
WBL_Chemist_1	Joe	Smith	<input type="checkbox"/> Reviewer <input checked="" type="checkbox"/> Submitter <input type="checkbox"/> Approver	Joe.Smith@wbl.com
WBL_Chemist_2	Pat	Taylor	<input type="checkbox"/> Reviewer <input checked="" type="checkbox"/> Submitter <input type="checkbox"/> Approver	Pat.Taylor@wbl.com
WBL_Admin	Jane	Doe	<input type="checkbox"/> Reviewer <input type="checkbox"/> Submitter <input checked="" type="checkbox"/> Approval	Jane.Doe@wbl.com
WBL_Pres	Ima	Laboratory	<input type="checkbox"/> Reviewer <input type="checkbox"/> Submitter <input checked="" type="checkbox"/> Approver	Ima.Laboratory@wbl.com

Please use the address, telephone, and fax information on the letterhead for all written or telephonic communications. Issues regarding the activation/deactivation of World's Best Lab accounts in CDX for UCMR should be directed to my attention.

Sincerely yours,

Ima Laboratory
Administrative Director
World's Best Lab

¹ Role types progress from "Reviewer" to "Submitter" to "Approver", with each progression adding greater authority than its predecessor. Reviewer restricts access to searching and viewing data. Submitter adds the ability to enter new records and modify existing data. Approver adds the ability to decide the acceptance or rejection of data on behalf of the organization