

Table 93 (page 1 of 3). Discharges and average length of stay in non-Federal short-stay hospitals, according to sex, age, and selected first-listed diagnoses: United States, selected years 1990–2001

[Data are based on a sample of hospital records]

Sex, age, and first-listed diagnosis	Discharges			Average length of stay			
	1990	2000	2001	1990	2000	2001	
Both sexes		Number in thousands			Number of days		
Total ^{1,2}	30,788	31,706	32,653	6.5	4.9	4.9	
Male							
All ages ^{1,2}	12,280	12,514	12,852	7.1	5.4	5.3	
Under 18 years ²	1,572	1,515	1,629	5.0	4.8	4.6	
Pneumonia	178	199	229	4.3	3.2	3.4	
Asthma	111	129	76	2.8	2.1	2.3	
Injuries and poisoning	232	185	192	4.4	4.3	*4.1	
Fracture, all sites	76	68	63	4.2	3.9	3.5	
18–44 years ²	3,120	2,498	2,573	6.1	4.8	4.9	
Alcohol and drug ³	201	224	225	8.9	4.7	*5.1	
Serious mental illness ⁴	184	*296	*338	13.8	*8.2	*7.9	
Diseases of heart	163	148	150	5.4	3.5	3.7	
Intervertebral disc disorders	138	81	74	4.2	2.2	2.2	
Injuries and poisoning	704	408	412	5.0	4.5	4.8	
Fracture, all sites	217	141	148	5.6	5.0	4.8	
45–64 years ²	3,115	3,424	3,519	6.7	5.1	5.2	
Malignant neoplasms	235	188	199	9.4	6.8	7.7	
Trachea, bronchus, lung	60	26	28	7.1	6.0	*8.8	
Diabetes	65	114	107	7.3	6.0	5.5	
Alcohol and drug ³	77	106	115	8.5	4.5	4.7	
Serious mental illness ⁴	56	*120	148	13.7	*8.8	*9.3	
Diseases of heart	704	802	768	5.8	3.8	4.0	
Ischemic heart disease	502	539	492	5.7	3.6	3.6	
Acute myocardial infarction	165	178	172	7.5	4.7	4.6	
Congestive heart failure	66	101	110	6.7	5.2	5.0	
Cerebrovascular diseases	91	116	102	10.0	5.2	5.7	
Pneumonia	77	104	108	7.9	6.0	5.4	
Injuries and poisoning	257	266	307	7.2	5.7	5.1	
Fracture, all sites	74	77	85	7.2	6.4	4.9	
65–74 years ²	2,268	2,199	2,165	7.8	5.6	5.6	
Malignant neoplasms	220	146	149	9.9	6.9	7.6	
Large intestine and rectum	24	24	23	11.4	9.2	8.7	
Trachea, bronchus, lung	50	23	23	8.7	6.8	8.4	
Prostate	40	31	28	6.5	3.8	*4.6	
Diabetes	34	39	41	9.1	6.2	5.1	
Serious mental illness ⁴	20	*28	*24	17.4	*11.7	*	
Diseases of heart	547	586	566	7.0	4.7	4.6	
Ischemic heart disease	331	329	320	6.8	4.3	4.4	
Acute myocardial infarction	110	104	100	8.8	5.3	5.8	
Congestive heart failure	90	112	107	7.9	5.7	5.8	
Cerebrovascular diseases	108	109	109	8.3	4.5	4.7	
Pneumonia	90	106	111	9.5	6.4	5.6	
Hyperplasia of prostate	113	45	35	4.5	2.8	2.4	
Osteoarthritis	39	80	65	9.0	4.9	4.5	
Injuries and poisoning	139	149	143	7.9	5.9	7.4	
Fracture, all sites	36	39	41	10.2	6.4	7.8	
Fracture of neck of femur (hip)	12	*17	17	*11.8	*7.9	*7.8	
75 years and over ²	2,203	2,878	2,966	8.8	6.2	5.9	
Malignant neoplasms	189	135	156	10.0	7.6	6.9	
Large intestine and rectum	25	26	27	15.0	10.6	9.1	
Trachea, bronchus, lung	25	18	26	10.0	6.1	7.1	
Prostate	45	20	*27	6.8	*6.1	*4.2	
Diabetes	21	40	38	11.0	6.6	6.5	
Serious mental illness ⁴	*12	18	19	*15.5	*11.2	*9.1	
Diseases of heart	489	697	727	8.1	5.3	5.1	
Ischemic heart disease	226	326	311	8.1	5.2	5.0	
Acute myocardial infarction	106	141	133	9.9	5.9	6.4	
Congestive heart failure	143	188	210	7.8	5.7	5.1	
Cerebrovascular diseases	139	186	157	9.9	5.7	5.2	
Pneumonia	178	229	248	10.2	6.3	6.4	
Hyperplasia of prostate	82	42	45	6.1	3.2	*3.5	
Osteoarthritis	27	38	52	10.5	4.6	4.4	
Injuries and poisoning	144	207	199	10.9	7.7	6.5	
Fracture, all sites	63	89	86	10.6	*8.3	7.3	
Fracture of neck of femur (hip)	39	52	50	11.5	7.5	7.1	

See footnotes at end of table.

Table 93 (page 2 of 3). Discharges and average length of stay in non-Federal short-stay hospitals, according to sex, age, and selected first-listed diagnoses: United States, selected years 1990–2001

[Data are based on a sample of hospital records]

Sex, age, and first-listed diagnosis	Discharges			Average length of stay		
	1990	2000	2001	1990	2000	2001
Female						
	Number in thousands			Number of days		
All ages ^{1,2}	18,508	19,192	19,801	6.0	4.5	4.5
Under 18 years ²	1,500	1,397	1,523	4.7	4.1	4.3
Pneumonia	129	168	176	4.4	3.6	3.5
Asthma	71	85	45	3.1	2.3	2.2
Injuries and poisoning	138	111	120	3.9	*3.8	3.6
Fracture, all sites	42	32	30	5.0	2.5	2.9
18–44 years ²	8,018	6,941	7,178	4.0	3.2	3.3
Delivery	3,815	3,588	3,685	2.8	2.5	2.5
Alcohol and drug ³	85	*116	112	9.1	*5.2	*5.2
Serious mental illness ⁴	200	*300	338	14.8	*7.6	7.5
Diseases of heart	73	95	99	5.4	3.7	3.5
Intervertebral disc disorders	84	58	55	4.7	2.3	2.7
Injuries and poisoning	366	237	267	5.5	4.2	3.9
Fracture, all sites	85	57	62	6.9	4.4	4.3
45–64 years ²	3,129	3,534	3,705	6.8	4.8	4.9
Malignant neoplasms	303	195	203	8.5	5.7	6.1
Trachea, bronchus, lung	41	17	28	8.6	6.4	6.2
Breast	67	40	40	4.3	2.1	2.5
Diabetes	70	93	94	8.9	5.2	4.5
Alcohol and drug ³	23	47	51	8.2	*4.8	*4.5
Serious mental illness ⁴	95	146	184	15.2	9.4	10.4
Diseases of heart	397	470	497	6.1	4.1	4.3
Ischemic heart disease	237	251	272	5.8	3.8	4.0
Acute myocardial infarction	68	64	86	7.6	5.0	5.6
Congestive heart failure	51	94	91	7.4	4.6	5.2
Cerebrovascular diseases	72	113	102	10.7	5.5	4.9
Pneumonia	80	117	113	7.9	5.7	5.4
Injuries and poisoning	225	248	280	6.7	5.3	5.4
Fracture, all sites	75	87	83	7.9	4.9	4.6
65–74 years ²	2,421	2,479	2,527	8.1	5.7	5.7
Malignant neoplasms	210	142	147	9.1	7.2	7.3
Large intestine and rectum	24	17	21	14.5	9.0	8.9
Trachea, bronchus, lung	26	25	23	10.2	*7.1	7.2
Breast	40	29	22	4.5	*	2.4
Diabetes	59	47	59	8.0	5.6	6.1
Serious mental illness ⁴	39	40	47	16.3	11.7	12.8
Diseases of heart	453	525	489	7.0	4.9	4.9
Ischemic heart disease	245	235	222	6.3	4.9	4.9
Acute myocardial infarction	75	81	80	7.8	6.6	7.4
Congestive heart failure	92	128	111	8.9	5.4	5.7
Cerebrovascular diseases	114	124	118	8.5	4.8	5.3
Pneumonia	87	117	115	9.4	6.3	6.5
Osteoarthritis	69	94	100	10.0	4.7	4.7
Injuries and poisoning	179	185	189	9.3	6.0	6.2
Fracture, all sites	85	77	79	11.5	5.7	5.3
Fracture of neck of femur (hip)	36	32	34	*16.7	6.7	5.9

See footnotes at end of table.

Table 93 (page 3 of 3). Discharges and average length of stay in non-Federal short-stay hospitals, according to sex, age, and selected first-listed diagnoses: United States, selected years 1990–2001

[Data are based on a sample of hospital records]

Sex, age, and first-listed diagnosis	Discharges			Average length of stay		
	1990	2000	2001	1990	2000	2001
Female—Con.	Number in thousands			Number of days		
75 years and over ²	3,440	4,840	4,867	9.5	6.2	5.9
Malignant neoplasms	185	186	192	11.7	7.1	7.6
Large intestine and rectum	39	36	34	15.1	8.4	9.3
Trachea, bronchus, lung	18	20	19	9.9	7.3	7.7
Breast	33	27	28	5.7	*3.5	*3.7
Diabetes	39	67	67	11.9	5.4	5.2
Serious mental illness ⁴	35	49	45	18.7	10.5	10.9
Diseases of heart	711	1,045	1,010	8.0	5.3	5.0
Ischemic heart disease	283	375	363	7.5	5.2	4.7
Acute myocardial infarction	110	174	181	9.6	6.7	6.0
Congestive heart failure	235	339	336	8.5	5.6	5.6
Cerebrovascular diseases	249	292	301	10.2	5.7	5.2
Pneumonia	201	322	286	10.9	6.9	6.8
Osteoarthritis	45	91	107	10.2	4.7	4.4
Injuries and poisoning	389	472	503	10.6	6.2	6.1
Fracture, all sites	265	316	322	11.2	6.3	6.0
Fracture of neck of femur (hip)	158	189	190	12.5	7.0	6.4

* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) of 20–30 percent. Data not shown have a RSE of greater than 30 percent.

¹Average length of stay estimates are age adjusted to the year 2000 standard population using six age groups: under 18 years, 18–44 years, 45–54 years, 55–64 years, 65–74 years, and 75 years and over. See Appendix II, Age adjustment.

²Includes discharges with first-listed diagnoses not shown in table.

³Includes abuse, dependence, and withdrawal. These estimates are for non-Federal short-stay hospitals and do not include alcohol and drug discharges from other types of facilities or programs such as the Department of Veterans Affairs or day treatment programs.

⁴These estimates are for non-Federal short-stay hospitals and do not include serious mental illness discharges from other types of facilities or programs such as the Department of Veterans Affairs or long-term hospitals.

NOTES: Excludes newborn infants. Diagnostic categories are based on the *International Classification of Diseases, Ninth Revision, Clinical Modification*. For a listing of the code numbers, see Appendix II, table IX. Data for additional years are available (see Appendix III).

SOURCE: Centers for Disease Control and Prevention, National Center for Health Statistics, National Hospital Discharge Survey.